Integr8tor

1			
Name	z3jegk7o.zip	ld.	18665 - QED OK
Report Generated on	Feb 11, 2018 7:00:46 PM	Customer	InstantDFM
Board Id			

Single PCB View - Original										
Top View	Bottom View									
494 1666 1 Team Blip 194 175 2	3.7008 inch									

Summary - General - Original			
PCB Size	3.7008 inch x 1.9291 inch	Copper Layers	2
PCB Thickness	62.00 mil	Solder Mask	Both
Customer Panel Size		Solder Mask Color	Green
SMD Pads Top	187	Legend	Both
SMD Pads Bottom	14	Legend Color	White
SMD Density Top	26 SMD/inch ²	Peeloff Mask	None
SMD Density Bottom	2 SMD/inch ²	Carbon Mask	None
Number of Nets	81	Drill Hole Density	96 Holes/inch ²
Electrical Test	Double Sided	Holes in SMD Pads	Yes
Max. Aspect Ratio on PTH	4.1	Edge Connectors	No
		Surface Finish	

Summary - Coppe	r Layers - Original						
Layer Type	Min. Line Width	Min. Copper Width	Min. Ring	Min. Clr. to Copper	Min. Clr. to Plated Hole	Min. Clr. to NPTH	Min. Clr. to Outline
	mil	mil	mil	mil	mil	mil	mil
Outer	>16.00	6.23	7.50	6.00	13.66		12.00

Summary - Sequences - Original												
Туре	Sequences	Tools	Min. End Dia.	Max. End Dia.	Holes	Min. Ring on Outer	Min. Ring on Inner	Min. Clr. Hole to Copper				
			mil	mil		mil	mil	mil				
Blind	0											
Buried	0											
PTH	1	7	15.00	62.99	688	7.50		13.66				
Plated (Total)	1	7	15.00	62.99	688	7.50		13.66				
NPTH	0											
Total	1	7	15.00	62.99	688	7.50		13.66				




Integr8tor v2017.05-170524 Page

Integr8tor

Name	z3jcgk7o.zip	ld.	18665 - QED OK
Report Generated on	Feb 11, 2018 7:00:46 PM	Customer	InstantDFM
Board Id			





50 mil

Integr8tor v2017.05-170524 The information on this document is not only based on files in a clearly defined format, but also on freely structured files and inference rules. Ucamco strives to make it as accurate as possible, but it cannot guarantee the result in all situations. This information is used at the sole risk of its user.

Integr8tor

Name	z3jegk7o.zip	ld.	18665 - QED OK
Report Generated on	Feb 11, 2018 7:00:46 PM	Customer	InstantDFM
Board Id			

Copper Layers - Original												
File	Pos.	Min. Line Width	Min. Copper Width	Min. Ring	Min. Clr. to Copper	Min. Same Net spacing	Min. Clr. to Plated Hole	Min. Clr. to NPTH	Min. Clr. to Outline	Copper Ar	ea	
		mil	mil	mil	mil	mil	mil	mil	mil	inch ²	%	
Q2-F.Cu_gbr	1	>16.00	6.23	7.50	6.00	4.73	13.66		12.00	6.3703	89	
Q2-B.Cu_gbr	2	>16.00	7.26	7.50	6.59	10.30	14.50		12.00	6.8482	96	

Drill Tools - Orig	ginal															
File	Tool Nr.	Span	Туре	Method	FilledVi a	Countere d	Dia.	Tol. Min	Tol. Plus	Holes (in PCB)	Moves (in PCB)	Doubl e Hits (in File)	Predril I Hits (in File)	Min. Ring on Outer	Min. Ring on Inner	Min. Pad Size
							mil	mil	mil					mil	mil	mil
Q2_drl	2	1-2	PTH	unknown	unknow n	unknown	15.00	0.00	0.00	625	0	1	0	7.50		30.00
Q2_drl	3	1-2	PTH	unknown	unknow n	unknown	25.00	0.00	0.00	9	0	0	0	10.00		45.00
Q2_drl	4	1-2	PTH	unknown	unknow n	unknown	31.50	0.00	0.00	9	0	0	0	12.60		56.70
Q2_drl	5	1-2	PTH	unknown	unknow n	unknown	39.37	0.00	0.00	37	0	0	0	19.68		78.73
Q2_drl	6	1-2	PTH	unknown	unknow n	unknown	43.31	0.00	0.00	3	0	0	0	11.81		66.93
Q2_drl	7	1-2	PTH	unknown	unknow n	unknown	59.06	0.00	0.00	1	0	0	0	20.47		100.00
Q2_drl	8	1-2	PTH	unknown	unknow n	unknown	62.99	0.00	0.00	4	0	0	0	>32.00		> 126.99

Sequence	es - Original											
Span	Туре	Tools	Min. End Dia.	Max. End Dia.	Holes	Min. Ring on Outer	Min. Ring on Inner	Min. Ring on Outer NPTH	Min. Ring on Inner NPTH	Min. Clr. Hole to Copper	Min. Clr. Hole to Outline	Min. Clr. Slot to Outline
			mil	mil		mil	mil	mil	mil	mil	mil	mil
1-2	PTH	7	15.00	62.99	688	7.50				13.66	42.34	disabled
All	Plated	7	15.00	62.99	688	7.50				13.66	42.34	disabled
All	All	7	15.00	62.99	688	7.50				13.66	42.34	disabled

Rout Tools - Original												
File	Tool Nr.	Туре	Tool Dia.	End Dia.	Draw Length	Nibble Count						
			mil	mil	mil							
Q2_drl	1	PTH	unknown	9.84	112.99	129						

Routed Holes - Original												
File	Hole Nr.	Instances	X Size	Y Size	Draw Length	Nibble Count						
			mil	mil	mil							
Q2_drl	1	2	17.87	9.84	8.03	9						
Q2_drl	2	2	17.95	9.84	8.11	9						
Q2_drl	3	10	17.91	9.84	8.07	9						

Integr8tor v2017.05-170524

Integr8tor

Name	z3jegk7o.zip	ld.	18665 - QED OK
Report Generated on	Feb 11, 2018 7:00:46 PM	Customer	InstantDFM
Board Id			

Solder Mask - Original										
Side	Min. Ring on Cu Defined Pads	Min. Ring on SM Defined Pads	Min. Clr. Mask to Mask	Min. Web	Min. Clr. Mask to Copper	Fully Covered Via Holes	Partly Covered Via Holes			
	mil	mil	mil	mil	mil					
Тор	3.60		5.51	1.25	0.52	Yes	Yes			
Bottom	7.87		5.51	>10.00	1.72	Yes	No			

Files - Original									
Initial	Renamed	Format	Function	Position	Color				
Q2-F.SilkS.gbr	Q2-F.SilkS_gbr	ger274x	silk	top	white				
Q2-F.Mask.gbr	Q2-F.Mask_gbr	ger274x	mask	top	green				
Q2-F.Cu.gbr	Q2-F.Cu_gbr	ger274x	outer	1					
Q2-B.Cu.gbr	Q2-B.Cu_gbr	ger274x	outer	2					
Q2-B.Mask.gbr	Q2-B.Mask_gbr	ger274x	mask	bottom	green				
Q2-B.SilkS.gbr	Q2-B.SilkS_gbr	ger274x	silk	bottom	white				
Q2.drl	Q2_drl	excellon2	plated	1-2					
Q2-Edge.Cuts.gbr	Q2-Edge.Cuts_gbr	ger274x	cad_outline	none					

Input Remarks - Original

Gerber import: Invalid coincident draw, continuing without cleanup 'Q2-F.Cu.gbr'

Gerber import: Self-intersecting contours are detected, continuing with an interpretation of the contours. 'Q2-F.Cu.gbr' (at line 5150)

Comments - Original

Ucamco **