Simulation of paintball shot

A project by Kevin Wallimann, Andri Schmidt and Marc Maetz

December 18, 2013



- 1 Introduction
 - Inspiration Expected challenges
- 2 Approach
- 3 Implementation

Low level High level Difficulties

4 Demonstration

Tricks

5 Conclusion



- Initial project idea:
 Paintball shot on wall
- Final project:
 Paintball shot on simple objects

Inspiration Expected challenges

Video

Inspiration Expected challenges

Expected challenges

- OpenGL
 - showing simple objects
- SPH solver
 - time to make it work as expected

Approach

- SPH solver
- Collision handling with axis aligned boundary boxes

Why?

- SPH solver
 - splashes and droplets
- Collision handling with axis aligned boundary boxes
 - lately attacket
 - risk of heavy time investition

Low level

- C++ 11
- Eigen
- OpenGL
 - glsl
 - glm

High level

- 1 Shot with gravitation
- 2 Collision detection
- 3 On impact the SPH simulation starts

Difficulties


- (general code debugging)
- (parameter tuning)
- (coordinates: simulation space ↔ window space)
- many particles behaving like a ball
- particles pushed and trapped inside object
- · sticky paint on object with given resolution

Tricks

- many particles behaving like a ball
 - ightarrow particle-particle forces ignored before collision
- particles pushed and trapped inside object
 - $\,\rightarrow\,$ projection further than on surface
- sticky paint on object
 - → velocity dependent trace on object


Particles pushed and trapped inside object

naive method




Particles pushed and trapped inside object

naive method




Particles pushed and trapped inside object

naive method



our method




Sticky paint on object

Trace handling



SPH particle



Resulting trace

$$egin{aligned} \mathbf{v}_\parallel &= 0 \ |\mathbf{v}| \ \mathsf{big} \end{aligned}$$





$$\mathbf{v}_{\parallel}
eq 0$$
 $|\mathbf{v}|$ big

$$egin{aligned} \mathbf{v}_\parallel &= 0 \ |\mathbf{v}| \ \mathsf{small} \end{aligned}$$





$$|\mathbf{v}_{\parallel} \neq 0$$

 $|\mathbf{v}| \text{ smal}$

Demonstration

Performance

- Real time simulation for simple objects (500 vertices)
- For complex objects substantionally slower

Performance

- Real time simulation for simple objects (500 vertices)
- For complex objects substantionally slower

Limitations

- resolution and number of collision objects
 - → bottleneck collision handling
- number of particles
 - → bottleneck SPH simulation

What we learned

- OpenGL
- Blender

What we learned

- OpenGL
- Blender

What we would do different

Start collision handling earlier