The conservation of energy

Astronomy 101 Syracuse University, Fall 2019 Walter Freeman

October 10, 2019

Announcements

Exam 2 is next Thursday. That means:

- Review session 2-5 PM Monday in the Physics Clinic (by Walter)
- "Suggest-a-question" warmup question is on the course website

Announcements

Exam 2 is next Thursday. That means:

- Review session 2-5 PM Monday in the Physics Clinic (by Walter)
- "Suggest-a-question" warmup question is on the course website

I am behind answering messages. I hope to catch up tomorrow morning. Sorry!

Last time

We saw last time that Newton's two big ideas let us predict the motion of all the planets.

Newton's second law

Gravitation

$$F_g = \frac{Gm_Am_B}{r^2}$$

$$F = ma$$
 or $a = F/m$

Tells us the size of the acceleration force is between two objects A and created by any force B whose centers are a distance r

Tells us how big the gravitational force is between two objects A and B whose centers are a distance r apart

Finish Lecture Tutorials pp. 29-32 if you haven't yet.

$\overline{\mathrm{Ugh}}, \, \mathrm{math}$

These two ideas, put together, let us predict things as complicated as galactic collisions!

$[\mathrm{Ugh},\,\mathrm{math}]$

These two ideas, put together, let us predict things as complicated as galactic collisions!

Kepler's laws ("what happens") are consequences of Newton's mechanics ("why does it happen?")

Ugh, math

These two ideas, put together, let us predict things as complicated as galactic collisions!

Kepler's laws ("what happens") are consequences of Newton's mechanics ("why does it happen?")

... but we need a *supercomputer* to do that, and it takes either very hard math or a computer simulation to even get Kepler's second law out of them!

The conservation of energy

Ugh, math

These two ideas, put together, let us predict things as complicated as galactic collisions!

Kepler's laws ("what happens") are consequences of Newton's mechanics ("why does it happen?")

... but we need a *supercomputer* to do that, and it takes either very hard math or a computer simulation to even get Kepler's second law out of them!

Kepler knew that there were underlying causes of his laws, but he wasn't good enough at math to discover them. Can we do better than Kepler? Can we find *general principles of physics* that give us insight without needing hard math?

The conservation of energy

Yes – at least for Kepler's second law.

Newton totally missed the idea of *energy* in all his work.

The conservation of energy

Yes – at least for Kepler's second law.

Newton totally missed the idea of *energy* in all his work.

Energy comes in two kinds:

- Kinetic energy: the motion of objects
 - Heat, light, and sound energy are technically kinds of kinetic energy, but we usually call them by those names instead
- Potential energy: objects are in a place where they are attracted to each other
 - If I let them go, they'll move toward each other
 - Potential to become kinetic energy
 - Chemical energy is a kind of potential energy
 - The one we really care about is gravitational potential energy

The big idea: conservation of energy

Energy can never be created or destroyed. It can only be changed from one form to another.

A pendulum swings back and forth: it converts gravitational potential energy to kinetic energy and back again.

This perspective is universal: all forces just convert energy from one sort into another

A short history of some energy:

- Hydrogen in the sun fuses into helium
- Hot gas emits light
- Light shines on the ocean, heating it
- Seawater evaporates and rises, then falls as rain
- Rivers run downhill
- Falling water turns a turbine
- Turbine turns coils of wire in generator
- Electric current ionizes gas
- Recombination of gas ions emits light

- Nuclear energy \rightarrow thermal energy
- Thermal energy \rightarrow light
- Light \rightarrow thermal energy
- Thermal energy \rightarrow gravitational pot. energy
- Gravitational PE \rightarrow kinetic energy and sound
- Kinetic energy in water \rightarrow KE in turbine
- Kinetic energy \rightarrow electric energy
- Electric energy \rightarrow chemical potential energy
- Chemical $PE \rightarrow light$

How much kinetic energy does the pendulum have when I hold it?

How much kinetic energy does the pendulum have when I hold it?

As it moves downward, what happens?

A: It converts some potential energy into kinetic energy

B: The Earth's gravity makes it accelerate down

C: Its total energy goes up, since its kinetic energy increases

D: Its total energy goes down, since its potential energy decreases

E: Its kinetic energy and potential energy both go up

How much kinetic energy does the pendulum have when I hold it?

How much kinetic energy does the pendulum have when I hold it?

How high will it go on the other side?

A: To the same height that it started at

B: Slightly less high

C: A little bit higher

How much kinetic energy does the pendulum have when I hold it?

How high will it go on the other side?

A: To the same height that it started at

B: Slightly less high

C: A little bit higher

D: Let's try it and find out!

How much kinetic energy does the pendulum have when I hold it?

How high will it go on the other side?

A: To the same height that it started at

B: Slightly less high

C: A little bit higher

D: Let's try it and find out!

At its starting height it has no kinetic energy; to make it go higher, we'd need to get more energy from *somewhere* to convert into gravitational potential energy.

Complete the handout Tutorial.

After this, we'll discuss Exam 2 from last year.