

# RECITATION QUESTIONS

30 JANUARY

## Question 1: a hiker crosses a stream

A hiker in the Adirondacks<sup>1</sup> encounters a stream that is too wide to jump across. So she doesn't get her boots wet, she takes them off and throws them across before walking barefoot through the water.

Suppose that the stream is 12 m across, and she throws her boot from ground level at an angle  $\theta = 35^\circ$  above the horizontal.

First, you will calculate the initial velocity required to get the boot across the stream. Then you'll figure out what happens if she throws it at a different angle than she intended to.

1. Draw a diagram of the boot's path in the air. Choose a coordinate system: what point are you considering ( $x = 0, y = 0$ ), and which directions are positive?
2. Write expressions for the  $x$ - and  $y$ -components of its position and velocity as a function of time. These expressions will have lots of variables in them ( $a_x$ ,  $a_y$ ,  $v_{x,0}$ ,  $v_{y,0}$ ,  $x_0$ , and  $y_0$ ) – that's okay.
3. Do you know anything about any of those variables? If so, which ones?

---

<sup>1</sup>This problem is based on a true story; the hiker is Emily Keene, a long-time PHY211 coach now working for Onondaga County Public Health as an environmental engineer. Yes, she really threw a boot into a stream.

4. With what initial velocity  $v_0$  must she throw her boot in order to get it across the stream?

5. Suppose that she accidentally throws her second boot with the same initial velocity  $v_0$  but at an angle  $\theta = 65^\circ$  above the horizontal. Where will it land?

## Question 2: a prankster

*The students in the next two problems are based on two of our long-time PHY211 coaches, one of whom still teaches with us. They might even be in your recitation!*

A mischievous SUOC student has climbed on the roof of a snow-covered building and is trying to hit her friend with snowballs as he walks through the Quad. She throws them at an angle of  $20^\circ$  above the horizontal at a speed of  $v_0 = 5$  m/s. The building has a height  $h = 6$  m.

1. Draw a cartoon of the problem, making clear your coordinate system and origin, and labelling interesting things.

2. Write expressions for  $x(t)$ ,  $y(t)$ ,  $v_x(t)$ , and  $v_y(t)$ , substituting in variables that you know.

3. Write sentences in terms of your algebraic variables that allow you to answer the following. You will need to incorporate vector language at times: for instance, you may need to use terms like “the magnitude of the velocity vector” (which will require you to solve for both  $v_x$  and  $v_y$ .)

- How much time does it take for the snowballs to hit the Quad?

- Where do the snowballs land on the Quad?

- How fast are the snowballs traveling when they hit the Quad?

- In what direction are they moving when they land on the Quad?

### Question 3: retaliation!

He decides to throw a snowball back at her. He's standing a distance  $d$  from the side of the building, and throws a snowball at an angle  $\theta$  above the horizontal at a speed  $v_0$ . However, the snowball slips out of his hand when he throws it, and it doesn't go very fast – instead of hitting her on top of the building, it hits the side of the building.

1. Draw a cartoon of the problem, making clear your coordinate system and origin, and labelling interesting things.
2. Write expressions for  $x(t)$ ,  $y(t)$ ,  $v_x(t)$ , and  $v_y(t)$ , substituting in variables that you know.
3. Write a sentence in terms of your algebraic variables that will let you figure out how far above the ground the snowball hits the side of the building.

- Based on your sentence, figure out how far above the ground the snowball hits the building. Your answer should be in terms of  $v_0$ ,  $\theta$ ,  $d$ , and  $g$ .
- He doesn't give up, though, and throws another snowball at her – again at an angle  $\theta$  above the horizontal. He throws this one harder, and it hits her feet as she stands on the edge of the building. Write a sentence in terms of your algebraic variables that will let you figure out how fast he had to throw it.
- Now, based on your previous sentence, figure out the initial speed of the second snowball he threw.