

# RECITATION QUESTIONS – 1D MOTION (PART 2)

23 JANUARY

## Question 1: a braking car

A car is traveling at 30 m/s and applies its brakes to slow down to 10 m/s. If it is able to decelerate at  $5 \text{ m/s}^2$ , how far does it travel during the braking period?

1. Write expressions for the car's position and velocity as a function of time. What moment makes sense to choose as your reference time  $t = 0$ ?

2. How can you translate the question "How far does it travel during the braking period?" into a sentence about your algebraic variables? Again, fill in the blanks:

**"What is the value of \_\_\_\_\_ at the time when \_\_\_\_\_ is equal to \_\_\_\_\_?"**

3. What intermediate quantity must you find before you find the distance traveled? Following the above recipe you created for yourself, find it.

4. Finally, how far does the car travel during the braking period?

(If your group didn't finish this problem last week, do it here.)

## Question 2: a braking car, with variables

A car is traveling at a speed  $v_0$  and applies its brakes to slow down to a speed  $v_f$ . If it is able to decelerate at an acceleration  $a_b$ , how far does it travel during the braking period?

1. Write expressions for the car's position and velocity as a function of time, as before.
2. Using the same process that you did in the previous problem, find an expression that tells how far the car travels during the braking period. This should depend only on  $v_0$ ,  $v_f$ , and  $a_b$  – the physical parameters of the problem.

### Question 3: a rocket


A small rocket is pointed straight up and fired. Its motor burns for  $\tau = 10$  s; while the rocket's motor burns, it accelerates upward at  $a_r = 15\text{m/s}^2$ ; after it burns out, the rocket is in freefall. (To make the numbers simpler for this problem, and for every problem in this class, you may use  $g = 10\text{ m/s}^2$ .)

1. Before you do any mathematics, sketch graphs on the rest of this page for the rocket's acceleration vs. time, velocity vs. time, and position vs. time, in that order. (Here I've labeled the height  $y$  rather than  $x$  since it is moving vertically.) Remember:

- The slope of the velocity graph should be equal to the value of the acceleration graph, since acceleration is the derivative of velocity
- The slope of the position graph should be equal to the value of the velocity graph.

This means that:

- When the acceleration is positive, the velocity should be increasing, and the position should be concave up;
- When the acceleration is negative, the velocity should be decreasing, and the position should be concave down;
- When the velocity is zero, the position graph should have a maximum or minimum



Since the rocket's acceleration changes in flight, you can't use the constant-acceleration kinematics formulae we've learned to understand the whole flight at once. However, the acceleration *is* piecewise constant.

This means that *one* copy of the constant-acceleration kinematics relations won't get the job done, but *two* copies will.

In problems like these, take the following approach:

- Write down one set of kinematics relations (velocity and position) for the phase of the motion while the motor is on. Here, your time variable should represent the time since the rocket was launched.
- Write down a second set of kinematics relations for the phase of the motion while the motor is off, and the rocket is only moving under the influence of gravity. Here, your time variable represents the time since the motor turned off, since that is when this set of kinematics relations became valid.
- Use the first set of kinematics relations to solve for the position and velocity at burnout. (Call this  $y_b$  and  $v_b$ , or whatever other variables you want.) These values will become the initial position and velocity for the second phase.
- Solve for whatever you want to know about the second phase.

Answer the following. Ideally, figure out your answers in terms of  $\tau$  (the rocket burn time),  $g$ , and  $a_r$ . You don't even have to plug numbers in if you don't want to!

2. How high above the ground is the rocket once its motor burns out? (Call this  $y_b$ .)

3. How fast is the rocket traveling once its motor burns out? (Call this  $v_b$ .)
4. How fast is the rocket traveling when it reaches its maximum height?
5. What is that maximum height?
6. How long does it take for the rocket to land back on the ground?