

NarVis: How to Explain An Advanced Visualization Design

Roy G. Biv, Ed Grimley, *Member, IEEE*, and Martha Stewart



Fig. 1. we don't have the system , we have nothing to add here at this time point

Abstract—nothing here

Index Terms—Narrative visualization, visual encoding explanation,

1 INTRODUCTION

Advanced visualization techniques are effective for data analysis[1]. By introducing metaphors borrowed from nature [7, 17], applying carefully designed layout algorithms [9, 37], and sophisticatedly combining existing visualizations [40], novel visual presentations help people identify patterns, trends and correlations hidden in data. However, these advanced visualizations are usually not intuitively recognizable. Users need to go through some training, for example, reading a long and boring literal description, before they grasp the knowledge required to understand and freely explore a visualization.

What is more, even designers of these advanced visualizations suffer when they are required to introduce their design, especially when the visual encoding has complicated logic dependency, or when their audience have little prior knowledge about visualization techniques.

As a result, these advanced visualization technologies, in spite of the fact that their utility has been verified by domain experts from various fields, gain little exposure outside the visual community. Unaware of or unable to understand these advanced visualizations, main stream media is still dominated by nave visualizations, such as bar charts, pie charts and so on.

For a visualization, its design space can be described as the orthogonal combination of two aspects: graphical elements called marks and visual channels to control their appearance [27]. But why the explanation of these two things is so complicated?

This problem mainly arises from the great amount of information

that an advanced visualization design attempts to deliver with visual encoding. First, it would overload an audience if we inundated them with all the information at one time. Second, even if we tried to explain it sequentially, considering the logic dependency existing among visual elements, an improper explanation could totally confuse the audience. For example, the topic streams of a theme river should be explained before the keywords mapping on them, otherwise, the audience would get totally lost. Third, when digesting such a considerable amount of information, audiences can easily get distracted or forget previous information. [2].

Thus, a specific order of encoding explanation becomes necessary. Attention guidance and reminders are also needed to make sure that audiences are following order, not getting distracted or forgetting previous information.

Narrative, which means connected events presented in a sequence, has long been used to share complex information. As the data visualization field is maturing, many researchers have moved their focus from analysis to presentation, making narrative data visualization an emerging topic [22]. Many efforts have been made to define, classify, and provide design suggestions for narrative data visualization [13, 16, 34]. Some visualization systems have already incorporated narrative modules into their design [6, 12]. However, current work is mainly focused on communicating the conclusion of analyses, rather than guiding the audience how to read a visualization.

Here, we present a prototype to adopt narrative techniques to create a visual encoding explanation. Based on our analysis of the structure, logic dependency, and visual distraction existing in a visualization design, we develop an authoring tool to decompose a visualization, reorganize extracted visual elements, and explain their visual encodings one by one through animated transition in the form of slideshow. Through incorporating a narrative sequence, appropriate chunks of information, rather than all the information, is delivered to the audience at one time, effectively avoiding information overload. Reminders, such as questions, summarizations and repetitions are woven into the narrative sequence to enhance the audiences memory while visual attention guidance, such as flickering, highlighting, and morphing are

- Roy G. Biv is with Starbucks Research. E-mail: roy.g.biv@aol.com.
- Ed Grimley is with Grimley Widgets, Inc.. E-mail: ed.grimley@aol.com.
- Martha Stewart is with Martha Stewart Enterprises at Microsoft Research. E-mail: martha.stewart@marthastewart.com.

Manuscript received xx xxx. 201x; accepted xx xxx. 201x. Date of Publication xx xxx. 201x; date of current version xx xxx. 201x. For information on obtaining reprints of this article, please send e-mail to: reprints@ieee.org.
Digital Object Identifier: xx.xxx/TVCG.201x.xxxxxxx

used to lead their attention to newly added information.)

To the best of our knowledge, this is the first attempt to explain visual encoding with narrative. We believe we make the following contributions: 1). Analysis of the structure, logic dependency, and visual distraction which exists in a visualization design. 2) A framework for explaining narrative visual encoding. 3) An authoring tool to generate and edit the narrative visual encoding explanation. We conjecture our work can motivate and enable people to use more advanced visualization designs.

2 RELATED WORK

In this section, we provide an overview of prior research around the analysis of narrative structure in data visualization, animation in data visualization, and existing authoring tools for narrative visualizations.

2.1 Structure of Narrative Data Visualization

Narrative is as old as human history. [cite something] People in the fields of literature, comics [10] and cinema [33] have gone to great lengths to analyse the sequencing and forms of grouping used in a narrative, as well as how they affect the meaning a narrative tries to deliver.

Some people believe that work from other fields can inspire researchers in the visual data community. Amini et al [1] borrowed concepts from comics [10] to classify and analyse the structure of data videos. Wang et al [36] adopt two representative tactics, time-remapping and foreshadowing, from cinematographers to organize a narrative sequence for visualizing temporal data.

Other researchers, on the other side, focus on the narrative structures exclusively for data visualization.

Satyanarayan and Heer, through interviews with professional journalists [32] define the core abstractions of narrative data visualization as state-based scenes, visualization parameters, dynamic graphical and textual annotations, and interaction triggers. Hullman et al [16], by identifying the change in data attributes, propose a graph-driven approach to automatically identify effective narrative sequences for linearly presenting a set of visualizations.

These works, however, rarely discuss the narrative structures used for visual encoding scheme, which is fundamental to a visualization. We hope our work can fill this gap.

2.2 Animation for data visualization

There is a wide discussion about the effects of animation when used in a data visualization environment.

Animation can facilitate the cognitive process. Heer and Robertson [14] confirmed the effectiveness of animation when relating data visualizations backed by a shared dataset. Ruchikachorn et al [31], going a step further, design morphing animations which bridge the gap between a familiar visualization and an unfamiliar one, thus introducing a new visualization design through animation. Graphdiaries [3] use animation to help audiences track and understand changes in a dynamic visualization.

On the other hand, animation can be an effective tool to attract and guide visual attention. Huber et al [15] study the perceptual properties of different kinds of animation, as well as their effects on human attention. Waldner et al [35] focused on a specific animation: flicker. By dividing the animation into an orientation stage and an engagement stage, they strike a good balance between the attraction effectiveness and annoyance caused by flickering.

It is, however, noteworthy that animation, in spite of all the advantages mentioned above, can bring about negative effects when used improperly [30]. Our work is based on the results of these researches, which give us a guideline on how to implement animations in our system.

2.3 Authoring tools for narrative visualization

The extensive needs of data communication exist not only in the data visualization field but also in journalism, media, and so on. This has motivated researchers to investigate ways for authoring narrative visualization.

User experience is of great concern when utilising an authoring tool. Sketch story [23], with its freeform sketch interaction, provides a more engaging way to create and present narrative visualization. Dataclips [2] lower the barrier of crafting narrative visualization by providing a library of data clips, allowing non-experts to be involved in the production of narrative visualization.

However, it is the information delivery that is the core consideration of an authoring tool. Existing authoring tools usually choose a specific type of narrative visualization based on the information they want to convey. [2] Meanwhile, integrating an authoring tool for narrative visualization with a data analysis tool has become a trend since it effectively bridges the gap between data analysis and data communication. [6, 12, 24]

These tools offer inspiring user interaction design as well as good examples to implement narrative visualization. However, they treat visual encodings as cognitively obvious attributes that can be universally and immediately recognized without a formal introduction, making them inapplicable for our purpose.

3 ANALYSIS OF A VISUALIZATION

To better inform the crafting of a narrative explanation, we survey more than 60 papers about data visualization design that published in journals with high impact and have high citations. Based on our survey, we propose a model that try to decompose the structure of an advanced visualization, as well as to identify correlations and visual distractions existing between different compositions. At the same time, combining with the work from other fields such as HCI, object perception, human visual attention and learning process, we put forward some suggestions for the design of narrative visualization explanation.

3.1 Compositions of a visualization

3.1.1 Hierarchical structure

Based on our survey of more than 60 papers, we propose a model that decomposes a visualization into three levels of structure: visual primitives, visual units, and then an advanced visualization design. A visual primitive is one graphic element, also called as mark [27], with all the visual channels controlling its appearance. A visual unit is the combination of visual primitives. It is also the smallest functional unit of a visualization. And an advanced visualization is the combination of visual units.

For instance, a point whose position and color are encoded is a visual primitive. It is the combination of one mark, point, with two visual channels, color and position. A scatter plot, which groups such points, is a visual unit. A node-link diagram, which is also a visual unit, is consist of two visual primitives, points mentioned above and lines whose position and color are encoded.

3.1.2 Correlations between visual units

In our model, we define three types of relationship between visual units: logic independency, logic dependency, and enhancement.

Logical independence: it means two visual units have no correlations at all. However, this is rarely the case in an advanced data visualization design.

Logical dependency: if two visual units have some logical dependence, it means they share some encoding scheme. Thus, it will be better if we pair them up in a narrative explanation. According to our survey, color and position are the most commonly shared visual encodings, which might be the result that color and position usually encoded with simple while fundamental information.

Enhancement: if one visual unit A is the enhancement of another visual unit B, it means that A is imported to replace some visual primitives in B, thus enriching the information B conveys. Some typical examples are the heat map mapped upon the steams in a theme river [38] and usage of glyphs to enhance the meaning of nodes in a multidimensional scaling plot. [8]

3.1.3 Correlations between visual primitives

The inner relationship between visual primitives is relatively simple.

In our survey, there are no visual units that have more than 2 visual primitives. And the relationship between the 2 visual primitives, if there are two, are quite obvious. The encoding of one primitive always has a high dependency on the encoding of another primitive. For example, in a chord diagram, the encoding of the arcs should be explained before the line connecting them.

3.1.4 Correlations between visual channels

The relationship between channels might be the most complicated relationship in our model.

Since different channels are encoded with different information, they are usually separated and have no logic dependency upon others. But can we just explain them in a random order? Of course not.

Therefore, we define two metrics to order the explaining of visual channels: the complexity of their encoded information and saliency of their visual appearance.

First, a proper explanation should follow the order of decreasing visual saliency. Even though different channels have intrinsically different perceptual saliency and channel with high saliency will suppress the expression of other, such saliency strength can be influenced in a task-dependent manner. [29] By introducing the channel with high saliency first, we remove it from the task list in our mind, decrease its saliency and give other channels more chance to attract limited human attention.

Second, we should follow the order of increasing complexity. easy to difficult practice has been long used and confirmed to be effective for learning new tasks [4].

Based on our survey, there are four common visual channels: color, size, position, shape. Sorted in the increasing complexity order, it is color-position-size-shape, while sorted in the decreasing visual saliency order, it is position-color-size-shape [27].

In our system, we choose position-color-size-shape as a trade-off between these two metrics. But we do recommend the users to define their preferable sequence according to their situation.

3.2 Analysis of existing visual distraction

From our observation, we identify two kinds of visual distractions: visual distraction from context and visual distraction from sibling channels, namely, the channels of the same mark.

Visual distraction from the context: Its intensity is determined by spatial distance and appearance similarity. This kind of distraction has been widely discussed in the field of object detection and human visual attention. Focus + Context, which might be the most popular techniques for this problem, make uneven use of graphic resources to discriminate focus from their context. At the same time, adding dynamic changes to focus elements has also been demonstrated as effective under various conditions [35].

Visual distraction from sibling channels: A visual primitive usually has more than one visual channels. Thus, when recognizing one primitive, the channels with high visual saliency can significantly influence the expression of other channels. For example, color can be a strong visual distractor when people want to focus on the shape.

3.3 Design consideration of narrative sequence

Channels: As discussed in section 3.1.4, when explaining channels, we should take information complexity as well as visual saliency into account.

As for one channel, the narrative explanation depends on the type of the channel, namely, whether it is a magnitude channel, which expresses ordered data attributes, or an identity channel, which expresses category data attributes. For a magnitude channel, two extreme examples will be enough for explaining, while for an ordered channel, introducing each category one by one.

Units: As discussed in section 3.1.2, two relationships, logic dependency and enhancement, will influence the order of a narrative explanation. Thus, we express correlations of units in a tree diagram where a child node is the enhancement of its parent and sibling nodes

have logic dependences. When explaining these visual units, we can simply obey a deep first search (DFS) order to visit all the visual units.

Non-linear sequence: so far, all the narrative explanation we discussed is linear. We move from one channel to another channel, then from one primitive to another primitive, then from one unit to another unit. However, the fact is that no one likes to read a lengthy, extremely detailed instruction. A good narrative explanation should include non-linear design, allowing users to skip uninterested, go back to previous information and freely switch between different parts.

4 NARVIS: AN AUTHORIZING TOOL FOR CRAFTING NARRATIVE EXPLANATION

4.1 Design consideration

The motivation of building Narvis is to help experts in data visualization introduce advanced visualization design to general audience with better. Thus, here are several issues we need to take into consideration for our tool.

4.2 Figure decomposition and text detection

4.3 Animation and Reminder

4.4 Library of explanation templates

4.4.1 methodology

4.4.2 Visualization type and Animation implemented

4.4.3 coverage

4.5 User interface

5 EVALUATION

6 LIMITATION AND DISCUSSION

7 CONCLUSION AND FUTURE WORK

8 BIBLIOGRAPHY INSTRUCTIONS

- Sort all bibliographic entries alphabetically but the last name of the first author. This \LaTeX /bib \TeX template takes care of this sorting automatically.
- Merge multiple references into one; e. g., use [21, 26] (not [21] [26]). Within each set of multiple references, the references should be sorted in ascending order. This \LaTeX /bib \TeX template takes care of both the merging and the sorting automatically.
- Verify all data obtained from digital libraries, even ACM's DL and IEEE Xplore etc. are sometimes wrong or incomplete.
- Do not trust bibliographic data from other services such as Mendeley.com, Google Scholar, or similar; these are even more likely to be incorrect or incomplete.
- Articles in journal—items to include:
 - author names
 - title
 - journal name
 - year
 - volume
 - number
 - month of publication as variable name (i. e., {jan} for January, etc.; month ranges using {jan #{/}# feb} or {jan #{-}# feb})
- use journal names in proper style: correct: “IEEE Transactions on Visualization and Computer Graphics”, incorrect: “Visualization and Computer Graphics, IEEE Transactions on”
- Papers in proceedings—items to include:
 - author names
 - title

- abbreviated proceedings name: e.g., “Proc.\ CONF_ACRONYM” without the year; example: “Proc.\ CHI”, “Proc.\ 3DUI”, “Proc.\ Eurographics”, “Proc.\ EuroVis”
- year
- publisher
- town with country of publisher (the town can be abbreviated for well-known towns such as New York or Berlin)
- article/paper title convention: refrain from using curly brackets, except for acronyms/proper names/words following dashes/question marks etc.; example:
 - paper “Marching Cubes: A High Resolution 3D Surface Construction Algorithm”
 - should be entered as “{M}arching {C}ubes: A High Resolution {3D} Surface Construction Algorithm” or “{M}arching {C}ubes: A high resolution {3D} surface construction algorithm”
 - will be typeset as “Marching Cubes: A high resolution 3D surface construction algorithm”
- for all entries
 - DOI can be entered in the DOI field as plain DOI number or as DOI url; alternative: a url in the URL field
 - provide full page ranges AA--BB
- when citing references, do not use the reference as a sentence object; e.g., wrong: “In [25] the authors describe ...”, correct: “Lorensen and Cline [25] describe ...”

9 EXAMPLE SECTION

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua [21, 26]. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est.

10 EXPOSITION

Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi. Lorem ipsum dolor sit amet, consetetur adipiscing elit, sed diam nonumy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat [20].

$$\sum_{j=1}^z j = \frac{z(z+1)}{2} \quad (1)$$

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Table 1. VIS/VisWeek accepted/presented papers: 1990–2015.

year	Vis/SciVis	SciVis conf	InfoVis	VAST	VAST conf	TVCG @ VIS	CG&A @ VIS	VIS/VisWeek incl. TVCG/CG&A	VIS/VisWeek w/o TVCG/CG&A
2015	33	9	38	33	14	17	15	159	127
2014	34		45	33	21	20		153	133
2013	31		38	32		20		121	101
2012	42		44	30		23		139	116
2011	49		44	26		20		139	119
2010	48		35	26				109	109
2009	54		37	26				117	117
2008	50		28	21				99	99
2007	56		27	24				107	107
2006	63		24	26				113	113
2005	88		31					119	119
2004	70		27					97	97
2003	74		29					103	103
2002	78		23					101	101
2001	74		22					96	96
2000	73		20					93	93
1999	69		19					88	88
1998	72		18					90	90
1997	72		16					88	88
1996	65		12					77	77
1995	56		18					74	74
1994	53							53	53
1993	55							55	55
1992	53							53	53
1991	50							50	50
1990	53							53	53
sum	1515	9	595	277	35	100	15	2546	2431

10.1 Lorem ipsum

Lorem ipsum dolor sit amet (see Table 1), consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

10.2 Mezcal Head

Lorem ipsum dolor sit amet (see Fig. 2), consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

10.2.1 Duis Autem

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur




Fig. 2. A visualization of the data from Table 1. The image is from [18] and is in the public domain.

sadipscing elit, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elit, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est. Lorem ipsum dolor sit amet.

10.2.2 Ejector Seat Reservation

Duis autem [25]¹ vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat,² vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi. Lorem ipsum dolor sit amet, consetetur adipiscin elit, sed diam nonumy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

Confirmed Ejector Seat Reservation Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat [28]. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

Rejected Ejector Seat Reservation Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie

11 CONCLUSION

[19] Lorem ipsum dolor sit amet, consetetur sadipscing elit, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elit, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. [5, 11]

ACKNOWLEDGMENTS

The authors wish to thank A, B, C. This work was supported in part by a grant from XYZ.

¹The algorithm behind Marching Cubes [25] had already been described by Wyvill et al. [39] a year earlier.

²Footnotes appear at the bottom of the column.

REFERENCES

- [1] F. Amini, N. Henry Riche, B. Lee, C. Hurter, and P. Irani. Understanding data videos: Looking at narrative visualization through the cinematography lens. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems, CHI '15*, pp. 1459–1468. ACM. doi: 10.1145/2702123.2702431
- [2] F. Amini, N. H. Riche, B. Lee, A. Monroy-Hernandez, and P. Irani. Authoring data-driven videos with DataClips. 23(1):501–510. doi: 10.1109/TVCG.2016.2598647
- [3] B. Bach, E. Pietriga, and J. D. Fekete. GraphDiaries: Animated transitions and Temporal navigation for dynamic networks. 20(5):740–754. doi: 10.1109/TVCG.2013.254
- [4] J. P. Bliss, D. R. Lampton, and J. A. Boldovici. The effects of easy-to-difficult, difficult-only, and mixed-difficulty practice on performance of simulated gunnery tasks.
- [5] M. A. Borkin, A. A. Vo, Z. Bylinskii, P. Isola, S. Sunkavalli, A. Oliva, and H. Pfister. What makes a visualization memorable? 19(12):2306–2315. doi: 10.1109/TVCG.2013.234
- [6] C. Bryan, K. L. Ma, and J. Woodring. Temporal summary images: An approach to narrative visualization via interactive annotation generation and placement. PP(99):1–1. doi: 10.1109/TVCG.2016.2598876
- [7] N. Cao, Y. R. Lin, X. Sun, D. Lazer, S. Liu, and H. Qu. Whisper: Tracing the spatiotemporal process of information diffusion in real time. 18(12):2649–2658. doi: 10.1109/TVCG.2012.291
- [8] Q. Chen, Y. Chen, D. Liu, C. Shi, Y. Wu, and H. Qu. PeakVizor: Visual analytics of peaks in video clickstreams from massive open online courses. 22(10):2315–2330. doi: 10.1109/TVCG.2015.2505305
- [9] M. T. Chi, S. S. Lin, S. Y. Chen, C. H. Lin, and T. Y. Lee. Morphable word clouds for time-varying text data visualization. 21(12):1415–1426. doi: 10.1109/TVCG.2015.2440241
- [10] N. Cohn. Visual narrative structure. 37(3):413–452. doi: 10.1111/cogs.12016
- [11] C. Dunne, B. Shneiderman, R. Gove, J. Klavans, and B. Dorr. Rapid understanding of scientific paper collections: Integrating statistics, text analytics, and visualization. 63(12):2351–2369. doi: 10.1002/asi.22652
- [12] R. Eccles, T. Kapler, R. Harper, and W. Wright. Stories in GeoTime. In *2007 IEEE Symposium on Visual Analytics Science and Technology*, pp. 19–26. doi: 10.1109/VAST.2007.4388992
- [13] N. Gershon and W. Page. What storytelling can do for information visualization. 44(8):31–37. doi: 10.1145/381641.381653
- [14] J. Heer and G. Robertson. Animated transitions in statistical data graphics. 13(6):1240–1247. doi: 10.1109/TVCG.2007.70539
- [15] D. E. Huber and C. G. Healey. Visualizing data with motion. In *VIS 05. IEEE Visualization, 2005.*, pp. 527–534. doi: 10.1109/VISUAL.2005.1532838
- [16] J. Hullman, S. Drucker, N. H. Riche, B. Lee, D. Fisher, and E. Adar. A deeper understanding of sequence in narrative visualization. 19(12):2406–2415. doi: 10.1109/TVCG.2013.119
- [17] S. Huron, R. Vuillemot, and J. D. Fekete. Visual sedimentation. 19(12):2446–2455. doi: 10.1109/TVCG.2013.227
- [18] P. Isenberg, F. Heimerl, S. Koch, T. Isenberg, P. Xu, C. Stolper, M. Sedlmair, J. Chen, T. Möller, and J. Skasko. vispubdata.org: A Metadate Collection about IEEE Visualization (VIS) Publications. *IEEE Transactions on Visualization and Computer Graphics*, 23, 2017. To appear. doi: 10.1109/TVCG.2016.2615308
- [19] P. Isenberg, T. Isenberg, M. Sedlmair, J. Chen, and T. Möller. Visualization as seen through its research paper keywords. 23(1):771–780. doi: 10.1109/TVCG.2016.2598827
- [20] G. Kindlmann. Semi-automatic generation of transfer functions for direct volume rendering. Master's thesis, Cornell University, USA, 1999.
- [21] Kitware, Inc. *The Visualization Toolkit User's Guide*, January 2003.
- [22] R. Kosara and J. Mackinlay. Storytelling: The next step for visualization. 46(5):44–50. doi: 10.1109/MC.2013.36
- [23] B. Lee, R. H. Kazi, and G. Smith. SketchStory: Telling more engaging stories with data through freeform sketching. 19(12):2416–2425. doi: 10.1109/TVCG.2013.191
- [24] B. Lee, N. H. Riche, P. Isenberg, and S. Carpendale. More than telling a story: Transforming data into visually shared stories. 35(5):84–90. doi: 10.1109/MCG.2015.99
- [25] W. E. Lorensen and H. E. Cline. Marching cubes: A high resolution 3D surface construction algorithm. *SIGGRAPH Computer Graphics*, 21(4):163–169, Aug. 1987. doi: 10.1145/37402.37422

- [26] N. Max. Optical models for direct volume rendering. *IEEE Transactions on Visualization and Computer Graphics*, 1(2):99–108, June 1995. doi: 10.1109/2945.468400
- [27] T. Munzner. *Visualization Analysis and Design*. CRC Press. Google-Books-ID: dznSBQAAQBAJ.
- [28] G. M. Nielson and B. Hamann. The asymptotic decider: Removing the ambiguity in marching cubes. In *Proc. Visualization*, pp. 83–91. IEEE Computer Society, Los Alamitos, 1991. doi: 10.1109/VISUAL.1991.175782
- [29] H.-C. Nothdurft. Salience from feature contrast: variations with texture density. 40(23):3181–3200. doi: 10.1016/S0042-6989(00)00168-1
- [30] G. Robertson, R. Fernandez, D. Fisher, B. Lee, and J. Stasko. Effectiveness of animation in trend visualization. 14(6):1325–1332. doi: 10.1109/TVCG.2008.125
- [31] P. Ruchikachorn and K. Mueller. Learning visualizations by analogy: Promoting visual literacy through visualization morphing. 21(9):1028–1044. doi: 10.1109/TVCG.2015.2413786
- [32] A. Satyanarayan and J. Heer. Authoring narrative visualizations with ellipsis. 33(3):361–370. doi: 10.1111/cgf.12392
- [33] J. N. Schmidt. the living handbook of narratology.
- [34] E. Segel and J. Heer. Narrative visualization: Telling stories with data. 16(6):1139–1148. doi: 10.1109/TVCG.2010.179
- [35] M. Waldner, M. L. Muzic, M. Bernhard, W. Purgathofer, and I. Viola. Attractive flicker #x2014; guiding attention in dynamic narrative visualizations. 20(12):2456–2465. doi: 10.1109/TVCG.2014.2346352
- [36] Y. Wang, Z. Chen, Q. Li, X. Ma, Q. Luo, and H. Qu. Animated narrative visualization for video clickstream data. In *SIGGRAPH ASIA 2016 Symposium on Visualization*, SA ’16, pp. 11:1–11:8. ACM. doi: 10.1145/3002151.3002155
- [37] Y. Wu, S. Liu, K. Yan, M. Liu, and F. Wu. OpinionFlow: Visual analysis of opinion diffusion on social media. 20(12):1763–1772. doi: 10.1109/TVCG.2014.2346920
- [38] Y. Wu, F. Wei, S. Liu, N. Au, W. Cui, H. Zhou, and H. Qu. OpinionSeer: Interactive visualization of hotel customer feedback. 16(6):1109–1118. doi: 10.1109/TVCG.2010.183
- [39] G. Wyvill, C. McPheeters, and B. Wyvill. Data structure for *soft* objects. *The Visual Computer*, 2(4):227–234, Aug. 1986. doi: 10.1007/BF01900346
- [40] J. Zhao, N. Cao, Z. Wen, Y. Song, Y. R. Lin, and C. Collins. #x0023;FluxFlow: Visual analysis of anomalous information spreading on social media. 20(12):1773–1782. doi: 10.1109/TVCG.2014.2346922