

NCG612 - Housing Project

Housing Valuation: finding the most reliable determinations on property price for
Greater London



NUI MAYNOOTH

Ollscoil na hÉireann Má Nuad

Group H

Haojun He (19250816)

An Ning Shen

Yang Wang (19250003)

Contents

1	Introduction	1
2	Data Preparation	1
2.1	Variables in Original Dataset	1
2.2	Data Cleaning	2
2.3	Variables in New Dataset.	2
3	Data Exploration	3
3.1	Exploration of Response Variable (Purprice)	3
3.2	Exploration of Independent Variable (Continous Variables)	4
3.3	Exploration of Independent Variable (Categorical Variables)	6
4	Fit Linear Models	8
4.1	Introduction of Model	8
4.2	Fit for A Single Variable and Look at AICs	8
4.3	Fit Linear Model With All Predictors	9
4.4	Fit Linear Model With Significant Predictors and Check VIF	10
4.5	Fit Linear Model and Test Accuracy	11
5	Spatial Variation	12
5.1	Fit model with variable Easting and Northing	12
5.2	Load Borough Data	13
5.2.1	Property Price Versus Borough	13
5.2.2	Standardised Residuals Versus Borough	13
5.3	Geographically Weighted Regression (GWR)	14
5.3.1	The diagnosis of model	14
5.3.2	The diagnosis of Coefficient	16
6	Conclusion	19

1 Introduction

Housing Valuation is an area in which statistical models can play a role. The models which are frequently used can also be used to model other price structures. The project is concerned with finding the most reliable determinants on property prices. The dataset is a subset of anonymised mortgage records for the area that is known as Greater London. The purchase price (which is different from the asking price) is available, as a series of the characteristics of the property. The goal is to find the best group of predictors of property price and to find the most reliable determinants on property prices.

Describing the methods for property price prediction

- Obtain significant predictor variables in predicting prices of housing in London
- Obtain an estimate of the spatial variation in the influence of floorspace change on the price by borough.
- Geographically weighted regression (GWR) is a unique type of regression. Compared to a linear regression, the predictors contributes a coefficient value which tells how much the response is changed based on a unit change in the predicting variable. Whereas in GWR, the coefficient value changes based on spatial orientation. A coefficient value is no longer global and is calculated based on that specific region. This will decrease bias and give out a more intriguing and accurate response and analysis,

2 Data Preparation

2.1 Variables in Original Dataset

##	Name	Type	Description
## 1	X	int	No.
## 2	Easting	int	Easting in m
## 3	Northing	int	Northing in m
## 4	Purprice	int	Purchase Price in GBP
## 5	BldIntWr	int	Built between 1918 and 1939
## 6	BldPostW	int	Built between 1945 and 1959
## 7	Bld60s	int	Built between 1960 and 1969
## 8	Bld70s	int	Built between 1970 and 1979
## 9	Bld80s	int	Built between 1980 and 1989
## 10	TypDetch	int	Detached property
## 11	TypSemiD	int	Semi-detached property
## 12	TypFlat	int	Flat or apartment
## 13	GarSingl	int	Single Garage
## 14	GarDoubl	int	Double Garage
## 15	Tenfree	int	Leasehold/Freehold indicator
## 16	CenHeat	int	Central heating
## 17	BathTwo	int	Two or more bathrooms
## 18	BedTwo	int	Two bedrooms
## 19	BedThree	int	Three bedrooms
## 20	BedFour	int	Four bedrooms
## 21	BedFive	int	Five bedrooms
## 22	NewPropD	int	New property
## 23	FlorArea	double	Floor area in square metres
## 24	NoCarHh	double	Proportion of households without a car
## 25	CarspP	double	Cars per person in neighborhood
## 26	ProfPct	double	Proportion of Households with Professional Head
## 27	UnskPct	double	Proportion of Households with Unskilled head
## 28	RetiPct	double	Proportion of residents retired
## 29	Saleunem	double	Not known
## 30	Unemploy	double	Unemployed workers
## 31	PopnDnsy	double	Local population density

2.2 Data Cleaning

Convert dummies to factors - more convenient for modelling.

For building model to predict the price of property in London, some variables should be organized properly.


- Age: these represent the time period in which the property was constructed. It is from variables BldIntWr,BldPostW,Bld60s,Bld70s and Bld80s. The values of it are PreWW1, BldIntWr, BldPostW, Bld60s, Bld70s and Bld80s.
- Type: these represent the type of building. It is from variables TypDetch,TypSemiD and TypFlat. The values of it are TypDetch, TypSemiD, TypFlat and Bungalow.
- Garage: these represent the numbers of garage that the property has. It is from variables GarSingl and GarDoubl. The values of it are HardStnd, GarSingl and GarDoubl.
- Bedrooms: these represent the numbers of bedrooms that the property has. It is from variables BedTwo,BedThree,BedFour and BedFive. The values of it are BedOne, BedTwo, BedThree, BedFour and BedFive.

2.3 Variables in New Dataset.


##	Name	Type	Description
## 1	Easting	int	Easting in m
## 2	Northing	int	Northing in m
## 3	Purprice	int	Purchase Price in GBP
## 4	Tenfree	int	Leasehold/Freehold indicator
## 5	CenHeat factor		Central heating
## 6	BathTwo factor		Two or more bathrooms
## 7	NewPropD	int	New property
## 8	FlorArea	double	Floor area in square metres
## 9	ProfPct	double	Proportion of Households with Professional Head
## 10	Age factor		The age of building
## 11	Type factor		The type of building
## 12	Garage factor		The Garage of building
## 13	Bedrooms factor		The number of Bedrooms
## 14	NoCarHh	double	Proportion of households without a car
## 15	CarsPp	double	Cars per person in neighborhood
## 16	UnskPct	double	Proportion of Households with Unskilled head
## 17	RetiPct	double	Proportion of residents retired
## 18	Saleunem	double	Not known
## 19	Unemploy	double	Unemployed workers
## 20	PopnDnsy	double	Local population density

3 Data Exploration

3.1 Exploration of Response Variable (Purprice)




Delete the outlier which is over 600,000. Most of The price of property are under 600,000, but there is a outlier, which is much bigger than others. It would influence the result of the analysis.




The floor Area and price shows a somewhat linear relationship. The slope is constant and no clear curvature is present. The price increases as floor area increases.

3.2 Exploration of Independent Variable (Continuous Variables)




- A: For Profpct, only a few observations have higher values and a linear relationship is inadequate.
- B: There are no outlier in NoCarHh, and no linear relationship between NoCarHh and Purprice.
- C: The line is almost horizontal, no linear relationship between CarspP and Purprice.
- D: Most observations have lower values in UnskPct, the trend of line is influenced by outliers. The linear relationship is inadequate.




- E: We can see in the plot, the line is horizontal. It means there is no linear relationship between RetiPct and Purprice.
- F: The trend of line in this plot is influenced by a few points. The linear relationship is inadequate.
- G: The trend of line in this plot is influenced by a few points. The linear relationship between Unemploy and Purprice.
- H: The plot shows the relationship between PopnDnsy and Purprice is very weak.

Based on the plots above, all these variables do not have strong linear relationship which dependent variable property price. For cars per person in neighborhood and proportion of households with unskilled head, the fit line almost horizontal. It means They have no liner relationship with property price. Others variables are scattered around the origin, and most of the points are scattered tightly around the origin. The trend of lines are mainly influenced by outliers. The same conclusion we can get that the relationship between them and price of property are very weak.

3.3 Exploration of Independent Variable (Categorical Variables)



- A: It show that houses with central heating are higher priced than houses without central heating. Although the average price of houses with central heating is higher, it does not differ by a large price difference. It is more comfortable when heating is provided 24/7 as to heating which needs to be set up before using which could cause discomfort in some cases.
- B: From the number of garages, we can clearly see that the houses with two garage's median price is a lot higher than houses with single garage. Again, the size of the house is influenced by how many cars the garage can park. By assumption, one wouldn't have two garages with a single room. It would only be available to houses with more than two rooms to have two garages.
- C: Furthermore, we can see that houses with two bathrooms is also higher priced on average. This difference between one bathroom to two bathrooms is much higher. Intuitively, this would be more convenient and houses with more than one washroom are typically bigger in size based on the design of the interior.
- D: Finally moving on to the number of bedrooms a house would have. We can see that the houses with one room and two rooms do not differ by much. Even three rooms doesn't have too much difference in the median of pricing. However, as the bedroom goes to four or even five, the jump is significantly higher.



- E: Moving on to the next predictor, we have the age of the house. From our plots, we can see that housing before the World War 1 has greatest span of pricing. It is usually because the location of the housing was excellent since it was just the beginning. Therefore, it could be one of the reasons to explain the span of prices.
- F: The type of the house also influences the pricing of housing. For example, we had detached homes, semidetached and flats. Obviously detached homes would have the highest pricing, as it has more privacy and the layout of the houses are better. Then we have the semidetached, which is still good. However, it does lack the same amount of privacy from a full detached house. Flats would be at the end of the list since there is little privacy if the isolation was not done well.

In the plots above, we can see that the types of property is an important factor that influence the price of a property. The property with central heating tend to be more expensive. As the number of garages, bathrooms and bedrooms goes up, the price of property shows a increase trend. However, the age of property seems have no influence for the price of property. Large houses clearly costs more, however as the size of the houses goes up, there are few data available. As we can see from our PurPrice vs FloorArea plot, the left side is tightly scattered with data and the right side of the line has a lot fewer data.

4 Fit Linear Models

4.1 Introduction of Model

With all the predictors examined, we move to our simple linear regression model.

We first use lm() function in R for our models.

- `lm(Purprice~., data=MyData)`

If we were to write out the function, it would be :

- $Purprice = b_0 + b_1 FlorArea + b_2 Bedrroms + b_3 Type + \dots + b_{17} PopnDnsy$

Our predictors would be able to predict the price of a house based on given London data. It would be able to predict the price based on the coefficients of the predictors. It is only required to have the right input in order to predict the price.

Then we want to find the predictor that has the most impact on price. So, we used AIC to compare the different predictors. Then fit model with all predictors and choose significant predictors for the linear model.

Finally, fit model with significant predictors and check VIF of predictors to avoid colinearity.

4.2 Fit for A Single Variable and Look at AICs

```
##          name      AIC
## 5   FlorArea 293198.7
## 10  Bedrooms 297086.6
## 8    Type 299031.9
## 3   BathTwo 299667.9
## 9   Garage 300656.4
## 1   Tenfree 300712.3
## 2   CenHeat 301562.2
## 7    Age 301833.0
## 14  RetiPct 301924.9
## 11  NoCarHh 301925.5
## 16 Unemploy 301928.1
## 15 Saleunem 301928.6
## 6   ProfPct 301929.4
## 12  CarspP 301929.6
## 17 PopnDnsy 301930.1
## 4   NewPropD 301930.4
## 13 UnskPct 301931.5
```

In order to choose significant variables for model, we build a model for response and every predictor respectively and output the AICs of models in the table above. We can see that the area of floor is the most important predictor for predicting the price of properties. The number of bedrooms, bathrooms and the property type are also impact the property price greatly.

4.3 Fit Linear Model With All Predictors

```

## 
## Call:
## lm(formula = Purprice ~ ., data = MyData[, 3:20])
## 
## Residuals:
##    Min     1Q Median     3Q    Max 
## -136420 -13483 -1322  10340 371624 
## 
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)    
## (Intercept) 12216.791   3234.459   3.777 0.000159 *** 
## Tenfree1      6215.453   1352.354   4.596 0.000004348433111 *** 
## CenHeat1      11856.974   754.564  15.714 < 0.0000000000000002 *** 
## BathTwo1      24029.638   1202.984  19.975 < 0.0000000000000002 *** 
## NewPropD1     1879.988   1545.371   1.217 0.223807    
## FlorArea       677.818    11.379  59.570 < 0.0000000000000002 *** 
## ProfPct        45.261    24.909   1.817 0.069235 .    
## AgeBldIntWr   3996.542   657.059   6.082 0.000000001217999 *** 
## AgeBldPostW   -1134.041   975.441  -1.163 0.245017    
## AgeBld60s      -7318.654   1089.956  -6.715 0.00000000019669 *** 
## AgeBld70s      -6713.012   1164.455  -5.765 0.000000008361791 *** 
## AgeBld80s       357.120    1026.580   0.348 0.727941    
## TypeTypSemiD  -12406.759   1005.914 -12.334 < 0.0000000000000002 *** 
## TypeTypFlat    -17328.944   1032.138 -16.789 < 0.0000000000000002 *** 
## TypeBungalow   -5754.224   1658.808  -3.469 0.000524 ***  
## GarageGarSingl 3773.963    614.680   6.140 0.00000000851699 *** 
## GarageGarDoubl 9279.791    1676.432   5.535 0.000000031670020 *** 
## BedroomsBedTwo -3399.740    869.034  -3.912 0.000091984407889 *** 
## BedroomsBedThree -7863.395   1068.092  -7.362 0.000000000000192 *** 
## BedroomsBedFour -1709.352   1542.268  -1.108 0.267738    
## BedroomsBedFive 3973.657    2504.121   1.587 0.112573    
## NoCarHh         -12.783    30.913  -0.414 0.679247    
## CarspP          -19.105    40.555  -0.471 0.637592    
## UnskPct         -40.730    36.679  -1.110 0.266830    
## RetiPct          -7.091     5.618  -1.262 0.206928    
## Saleunem        54.662     60.992   0.896 0.370154    
## Unemploy         9.737     5.808   1.677 0.093629 .    
## PopnDnsy        42.660    40.423   1.055 0.291287    
## --- 
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1 
## 
## Residual standard error: 27150 on 12507 degrees of freedom 
## Multiple R-squared:  0.5652, Adjusted R-squared:  0.5643 
## F-statistic: 602.2 on 27 and 12507 DF,  p-value: < 0.0000000000000022

```

Then fit linear model with all predictors. The output of model shows the proportion of households without a car, cars per person in neighborhood, proportion of households with professional head, proportion of households with unskilled head, proportion of residents retired, unemployed workers, the new properties and local population density are not significant. This conclusion the same as what we get in the correlation coefficient table. So these variables are moved out from model.

4.4 Fit Linear Model With Significant Predictors and Check VIF

```

## 
## Call:
## lm(formula = Purprice ~ Tenfree + CenHeat + BathTwo + FlorArea +
##     Age + Type + Garage + Bedrooms, data = MyData)
## 
## Residuals:
##   Min     1Q Median     3Q    Max 
## -135607 -13414 -1328  10382 371167 
## 
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)    
## (Intercept) 12225.50   2113.53   5.784 0.000000007451054 ***
## Tenfree1      6140.30   1352.02   4.542 0.000005635720994 ***
## CenHeat1     11854.63    754.65  15.709 < 0.0000000000000002 ***
## BathTwo1     24053.12   1202.55  20.002 < 0.0000000000000002 ***
## FlorArea       678.08    11.37  59.613 < 0.0000000000000002 ***
## AgeBldIntWr   4051.07   656.87   6.167 0.000000000716479 ***
## AgeBldPostW  -1136.03   975.15  -1.165 0.244050  
## AgeBld60s     -7336.41   1089.76  -6.732 0.000000000017450 ***
## AgeBld70s     -6707.95   1164.43  -5.761 0.0000000008572948 ***
## AgeBld80s      935.35    898.71   1.041 0.298003  
## TypeTypSemiD -12381.18   1005.73 -12.311 < 0.0000000000000002 ***
## TypeTypFlat    -17269.10   1031.65 -16.739 < 0.0000000000000002 ***
## TypeBungalow   -5695.79   1658.13  -3.435 0.000594 ***
## GarageGarSingl  3776.80    614.47   6.146 0.000000000816264 ***
## GarageGarDoubl  9257.72   1676.29   5.523 0.000000034042618 ***
## BedroomsBedTwo -3450.07   869.10  -3.970 0.000072362613187 ***
## BedroomsBedThree -7869.64   1068.21  -7.367 0.000000000000185 ***
## BedroomsBedFour  -1743.82   1541.90  -1.131 0.258095  
## BedroomsBedFive  3937.18   2504.29   1.572 0.115935  
## --- 
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## 
## Residual standard error: 27150 on 12516 degrees of freedom
## Multiple R-squared:  0.5647, Adjusted R-squared:  0.564 
## F-statistic: 901.9 on 18 and 12516 DF,  p-value: < 0.0000000000000022
## Tenfree  CenHeat  BathTwo FlorArea      Age      Type      Garage Bedrooms
## 6.722    1.030    1.253   3.032    1.561    9.769    1.480    4.112

```

Buiding model with all significant predictors and check colinearity by VIF. In the table above, the colinearity of property type is very high(9.769). It should be moved out form model. In the next step, the dataset would be separated into training and testing data and the linear model would be built using training dataset and be tested using testing dataset.

4.5 Fit Linear Model and Test Accuracy

```

## 
## Call:
## lm(formula = Purprice ~ FlorArea + Bedrooms + BathTwo + Garage +
##      Tenfree + CenHeat + Age, data = trainData)
## 
## Residuals:
##    Min     1Q   Median     3Q    Max 
## -131677 -13606  -1649  10507 364562 
## 
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)    
## (Intercept) 2386.22   1529.39   1.560   0.118744    
## FlorArea     715.26    14.97  47.766 < 0.0000000000000002 *** 
## BedroomsBedTwo -5323.44   1148.02  -4.637   0.0000035935589099 *** 
## BedroomsBedThree -10485.73   1398.61  -7.497   0.0000000000000726 *** 
## BedroomsBedFour -2291.56   2049.23  -1.118   0.263493    
## BedroomsBedFive  5954.67   3305.12   1.802   0.071640 .  
## BathTwo1      24198.54   1585.61  15.261 < 0.0000000000000002 *** 
## GarageGarSingl  6137.83   793.09   7.739   0.0000000000000113 *** 
## GarageGarDoubl 15060.80   2180.87   6.906   0.0000000000053983 *** 
## Tenfree1       -1618.72   939.73  -1.723   0.085013 .  
## CenHeat1        12268.51  1000.50  12.262 < 0.0000000000000002 *** 
## AgeBldIntWr    5663.90   858.19   6.600   0.000000000439682 *** 
## AgeBldPostW    2312.66   1279.79   1.807   0.070791 .  
## AgeBld60s      -5397.07  1436.10  -3.758   0.000172 *** 
## AgeBld70s      -5712.37  1522.99  -3.751   0.000178 *** 
## AgeBld80s      3592.95   1174.30   3.060   0.002224 ** 
## --- 
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1 
## 
## Residual standard error: 27920 on 7505 degrees of freedom 
## Multiple R-squared:  0.5553, Adjusted R-squared:  0.5544 
## F-statistic: 624.8 on 15 and 7505 DF,  p-value: < 0.0000000000000022 
## [1] 777827779 
## [1] 723418875

```

As the output of the model above, the mean square error of testing dataset is 777827779 which is slightly lower than that of training dataset. For predictor floor area, 1 square metre increase, the average price of property would increase 715.26 GBP, keeping other predictors constant. The average price for those properties with central heating is higher than those without central heating by 12268.51 GBP, keeping other predictors constant.

5 Spatial Variation


5.1 Fit model with variable Easting and Northing

```
##  
## Call:  
## lm(formula = Purprice ~ x + y + I(x^2) + I(y^2) + I(x * y), data = MyData)  
##  
## Residuals:  
##    Min      1Q Median      3Q     Max  
## -73924 -24782  -9828   9862  444261  
##  
## Coefficients:  
##             Estimate Std. Error t value Pr(>|t|)  
## (Intercept) -3153110.597 874075.711 -3.607 0.000311 ***  
## x           12253.587   2793.148   4.387 0.0000116 ***  
## y            352.539   2915.762   0.121 0.903766  
## I(x^2)       -10.739    2.555  -4.203 0.0000266 ***  
## I(y^2)        7.372    4.717   1.563 0.118080  
## I(x * y)     -5.727    4.323  -1.325 0.185350  
## ---  
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  
##  
## Residual standard error: 41050 on 12529 degrees of freedom  
## Multiple R-squared:  0.004172,  Adjusted R-squared:  0.003774  
## F-statistic: 10.5 on 5 and 12529 DF,  p-value: 0.0000000004507
```

Fit model with variable Easting and Westing to test is the location influencing the price of properties significantly. The result shows that the properties tend to have a lower price as we move east and the influence is significant. So it is necessary to consider the geographic effect in predicting the price of properties.


5.2 Load Borough Data

5.2.1 Property Price Versus Borough



In the plot above, We can see the median of property price is different in different borough in London. Especially in the city of London, property price is significantly higher than that in other boroughs.

5.2.2 Standardised Residuals Versus Borough



In the borough versus standard residual plot, we can get the same conclusion that the distribution of residuals in different boroughs are different. If we can fit model considering the effect from boroughs, the result might be better. We will now run a geographically weighted regression model to see how the coefficients of the model might vary across London.

5.3 Geographically Weighted Regression (GWR)

5.3.1 The diagnosis of model

First we will calibrate the bandwidth of the kernel that will be used to capture the points for each regression (this may take a little while) and then run the model:

```
## ****
## *          Package   Gwmodel      *
## ****
## Program starts at: 2020-05-13 10:55:19
## Call:
## gwr.basic(formula = Purprice ~ FlorArea + Bedrooms + BathTwo +
##           Garage + Tenfree + CenHeat + Age, data = map, bw = bw, kernel = "gaussian")
##
## Dependent (y) variable: Purprice
## Independent variables: FlorArea Bedrooms BathTwo Garage Tenfree CenHeat Age
## Number of data points: 7521
## ****
## *          Results of Global Regression      *
## ****
## Call:
## lm(formula = formula, data = data)
##
## Residuals:
##    Min     1Q Median     3Q    Max
## -131677 -13606 -1649  10507 364562
##
## Coefficients:
##             Estimate Std. Error t value     Pr(>|t|)    
## (Intercept) 2386.22   1529.39   1.560    0.118744    
## FlorArea     715.26    14.97  47.766 < 0.0000000000000002 ***
## BedroomsBedTwo -5323.44   1148.02  -4.637   0.0000035935589099 ***
## BedroomsBedThree -10485.73   1398.61  -7.497   0.0000000000000726 ***
## BedroomsBedFour -2291.56   2049.23  -1.118    0.263493    
## BedroomsBedFive 5954.67   3305.12   1.802    0.071640 .  
## BathTwo1     24198.54   1585.61  15.261 < 0.0000000000000002 ***
## GarageGarSingl 6137.83   793.09   7.739    0.000000000000113 ***
## GarageGarDoubl 15060.80   2180.87   6.906    0.0000000000053983 ***
## Tenfree1      -1618.72   939.73  -1.723    0.085013 .  
## CenHeat1      12268.51   1000.50  12.262 < 0.0000000000000002 ***
## AgeBldIntWr  5663.90   858.19   6.600    0.000000000439682 ***
## AgeBldPostW  2312.66   1279.79   1.807    0.070791 .  
## AgeBld60s     -5397.07   1436.10  -3.758    0.000172 ***
## AgeBld70s     -5712.37   1522.99  -3.751    0.000178 ***
## AgeBld80s     3592.95   1174.30   3.060    0.002224 ** 
##
## ---Significance stars
## Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## Residual standard error: 27920 on 7505 degrees of freedom
## Multiple R-squared: 0.5553
## Adjusted R-squared: 0.5544
## F-statistic: 624.8 on 15 and 7505 DF, p-value: < 0.0000000000000022
```

```

## ***Extra Diagnostic information
## Residual sum of squares: 5850042725710
## Sigma(hat): 27893.27
## AIC: 175347.7
## AICC: 175347.8
## ****
## *          Results of Geographically Weighted Regression      *
## ****
## ****Model calibration information*****
## Kernel function: gaussian
## Fixed bandwidth: 6103.785
## Regression points: the same locations as observations are used.
## Distance metric: Euclidean distance metric is used.
##
## *****Summary of GWR coefficient estimates:*****
##           Min.   1st Qu.   Median   3rd Qu.   Max.
## Intercept -11554.796  254.395  4904.294  7410.595 11034.18
## FlorArea    612.043   676.780   707.772   732.984  821.42
## BedroomsBedTwo -12787.458 -6204.371 -4945.664 -3734.715 -1174.21
## BedroomsBedThree -20027.410 -12955.621 -10648.990 -7608.165 -3183.76
## BedroomsBedFour -16583.906 -7625.159 -3919.857  3315.564  9841.25
## BedroomsBedFive -27505.494 -11882.768  8012.577  16527.424 80111.69
## BathTwo1     8647.801  21953.435  25329.002  29390.062 39318.85
## GarageGarSingl 2231.026   4538.113   5867.882  8153.808 11417.84
## GarageGarDoubl 5302.221  12128.844  15679.468  18372.378 28602.52
## Tenfree1     -7362.917 -3018.066 -1110.351   655.130  4225.97
## CenHeat1      6789.054  10087.689  12008.319  13652.972 17671.62
## AgeBldIntWr   66.841   1648.497  3842.940  8534.553 13274.22
## AgeBldPostW   -4929.118 -2849.870 -355.913  5982.302 14275.50
## AgeBld60s     -13142.216 -8457.267 -5520.874 -2885.553 1271.68
## AgeBld70s     -11356.027 -9566.743 -7285.795 -4238.382 3812.07
## AgeBld80s     -2849.667 -290.098  2618.808  5548.411 13068.94
## *****Diagnostic information*****
## Number of data points: 7521
## Effective number of parameters (2trace(S) - trace(S'S)): 182.7964
## Effective degrees of freedom (n-2trace(S) + trace(S'S)): 7338.204
## AICc (GWR book, Fotheringham, et al. 2002, p. 61, eq 2.33): 175082.7
## AIC (GWR book, Fotheringham, et al. 2002, GWR p. 96, eq. 4.22): 174949
## Residual sum of squares: 5479639286184
## R-square value: 0.5834657
## Adjusted R-square value: 0.5730883
##
## ****
## Program stops at: 2020-05-13 10:56:09


```

The output from the GWR model reveals how the coefficients vary across the 33 boroughs in London. You will see how the global coefficients are exactly the same as the coefficients in the earlier linear model. In this particular model, if we take area of floor , we can see that the coefficients range from a minimum value of 612.043 GBP(1 square metre change in area of floor resulting in a increase in average price of property of 612.043 GBP) to 821.42 GBP(1 square metre change in area of floor resulting in an increase in average price of property of 821.42 GBP). For half of the boroughs in the dataset, as floor area rises by 1 point, price of property will increase between 676.780 GBP and 732.984 GBP(the interquartile range between the 1st Qu and the 3rd Qu).

5.3.2 The diagnosis of Coefficient


The coefficient ranges can also be seen for the other variables and they suggest some interesting spatial patterning. To explore this we can plot the GWR coefficients for different variables. Firstly we can attach the coefficients to our original dataframe - this can be achieved simply as the coefficients for each ward appear in the same order in our spatial points dataframe as they do in the original dataframe.

- The diagnosis of Coefficient for FlorArea, CenHeat, Bathrooms and Tenfree:



- A: Taking the first plot, which is for the area of floor coefficients. We can see that in the boroughs north of the city center, there is the highest change of property price corresponding to 1 square metre increase. However, in the boroughs south of the city center, the lowest change of property price corresponding to 1 square metre increase. This is a very interesting pattern, but may partly be explained by the fact that in the boroughs north of the city center, the buyers value the area of floor much, which makes the area of floor influencing the price of property much.
- B: The second plot is for central heating. In the west and east part of London, having a central heating can only influence by less than 10,000 GBP. For those boroughs in the north and south of city center, the property with a central heating is much more important, the price can increase by 12,500 to 17,500 compared with those without central heating.
- C: In this plot, we can see that the price of property with two or more bathrooms is higher by at least 10,000 GBP than that with one bathroom. Furthermore, in the southwest part of London, the price gap is more significant.
- D: Around City center, the price of freehold property is lower than that of leasehold property. However, in those places far away city center, the price of freehold property is higher than that of leasehold property.

- The diagnosis of Coefficient for Bedrooms:




We can see that the different type have different effects at different areas.

- E-1: Around the city center, there is the highest change of property price. far away from city center, the change of property price decline.
- E-2: In the boroughs southwest of the city center, there is the highest change of property price. In the boroughs northeast of the city center, there is the lowest change of property price.
- E-3: In the boroughs north of the city center, there is the highest change of property price. In the boroughs south of the city center, there is the lowest change of property price. However, a small part of north of the city center, there is the highest change of property price.
- E-4: A small part in the boroughs east of the city center, there is the highest change of property price. From east to west the change declines gradually.

- The diagnosis of Coefficient for Garage:


F-1

F-2



- F-1: In the boroughs east of the city center, there is the highest change of property price. In the boroughs west of the city center, there is the lowest change of property price.
- F-2: Around the city center, there is the highest change of property price. far away from city center, the change of property price declines.

- The diagnosis of Coefficient for Age:



- G-1: In the borough's southeast of the city center, there is the highest change of property price. In the boroughs northwest of the city center, there is the lowest change of property price.
- G-2: The same trending as G-1.
- G-3: In the boroughs west of the city center, there is the lowest change of property price.
- G-4: In the boroughs northwest of the city center, there is the highest change of property price. In the boroughs southeast of the city center, there is the lowest change of property price.
- G-5: In the boroughs southeast of the city center, there is the highest change of property price.

6 Conclusion

In this project, firstly, we clean the data and calculate the predictors based on the original variables. Secondly, analyse the relationship between every variable and target variable property price by point plots to find those variables which have strong liner relationship with property price. Then, the linear model is built with significant variables and the variable with high colinearity is moved. Finally, GWR is used to show the influence from spatial component.

In conclusion, the most reliable determinants on property prices are area of floor, the number of bedrooms, having more than two bathrooms, the number of garage, with central heating, Leasehold/Freehold indicator and the age of properties. Although, the global model with these predictors can get a good result for predicting the price of properties, it does not consider the spatial component. It is proved that GWR is a better way to estimate the price of property.