

University of Stuttgart
Institute of Geodesy

Physical Geodesy

Spherical harmonics

Spherical harmonic expansion

Legendre functions

Task 1: Prepare figures for fully normalized zonal, tesseral and sectorial Legendre functions $\bar{P}_{lm}(\cos\theta)$ and spherical harmonics $\bar{Y}_{lm}(\theta, \lambda) = \bar{P}_{lm}(\cos\theta) \cos m\lambda$ of degree $l = 10$ within $\theta \in [0^\circ 180^\circ]$ using both Rodrigues-Ferrers and recursive formulas. How many zero crossings do the fully normalized Legendre functions $\bar{P}_{lm}(\cos\theta)$ contain dependent on degree l and order m ? Compare results from the two aforementioned formulas. How many zero crossings do the fully normalized spherical harmonics $\bar{Y}_{lm}(\theta, \lambda)$ contain in North-South direction and East-West direction dependent on degree l and order m ?

➤ Rodrigues-Ferrers

$$P_l(t) = \frac{1}{2^l l!} \frac{d^l (t^2 - 1)^l}{dt^l} \quad t = \cos \theta = \sin \phi$$
$$P_{l,m}(t) = (1 - t^2)^{\frac{m}{2}} \frac{d^m P_l(t)}{dt^m}$$

➤ Recursive

✓ Initials

$$P_{0,0}(t) = 1 \quad P_{1,0}(t) = t \quad P_{1,1}(t) = \sqrt{1 - t^2}$$

✓ Sectorial

$$P_{l,l}(t) = (2l - 1) \sqrt{1 - t^2} P_{l-1,l-1}(t)$$

✓ Other

$$P_{l,m}(t) = \frac{1}{l - m} \{ (2l - 1)t P_{l-1,m}(t) - (l - 1 + m) P_{l-2,m}(t) \}$$

Spherical harmonic expansion

Normalized Legendre functions

Task 1: Prepare figures for fully normalized zonal, tesseral and sectorial Legendre functions $\bar{P}_{lm}(\cos\theta)$ and spherical harmonics $\bar{Y}_{lm}(\theta, \lambda) = \bar{P}_{lm}(\cos\theta) \cos m\lambda$ of degree $l = 10$ within $\theta \in [0^\circ 180^\circ]$ using both Rodrigues-Ferrers and recursive formulas. How many zero crossings do the fully normalized Legendre functions $\bar{P}_{lm}(\cos\theta)$ contain dependent on degree l and order m ? Compare results from the two aforementioned formulas. How many zero crossings do the fully normalized spherical harmonics $\bar{Y}_{lm}(\theta, \lambda)$ contain in North-South direction and East-West direction dependent on degree l and order m ?

➤ Normalization

$$\bar{P}_{l,m}(t) = \begin{cases} \sqrt{2l+1} P_{l,m}(t) & m = 0 \\ \sqrt{2(2l+1)} \frac{(l-m)!}{(l+m)!} P_{l,m}(t) & m > 0 \end{cases}$$

➤ Recursive

✓ Initials

$$\bar{P}_{0,0}(t) = 1 \quad \bar{P}_{1,1}(t) = \sqrt{3(1-t^2)}$$

✓ Sectorial

$$\bar{P}_{l,l}(t) = \sqrt{\frac{2l+1}{2l}} \sqrt{1-t^2} \bar{P}_{l-1,l-1}(t)$$

✓ Other


$$\bar{P}_{l,m}(t) = \sqrt{\frac{2l+1}{(l+m)(l-m)}} \left\{ \sqrt{2l-1} t \bar{P}_{l-1,m}(t) - \sqrt{\frac{(l-1+m)(l-1-m)}{2l-3}} \bar{P}_{l-2,m}(t) \right\}$$

Spherical harmonic expansion

Normalized Legendre functions (examples)

Task 1: Prepare figures for fully normalized zonal, tesseral and sectorial Legendre functions $\bar{P}_{lm}(\cos\theta)$ and spherical harmonics $\bar{Y}_{lm}(\theta, \lambda) = \bar{P}_{lm}(\cos\theta) \cos m\lambda$ of degree $l = 10$ within $\theta \in [0^\circ 180^\circ]$ using both Rodrigues-Ferrers and recursive formulas. How many zero crossings do the fully normalized Legendre functions $\bar{P}_{lm}(\cos\theta)$ contain dependent on degree l and order m ? Compare results from the two aforementioned formulas. How many zero crossings do the fully normalized spherical harmonics $\bar{Y}_{lm}(\theta, \lambda)$ contain in North-South direction and East-West direction dependent on degree l and order m ?

$$\bar{P}_{4,m}(\cos\theta) \quad m = 0, \dots, 4$$




Spherical harmonic expansion

Normalized surface spherical harmonics (examples)


Task 1: Prepare figures for fully normalized zonal, tesseral and sectorial Legendre functions $\bar{P}_{lm}(\cos\theta)$ and spherical harmonics $\bar{Y}_{lm}(\theta, \lambda) = \bar{P}_{lm}(\cos\theta) \cos m\lambda$ of degree $l = 10$ within $\theta \in [0^\circ 180^\circ]$ using both Rodrigues-Ferrers and recursive formulas. How many zero crossings do the fully normalized Legendre functions $\bar{P}_{lm}(\cos\theta)$ contain dependent on degree l and order m ? Compare results from the two aforementioned formulas. How many zero crossings do the fully normalized spherical harmonics $\bar{Y}_{lm}(\theta, \lambda)$ contain in North-South direction and East-West direction dependent on degree l and order m ?

$$\bar{Y}_{l,m}(\theta, \lambda) = \bar{P}_{lm}(\cos \theta) \begin{cases} \cos m\lambda \\ \sin m\lambda \end{cases}$$

$$\bar{Y}_{4,0}(\theta, \lambda)$$




$$\bar{Y}_{4,1}(\theta, \lambda)$$



Spherical harmonic expansion

Normalized surface spherical harmonics: examples

Task 1: Prepare figures for fully normalized zonal, tesseral and sectorial Legendre functions $\bar{P}_{lm}(\cos\theta)$ and spherical harmonics $\bar{Y}_{lm}(\theta, \lambda) = \bar{P}_{lm}(\cos\theta) \cos m\lambda$ of degree $l = 10$ within $\theta \in [0^\circ 180^\circ]$ using both Rodrigues-Ferrers and recursive formulas. How many zero crossings do the fully normalized Legendre functions $\bar{P}_{lm}(\cos\theta)$ contain dependent on degree l and order m ? Compare results from the two aforementioned formulas. How many zero crossings do the fully normalized spherical harmonics $\bar{Y}_{lm}(\theta, \lambda)$ contain in North-South direction and East-West direction dependent on degree l and order m ?



$$\bar{Y}_{l,m}(\theta, \lambda) = \bar{P}_{lm}(\cos \theta) \begin{cases} \cos m\lambda \\ \sin m\lambda \end{cases}$$

Spherical harmonic expansion

Addition theorem

Task 2: Consider a Legendre polynomial in $\cos \psi_{PQ}$, in which the ψ_{PQ} is the spherical distance between point P and Q . The addition separates the composite angle argument into contributions from the point P and Q individually

$$P_l(\cos \psi_{PQ}) = \frac{1}{2l+1} \sum_{m=0}^l P_{lm}(\cos \theta_P) P_{lm}(\cos \theta_Q) \{ \cos m\lambda_P \cos m\lambda_Q + \sin m\lambda_P \sin m\lambda_Q \}$$

For all P and Q in a same meridian ($\lambda_P = \lambda_Q$), we have

$$P_l(\cos \psi_{PQ}) = \frac{1}{2l+1} \sum_{m=0}^l P_{lm}(\cos \theta_P) P_{lm}(\cos \theta_Q)$$

For $\theta_P = 90^\circ$ and $\theta_Q \in [0^\circ 90^\circ]$ display the difference between the right and left hand side of above equation for different ψ and for different degree l varying from 0 to 100.


Spherical distance

$$\cos \psi = \sin \varphi_P \sin \varphi_Q + \cos \varphi_P \cos \varphi_Q \cos(\lambda_P - \lambda_Q)$$

Task 3: When $\theta_P = \theta_Q = \theta$ then we have

$$P_l(1) = 1 = \frac{1}{2l+1} \sum_{m=0}^l P_{lm}^2(\cos \theta)$$

For $\theta = [0^\circ 180^\circ]$ display the right hand side of above equation for different degree l varying from 0 to 100. Do you get 1 for all degree and θ ?



Spherical harmonic expansion

Spherical harmonic synthesis

The gravitational potential V in the exterior (mass-free) domain is determined by means of a spherical harmonics series expansion as

$$V(\lambda, \theta, r) = \frac{GM}{R} \sum_{l=0}^{\infty} \left(\frac{R}{r}\right)^{l+1} \sum_{m=0}^l P_{l,m}(\cos\theta) (\bar{c}_{l,m} \cos m\lambda + \bar{s}_{l,m} \sin m\lambda)$$

Various models with coefficients \bar{c}_{lm} and \bar{s}_{lm} exist, which have been estimated for instance from the analysis of terrestrial or satellite gravity data. One of these models is the EGM96 (Earth Gravity Model 1996) of the NASA.

Task 4: Determine the gravity and gravitational potential W and V at a point P with the following spherical coordinates by applying the EGM96 (available at ILIAS)

$$\begin{aligned}\lambda &= (10+k)^\circ \\ \theta &= (42+k)^\circ \\ r &= 6379245.458 \text{ [m]}\end{aligned}$$

➤ Gravity

$$W = V + V_c$$

➤ Gravitation

$$V(r, \theta, \lambda) = \frac{GM}{R} \sum_{l=0}^L \left(\frac{R}{r}\right)^{l+1} \sum_{m=0}^l \bar{c}_{lm} \bar{Y}_{lm}^c(\theta, \lambda) + \bar{s}_{lm} \bar{Y}_{lm}^s(\theta, \lambda)$$

➤ Centrifugal

$$V_c(r, \theta, \lambda) = \frac{1}{2} \omega^2 r^2 \sin^2 \theta$$

Spherical harmonic expansion

Spherical harmonic synthesis

$$V(r, \theta, \lambda) = \frac{GM}{R} \sum_{l=0}^L \left(\frac{R}{r}\right)^{l+1} \sum_{m=0}^l \bar{c}_{lm} \bar{Y}_{lm}^c(\theta, \lambda) + \bar{s}_{lm} \bar{Y}_{lm}^s(\theta, \lambda)$$

EGM96

0	0	1.000000e+000	0
1	0	0	0
1	1	0	0
2	0	-4.84165371736e-004	0
2	1	-1.86987635955e-010	1.19528012031e-009
2	2	2.43914352397e-006	-1.40016683653e-006
3	0	9.57254173791e-007	0
3	1	2.02998882184e-006	2.48513158715e-007
3	2	9.04627768604e-007	-6.19025944204e-007
3	3	7.21072657057e-007	1.41435626957e-006
4	0	5.39873863789e-007	0
4	1	-5.36321616971e-007	-4.73440265853e-007
4	2	3.50694105785e-007	6.62671572540e-007
4	3	9.90771803829e-007	-2.00928369177e-007
4	4	-1.88560802734e-007	3.08853169333e-007
5	0	6.85323475630e-008	0
5	1	-6.21012128527e-008	-9.44226127525e-008
5	2	6.52438297612e-007	-3.23349612668e-007
5	3	-4.51955406070e-007	-2.14847190624e-007
5	4	-2.95301647654e-007	4.96658876768e-008
5	5	1.74971983203e-007	-6.69384278218e-007
6	0	-1.49957994713e-007	0