

Interactive / complex / 9

IC 1	query	Interactive / complex / 9				
IC 2	title	Recent messages by friends or friends of friends				
IC 3	pattern	<pre>graph LR Person[id = \$id] -- knows*1..2 --> person[person: Person] person -- hasCreator --> Message[Message] subgraph person_details [person: Person] direction TB p_id[id] p_firstName[firstName] p_lastName[lastName] end subgraph Message_details [Message] direction TB m_id[id] m_content[content / imageFile] m_creationDate[creationDate] end</pre>				
IC 4						
IC 5						
IC 6						
IC 7						
IC 8						
IC 9						
IC 10						
IC 11	desc.	Given a start Person, find (the most recent) Messages created by that Person’s friends or friends of friends (excluding start Person). Only consider Messages created before the given maxDate (excluding that day).				
IC 12	params	1	Person.id	ID	personId	
IC 13		2	maxDate	Date	maxDate	
IC 14	result	1	Message-hasCreator->Person.id	ID	R	personId
		2	Message-hasCreator->Person.firstName	String	R	personFirstName
		3	Message-hasCreator->Person.lastName	String	R	personLastName
		4	Message.id	ID	R	messageId
		5	Message.content or Post.imageFile	String	R	messageContent
		6	Message.creationDate	DateTime	R	messageCreationDate
	sort	1	Message.creationDate	↓		
		2	Message.id	↑		
	limit	20				
	CPs	1.1, 1.2, 2.2, 2.3, 3.2, 3.3, 8.5				
	relevance	This query looks for paths of length two or three, starting from a given Person, moving to its friends and friends of friends, and ending at their created Messages. This is one of the most complex queries, as the list of choke points indicates. This query is expected to touch variable amounts of data with entities of different characteristics, and therefore, properly estimating cardinalities and selecting the proper operators will be crucial.				