

DLfuse: Distributed Lag Data Fusion for Estimating Ambient Air Pollution

DLfuse_Example

[1] Simulate data from the proposed model:

- Setting the reproducibility seed and initializing packages for data simulation:

```
set.seed(2568)

library(DLfuse)
library(geoR) #Spatial covariance functions

## -----
## Analysis of Geostatistical Data
## For an Introduction to geoR go to http://www.leg.ufpr.br/geoR
## geoR version 1.7-5.2.1 (built on 2016-05-02) is now loaded
## -----

library(mnormt) #Multivariate normal distribution
library(matrixStats) #colMedians
```

- Setting the global data values:

```
#####
#Full CMAQ Grid
#####
m<-(12^2)
grid<-matrix(0,
              nrow = m,
              ncol = 2)

counter<-1
for(j in 1:sqrt(m)){
  for(k in 1:sqrt(m)){

    grid[counter,]<-c(j,k)
    counter<-counter +
      1

  }
}

neighbors<-1/as.matrix(dist(grid,
                             diag = TRUE,
                             upper = TRUE))

diag(neighbors)<-0

CAR<-diag(rowSums(neighbors)) -
  neighbors

#####
#Full AQS Locations
#####
sample_size<-rpois(n = m,
                   lambda = 1)
```

```

sample_size<-pmax(sample_size,
                  rep(1,
                     times = m))

locs<-matrix(runif(n = (2*sum(sample_size)),
                  min = 0,
                  max = 1),
            ncol = 2)
spatial_dists<-as.matrix(dist(locs,
                              diag = TRUE,
                              upper = TRUE))

diag(spatial_dists)<-0

CMAQ_key<-rep(0,
              times = sum(sample_size))
counter<-0
for(j in 1:length(sample_size)){

  CMAQ_key[(1 + counter):(sample_size[j] + counter)]<-j
  counter<-counter +
    sample_size[j]

}

#####
#True Spatial Parameter Settings
#####
sigma2_epsilon_true<-0.05

beta0_true<-0.25
beta1_true<-1.75

A11_true<-0.05
A22_true<-0.05
A21_true<- -0.01

phi0_true<-1.50
Sigma0_true<-cov.spatial(spatial_dists,
                        cov.model="exponential",
                        cov.pars=c(1, (1/phi0_true)))
w0_true<-rmnorm(n=1,
               mean=rep(0, times=sum(sample_size)),
               varcov=Sigma0_true)
w0_true<-w0_true -
  mean(w0_true)
beta0_tilde_true<-A11_true*w0_true

phi1_true<-1.50
Sigma1_true<-cov.spatial(spatial_dists,
                        cov.model="exponential",
                        cov.pars=c(1, (1/phi1_true)))
w1_true<-rmnorm(n=1,
               mean=rep(0, times=sum(sample_size)),

```

```

varcov=Sigma1_true)
w1_true<-w1_true -
  mean(w1_true)
beta1_tilde_true<-A21_true*w0_true +
  A22_true*w1_true

tau2_true<-1.00
rho_true<-0.99 #ICAR Model Approximation
CAR_cov_true<-tau2_true*chol2inv(chol(rho_true*CAR + (1 - rho_true)*diag(m)))
alpha_true<-rmnorm(n = 1,
  mean = rep(0,
    times = m),
  varcov = CAR_cov_true)
alpha_true<-(alpha_true - mean(alpha_true))/sd(alpha_true)

mu_true<-1.00

#####
#Creating Lagged Covariates and AQS Data
#####
L<-11
z<-matrix(rgamma(n = (length(sample_size)*L),
  shape = 1,
  rate = 1),
  nrow = length(sample_size),
  ncol = L)
covars_true<-construct_lagged_covars_s(z,
  mu_true,
  alpha_true,
  sample_size)[[1]]

```

- Simulating the analysis dataset:

```

y<-rnorm(n = sum(sample_size),
  mean = ((beta0_true + beta0_tilde_true) +
    (beta1_true + beta1_tilde_true)*covars_true),
  sd = sqrt(sigma2_epsilon_true))

```

[2] Fit DLfuse to a Subset of the Data:

```

samples<-11000

test_set<-sort(sample(c(1:m),
  size = round(0.80*m),
  replace = FALSE))

CMAQ_key_test_set<-rep(0,
  times = length(CMAQ_key))
for(j in 1:length(test_set)){
  CMAQ_key_test_set[CMAQ_key == test_set[j]]<-1
}

dlfuse_results<-
DLfuse_s(mcmc_samples = samples,
  y = y[CMAQ_key_test_set == 1],

```

```

z = z[test_set,],
sample_size = sample_size[test_set],
spatial_dists = spatial_dists[(CMAQ_key_test_set == 1),
                               (CMAQ_key_test_set == 1)],
neighbors = neighbors[test_set, test_set],
metrop_var_A11_trans = (0.70^2),
metrop_var_A22_trans = (0.80^2),
metrop_var_mu = (0.20^2),
metrop_var_alpha = rep((1.00^2),
                        times = nrow(neighbors[test_set, test_set])),
metrop_var_phi0_trans = (0.50^2),
metrop_var_phi1_trans = (0.50^2),
model_type_indicator = 0)

```

```

## Progress: 5%
## A11 Acceptance: 30%
## A22 Acceptance: 36%
## mu Acceptance: 30%
## alpha Acceptance (min): 13%
## alpha Acceptance (max): 73%
## phi0 Acceptance: 31%
## phi1 Acceptance: 27%
## DLfuse: S
## *****
## Progress: 10%
## A11 Acceptance: 34%
## A22 Acceptance: 39%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 27%
## DLfuse: S
## *****
## Progress: 15%
## A11 Acceptance: 33%
## A22 Acceptance: 39%
## mu Acceptance: 29%
## alpha Acceptance (min): 15%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 30%
## phi1 Acceptance: 27%
## DLfuse: S
## *****
## Progress: 20%
## A11 Acceptance: 35%
## A22 Acceptance: 38%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 30%
## phi1 Acceptance: 27%
## DLfuse: S
## *****

```

```

## Progress: 25%
## A11 Acceptance: 38%
## A22 Acceptance: 39%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 72%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 30%
## A11 Acceptance: 42%
## A22 Acceptance: 39%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 72%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 35%
## A11 Acceptance: 42%
## A22 Acceptance: 39%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 29%
## DLfuse: S
## *****
## Progress: 40%
## A11 Acceptance: 41%
## A22 Acceptance: 39%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 45%
## A11 Acceptance: 40%
## A22 Acceptance: 40%
## mu Acceptance: 30%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 50%
## A11 Acceptance: 39%
## A22 Acceptance: 41%
## mu Acceptance: 30%

```

```

## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 55%
## A11 Acceptance: 39%
## A22 Acceptance: 41%
## mu Acceptance: 30%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 60%
## A11 Acceptance: 39%
## A22 Acceptance: 41%
## mu Acceptance: 30%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 65%
## A11 Acceptance: 39%
## A22 Acceptance: 41%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 70%
## A11 Acceptance: 39%
## A22 Acceptance: 41%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 75%
## A11 Acceptance: 39%
## A22 Acceptance: 41%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%

```

```

## DLfuse: S
## *****
## Progress: 80%
## A11 Acceptance: 40%
## A22 Acceptance: 41%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 85%
## A11 Acceptance: 40%
## A22 Acceptance: 42%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 90%
## A11 Acceptance: 39%
## A22 Acceptance: 43%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 95%
## A11 Acceptance: 39%
## A22 Acceptance: 43%
## mu Acceptance: 29%
## alpha Acceptance (min): 14%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 29%
## phi1 Acceptance: 28%
## DLfuse: S
## *****
## Progress: 100%
## A11 Acceptance: 39%
## A22 Acceptance: 43%
## mu Acceptance: 29%
## alpha Acceptance (min): 13%
## alpha Acceptance (max): 71%
## phi0 Acceptance: 28%
## phi1 Acceptance: 28%
## DLfuse: S
## *****

```

[3] Comparing Parameter Estimates to True Values:

```

burnin<-1000
thin<-10
keep_set<-seq((burnin + 1),
              samples,
              thin)

par(mfrow=c(1,2))
covars_est<-construct_lagged_covars_s(z[test_set,],
                                     mean(dlfuse_results$lag_info$mu[keep_set]),
                                     rowMeans(dlfuse_results$lag_info$alpha[,keep_set]),
                                     sample_size[test_set])[[1]]


plot(covars_true[CMAQ_key_test_set == 1],
     covars_est)
abline(0,1)

true<-c(sigma2_epsilon_true,
        (beta0_true + w0_true[CMAQ_key_test_set == 1]),
        (beta1_true + w1_true[CMAQ_key_test_set == 1]))

est<-c(mean(dlfuse_results$sigma2_epsilon[keep_set]),
       rowMeans(matrix(dlfuse_results$beta0[keep_set],
                       nrow=sum(sample_size[test_set]),
                       ncol=length(keep_set)) + dlfuse_results$w0[,keep_set]),
       rowMeans(matrix(dlfuse_results$beta1[keep_set],
                       nrow=sum(sample_size[test_set]),
                       ncol=length(keep_set)) + dlfuse_results$w1[,keep_set]))

plot(est, true)
abline(0,1)

```

[4] Spatial Predictions of Validation Data:

```
spatial_dists_full<-as.matrix(dist(rbind(locs[CMAQ_key_test_set == 0,],
                                          locs[CMAQ_key_test_set == 1,]),
                                diag = TRUE,
                                upper = TRUE))

diag(spatial_dists_full)<-0
loc_temp<-rbind(locs[CMAQ_key_test_set == 0,], locs[CMAQ_key_test_set == 1,])
for(j in 1:nrow(loc_temp)){
  for(k in 1:nrow(loc_temp)){
    if(prod(loc_temp[j,] == loc_temp[k,]) == 1){
      spatial_dists_full[j,k]<-0
    }
  }
}

neighbors_full<-1/as.matrix(dist(rbind(unique(grid[-test_set,]), unique(grid[test_set,])),
                                diag = TRUE,
                                upper = TRUE))

diag(neighbors_full)<-0
loc_temp<-rbind(unique(grid[-test_set,]), unique(grid[test_set,]))
for(j in 1:nrow(loc_temp)){
  for(k in 1:nrow(loc_temp)){
    if(prod(loc_temp[j,] == loc_temp[k,]) == 1){
      neighbors_full[j,k]<-Inf
    }
  }
}
```

```

    }
diag(neighbors_full)<-0

dlfuse_pred_results<-ppd_s(modeling_output = dlfuse_results,
                           n_pred = length(y[CMAQ_key_test_set == 0]),
                           m_pred = nrow(z[-test_set, ]),
                           z_pred = z[-test_set,],
                           sample_size_pred = sample_size[-test_set],
                           spatial_dists_full = spatial_dists_full,
                           neighbors_full = neighbors_full,
                           inference_set = keep_set,
                           params_only_indicator = 0,
                           model_type_indicator = 0)

```

```

## Progress: 5%
## *****
## Progress: 10%
## *****
## Progress: 15%
## *****
## Progress: 20%
## *****
## Progress: 25%
## *****
## Progress: 30%
## *****
## Progress: 35%
## *****
## Progress: 40%
## *****
## Progress: 45%
## *****
## Progress: 50%
## *****
## Progress: 55%
## *****
## Progress: 60%
## *****
## Progress: 65%
## *****
## Progress: 70%
## *****
## Progress: 75%
## *****
## Progress: 80%
## *****
## Progress: 85%
## *****
## Progress: 90%
## *****
## Progress: 95%
## *****
## Progress: 100%
## *****

```

[5] Comparison with Other Approaches:

```
slr_results<-
DLfuse_s(mcmc_samples = samples,
  y = y[CMAQ_key_test_set == 1],
  z = z[test_set,],
  sample_size = sample_size[test_set],
  spatial_dists = spatial_dists[(CMAQ_key_test_set == 1),
                                (CMAQ_key_test_set == 1)],
  neighbors = neighbors[test_set, test_set],
  metrop_var_A11_trans = (0.70^2),
  metrop_var_A22_trans = (0.80^2),
  metrop_var_mu = (0.20^2),
  metrop_var_alpha = rep((2.00^2),
                        times = nrow(neighbors[test_set, test_set])),
  metrop_var_phi0_trans = (0.50^2),
  metrop_var_phi1_trans = (0.50^2),
  model_type_indicator = 3)
```

```
## Progress: 5%
## Simple Linear Regression: S
## *****
## Progress: 10%
## Simple Linear Regression: S
## *****
## Progress: 15%
## Simple Linear Regression: S
## *****
## Progress: 20%
## Simple Linear Regression: S
## *****
## Progress: 25%
## Simple Linear Regression: S
## *****
## Progress: 30%
## Simple Linear Regression: S
## *****
## Progress: 35%
## Simple Linear Regression: S
## *****
## Progress: 40%
## Simple Linear Regression: S
## *****
## Progress: 45%
## Simple Linear Regression: S
## *****
## Progress: 50%
## Simple Linear Regression: S
## *****
## Progress: 55%
## Simple Linear Regression: S
## *****
## Progress: 60%
## Simple Linear Regression: S
## *****
```

```

## Progress: 65%
## Simple Linear Regression: S
## *****
## Progress: 70%
## Simple Linear Regression: S
## *****
## Progress: 75%
## Simple Linear Regression: S
## *****
## Progress: 80%
## Simple Linear Regression: S
## *****
## Progress: 85%
## Simple Linear Regression: S
## *****
## Progress: 90%
## Simple Linear Regression: S
## *****
## Progress: 95%
## Simple Linear Regression: S
## *****
## Progress: 100%
## Simple Linear Regression: S
## *****

```

```

slr_pred_results<-
ppd_s(modeling_output = slr_results,
      n_pred = length(y[CMAQ_key_test_set == 0]),
      m_pred = nrow(z[-test_set, ]),
      z_pred = z[-test_set,],
      sample_size_pred = sample_size[-test_set],
      spatial_dists_full = spatial_dists_full,
      neighbors_full = neighbors_full,
      inference_set = keep_set,
      params_only_indicator = 0,
      model_type_indicator = 3)

```

```

## Progress: 5%
## *****
## Progress: 10%
## *****
## Progress: 15%
## *****
## Progress: 20%
## *****
## Progress: 25%
## *****
## Progress: 30%
## *****
## Progress: 35%
## *****
## Progress: 40%
## *****
## Progress: 45%
## *****

```

```

## Progress: 50%
## *****
## Progress: 55%
## *****
## Progress: 60%
## *****
## Progress: 65%
## *****
## Progress: 70%
## *****
## Progress: 75%
## *****
## Progress: 80%
## *****
## Progress: 85%
## *****
## Progress: 90%
## *****
## Progress: 95%
## *****
## Progress: 100%
## *****

```

```

ok_results<-
DLfuse_s(mcmc_samples = samples,
  y = y[CMAQ_key_test_set == 1],
  z = z[test_set,],
  sample_size = sample_size[test_set],
  spatial_dists = spatial_dists[(CMAQ_key_test_set == 1),
                                (CMAQ_key_test_set == 1)],
  neighbors = neighbors[test_set, test_set],
  metrop_var_A11_trans = (0.70^2),
  metrop_var_A22_trans = (0.80^2),
  metrop_var_mu = (0.20^2),
  metrop_var_alpha = rep((2.00^2),
                        times = nrow(neighbors[test_set, test_set])),
  metrop_var_phi0_trans = (0.50^2),
  metrop_var_phi1_trans = (0.50^2),
  model_type_indicator = 2)

```

```

## Progress: 5%
## A11 Acceptance: 35%
## phi0 Acceptance: 30%
## Ordinary Kriging: S
## *****
## Progress: 10%
## A11 Acceptance: 38%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 15%
## A11 Acceptance: 36%
## phi0 Acceptance: 28%
## Ordinary Kriging: S
## *****

```

```

## Progress: 20%
## A11 Acceptance: 37%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 25%
## A11 Acceptance: 37%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 30%
## A11 Acceptance: 37%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 35%
## A11 Acceptance: 38%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 40%
## A11 Acceptance: 39%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 45%
## A11 Acceptance: 38%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 50%
## A11 Acceptance: 37%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 55%
## A11 Acceptance: 37%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 60%
## A11 Acceptance: 38%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 65%
## A11 Acceptance: 39%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 70%
## A11 Acceptance: 39%
## phi0 Acceptance: 29%
## Ordinary Kriging: S

```

```

## *****
## Progress: 75%
## A11 Acceptance: 39%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 80%
## A11 Acceptance: 39%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 85%
## A11 Acceptance: 40%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 90%
## A11 Acceptance: 39%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 95%
## A11 Acceptance: 39%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****
## Progress: 100%
## A11 Acceptance: 39%
## phi0 Acceptance: 29%
## Ordinary Kriging: S
## *****

```

```

ok_pred_results<-
ppd_s(modeling_output = ok_results,
      n_pred = length(y[CMAQ_key_test_set == 0]),
      m_pred = nrow(z[-test_set, ]),
      z_pred = z[-test_set,],
      sample_size_pred = sample_size[-test_set],
      spatial_dists_full = spatial_dists_full,
      neighbors_full = neighbors_full,
      inference_set = keep_set,
      params_only_indicator = 0,
      model_type_indicator = 2)

```

```

## Progress: 5%
## *****
## Progress: 10%
## *****
## Progress: 15%
## *****
## Progress: 20%
## *****
## Progress: 25%
## *****
## Progress: 30%

```

```

## *****
## Progress: 35%
## *****
## Progress: 40%
## *****
## Progress: 45%
## *****
## Progress: 50%
## *****
## Progress: 55%
## *****
## Progress: 60%
## *****
## Progress: 65%
## *****
## Progress: 70%
## *****
## Progress: 75%
## *****
## Progress: 80%
## *****
## Progress: 85%
## *****
## Progress: 90%
## *****
## Progress: 95%
## *****
## Progress: 100%
## *****

```

```

ds_results<-
DLfuse_s(mcmc_samples = samples,
  y = y[CMAQ_key_test_set == 1],
  z = z[test_set,],
  sample_size = sample_size[test_set],
  spatial_dists = spatial_dists[(CMAQ_key_test_set == 1),
                                (CMAQ_key_test_set == 1)],
  neighbors = neighbors[test_set, test_set],
  metrop_var_A11_trans = (0.70^2),
  metrop_var_A22_trans = (0.80^2),
  metrop_var_mu = (0.20^2),
  metrop_var_alpha = rep((2.00^2),
                          times = nrow(neighbors[test_set, test_set])),
  metrop_var_phi0_trans = (0.50^2),
  metrop_var_phi1_trans = (0.50^2),
  model_type_indicator = 1)

```

```

## Progress: 5%
## A11 Acceptance: 51%
## A22 Acceptance: 35%
## phi0 Acceptance: 25%
## phi1 Acceptance: 29%
## Original: S
## *****
## Progress: 10%

```



```

## A11 Acceptance: 51%
## A22 Acceptance: 35%
## phi0 Acceptance: 26%
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 15%
## A11 Acceptance: 52%
## A22 Acceptance: 34%
## phi0 Acceptance: 26%
## phi1 Acceptance: 29%
## Original: S
## *****
## Progress: 20%
## A11 Acceptance: 52%
## A22 Acceptance: 34%
## phi0 Acceptance: 26%
## phi1 Acceptance: 29%
## Original: S
## *****
## Progress: 25%
## A11 Acceptance: 53%
## A22 Acceptance: 34%
## phi0 Acceptance: 27%
## phi1 Acceptance: 29%
## Original: S
## *****
## Progress: 30%
## A11 Acceptance: 53%
## A22 Acceptance: 36%
## phi0 Acceptance: 27%
## phi1 Acceptance: 29%
## Original: S
## *****
## Progress: 35%
## A11 Acceptance: 53%
## A22 Acceptance: 37%
## phi0 Acceptance: 27%
## phi1 Acceptance: 29%
## Original: S
## *****
## Progress: 40%
## A11 Acceptance: 52%
## A22 Acceptance: 37%
## phi0 Acceptance: 27%
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 45%
## A11 Acceptance: 52%
## A22 Acceptance: 36%
## phi0 Acceptance: 27%
## phi1 Acceptance: 28%
## Original: S

```

```

## *****
## Progress: 50%
## A11 Acceptance: 53%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 55%
## A11 Acceptance: 53%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 60%
## A11 Acceptance: 52%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 65%
## A11 Acceptance: 52%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 70%
## A11 Acceptance: 52%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 75%
## A11 Acceptance: 52%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 80%
## A11 Acceptance: 51%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 85%
## A11 Acceptance: 51%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%

```

```
## phi1 Acceptance: 28%
## Original: S
## *****
## Progress: 90%
## A11 Acceptance: 52%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 27%
## Original: S
## *****
## Progress: 95%
## A11 Acceptance: 52%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 27%
## Original: S
## *****
## Progress: 100%
## A11 Acceptance: 51%
## A22 Acceptance: 36%
## phi0 Acceptance: 28%
## phi1 Acceptance: 28%
## Original: S
## *****
```

```
ds_pred_results<-
ppd_s(modeling_output = ds_results,
      n_pred = length(y[CMAQ_key_test_set == 0]),
      m_pred = nrow(z[-test_set, ]),
      z_pred = z[-test_set,],
      sample_size_pred = sample_size[-test_set],
      spatial_dists_full = spatial_dists_full,
      neighbors_full = neighbors_full,
      inference_set = keep_set,
      params_only_indicator = 0,
      model_type_indicator = 1)
```

```
## Progress: 5%
## *****
## Progress: 10%
## *****
## Progress: 15%
## *****
## Progress: 20%
## *****
## Progress: 25%
## *****
## Progress: 30%
## *****
## Progress: 35%
## *****
## Progress: 40%
## *****
## Progress: 45%
## *****
```

```

## Progress: 50%
## *****
## Progress: 55%
## *****
## Progress: 60%
## *****
## Progress: 65%
## *****
## Progress: 70%
## *****
## Progress: 75%
## *****
## Progress: 80%
## *****
## Progress: 85%
## *****
## Progress: 90%
## *****
## Progress: 95%
## *****
## Progress: 100%
## *****

#Results Matrix
results<-matrix(0,
                nrow = 3,
                ncol = 4)
colnames(results)<-c("dlfuse", "slr", "ok", "ds")
rownames(results)<-c("mse", "cover", "length")

#DLfuse
cover<-rep(0,
           times=length(y[CMAQ_key_test_set == 0]))
len<-rep(0,
         times=length(y[CMAQ_key_test_set == 0]))
for(j in 1:length(y[CMAQ_key_test_set == 0])){

  ci<-quantile(dlfuse_pred_results[[1]][j,], c(0.025, 0.975))
  if((ci[1] <= y[CMAQ_key_test_set == 0][j]) & (ci[2] >= y[CMAQ_key_test_set == 0][j])){
    cover[j]<-1
  }
  len[j]<-ci[2] -
    ci[1]

}
results[1,1]<-mean((y[CMAQ_key_test_set == 0] -
                  rowMedians(dlfuse_pred_results[[1]]))^2)
results[2,1]<-mean(cover)
results[3,1]<-mean(len)

#SLR
cover<-rep(0,
           times=length(y[CMAQ_key_test_set == 0]))
len<-rep(0,

```

```

        times=length(y[CMAQ_key_test_set == 0]))
for(j in 1:length(y[CMAQ_key_test_set == 0])){

  ci<-quantile(slr_pred_results[[1]][j,], c(0.025, 0.975))
  if((ci[1] <= y[CMAQ_key_test_set == 0][j]) & (ci[2] >= y[CMAQ_key_test_set == 0][j])){
    cover[j]<-1
  }
  len[j]<-ci[2] -
    ci[1]

}
results[1,2]<-mean((y[CMAQ_key_test_set == 0] -
  rowMedians(slr_pred_results[[1]]))^2)
results[2,2]<-mean(cover)
results[3,2]<-mean(len)

#OK
cover<-rep(0,
  times=length(y[CMAQ_key_test_set == 0]))
len<-rep(0,
  times=length(y[CMAQ_key_test_set == 0]))
for(j in 1:length(y[CMAQ_key_test_set == 0])){

  ci<-quantile(ok_pred_results[[1]][j,], c(0.025, 0.975))
  if((ci[1] <= y[CMAQ_key_test_set == 0][j]) & (ci[2] >= y[CMAQ_key_test_set == 0][j])){
    cover[j]<-1
  }
  len[j]<-ci[2] -
    ci[1]

}
results[1,3]<-mean((y[CMAQ_key_test_set == 0] -
  rowMedians(ok_pred_results[[1]]))^2)
results[2,3]<-mean(cover)
results[3,3]<-mean(len)

#DS
cover<-rep(0,
  times=length(y[CMAQ_key_test_set == 0]))
len<-rep(0,
  times=length(y[CMAQ_key_test_set == 0]))
for(j in 1:length(y[CMAQ_key_test_set == 0])){

  ci<-quantile(ds_pred_results[[1]][j,], c(0.025, 0.975))
  if((ci[1] <= y[CMAQ_key_test_set == 0][j]) & (ci[2] >= y[CMAQ_key_test_set == 0][j])){
    cover[j]<-1
  }
  len[j]<-ci[2] -
    ci[1]

}
results[1,4]<-mean((y[CMAQ_key_test_set == 0] -
  rowMedians(ds_pred_results[[1]]))^2)

```

```
results[2,4]<-mean(cover)
results[3,4]<-mean(len)
```

```
results
```

```
##          dlfuse          slr          ok          ds
## mse      0.1964083 0.3200338 0.5291790 0.3129893
## cover    1.0000000 1.0000000 0.9761905 1.0000000
## length   1.6239361 2.8031942 3.2515150 2.8244111
```