

Dougy's question on money

7/16/2025

Problem. *Doug asked a very interesting question: **How many coins do we need to carry if we were to be able to pay any denomination from 0 to 99 cents?***

*I took the liberty to change his question into something completely different: **Given we have enough coins of each kind (Quarters, Dimes, Nickles, and Pennies) in how many different ways can we represent money from 1 to 100 cents?***

So here we will examine my question, and ignore his.

Solution. *We introduce a function, $C(100, Q, D, N, P)$, representing the number of such combinations, using quarters (Q), dimes (D), nickles (N), and pennies (P)*

We make some simple observations. One is that $C(0, \dots) = 1$: There is one combination to pay 0 cents (that is to use no coins!)

Also $C(100, Q) = 1$ (use 4 quarters), and so on...

As we begin to dive deeper, we see that $C(5, N, P) = 2$, the two combinations that can be visualized with the table:

N	P
0	5
1	0

And what if we were to represent 100 cents, using only Nickles and Pennies?
 $C(100, N, P) = 21$, because:

N	P
0	100
1	95
2	90
...	...
20	0

Now let's explore $C(100, D, N, P)$:

D	N	P	$Notice$
0	0	100	$C(100, N, P) = 21 \text{ combinations}$
0	1	95	
0	2	90	
0	\dots	\dots	
0	20	0	
1	0	90	$C(90, N, P) \text{ combinations}$
1	1	85	
1	\dots	\dots	
2	$C(80, N, P)$		
3	$C(70, N, P)$		
\dots	\dots		
10	$C(0, N, P)=1$		

Hence we that $C(100, D, N, P)$ depends on various $C(100, N, P)$, $C(90, N, P)$, etc. Similarly, it's easy to see that:

Q	D	N	P
0	$C(100, D, N, P)$		
1	$C(75, D, N, P)$		
2	$C(50, D, N, P)$		
3	$C(25, D, N, P)$		
4	$C(0, D, N, P)=1$		