

# P8160 - Bayesian Modeling of Hurricane Trajectories

Paulina Han, Waveley Qiu, Yida Wang,  
Lin Yang, Jibei Zheng, Haolin Zhong

2022-05-09

# Introduction

## Data Preparation

- ▶ Self-join was performed to generate data for Gibbs sampling
- ▶ For each hurricane, 80% record was randomly selected and assigned to the train dataset, and the rest are in the test dataset. Hurricanes with less than 5 records were removed.

## Gibbs Sampling

Initialize  $\Theta_0 = (\mathbf{B}_0, \boldsymbol{\mu}_0, \sigma_0^2, \Sigma_0)$

**for** iteration  $i = 1, 2, \dots$  **do**

Sample  $\mathbf{B}_i \sim \pi(\mathbf{B} | \boldsymbol{\mu}_{i-1}, \sigma_{i-1}^2, \Sigma_{i-1}, \mathbf{Y})$


Sample  $\boldsymbol{\mu}_i \sim \pi(\boldsymbol{\mu} | \mathbf{B}_i, \sigma_{i-1}^2, \Sigma_{i-1}, \mathbf{Y})$

Sample  $\sigma_i^2 \sim \pi(\sigma^2 | \mathbf{B}_i, \boldsymbol{\mu}_i, \Sigma_{i-1}, \mathbf{Y})$


Sample  $\Sigma_i \sim \pi(\Sigma | \mathbf{B}_i, \boldsymbol{\mu}_i, \sigma_i^2, \mathbf{Y})$

**end for**







# Results



# Results



# Results



# Discussion

## Strength

- ▶ Unlike classical modeling methods, the MCMC approach bypass coefficient optimization process and directly sample coefficients from their distributions
- ▶ Optimization methods may vary from models to models, while we only need to derive posterior conditional distribution for each coefficients when using Gibbs Sampling.

## Limitation

- ▶ MCMC approaches are often computationally expensive since they involve thousands of rounds of sampling and updating.