



University  
of Glasgow | Experimental  
Particle Physics


Progress Report

Project Aqueous

Number 6

School of Physics and Astronomy  
University of Glasgow

May 2017



## **a title for abstract**

A brief summary of the report.

### **a title for acknowledgements**

The contributions of Number 2 and Number 1 are acknowledged.

# Contents

|   |            |
|---|------------|
| <b>a title for abstract</b>                   | <b>ii</b>  |
| <b>a title for acknowledgements</b>           | <b>iii</b> |
| <b>1 a title for introduction</b>             | <b>2</b>   |
| 1.1 Higgs bosons . . . . .                    | 2          |
| <b>2 a title for chapter 1</b>                | <b>3</b>   |
| 2.1 section 1 . . . . .                       | 3          |
| 2.1.1 time . . . . .                          | 3          |
| 2.1.2 units and units typesetting . . . . .   | 3          |
| 2.1.3 mathematics . . . . .                   | 4          |
| 2.1.4 lists . . . . .                         | 4          |
| 2.1.5 code . . . . .                          | 5          |
| 2.1.6 images . . . . .                        | 5          |
| 2.1.7 references . . . . .                    | 6          |
| 2.1.8 ROOT . . . . .                          | 6          |
| 2.1.9 tables . . . . .                        | 7          |
| <b>3 a title for future</b>                   | <b>8</b>   |
| 3.1 future plans and considerations . . . . . | 8          |
| <b>a title for references</b>                 | <b>9</b>   |

# Chapter 1

## a title for introduction

### Higgs bosons

Higgs bosons are particles that arise through electroweak symmetry breaking. A principal motivation for the Large Hadron Collider physics programme was the testing of the theory of electroweak symmetry breaking, through the observation of Higgs bosons. In July of 2012, the existence of the Higgs boson was confirmed by the ATLAS and CMS experiments. Following this discovery, further studies have been ongoing in order to examine the character of the particle.

# Chapter 2

## a title for chapter 1

### section 1

This is content.

#### time

A few time representations follow:

- 2017-05-08
- 8 May 2017
- May 2017
- 161712
- 1617
- 2017-05-08T161712
- 2017-05-08T1617

#### units and units typesetting

- $a^b \text{ m}^2$  – correct unit typesetting (manual siunitx function) (preferred for mathematics mode, though note that the function for this is provided by aqueous [see below for manual equivalent method not dependent on aqueous])
- 10 kg – correct unit typesetting (siunitx)
- 10 kg – incorrect unit typesetting (mathematics, textnormal)
- 10 kg – incorrect unit typesetting (literally)
- $10 \text{ kg m s}^{-2}$  – correct unit typesetting (siunitx)
- $10^{-28} \text{ m}^2$  – correct unit typesetting, though very manual (siunitx)

- $a^b \text{ m}^2$  – correct unit typesetting, though manual (siunitx) (preferred for mathematics mode)
- $\text{a}^b \text{ m}^2$  – dodgy, manual correct unit typesetting (siunitx)
- $a^b \text{ m}^2$  (siunitx)
- The angle is  $14^\circ$ .
- The temperature is  $14^\circ\text{C}$ . – correct unit typesetting (siunitx)

## mathematics

The following is a referenced equation:

$$E = mc^2 \tag{2.1}$$

This is a reference to equation 2.1.

## lists

This is a list:

- function,
- Job,
- JobGroup,
- ParallelJobProcessor and
- pool.

This is a checklist:

- ✓ item
- ✓ item
  - ✓ subitem
  - ✓ subitem
    - ✓ subitem
- ✓ item
- ✗ item

## code

This is some code:

```
Reco_tf.py --inputBSFile data12.1234.RAW --outputESDFile data12.1234.ESD
```

## images

This is a figure set to a defined width:




Figure 2.1: parallel job processor: large efficiency improvement as a result of parallelisation

This is a figure set to the text width:






Figure 2.2: parallel job processor



## references

This is a reference to figure 2.2. This is a reference [1]. This is another reference [2]. This is a URL: <https://github.com/wdbm/aqueous>

## ROOT

ROOT [3] is an object oriented data analysis framework aimed at solving data analysis challenges in high energy physics. While *ROOT* is simply a name, a possible acronym for the system could be “*Rapid Object-Oriented Technology*” [4]. ROOT was developed in the context of the NA49 experiment at CERN. NA49 generated data of approximately 10 TB per run. This rate of data provided a test environment for the development of ROOT, as the next generation of data analysis. ROOT features *Cling*, a C++ interpreter.

## tables

| input file option | description                                      |
|-------------------|--|
| --inputHitsFile   | input only                                       |
| --inputBSFile     | RAW data (BS = ByteStream), currently input only |
| --inputRDOFile    |  |
| --inputESDFile    |  |
| --inputAODFile    |  |

| output file option    | description                                    |
|-----------------------|--|
| --outputRDOFile valid | if starting from Hits                          |
| --outputESDFile valid | if starting from Hits, RDO or BS               |
| --outputAODFile valid | if starting from ESD or anything else upstream |
| --outputNTUP_XXXFile  | can be made from ESD or AOD, BS or RDO         |

Figure 2.3: Reco\_tf.py usage

# Chapter 3

## a title for future

### future plans and considerations

These are suggestions and plans for the future.




Figure 3.1: Gantt chart of work

## a title for references

- [1] L. Li Tianjun, W. Xia, W. You-kai and Z. Shou-hua, *Distinguishing the Color Octet Axial-Vector-like Particle for Top Quark Asymmetry via Color Flow Method at the LHC*, arXiv:1306.3586 (June 2013)
- [2] W. S. McCulloch and W. Pitts, *A logical calculus of the ideas immanent in nervous activity*, The Bulletin of Mathematical Biophysics, 5 (4), 115–133 (1943)
- [3] *ROOT: A Data Analysis Framework*, URL <http://root.cern.ch> (November 2012)
- [4] R. Brun, *Re: What does ROOT stand for?*, RootTalk, URL <http://root.cern.ch/root/roottalk/roottalk98/0718.html> (May 1998)