CK05						Scale 2:1	
Author: Ivex	ζ.						
Source: PRI	NTED CIRC	CUIT DESIG	N METHODS PAGE 4	411		0 0	
<i>Size</i> : 276 x 1	100 mil	Pin spacing:	200 mil				
DIM()			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	45 mil			
CK06						C - 1 - 2 1	
Author: Ivex	_					Scale 2:1	
		THT DEGIC	N METHODS PAGE 4	111		0 0	
<i>Source</i> . FRI <i>Size</i> : 300 x 1		Pin spacing:		+11			
512e. 500 X	ioo iiiii	in spacing.	200 mm				
DIN(a)			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	45 mil			
<i>Size:</i> 494 x 1	100 mil	Pin spacing:	400 mil				
DD1()			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
CK13-B						Scale 2:1	
Author: Ivex	ζ.						_
Source: PRI	NTED CIRC	CUIT DESIG	N METHODS PAGE 4	411	0		0
Size: 794 x 1	120 mil	Pin spacing:	700 mil				
DIN(a)			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
CK14-B						Scale 2:1	
Author: Ivex	ζ.						_
		CUIT DESIG	N METHODS PAGE 4	411	<u></u>		(
Size: 894 x 1	180 mil	Pin spacing:	800 mil				
		-					

DIN(c)			PAD	
PIN(s)	TYPE	SHAPE	SIZE	HOLE
1-2	TH	Round	94 mil	45 mil

CK15-B						Scale 2:1	
Author: Ivex			ATTIVOD A DA GE	44.4			1
			METHODS PAGE	411	0		
Size: 894 x 2	200 m11	Pin spacing: 80) m11				j
		PAD					
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
CK16-B						Scale 2:1	
Author: Ivex	ζ				,		
Source: PRI	NTED CIRC	CUIT DESIGN I	METHODS PAGE	411			
Size: 994 x 2	240 mil	Pin spacing: 90	0 mil		•		
DIM			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
Size: 1094 x		Pin spacing: 10		711	•		
PIN(s)		1	PAD				
	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
CK12-S Author: Ivex						Scale 2:1	
		CHIT DESIGN I	METHODS PAGE	<i>1</i> 11		0 0	
Size: 475 x 1		Pin spacing: 40		711			
DIV			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	35 mil			
CK13-S						Scale 2:1	
Author: Ivex							,
Source: PRI	NTED CIRC	CUIT DESIGN I	METHODS PAGE	411	0		0
Size: 775 x 1	20 mil	Pin spacing: 70	O mil				
			DAD				

PIN(s)		PAD				
PIN(S)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	75 mil	35 mil		

TYPE

TH

1-2

SHAPE

Round

SIZE

75 mil

HOLE

45 mil

Author: Ivex			METHODO DA CE	411	_		1 _
ource: PKI ize: 875 x 1		Pin spacing: 800	METHODS PAGE) mil	411	0		_ •
			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	35 mil			
CK15-S						Scale 2:1	
uthor: Ivex	ζ.					Scare 2.1	_
ource: PRI	NTED CIRC	CUIT DESIGN N	METHODS PAGE	411	0		
ize: 875 x 2	200 mil	Pin spacing: 800) mil				
DD1()			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	35 mil			
DIN(a)			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	35 mil			
CK17-S						Scale 2:1	
uthor: Ivex	ζ.						
			METHODS PAGE	411			
<i>ize:</i> 1075 x	310 mil	Pin spacing: 10	000 mil		•		
DIN(a)			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	35 mil			
OTZ CO							
CK60	_					Scale 2:1	
uthor: Ivex		THT DESIGN N	METHODS PAGE	410			
<i>ize:</i> 326 x 1		Pin spacing: 250				<u> </u>	
		1 0					
	1		PAD				

PIN(s)

1-2

TYPE

TH

SHAPE

Round

SIZE

94 mil

HOLE

45 mil

CK62						Scale 2	2:1	
Author: Ive: Source: PRI Size: 590 x	NTED CIRC	CUIT DESIG Pin spacing:	N METHODS PAGE 400 mil	411		0	0	
			PAD					
PIN(s)	TYPE	SHAPE	SIZE	HOLE				
1-2	TH	Round	75 mil	45 mil				
CL23-D1 Author: Iver Source: PRI Size: 1694 x	x NTED CIRO	CUIT DESIG Pin spacing	N METHODS PAGE : 1600 mil	410	0	Scale 1	:1	•
	T	%8	PAD					
PIN(s)	TYPE	SHAPE	SIZE	HOLE				
1-2	TH	Round	94 mil	45 mil				
Source: PRI Size: 1994 x		CUIT DESIG Pin spacing	N METHODS PAGE : 1900 mil	410	•			C
			PAD					
PIN(s)	TYPE	SHAPE	SIZE	HOLE				
1-2	TH	Round	94 mil	45 mil				
CL23-D3 Author: Iver	X		N METHODS DAGE	410		Scale 1	:2	
Size: 2494 x		Pin spacing	N METHODS PAGE : 2400 mil	410				
DINI			PAD					
PIN(s)	TYPE	SHAPE	SIZE	HOLE				
1-2	TH	Round	94 mil	45 mil				
CL23-D4 Author: Ives						Scale 1	:2	
Source: PRI Size: 3194 x		CUIT DESIG Pin spacing	N METHODS PAGE : 3100 mil	410	0			0
DDV()			PAD					

CL23-D5						Scale 1:2	
Author: Ive							
			N METHODS PAGE	410	•		
<i>Size:</i> 3794 x	422 mil	Pin spacing	: 3700 mil				
DIN(a)			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
CL25-C1						Scale 1:1	
Author: Ive							
Source: PRI	NTED CIRC	CUIT DESIG	N METHODS PAGE	410	•		0
<i>Size:</i> 1694 x	220 mil	Pin spacing	: 1600 mil				
PIN(s)			PAD				
1111(8)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
<i>Size:</i> 1894 x	314 mil	Pin spacing	: 1800 mil		0		
			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
CL25-C3						Scale 1:2	
Author: Ives						Seale 1.2	
		CUIT DESIG	N METHODS PAGE	410	•		•
<i>Size:</i> 2494 x	406 mil	Pin spacing	· 2400 mil				
DIN(a)			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
CL25-C4	ļ					Scale 1:2	
Author: Ivex	ζ						\neg
Source: PRI	NTED CIRC	CUIT DESIG	N METHODS PAGE	410	•		•
<i>Size:</i> 3194 x	406 mil	Pin spacing	: 3100 mil				
			PAD				

PIN(s)		PAD				
PIN(S)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	94 mil	45 mil		

CL25-C5	K					Scale 1:2	
Source: PRI Size: 3794 x		CUIT DESIGN Pin spacing.	N METHODS PAGE 4 3700 mil	410	•		
			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	94 mil	45 mil			
CL65-T1 Author: Iver Source: PRI Size: 1275 x	x NTED CIRC	CUIT DESIGN Pin spacing.	N METHODS PAGE	410	•	Scale 1:1	•
512c. 1273 A	. 220 mm	1 in spacing.	1200 HIII				
PIN(s)			PAD				
	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	35 mil			
Author: Ives Source: PRI Size: 1475 x	NTED CIRC	CUIT DESIG	N METHODS PAGE 4 · 1400 mil	410	0		•
PIN(s)			PAD				
	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	35 mil			
CL65-T3 Author: Ives					_	Scale 1:1	_
Source: PRI	NTED CIRC	CUIT DESIG	N METHODS PAGE	410	•		•
<i>Size:</i> 1575 x	406 mil	Pin spacing.	1500 mil				
	1		PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	35 mil			
CM5-390 Author: Ives	K				Ī	Scale 2:1	1
Source: PRI Size: 480 x		CUIT DESIG Pin spacing:	N METHODS PAGE 4 225 mil	411		0 0	

PIN(s)		PAD				
FIIN(S)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	77 mil	45 mil		

Scale 2:1

0

O

0

0

O

0

CM430-3300

Author: Ivex

Source: PRINTED CIRCUIT DESIGN METHODS PAGE 411

Size: 720 x 261 mil Pin spacing: 350 mil

DIN(a)		PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	80 mil	52 mil		

CM3600-4700 Scale 2:1

Author: Ivex

Source: PRINTED CIRCUIT DESIGN METHODS PAGE 411

Size: 730 x 341 mil Pin spacing: 350 mil

PIN(s)		PAD				
FIIN(8)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	80 mil	52 mil		

CM5100-13K Scale 2:1

Author: Ivex

Source: PRINTED CIRCUIT DESIGN METHODS PAGE 411

Size: 830 x 361 mil Pin spacing: 425 mil

DIN(a)			PAD	
PIN(s)	TYPE	SHAPE	SIZE	HOLE
1-2	TH	Round	94 mil	64 mil

CM15K-20K Scale 2:1

Author: Ivex

Source: PRINTED CIRCUIT DESIGN METHODS PAGE 411

Size: 830 x 458 mil Pin spacing: 425 mil

DIN(a)			PAD	
PIN(s)	TYPE	SHAPE	SIZE	HOLE
1-2	TH	Round	94 mil	64 mil

CM22K-30K Scale 1:1

Author: Ivex

Source: PRINTED CIRCUIT DESIGN METHODS PAGE 411

Size: 1426 x 350 mil Pin spacing: 1050 mil

PIN(s)		PAD				
F11N(S)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	94 mil	64 mil		

c:\users\w	aynej\goog	gle drive\m	launch\pcb\th_capa	citor.pdf		ра
CM33K-	39K				Scale	: 1:1
Author: Ivex	ζ.					
Source: PRI	NTED CIRC	CUIT DESIG	N METHODS PAGE 41	11	0	0
<i>Size:</i> 1444 x	401 mil	Pin spacing:	1050 mil			
DIN/()			PAD			
PIN(s)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	94 mil	64 mil		
CM43K-	47K				Scale	: 1:1
Author: Ivex	ζ.					
Source: PRI	NTED CIRC	CUIT DESIG	N METHODS PAGE 41	11	0	0
Size: 1463 x	451 mil	Pin spacing:	1050 mil			
PIN(s)			PAD			
1111(5)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	94 mil	64 mil		
CM51K-	62K				Scale	1:1
Author: Ivex	ζ.					
Source: PRI	NTED CIRC	CUIT DESIG	N METHODS PAGE 41	11	0	0
Size: 1400 x	451 mil	Pin spacing:	1050 mil			
DIN(a)			PAD			
PIN(s)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	94 mil	64 mil		
CS13-A					Scale	. 2.1
Author: Ivex	,				Scarc	2.1
		THT DESIG	N METHODS PAGE 41	10	0	
<i>Size:</i> 775 x 1		Pin spacing: '		10		
DILE. IIJ A	1.52 11111	i ii spacing.	700 IIII			
			PAD			

DIN(a)	PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE	
1-2	TH	Round	75 mil	35 mil	

CS13-B Scale 2:1 Author: Ivex

 $Source: \ PRINTED\ CIRCUIT\ DESIGN\ METHODS\ PAGE\ 410$

Size: 975 x 202 mil Pin spacing: 900 mil

PIN(s)		PAD				
FIIN(S)	TYPE	SHAPE	SIZE	HOLE		
1-2	TH	Round	75 mil	35 mil		

Source: PRI	NTED CIRC	CUIT DESIGN	METHODS PAGE	410	0		0
<i>lize:</i> 1175 x	306 mil	Pin spacing:	1100 mil		L		_
DINI()			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
1-2	TH	Round	75 mil	35 mil			
CS13-D						Scale 1:1	
uthor: Ive				140	Г		\neg
			METHODS PAGE	410	•		•
<i>ize:</i> 1275 x	368 mil	Pin spacing:	1200 mil		L		
DIN(a)			PAD				
PIN(s)	TYPE	SHAPE	SIZE	HOLE			
	1						
uthor: Iverource: PRI	TH x INTED CIRC		75 mil METHODS PAGE 00 mil	35 mil 411	0	Scale 2:1	0
CY10 Suthor: Iver Source: PRI	TH x INTED CIRC		METHODS PAGE		0	Scale 2:1	o
CY10 Luthor: Iver	TH x INTED CIRC 204 mil	CUIT DESIGN Pin spacing: 60	METHODS PAGE 00 mil PAD	411	0	Scale 2:1	o
CY10 uthor: Iver ource: PRI ize: 677 x 2	TH X INTED CIRC 204 mil TYPE	CUIT DESIGN Pin spacing: 60 SHAPE	METHODS PAGE 00 mil PAD SIZE	411 HOLE	0	Scale 2:1] o
CY10 Author: Iver Source: PRI Size: 677 x 2	TH x INTED CIRC 204 mil	CUIT DESIGN Pin spacing: 60	METHODS PAGE 00 mil PAD	411	0	Scale 2:1	o
CY10 Author: Iver Fource: PRI Fize: 677 x 2 PIN(s) 1-2	TH X INTED CIRC 204 mil TYPE	CUIT DESIGN Pin spacing: 60 SHAPE	METHODS PAGE 00 mil PAD SIZE	411 HOLE	0		o
CY10 .uthor: Iver ource: PRI ize: 677 x 2 PIN(s) 1-2 CY15	TH X INTED CIRC 204 mil TYPE TH	CUIT DESIGN Pin spacing: 60 SHAPE	METHODS PAGE 00 mil PAD SIZE	411 HOLE	0	Scale 2:1] o
CY10 Author: Iver Fource: PRI Fize: 677 x 2 PIN(s) 1-2 CY15 Author: Iver	TH X INTED CIRC 204 mil TYPE TH	CUIT DESIGN Pin spacing: 60 SHAPE Round	METHODS PAGE 00 mil PAD SIZE	HOLE 45 mil] o
CY10 Author: Iver Fource: PRI Fize: 677 x 2 PIN(s) 1-2 CY15 Author: Iver Fource: PRI	TH X INTED CIRC 204 mil TYPE TH	CUIT DESIGN Pin spacing: 60 SHAPE Round	PAD SIZE 77 mil	HOLE 45 mil]
CY10 Author: Iver Fource: PRI Fize: 677 x 2 PIN(s) 1-2 CY15 Author: Iver Fource: PRI Fize: 777 x 2	TH X INTED CIRC 204 mil TYPE TH	CUIT DESIGN Pin spacing: 60 SHAPE Round CUIT DESIGN	PAD SIZE 77 mil	HOLE 45 mil]
CY10 Author: Iver Fource: PRI Fize: 677 x 2 PIN(s) 1-2 CY15 Author: Iver Fource: PRI	TH X INTED CIRC 204 mil TYPE TH	CUIT DESIGN Pin spacing: 60 SHAPE Round CUIT DESIGN	METHODS PAGE 00 mil PAD SIZE 77 mil METHODS PAGE 00 mil	HOLE 45 mil]
CY10 uthor: Iver ource: PRI ize: 677 x 2 PIN(s) 1-2 CY15 uthor: Iver ource: PRI ize: 777 x 2	TH X INTED CIRC 204 mil TYPE TH X INTED CIRC 156 mil	CUIT DESIGN Pin spacing: 60 SHAPE Round CUIT DESIGN Pin spacing: 70	PAD SIZE 77 mil METHODS PAGE 00 mil PAD	411 HOLE 45 mil]
CY10 Author: Iver Fource: PRI Fize: 677 x 2 PIN(s) 1-2 CY15 Author: Iver Fource: PRI Fize: 777 x 2 PIN(s)	TH X INTED CIRC 204 mil TYPE TH X INTED CIRC 156 mil TYPE	CUIT DESIGN Pin spacing: 60 SHAPE Round CUIT DESIGN Pin spacing: 70 SHAPE	METHODS PAGE 00 mil PAD SIZE 77 mil METHODS PAGE 00 mil PAD SIZE	411 HOLE 45 mil HOLE]

PIN(s)	PAD				
FIN(S)	TYPE	SHAPE	SIZE	HOLE	
1-2	TH	Round	80 mil	52 mil	

RAD-197 Scale 2:1

Author: Ivex

Source: DIGI-KEY CATALOG NO. 941 PAGE 161

Size: 197 x 196 mil Pin spacing: 79 mil

Γ	DIN(a)			PAD	
	PIN(s)	TYPE	SHAPE	SIZE	HOLE
	1-2	TH	Round	65 mil	28 mil

RAD-248 Scale 2:1

Author: Ivex

Source: DIGI-KEY CATALOG NO. 941 PAGE 161

Size: 248 x 248 mil Pin spacing: 98 mil

PIN(s)			PAD	
FIN(S)	TYPE	SHAPE	SIZE	HOLE
1-2	TH	Round	65 mil	28 mil

RAD-315 Scale 2:1

Author: Ivex

Source: DIGI-KEY CATALOG NO. 941 PAGE 161 Size: 314 x 314 mil Pin spacing: 138 mil

PIN(s)			PAD	
F11V(8)	TYPE	SHAPE	SIZE	HOLE
1-2	TH	Round	65 mil	28 mil

RAD-394 Scale 2:1

Author: Ivex

Source: DIGI-KEY CATALOG NO. 941 PAGE 161

Size: 393 x 394 mil Pin spacing: 197 mil

DIN(a)			PAD	
PIN(s)	TYPE	SHAPE	SIZE	HOLE
1-2	TH	Round	65 mil	28 mil

RAD-492 Scale 2:1

Author: Ivex

Source: DIGI-KEY CATALOG NO. 941 PAGE 161

Size: 491 x 492 mil Pin spacing: 197 mil

PIN(s)	PAD			
	TYPE	SHAPE	SIZE	HOLE
1-2	TH	Round	65 mil	28 mil
















RAD-630

Author: Ivex

Source: DIGI-KEY CATALOG NO. 941 PAGE 161 Size: 630 x 630 mil Pin spacing: 295 mil

DIN(a)	PAD			
PIN(s)	TYPE	SHAPE	SIZE	HOLE
1-2	TH	Round	65 mil	28 mil



Scale 1:1

Scale 1:1

RAD-709

Author: Ivex

Source: DIGI-KEY CATALOG NO. 941 PAGE 161 Size: 708 x 708 mil Pin spacing: 295 mil

DIN(a)	PAD			
PIN(s)	TYPE	SHAPE	SIZE	HOLE
1-2	TH	Round	65 mil	28 mil