```
In [ ]: # imports
        import pandas as pd
        import numpy as np
        import joblib
        from sklearn.preprocessing import LabelEncoder
        from sklearn.ensemble import RandomForestClassifier
        # Dependencies: pandas, numpy, joblib(for pickle saving), scikit-learn
In [ ]: # load in train, test, val data
        test = pd.read_csv('../data/processed/test_data_processed.csv')
        train = pd.read_csv('.../data/processed/train_data_processed.csv')
        val = pd.read_csv('.../data/processed/val_data_processed.csv')
        le_datetime = joblib.load('../models/datetime_encoder.pkl')
        # encode datetime
        test['OCCURRED_ON_DATE'] = le_datetime.transform(test['OCCURRED_ON_DATE'])
        train['OCCURRED_ON_DATE'] = le_datetime.transform(train['OCCURRED_ON_DATE'])
        val['OCCURRED_ON_DATE'] = le_datetime.transform(val['OCCURRED_ON_DATE'])
In [ ]: # remove _id column
        val = val.drop('_id', axis=1)
        test = test.drop('_id', axis=1)
In [ ]: # drop DISTRICT column
        val = val.drop('DISTRICT', axis=1)
        test = test.drop('DISTRICT', axis=1)
        train = train.drop('DISTRICT', axis=1)
In [ ]: # define X and y
        test_target = test['Severe_crimes']
        test_features = test.drop('Severe_crimes', axis=1)
        val_target = val['Severe_crimes']
        val_features = val.drop('Severe_crimes', axis=1)
        train_target = train['Severe_crimes']
        train_features = train.drop('Severe_crimes', axis=1)
In [ ]: # train model
        rf = RandomForestClassifier(n estimators=1000, max depth=10, random state=42)
        rf.fit(train_features, train_target)
Out[ ]: ▼
                                   RandomForestClassifier
        RandomForestClassifier(max depth=10, n estimators=1000, random state=4
        2)
In [ ]: # save model
        joblib.dump(rf, '../models/rf_model_week11.pkl')
        print('model saved')
```

```
In []: # read in other encoder
# load other encoders
le_district = joblib.load('../models/le_district.pkl')
le_description = joblib.load('../models/le_description.pkl')

# save train, test, val data with pickle
joblib.dump(train_features, '../data/processed/train_features.pkl')
joblib.dump(train_target, '../data/processed/train_target.pkl')

joblib.dump(val_features, '../data/processed/val_features.pkl')
joblib.dump(test_features, '../data/processed/val_target.pkl')

joblib.dump(test_features, '../data/processed/test_features.pkl')
joblib.dump(test_target, '../data/processed/test_target.pkl')

print('data saved')
```

data saved