

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 149:

E. Csiki

Curculionidae:

Rhynchophorinae, Cossoninae.



Dr. W. Junk

Verlag für Naturwissenschaften

's-Gravenhage

1936.

INHALTS-VERZEICHNIS.

Curculionidae:

	Seite
I: Subfam. Rhynchophorinae	3
1. Tribus Campyloscelini	3
2. Tribus Rhynchophorini	8
3. Tribus Strombosecerini	81
4. Tribus Cryptodermini	82
5. Tribus Sipalini	83
Index: Subfamilia, Tribus, Subtribus	90
Genera, Subgenera	90
Species, Varietates	92
II: Subfam. Cossoninae	105
1. Tribus Acamptini	105
2. Tribus Trypetini	106
3. Tribus Cossonini	109
Index: Subfamilia, Tribus, Subtribus	196
Genera, Subgenera	196
Species, Varietates	199

Subfam. Rhynchophorinae.

Auct. E. Csiki.

Rhynchophoridae Schönherr, Gen. spec. Cerc. IV, 2, 1838, p. 790; l. c. VIII, 2, 1845, p. 205.

Cossoniidae C. G. Thomson, Skand. Col. VII, 1865, p. 336 (part.).

Curculionides phanerognathes apostasi meridiana Phalange II Lacordaire, Gen. Col. VII, 1866, p. 3, 261.

Calandrinae Reitter, Verh. Naturf. Ver. Brünn LI, 1912, p. 6, 7, 53; Fauna Germ. V, 1916, p. 13 (part.). — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 48, 547.

I. Trib. Campyloscelini.

Campyloscelides Lacord. Gen. Col. VII, 1866, p. 264.

Campyloscelini Hust. Bull. Acad. Malgache (2) VII, 1924, p. 9.

1. Subtrib. **Campylosceli.**

Campyloscelina Faust, Deutsche Ent. Zeitschr. 1898, p. 76.

Campyloscelus Schönh.

Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 197. — Lacord. Gen. Col. VII, 1866, p. 265. — Faust, Deutsche Ent. Zeitschr. 1898, p. 77.

affinis Faust, Novit. Zool. I, 1884, p. 568. — Kongo

Westermannii Boh. in Schönh. Gen. spec. Cerc. VIII, Guinea, 2, 1845, p. 198. — Lacord. Gen. Col. VII, Kongo 1866, p. 265.

2

Amorbaeus Gemm. & Harold.

Gemm. & Harold, Cat. Col. VIII, 1871, p. 2640 (emend.).

Amorbaeus Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 199. — Lacord. Gen. Col. VII, 1866, p. 265. — Faust, Deutsche Ent. Zeitschr. 1898, p. 77.

cavicollis Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, Zentr.-p. 301, t. 6, f. 10. — Faust, Deutsche Ent. Afrika, Zeitschr. 1895, p. 250. — Togo

gabonicus Faust, Ent. Zeit. Stettin LIV, 1893, p. 239. — W.-Afrika

infestus Boh. in Schönh. Gen. spec. Cerc. VIII, 2, Guinea, 1845, p. 201. — Kongo

pedicularis Faust, Ent. Zeit. Stettin. LIV, 1893, p. 238; Deutsche Ent. Zeitschr. 1898, p. 77. — W. Afrika, Togo

4

Parisocordylus Faust.

<i>bifasciatus</i>	Faust, Ent. Zeit. Stettin LVI, 1895, p. 313.
<i>gabonicus</i>	Faust, l. c. p. 315.
<i>pilosellus</i>	Hust. Rev. Zool. Afr. XII, 1924, p. 392. 3
	Belg. Kongo

Phaulotrodes Faust.

<i>Fahraeusi</i>	Faust, Deutsche Ent. Zeitschr. 1898, p. 77, 79. 79.
------------------	--

1

Parepiphyllax Hust.

<i>notatus</i>	Hust. Rev. Zool. Bot. Afr. XXV, 1934, p. 31. 1
----------------	---

Epiphylax Schönh.

<i>Schönh.</i> Gen. spec. Cerc. VIII, 2, 1845, p. 202. — Lacord. Gen. Col. VII, 1866, p. 265, 266. — Faust, Deutsche Ent. Zeitschr. 1898, p. 78. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 478.	Lacord. Gen. Col. VII, 1866, p. 265, 266. — Faust, Deutsche Ent. Zeitschr. 1898, p. 78. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 478.
<i>Heteronus</i> Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 498.	<i>Heteronus</i> Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 498.

<i>Secania</i> Fairm. Ann. Soc. Ent. Belg. XLV, 1901, p. 240.	Fairm. Ann. Soc. Ent. Belg. XLV, 1901, p. 240.
<i>aurolineatus</i> Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 84.	Madagascar

— Hust. Bull. Acad. Malgache (2) VII, 1924, p. 483, 486.

<i>binodulus</i> Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 204.	Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 204. — Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 378. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 480, 484.
--	---

<i>cervinopictus</i> Fairm. Ann. Soc. Ent. Belg. XLV, 1901, p. 239.	— Hust. Bull. Acad. Malgache (2) VII, 1924, p. 483, 486.
---	--

<i>punctulicollis</i> Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 379.	Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 379.
--	--

<i>clathratus</i> Fairm. Ann. Soc. Ent. France LXXII, 1902, p. 242.	— Hust. Bull. Acad. Malgache (2) VII, 1924, p. 482, 484.
---	--

<i>costicollis</i> Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 377 (<i>Heteronus</i>).	— Hust. Bull. Acad. Malgache (2) VII, 1924, p. 480, 484.
--	--

<i>cruralis</i> Fairm. Ann. Soc. Ent. Belg. XLV, 1901, p. 241 (<i>Secania</i>).	— Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 414.
---	---

<i>cribricollis</i> Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 378.	— Hust. Bull. Acad. Malgache (2) VII, 1924, p. 482, 485.
--	--

<i>cuneatus</i> Fairm. Bull. Jard. Colon. 1902, p. 3.	— Hust. Bull. Acad. Malgache (2) VII, 1924, p. 482, 485.
---	--

<i>ephippiger</i> Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 204.	— Hust. Bull. Acad. Malgache (2) VII, 1924, p. 481, 485.
---	--

<i>fasciolatus</i> Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 499 (<i>Heteronus</i>).	— Hust. Bull. Acad. Malgache (2) VII, 1924, p. 481, 485.
--	--

histrion	Fairm. Ann. Soc. Ent. Belg. XLV, 1901, p. 233 (<i>Alsirrhinus</i>). — Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 414.	Madagaskar
<i>griseostriatus</i>	Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 378.	
<i>variegatus</i>	Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 243. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 484, 486.	
lineicollis	Fairm. Ann. Soc. Ent. Belg. XLV, 1901, p. 239. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 484, 486.	"
lugubris	Faust, Deutsche Ent. Zeitschr. 1897, p. 388. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 481, 485.	"
murinus	Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 473. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 482, 485.	"
oblongulus	Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 241. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 480, 484.	"
obscuratus	Fairm. Ann. Soc. Ent. Belg. XLV, 1901, p. 239. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 484, 486.	"
planicollis	Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 378. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 483, 485.	"
quadricollis	Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 499 (<i>Heteronus</i>); Bull. Jard. Colon. 1902, p. 1, fig. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 480, 484.	"
scabricollis	Fairm. Ann. Soc. Ent. Belg. XLV, 1901, p. 238. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 483, 486.	"
semifrenatus	Fairm. Bull. Jard. Colon. 1902, p. 3. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 481, 485.	"
septempunctatus	Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 131. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 482, 485.	"
<i>punctulicollis</i>	Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 244 [nec Fairm. 1902]. — Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 414.	
tenuis	Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 379.	"

21

Hypophylax Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 241. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 486.
Stenophyllax Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 243 [nec Kol.].

hylastoides Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 244. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 487.

1

Gandarius Fairm.

Fairm. Bull. Jard. Colon. 1902, p. 3, 643. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 487.

variegatus Fairm. Bull. Jard. Colon. 1902, p. 3. — Madagaskar
Hust. Bull. Acad. Malgache (2) VII, 1924,
p. 488.

1

Corynemerus Fahrs.

Fahrs. Öfvers. Vet. Akad. Förh. 1871, p. 281. — Faust, Deutsche Ent.
Zeitschr. 1898, p. 78.

aterrimus Faust, Deutsche Ent. Zeitschr. 1898, p. 76. Kamerun
femoralis Fahrs. Öfvers. Vet. Akad. Förh. 1871, p. 281. Kaffernland

nitidulus Faust, Deutsche Ent. Zeitschr. 1898, p. 75. Kamerun
3

Paracorynemerus Hust.

Hust. Faune Colon. franç. II, 1928, p. 439.

nitidus Hust. Faune Colon. franç. II, 1928, p. 440, fig. Gabun
1

Histeropus Hust.

Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 415; Bull. Acad. Malgache
(2) VII, 1924, p. 492.

subcostatus Fairm. Ann. Soc. Ent. France LXXII, Madagaskar
1903, p. 245 (*Sphenophorus*). — Hust. Bull.
Mus. Hist. Nat. Paris 1922, p. 415; Bull.
Acad. Malgache (2) VII, 1924, p. 493.

1

2. Subtrib. **Phaenomeri.**

Phaenomerina Faust, Deutsche Ent. Zeitschr. 1898, p. 76.

Stasiastes Faust.

Faust, Deutsche Ent. Zeitschr. 1895, p. 253.

glabratus Faust, Novit. Zool. I, 1894, p. 567 (*Phae-* Togo,
nomerus); Deutsche Ent. Zeitschr. 1895, p. Kongo
253.

1

Alloscolytoproctus Hust.

Hust. Rev. Soc. Ent. Argent. II, 1929, p. 230.

peruanus Hust. Rev. Soc. Ent. Argent. II, 1929, p. Peru
231.

1

Scolytoproctus Faust.

Faust, Deutsche Ent. Zeitschr. 1895, p. 250, 252.

kamerunicus Faust, Deutsche Ent. Zeitschr. 1898, p. Kamerun
81.

Schaumi Faust, l. c. 1895, p. 251. Togo

2

Tomicoproctus Faust.

Faust, Deutsche Ent. Zeitschr. 1898, p. 79, 81.

Burgeoni Hust. Rev. Zool. Bot. Afr. XXVI, 1934, p. Belg. Kongo
34.

Eichhoffi Faust, Deutsche Ent. Zeitschr. 1898, p. Kamerun
82, 282.

2

Phaenomerus Schönh.

Schönh. Gen. spec. Cerc. III, 1836, p. 632. — Lacord. Gen. Col.
VII, 1866, p. 332, 334. — Faust, Ent. Zeit. Stettin LIV, 1893, p. 151;

Deutsche Ent. Zeitschr. 1895, p. 253; l. c. 1898, p. 79.

Podalgomerus Motsch. Bull. Soc. Nat. Mosc. XXXVI,
1863, II, p. 529.

Alsirrhinus Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p.
245; l. c. XLV, 1901, p. 233*). — Hust. Bull. Acad. Mal-
gache (2) VII, 1924, p. 489.

affinis Hust. Rev. Zool. Bot. Afr. XXVI, 1934, p. Belg. Kongo
33.

angulicollis Marshall, Ann. Mag. Nat. Hist. (8) Brit. Indien
XIX, 1917, p. 197.

brevirostris Marshall, l. c.

exilis Pasc. Journ. Linn. Soc. Lond. XI, 1873, p. 490. Queensland

figuratus Faust, Ann. Mus. Civ. Genova (2) XIV Birma,
(XXXIV), 1894, p. 318. Sumatra,
Nias

jucundus Faust, Deutsche Ent. Zeitschr. 1895, p. 253. Togo,
Kamerun

Kraatzi Faust, l. c. 1898, p. 84.

leucogrammus Gerst. Arch. f. Naturg. XXXVII, 1871, Ostafrika
I, p. 74.

lineatus Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Neuguinea
1885, p. 324.

lineolatus Fairm. Ann. Soc. Ent. Belg. XLII, 1898, Madagaskar
p. 246. — Hust. Bull. Acad. Malgache (2)
VII, 1924, p. 490.

bilineatus Fairm. Ann. Soc. Ent. Belg.
XLV, 1901, p. 232.

notatus Pasc. Journ. Linn. Soc. Lond. XI, 1873, p. Neuguinea
490, f. 13, f. 2; Ann. Mus. Civ. Genova
(2) II (XXIII), 1885, p. 324. — Faust, l. c.
(2) XX (XL), 1899, p. 116.

reclinatus Marshall, Ann. Mag. Nat. Hist. (9) XIII, Assam,
1924, p. 293. Bengal

scenicus Faust, Deutsche Ent. Zeitschr. 1898, p. 83. Kamerun

striga Faust, Abhandl. u. Ber. Zool. Mus. Dresden
1899, Festschr. nr. 2, p. 22. — Hust. Bull.
Acad. Malgache (2) VII, 1924, p. 490.

strigicollis Faust, Novit. Zool. I, 1894, p. 567.

Sundevalli Boh. in Schönh. Gen. spec. Cerc. III,
1836, p. 633. — Marshall, Ann. Mag. Nat.
Hist. (8) XIX, 1917, p. 197.

nебulosus Motsch. Bull. Soc. Nat. Mosc.
XXXVI, 1863, II, p. 530.

16

Decorseia Hust.

Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 415; Bull. Acad. Malgache
(2) VII, 1924, p. 491.

*) Die Umänderung von *Phaenomerus* Schönh. wegen *Phaenomerus* Hope (1833) in *Alsirrhinus* war überflüssig, da obige zwei Namen einander nicht ausschließen, und wäre auch dies der Fall, so hätte der ältere Name *Podalgomerus* Motsch. einzutreten.

elegantula Hust. Bull. Mus. Hist. Nat. Paris 1922, Madagascar
p. 415; Bull. Acad. Malgache (2) VII, 1924,
p. 491.

1

Curanigus Faust.

Faust, Deutsche Ent. Zeitschr. 1898, p. 79, 85.
figuratus Faust, Deutsche Ent. Zeitschr. 1898, p. 85. Kamerun
pictus Faust, l. c. p. 86.
raucus Faust, l. c. p. 86. Gabun

3

Procuranigus Hust.

Hust. Faune Colon. franç. II, 1928, p. 437.
congoanus Hust. Faune Colon. franç. II, 1928, p. 439, Fr. Kongo
fig.
niger Hust. l. c. p. 437. Gabun

2

II. Trib. Rhynchophorini.

Gymnopygia Schönh. Gen. spec. Curc. IV, 2, 1838, p. 816;
l. c. VIII, 2, 1845, p. 215.

Calandrides Lacord. Gen. Col. VII, 1866, p. 267, 274.

Calandrites Jacq. du Val. Gen. Col. d'Eur. IV, 1868, p. 68, 95.

Calandrini Redt. Fauna Austr. 3. Aufl. I, 1874, p. CXXX;
l. c. II, 1874, p. 359. — Stierl. Mittb. Schweiz. Ent. Ges.
VI, 1880—84 (1883), p. 406; Käf.-Fauna Schweiz II, 1898,
p. 208. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 113;
l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 154; Fauna Trans-
sylv. 1888—91 (1891), Gatt. p. 154. — Bedel, Faune Col.
Bass. Seine VI, 1882—88 (1884), p. 65, (1885), p. 190. —
Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 17; Best.-
Tab. europ. Col. XXXVII, 1898, p. 17; Fauna Germ. V,
1916, p. 117. — Everts, Col. Neerl. II, 1903, p. 548. —
Heyne-Taschenbg. Exot. Käf. 1908, p. 233. — C. Schauf. in
Calw. Käferb. 6. Aufl. II, 1916, p. 1034, 1141. — Heller,
Wien. Ent. Zeit. XL, 1923, p. 149. — Hust. Ann. Soc. Ent.
France XCIX, 1930, p. 252; Bull. Acad. Malgache (2) VII,
1924, p. 9.

Calandrinae Kuhnt, Illustr. Best.-Tab. Käf. Deutschl.
1913, p. 907.

1. Subtrib. Rhynchophori.

Rhynchophorides Bach, Käferf. N. u. Mitteldeutschl.
II, 1859, p. 151. — Lacord. Gen. Col. VII, 1866, p. 270.

Rhynchophorina Champ. Biol. Centr.-Amer. Col. IV, 7,
1909—10 (1910), p. 79. — Heller, Wien. Ent. Zeit. XL, 1923,
p. 149.

Rhyncocephorini Hust. Bull. Acad. Malgache (2) VII,
1924, p. 9.

Cyrtotrachelus Schönh.

Schönh. Gen. spec. Curc. IV, 2, 1838, p. 833. — Lacord. Gen. Col.
VII, 1866, p. 271. — Rits. Not. Leyd. Mus. XIII, 1891, p. 148. —
Banks, Philipp. Journ. Sc. I, 1906, p. 161, t. 11. — Heller, Wien.
Ent. Zeit. XL, 1923, p. 149.

Cordyle Thunbg. Kgl. Vet. Acad. Handl. XVIII, 1797, p. 44 (part.).

Roeofisia Rits. Not. Leyd. Mus. XIII, 1899, p. 148. — Faust, Ent. Zeit. Stett. LIV, 1893, p. 150.

bipartitus Hartm. Deutsche Ent. Zeitschr. 1899, p. Java 29. — Heller, Wien. Ent. Zeit. XL, 1923, p. 155.

ab. *holomelas* Hell. l. c. p. 155.

ab. *nigrinus* Hell. l. c. p. 156 [nec Hell.].

ab. *dorsalis* Hell. l. c. p. 156.

ab. *humeralis* Hell. l. c. p. 156.

Borneo
Malakka,
Sumatra,
Nias

Sumatra
Brit. Indien,
Birma,
Tonkin

ab. *sumatranaus* Hell. l. c. p. 156.

Buqueti Guér. Iconogr. Règne Anim. 1829—44, p. 176. — Lacord. Gen. Col. VII, 1866, p. 272 (*dux* var.). — Hell. Wien. Ent. Zeit. XL, 1923, p. 152. — Faust, Ann. Mus. Civ. Genova (2) XIV (XXXIV), 1895, p. 320.

bispinus Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 145.

Assam,
Bengal,
Sikkim,
Birma

ab. *dux* Boh. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 221. — Lacord. Gen. Col. VII, 1866, p. 271. — Heyne-Taschenbg. Exot. Käf. 1908, p. 233, t. 31, f. 1. — Hell. Wien. Ent. Zeit. XL, 1923, p. 152.

rex Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 555.

Birma,
China

ab. *nigrocinctus* Faust, Ann. Mus. Civ. Genova (2) XIV (XXXIV), 1895, p. 320. — Hell. Wien. Ent. Zeit. XL, 1923, p. 152.

China,
Japan

ab. *borealis* Jord. Novit. Zool. I, 1894, p. 493, t. 13, f. 7. — Hell. Wien. Ent. Zeit. XL, 1923, p. 153.

Cochin-
China,
Cambodja,
Saigon

dichrous Fairm. Ann. Soc. Ent. France (5) VIII, 1878, p. 273. — Faust, Ent. Zeit. Stett. LIV, 1893, p. 149. — Hell. Wien. Ent. Zeit. XL, 1923, p. 153.

Birma

Feae Faust, Ann. Mus. Civ. Genova (2) XIV (XXXIV), 1895, p. 320. — Hell. Wien. Ent. Zeit. XL, 1923, p. 153.

Sikkim
Philippinen

himalayanus Hell. l. c. p. 155.

lar Er. Nova Acta Acad. Leop. XVI, Suppl. 1, 1834, p. 265. — Gyll. in Schönh. Gen. Spec. Curc. IV, 2, 1838, p. 836. — Hell. Wien. Ent. Zeit. XL, 1923, p. 153.

Brit. Indien,
Sikkim,
Birma,
China,
Tonkin,
Cambodja,
Sumatra,
Java,
Japan,

longimanus F. Syst. Ent. App. 1775, p. 822. — Thunbg. Kgl. Vet. Acad. Handl. XVIII, 1797, p. 48, 3 a ♂, β ♀. — Ol. Ent. V, 1807, Nr. 83, p. 78, t. 15, f. 191 ♂, t. 2, f. 16 ♀. — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 835. — Hell. Wien. Ent. Zeit. XL, 1923, p. 154.

Formosa,
Philippinen

Biologie: Chen, Lignan Sc. Journ. VI, 1930, p. 353, fig.

longipes F. Spec. Ins. I, 1781, p. 162; Mant. Ins. I, 1787, p. 97; Ent. Syst. I, 2, 1792, p. 395 (*Curculio*); Syst. Eleuth. II, 1801, p. 431 (*Calandra*). — Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1741.

- (*Curculio*). — Ol. Encycl. méth. V, 1790, p. 473 (*Curculio*); Ent. V, 1807, Nr. 83, p. 78, t. 15, f. 191 (*Calandra*).
var. Chevr. Ann. Soc. Ent. France (6) II, Cambodja 1882, p. 555.
- rufopectinipes** Chevr. l. c. p. 556. — Hell. Wien. Andamanen, Ent. Zeit. XL, 1923, p. 154.
obscuriceps Chevr. Ann. Soc. Ent. France Ceylon (6) II, 1882, p. 556.
ab. *subnotatus* Voss, Ent. Blätt. XXVII, China 1931, p. 37.
var. *montanus* Hell. Wien. Ent. Zeit. XL, Sikkim, 1923, p. 154. Assam, China
var. *javanus* Hell. l. c. p. 154. Java, Nias
var. *birmanicus* Faust, Ann. Mus. Civ. Genova (2) XIV (XXXIV), 1895, p. 321. — Hell. Wien. Ent. Zeit. XL, 1923, p. 154. Birma, China, Tonkin
ab. *rufithorax* Hell. l. c. p. 154.
ab. *nigrinus* Hell. l. c. p. 155.
ab. *nigrodiscalis* Hell. l. c. p. 155.
8

Macrochirus Gemm. & Har.

- Gemm. & Harold, Cat. Col. VIII, 1871, p. 2640 (emend.).
Macrocheirus Schönh. Gen. spec. Curc. IV, 2, 1838, p. 831. — Lacord. Gen. Col. VII, 1866, p. 271, 272. — Rits. Not. Leyd. Mus. XIII, 1891, p. 147.

Herveyi Waterh. Ann. Mag. Nat. Hist. (5) XIX, Malacca, 1887, p. 295. Birma

longipes Drury, Ins. II, 1773, p. 61, t. 33, f. 3; Ins. Index 1793 (*Curculio*). — Lacord. Gen. Col. Johanna VII, 1866, p. 273.

colossus Herbst, Natursyst. Ins. Käf. VI, 1795, p. 19, t. 60, f. 10 (*Rhynchophorus*).

Druryi Guér. Iconogr. Règne Anim. 1829—44, p. 175.

praetor Gyll. in Schönh. Gen. spec. Curc. IV, 2, Java 1838, p. 833. — Heyne-Taschenbg. Exot. Käf. 1908, p. 233, t. 32, f. 5.

spectabilis Dohrn, Ent. Zeit. Stett. XLIX, 1883, Nias, p. 362, 397, fig. W. Sumatra

vittatus Jord. Novit. Zool. I, 1894, p. 488. Borneo
5

Otidognathus Lacord.

Lacord. Gen. Col. VII, 1866, p. 271, 273. — Rits. Not. Leyd. Mus. XIII, 1891, p. 148.

Lithorrhynchus Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 222 [nec Macq.].

aberrans Faust, Ann. Mus. Civ. Genova XXXIV, Birma, 1895, p. 328. — Günther, l. c. LVII, 1935, Mentawai p. 217.

anchoria Faust, l. c. p. 326.

aphanes Günther, Int. Ent. Zeitschr. (Guben) China XXVIII, 1934, p. 454.

var. *tonkinensis* Günther, l. c. p. 455, Laos fig. 3.

- areolatus** Fairm. Ann. Soc. Ent. France LXVIII, China 1899, p. 636 (*Cyrtotrachelus*). — Hell. Wien. Ent. Zeit. XL, 1923, p. 150.
- assamensis** Chevr. Ann. Soc. Ent. France (6) II, Assam, 1882, Bull. p. CXXXVIII.
- quadrimaculatus* Buquet in Guér. Icognogr. Règne Anim. 1829—44, p. 177 [nec Ol.]. — Faust, Ent. Zeit. Stettin LII, 1891, p. 287.
- bifasciatus** Chevr. Ann. Soc. Ent. France (6) II, Sylhet 1882, Bull. p. CXI.
- celatus** Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, Cambodja p. 374.
- collaris** Jord. Nov. Zool. I, 1894, p. 495, t. 13, Java f. 8.
- comptus** Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, Cambodja p. 373, t. 11, f. 6.
- Davidis** Fairm. Ann. Soc. Ent. France (5) VIII, China 1878, p. 127 (*Cyrtotrachelus*). — Heller, Wien. Ent. Zeit. XL, 1923, p. 150.
- var. Chevr. Ann. Soc. Ent. France (6) II, 1882, Bull. p. CXI.
- elegans** Fairm. l. c. (5) VIII, 1878, p. 128 (*Cyrtotrachelus*). — Günther, Sitzb. Ges. Naturf. Freunde Berlin 1934, p. 245, 247, fig. 1.
- var. *injucundus* Günther, l. c. p. 248, fig. 2.
- var. *peregrinus* Günther, l. c. p. 248, fig. 3.
- var. *septentrionalis* Günther, l. c. p. 249, fig. 4.
- var. *palawanicus* Günther, l. c. p. 249, fig. 5.
- var. *gloriosus* Günther, l. c. p. 250, fig. 6.
- var. *centralis* Günther, l. c. p. 250, fig. 7.
- var. *pictus* Heller, Philipp. Journ. Sc. XIX, 1922, p. 623, t. 3, f. 10. — Günther, Sitzb. Ges. Naturf. Freunde Berlin 1934, p. 251.
- var. *banahaoensis* Günther, l. c. p. 251, fig. 8.
- var. *fulvopictus* Heller, Philipp. Journ. Sc. X, D, 1915, p. 234. — Günther, Sitzb. Ges. Naturf. Freunde Berlin 1934, p. 251, fig. 9.
- var. *muganensis* Günther, l. c. p. 252, fig. 10.
- var. *panaonensis* Günther, l. c. p. 252.
- var. *surigaoensis* Günther, l. c. p. 253.
- var. *sericoplaga* Heller, Philipp. Journ. Sc. X, D, 1915, p. 32. — Günther, Sitzb. Ges. Naturf. Freunde Berlin 1934, p. 253.
- var. *baguioensis* Günther, l. c. p. 254.
- var. *cebuensis* Günther, l. c. p. 255.
- decemstriatus** Chevr. Ann. Soc. Ent. France (6) II, Sylhet 1882, p. 557.
- Försteri** Hartm. Deutsche Ent. Zeitschr. 1900, p. 290. Neuguinea
- inxpectatus** Günther, Zool. Mededel. Leiden XVIII, Sumatra 1935, p. 163, fig. 1.

- Jansoni** Roel. Ann. Soc. Ent. Belg. XVIII, 1875, Japan
p. 186.
- maculipennis** Voss, Ent. Blätt. XXVII, 1931, p. 38. China
- myrmidon** Buquet in Guér. Iconogr. Règne Anim. Java
1829—44, p. 177.
- naevus** Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Birma
p. 322.
- nemorivagus** Günther, Stylops IV, 1935, p. 154, Assam
fig. 2.
- nigricollis** Heller, Philipp. Journ. Sc. XXV, 1924, p. Philippinen
295. — Günther, Sitzb. Ges. Naturf. Freunde
Berlin 1934, p. 247.
- nigropictus** Fairm. Ann. Soc. Ent. France (5) VIII, China
1878, p. 128.
- notatus** Voss, Wien. Ent. Zeit. XLIX, 1932, p. 299. Yunnan
- papuanus** Hartm. Deutsche Ent. Zeitschr. 1900, p. Neuguinea
290, 293.
- perminutus** Günther, Int. Ent. Zeitschr. (Guben) Tonkin
XXVIII, 1934, p. 455, fig. 4.
- purpuratus** Hartm. Deutsche Ent. Zeitschr. 1900, Neuguinea
p. 290, 291.
- pygidialis** Jord. Nov. Zool. I, 1894, p. 495. China
- rarus** Günther, Stylops IV, 1935, p. 154, fig. 1. Brit. Indien,
China,
Tonkin
- robustus** Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 324.
- rubriceps** Chevr. Ann. Soc. Ent. France (6) II, Sylhet
1882, Bull. p. CXII. — Faust, Ann. Mus.
Civ. Genova XXXIV, 1894, p. 328.
- rufescens** Hartm. Deutsche Ent. Zeitschr. 1900, p. Neuguinea
290, 292.
- satelles** Günther, Stylops IV, 1935, p. 155, fig. 3. Brit. Indien,
Assam,
Tonkin
- separandus** Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 327.
- subfasciatus** Chevr. Ann. Soc. Ent. France (6) II, Assam
1882, Bull. p. CXI.
- turbatus** Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 323.
- ursinus** Faust, Ann. Mus. Civ. Genova XL, 1899, Neuguinea
p. 117. — Hartm. Deutsche Ent. Zeitschr.
1900, p. 289.
ab. *squamulosis* Heller, Nova Guinea XV, ..
Zool. 1926, p. 291.
- velutinus** Hartm. Deutsche Ent. Zeitschr. 1900, p. ..
290, 293.
- Westermannii** Boh. in Schönh. Gen. spec. Circ. VIII, Assam
2, 1845, p. 223.
var. Dohrn, Ent. Zeit. Stettin XLI, 1880, p.
297. 3

Protocerius Schönh.

Schönh. Gen. spec. Circ. IV, 2, 1838, p. 828. — Lacord. Gen. Col.
VII, 1866, p. 271, 274. — Rits. Not. Leyden Mus. XIII, 1891, p. 148.

- aemulus** Dohrn, Ent. Zeit. Stettin XLIII, 1882, Nias p. 458; l. c. XLIV, 1883, p. 159.
- angustipennis** Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 559. Brit. Indien, Sylhet
- colossus** Ol. Encycl. méth. V, 1790, p. 472 (*Curculio*); Ent. V, 1807, Nr. 83, p. 76, t. 3, f. 32 a—b ♂ (*Calandra*). — F. Ent. Syst. I, 2, 1792, p. 396 (*Curculio*); Syst. Elenth. II, 1801, p. 431 (*Calandra*). — Thunbg. Acta Acad. Holm. I, 1797, p. 47 (*Cordyle*). — Panz. in Voet, Beschr. Ins. IV, 1798, p. 51, t. 36, f. 9 ♀ (*Curculio*). — Ill. Mag. Insektdkde IV, 1805, p. 137 (*Calandra*). — Lacordaire, Gen. Ins. VII, 1866, p. 274. — Taschbg. in Heyne & Taschbg. Exot. Käf. 1908, p. 233, t. 32, f. 8.
- heros** F. Syst. Eleuth. II, 1801, p. 431, ♀ (*Calandra*). — Ol. Ent. V, 1807, Nr. 83, p. 75, t. 28, f. 410 (*Calandra*). — Ill. Mag. Insektdkde IV, 1805, p. 137 (*Calandra*).
- molossus** Ol. Ent. V, 1807, Nr. 83, p. 75, t. 17, f. 216, ♀ (*Calandra*). — Lacord. Gen. Col. VII, 1866, p. 275. — Pasc. Journ. Linn. Soc. Lond. XI, 1871, p. 216.
- Goliath** Guér. Iconogr. Règne Anim. 1829—44, p. 174.
- fervidus** Pasc. Journ. Linn. Soc. Lond. XI, 1871, p. 216. Brit. Indien, Malakka, Java, Celebes
- grandis** Guér. Iconogr. Règne Anim. 1829—44, p. 174. — Lacord. Gen. Col. VII, 1866, p. 275. — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 558, ♀. Brit. Indien, China
- laetus** Vollenh. Tijdschr. Ent. IX, 1866, p. 228, t. 12, f. 1. Celebes, Menado
- marginatus** Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 558. Java
- incarnatus* Chevr. (olim) i. l.
- praetor** Faust, Ent. Zeit. Stettin LVI, 1895, p. 102.
- purpuratus** Dohrn, Ent. Zeit. Stettin XLII, 1881, p. 447. Borneo
- rufifrons** Heller, Philipp. Journ. Sc. D. X, 1915, p. 33, fig. 10. Philippinen

Omotemnus Chevr.

- Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 559. — Faust, Deutsche Ent. Zeitschr. 1891, p. 339.
- carnifex** Faust, Deutsche Ent. Zeitschr. 1891, p. 344. China
- coelirostris** Heller, Ent. Nachr. XX, 1894, p. 98. Brit. Indien
- compressirostris* Jord. Nov. Zool. I, 1894, p. 492; Ent. Nachr. XXI, 1895, p. 143.
- conicus** Jord. Novit. Zool. I, 1894, p. 490. Borneo
- Fleutiauxi** Faust, Deutsche Ent. Zeitschr. 1891, p. 345; Ann. Soc. Ent. France LXI, 1892, p. 520.
- var. bisignatus* Faust, l. c.
- gracilis** Jord. Novit. Zool. I, 1894, p. 490. Saigon
- Borneo

- introducens** Walker, Ann. Mag. Nat. Hist. (3) IV, Ceylon 1859, p. 218 (*Rhynchophorus*). — Marshall, l. c. (10) VI, 1930, p. 577.
- ceylanensis** Roel. Ann. Soc. Ent. Belg. XII, 1868—69 (1869), p.
- miniatocrinatus** Chevr. Ann. Soc. Ent. France (6) Java II, 1882, p. 560. — Günther, Int. Ent. Zeitschr. (Guben) XXVIII, 1934, p. 243.
- Hausseri** Faust, Deutsche Ent. Zeitschr. 1891, p. 341.
- cinctus** Faust, Ent. Zeit. Stettin LVI, 1895, p. 101.
- vitticollis** Hartm. Deutsche Ent. Zeitschr. 1899, p. 31.
- nanus** Heller, Ent. Zeit. Stettin LXIX, 1908, p. 183. Borneo
- niasicus** Jord. Novit. Zool. I, 1894, p. 491. Nias
- nigrocrinitus** Faust, Ent. Zeit. Stettin LVI, 1895, Java p. 99.
- nigrosignatus** Hartm. Deutsche Ent. Zeitschr. 1899, „ p. 31 (*cinctus* var.). — Günther, Int. Ent. Zeitschr. (Guben) XXVIII, 1934, p. 243, fig. 1.
- princeps** Heller, Ent. Nachr. XX, 1894, p. 100. Borneo
blanodus Jord. Novit. Zool. I, 1894, p. 489, t. 18, f. 6; Ent. Nachr. XXI, 1895, p. 143.
- regalis** Günther, Int. Ent. Zeitschr. (Guben) XXVIII, Java 1934, p. 245, fig. 4.
- rhinocerus** Chevr. Ann. Soc. Ent. France (6) II, China 1882, p. 560. — Auriv. Nouv. Arch. Mus. Paris (3) III, 1892, p. 223, ♀.
- sanguinosus** Heller, Deutsche Ent. Zeitschr. 1916, Luzon p. 296.
var. *x-rufum* Heller, Philipp. Journ. Sc. Philippinen XXV, 1924, p. 296.
- serrirostris** F. Syst. Eleuth. II, 1801, p. 429 (*Calandra*). — Ol. Ent. V, 1807, Nr. 83, p. 78, t. 17, f. 211. — Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 823. — Boh. l. c. VIII, 2, 1845, p. 297.
var. *seriatuſ* F. Syst. Eleuth. II, 1801, p. 429 (Brit. Indien 429). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 559.
var. *Reaumuri* Gyll. in Schönh. Gen. spec. Java Cerc. IV, 2, 1838, p. 822. — Boh. l. c. VIII, 2, 1845, p. 217.
- Stolzi** Rits. Not. Leyd. Mus. XXXVI, 1914, p. 170. Sumatra
- Swierstraæ** Rits. Not. Leyd. Mus. XIII, 1891, p. 151. Java — Günther, Int. Ent. Zeitschr. (Guben) XXVIII, 1934, p. 242.
- vicarius** Faust, Ent. Zeit. Stettin LVI, 1895, p. 100.
- variabilis** Günther, Int. Ent. Zeitschr. (Guben) Java XXVIII, 1934, p. 243, fig. 2—3.

Rhynchophorus Herbst.

spec. Curc. IV, 2, 1838, p. 816. — Lacord. Gen. Col. VII, 1866, p. 271, 275. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 548.

Cordylo Thunbg. Kgl. Vet. Acad. Handl. XVIII, 1797, p. 44 (part.).

barbirostris Thunbg. Kgl. Vet. Acad. Handl. XVIII, Südamerika 1797, p. 46, 47 (*Cordylo*); in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 828.

bilineatus Montr. Ann. Soc. Agr. Lyon VII, 1857, Neuguinea, p. 55 (*Calandra*). — Faust, Ann. Mus. Civ. Woodlark Genova (2) XX (XL), 1899, p. 118.

cruentatus F. Syst. Ent. 1775, p. 128; Spec. Ins. I, 1781, p. 162; Mant. Ins. I, 1787, p. 97; Ent. Syst. I, 2, 1792, p. 395 (*Curculio*); Syst. Eleuth. II, 1801, p. 430 (*Calandra*). — Deg. Mém. Ins. V, 1781, p. 269, t. 15, f. 26 (*Curculio*). — Ol. Encycl. méth. V, 1790, p. 472 (*Curculio*); Ent. V, 1807, Nr. 83, p. 82, t. 12, f. 147 (*Calandra*). — Gmel. in L. Syst. Nat. Ed. XIII, 1790, p. 1741 (*Curculio*). — Herbst in Borowski, Naturg. Thierr. VI, 1784, p. 106, t. 14, f. 1; in Füessly, Arch. Insekten gesch. 4—5, 1784—85, p. 68 (*Curculio*); Natursyst. Ins. Käf. VI, 1795, p. 5, t. 60, f. 2. — Panz. in Voet, Beschr. Ins. IV, 1798, IV, 1798, p. 58, t. 37, f. 25 (*Curculio*). — Scop. Ann. Hist. Nat. V, 1772, p. 89 (*Curculio*). — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 99, t. 24, f. 4; Gen. Crust. Ins. II, 1807, p. 89 (*Calandra*). — Lamarck, Anim. sans vertébr. IV, 1801, p. 354 (*Calandra*). — G. Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 39. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 549, fig. 118 a—b.

Biologie: G. Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 39. — Chittenden, Bull. Dept. Agric. Ent. Nr. 38, 1902, p. 1—26, fig. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 549, fig. 118 c—f. — Cotton, Proc. U. S. Nat. Mus. LXVI, 1924, p. 10, t. 7, f. 1—7, t. 10, f. 9.

ab. *Zimmermanni* Fährs. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 219. — Candèze, Mém. Soc. Sc. Liége XVI, 1861, p. 377. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 549.

Biologie: Candèze, Mém. Soc. Sc. Liége XVI, 1861, p. 375, t. 4, f. 1a—f.

cycadis Er. Arch. f. Naturg. XIII, 1847, I, p. 136. Peru

depressus Chevr. Le Naturaliste II, 1880, p. 315. Guadeloupe

ferrugineus Ol. Encycl. méth. V, 1790, p. 473 (*Curculio*); Ent. V, 1807, Nr. 83, p. 79, t. 2, f. 16 d (*Calandra*). — F. Ent. Syst. I, 2, 1792, p. 396 (*Curculio*); Syst. Eleuth. II, 1801, p. 433 (*Calandra*). — Herbst, Natur-syst. Ins. Käf. VI, 1795, p. 8, t. 60, f. 3. — Guér. Voy. Bélang. Ins. 1833, p. 487, t. 2, f. 5. — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838 p. 827., — Boh. l. c. VIII, 2,

S. Carolina,
Florida,
Louisiana

S. Carolina,
Florida,
Louisiana

Brit. Indien,
Malakka,
Sumatra,
Java,
Borneo,
Neuguinea

1845, p. 218. — Schauf. Horae Soc. Ent. Ross. XIX, 1885, p. 203. — Heyne-Taschenbg. Exot. Käf. 1908, p. 233, t. 32, f. 2.

Biologie: Ridley, Rep. destr. Coco-nut Palms Beetles (Singapore) 1889, p. 1. — Banks, Philipp. Journ. Sc. I, 1906, p. 154, t. 6—8. — Ghosh, Mem. Dept. Agric. Ind. Ent. II, Nr. 10, 1912, p. 212, fig.

? *sanguarius* Rumph. Herb. Amboin. I, 1750—55, p. 79, t. 17, f. 6.

hemipterus Sulz. Abgek. Gesch. Ins. 1776, p. 39, t. 4, f. 5 (*Curculio*).

sexmaculatus Thunbg. Kgl. Vet. Acad. Handl. XVIII, 1797, p. 46 (*Cordyle*).

vulneratus Panz. in Voet, Beschr. Ins. IV, 1798, Vorbericht Nr. 4 u. p. 59, Tit. fig. 4 (*Curculio*). — Boh. in Schönh. Gen. Spec. Cura. VIII, 2, 1845, p. 218.

schach F. Syst. Eleuth. II, 1801, p. 433 (*Calandra*). — Ol. Ent. V, 1807, Nr. 83, p. 80, t. 16, f. 204 (*Calandra*). — Gyll. in Schönh. Gen. spec. Cura. IV, 2, 1838, p. 827.

palmarum var. Herbst, Natursyst. Ins. Käf. VI, 1795, p. 8, t. 60, f. 2.

tenuirostris Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 561.

var. Haller, Mitth. Schweiz. Ent. Ges. VII, 1885, p. 198, fig. α—γ.

var. *seminiger* Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 330. Birma

glabrirostris Schauf. Horae Soc. Ent. Ross. XIX, Celebes 1885, p. 203.

indostanus Chevr. Ann. Soc. Ent. France (6) II, Assam 1882, p. 562.

Kaupi Schauf. Sitzber. Isis Dresden 1864, p. 22; Nunq. otios. II, 1872—77 (1877), p. 448. — Fairm. Ann. Soc. Ent. Belg. XXVII, 2, 1883, p. 40. Neuguinea, N. Britannien, Duke of York Ins.

velutinus Fairm. Pet. Nouv. Ent. II, 1877, p. 185; Journ. Mus. Godeffr. XIV, 1879, p. 112.

lanuginosus Chevr. Le Naturaliste II, 1880, p. 315. Guadeloupe

lobatus Rits. Not. Leyden Mus. IV, 1882, p. 179. Sumatra

Montrouzieri Chevr. Ann. Soc. Ent. France (6) II, Aru 1882, Bull. p. CXXXXVIII.

palmarium Montrouz. l. c. (3) VIII, 1860, p. 411 (*Calandra*) [nec L.].

palmarum L. Mus. Lud. Ulr. 1764, p. 42; Syst. Nat. Ed. XII, 1767, I, 2, p. 506 (*Curculio*). — Gmel. l. c. Ed. XIII, I, 4, 1790 (*Curculio*). — Ol. Ent. V, 1807, Nr. 83, p. 77, t. 2, f. 16 a ♂, b ♀ (*Calandra*). — Gyll. in Schönh. Gen. spec. Cura. IV, 2, 1838, p. 820. — Heyne-Taschenberg, Exot. Käf. 1908, p. 233, t. 32, f. 3.

Biologie: Lacord. Ann. Sc. Nat. XXI, 1830, p. 167. — Blanchard, Hist. Nat. Ins. 1845, t. 10, f. 10—11. — Blandford, Kew Bull. 1893, p. 27—60, t. 1. — Gough, Bull. Dept.

Kalifornien,
Central-
u. Süd-
Amerika

- Agric. Trinidad X, 1911, p. 59—64, fig.
 — Sharp, Journ. New York Ent. Soc. XXVI,
 1918, p. 225.
- Pascha** Boh. in Schönh. Gen. spec. Cerc. VIII, 2, Philippinen
 1845, p. 218.
 var. *papuanus* Kirsch, Mitth. Mus. Dresden Neuguinea
 II, 1877, p. 156.
 var. *cinctus* Faust, Ann. Soc. Ent. France Saigon
 LXI, 1892, p. 520.
- phoenicis** F. Syst. Eleuth. II, 1801, p. 430 (*Calandra*). — Ill. Mag. Ins. IV, 1805, p. 137
 (*Calandra*). — Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 825. — Gerst. in Peters' Reise 1862, p. 317. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 424.
 var. Chevr. Ann. Soc. Ent. France (6) II, Abessinien 1882, p. 561.
 var. *niger* Faust, Ann. Soc. Ent. Belg. XLIII, Gabun 1899, p. 424.
 var. *ruber* Faust, l. c. p. 425. Gabun, Calabar
- quadrangulus** Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 302. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 425.
 var. *rex* Faust, l. c. p. 425. Central-Afrika, Kongo
rubrocinctus Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 563. W. Afrika
- signaticollis** Chevr. l. c. p. 562. — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 330. Ceylon, Birma
 ab. *dimidiatus* Faust, l. c. Birma

18

Pristirrhina Hell.

- Heller, Ann. Soc. Ent. Belg. XLVII, 1903, p. 8.
variolosa Hell, Ann. Soc. Ent. Belg. XLVII, 1903, Venezuela
 p. 9.

1

Abrachius Roel.

- Roelofs, Not. Leyd. Mus. XIV, 1892, p. 210.
insularis Roel. Not. Leyd. Mus. XIV, 1892, p. 211. Aru 1

Iphthimorhinus Roel.

- Roelofs, Not. Leyd. Mus. XIV, 1892, p. 207.
australasiae Roel. Not. Leyd. Mus. XIV, 1892, p. 208; 1. c. XV, 1893, p. 244 (♂). Queensland

1

Dynamis Chevr.

- Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 563.
Borassi F. Syst. Eleuth. II, 1801, p. 430 (*Rhynchophorus*). Süd-Amerika, — Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 818 (*Rhynchophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 563. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 177.

- Germari** Perty, Del. anim. art. 1830, p. 82, t. 16, Brasilien, f. 12 (*Calandra*).
n o x i u s Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 821 (? Amer. sept.).
- nitidulus** Guér. Icon. Règne anim. 1829—44, p. 175 Bolivien, (σ).
n i t i d i p e n n i s Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 216 (♀).
- peropaeus** Champ. Biol. Centr.-Amer. Col. IV, 7, Nicaragua 1909—10 (1910), p. 80.
- politus** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Cayenne 1838, p. 819 (*Rhynchophorus*).

Subg. **Rhynchodynamis** Hell.

- filirostris** Heller, Ent. Zeit. Stettin LXVII, 1906, p. 49.
 Hell. Ent. Zeit. Stettin LXVII, 1906, p. Brasilien 49, t. 1, f. 11.
 6

Paratasis Chevr.

- Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 564. — Rits. Not. Leyd. Mus. XIII, 1891, p. 154.
- celebensis** Günther, Zool. Mededel. Leiden XVIII, N.-Celebes 1935, p. 164, fig. 2.
- dajaca** Heller, Abhandl. Ber. Mus. Tierk. Völkerk. Borneo Dresden XVII, 3, 1929, p. 19.
- Fausti** Heller, Ent. Nachr. XIX, 1893, p. 168. Java
- rubiginea** Wiedem. Mag. Zool. I, 3, 1819, p. 174 Bengal, (*Calandra*). — Gyll. in Schönh. Gen. spec. Java Cerc. IV, 2, 1838, p. 824 (*Rhynchophorus*).
f e s t i v a Sturm, Cat. Käf. 1826, p. 106.
e l e g a n s Guér. Iconogr. Règne anim. 1829—44, p. 176. — Heyne-Taschenberg, Exot. Käf. 1908, p. 233, t. 32, f. 4.
e l e g a n s var. Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 560.
r u b i g i n o s a Chevr. l. c. p. 564 [non Wiedem.].
- viridiaenea** Heller, Not. Leyd. Mus. XIV, 1892, p. 269. Java
 5

Coraliphorus Chevr.

- Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 564.
longus Chevr. Ann. Soc. Ent. France (6) II, 1882, Brit. Indien p. 565.
 1

2. Subtrib. **Ommatolampi**.

- O m m a t o l a m p i d e s* Lacord. Gen. Col. VII, 1886, p. 270, 276.
O m m a t o l a m p i n i Hust. Bull. Acad. Malgache (2) VII, 1924, p. 9.

Aphiocephalus Lacord.

- Lacord. Gen. Col. VII, 1886, p. 277. — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 565. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 493.

Conocephalus Schönh. Gen. spec. Curc. IV, 1838, p. 839
[nec Thunbg., nec Zenk.].

castanescens Fairm. Le Naturaliste (2) II, 1888, p. Madagascar
12, fig. 5; Ann. Soc. Ent. Belg. XXXIX,
1895, p. 36. — Hust. Bull. Acad. Malgache
(2) VII, 1924, p. 494, 496.

Guerini Klug, Ins. Madag. 1833, p. 112 (*Calandra*).
— Gyll. in Schönh. Gen. spec. Curc. IV, 2,
1838, p. 842. — Chevr. in Guér. Iconogr.
Règne anim. 1829—44, p. 170, t. 39 bis,
f. 3 (*Calandra*). — Dohrn, Ent. Zeit. Stettin
LI, 1890, p. 83. — Hust. Bull. Acad. Mal-
gache (2) VII, 1924, p. 494, 495.

Gyllenhalii Gyll. in Schönh. Gen. spec. Curc. IV, 2,
1838, p. 840 (ex err.; Cochinchina). — Guér.
Iconogr. Règne anim. 1829—44, p. 170. —
Hust. Bull. Acad. Malgache (2) VII, 1924,
p. 495.

planicollis Fairm. Ann. Soc. Ent. Belg.
XLV, 1901, p. 240.

var. *niger* Hust. Bull. Acad. Malgache (2)
VII, 1924, p. 495, 496.

limbatus Ol. Encycl. méth. V, 1790, p. 473 (*Cur-*
culio); Ent. V, 1807, Nr. 83, p. 81, t. 3,
f. 22 (*Calandra*). — F. Ent. Syst. I, 2,
1792, p. 397 (*Curculio*); Syst. Eleuth. II,
1801, p. 434 (*Calandra*). — Gyll. in Schönh.
Gen. spec. Curc. IV, 2, 1838, p. 841. —
Vollenhoven, Liste Ins. Réun., Comor., Madag.
1869, p. 2. — Hust. Bull. Acad. Malgache
(2) VII, 1924, p. 495.

4

Rhynchohovanus Hust.

Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 415; Bull. Acad. Mal-
gache (2) VII, 1924, p. 496.

Cylindrocephalus Faust, Wien. Ent. Zeit. XII, 1893,
p. 300 [nec Motsch.].

Helleri Faust, Wien. Ent. Zeit. XII, 1893, p. 300. Madagascar
— Hust. Bull. Acad. Malgache (2) VII,
1924, p. 496.

densemaculatus Fairm. Ann. Soc. Ent.
France (7) V (LXIV), 1895, Bull. p.
CCLXXXI; l. c. LXXI, 1902, p. 380 (*Aphio-*
cephalus).

1

Lampommatus Hell.

Hell. Abhandl. Mus. Dresden VI, 1896—97, Nr. 3, p. 20.

cephalotes Hell. Abhandl. Mus. Dresden VI, 1896 Celebes
— 97, Nr. 3, p. 21, fig. 14.

1

Ommatolampus Schönh.

Schönh. Gen. spec. Curc. IV, 2, 1838, p. 837. — Lacord. Gen. Col.
VII, 1866, p. 277, 278.

annamensis Hell. Deutsche Ent. Zeitschr. 1922, p. Annam
25 (*anamensis*).

- Cuvieri** Boh. in Schönh. Gen. spec. Cerc. VIII, 2, Java
1845, p. 225.
- Germari** Boh. I. c. VIII, 2, 1845, p. 226. — Heller, Java,
Ent. Zeit. Stettin LXIX, 1908, p. 188. Borneo
- Allardi* Chevr. Ann. Soc. Ent. France (6)
II, 1882, p. 565.
- dajacuus* Heller, Not. Leyd. Mus. XVIII,
1896, p. 247.
- haemorrhoidalis** Wiedem. Mag. Zool. I, 3, 1819, p. Bengal
175 (*Calandra*). — Gyll. in Schönh. Gen.
spec. Cerc. IV, 2, 1838, p. 838. — Lacord.
Gen. Col. VII, 1866, p. 279. — Heller, Ent.
Zeit. Stettin LXIX, 1908, p. 187.
- var. *borneensis* Hell. I. c. LXIX, 1908, Borneo
p. 186, 187.
- var. *pygidialis* Hell. Philipp. Journ. Sc. Philippinen
VIII, D, 1913, p. 148. (Palawan)
- Hewitei** Hell. Ent. Zeit. Stettin LXIX, 1908, p. 185, Borneo
188.
- parasioides** Heller, Not. Leyd. Mus. XVIII, 1896, Philippinen
p. 244; Ent. Zeit. Stettin LXIX, 1908, p. 188.
- pictus** Roel. Not. Leyd. Mus. XIII, 1891, p. 115, Sumatra
t. 8, f. 4.
- Schultzei** Heller, Philipp. Journ. Sc. XXV, 1924, Philippinen
p. 296, t. 1, f. 5.
- stigma** Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, Andamanen
p. 374, t. 11, f. 8. — Heller, Ent. Zeit.
Stettin LXIX, 1908, p. 187.
- sulcirostris** Heller, Philipp. Journ. Sc. XXV, 1924, Philippinen
p. 297, t. 1, f. 6.
- tetraspilotus** Guér. Iconogr. Règne anim. 1829—44, Java
p. 170. — Lacord. Gen. Col. VII, 1866, p.
279. — Heller, Ent. Zeit. Stettin LXIX,
1908, p. 187.
- var. *nigrolimbatus* Heller, Not. Leyden „
Mus. XVI, 1894, p. 169; Ent. Zeit. Stettin
LXIX, 1908, p. 187.
- Whiteheadi** Heller, Not. Leyd. Mus. XVIII, 1896, Philippinen
p. 243; Ent. Zeit. Stettin LXIX, 1908, p. 187.

12

3. Subtrib. **Sphenocoryni.**

Sphenocorynidæ Lacord. Gen. Col. VII, 1866, p. 270,
279.

Sphenocorynae Kolbe, Ent. Zeit. Stettin LX, 1899, p. 5.

Sphenocoryni Hust. Bull. Acad. Malgache (2) VII, 1924,
p. 9.

Sphenocorynus Schönh.

- Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 866; I. c. VIII, 2, 1845,
p. 234. — Lacord. Gen. Col. VII, 1866, p. 279, 280. — Faust, Ann.
Mus. Civ. Genova XXXIV, 1894, p. 341.
- cinerous** Ill. in Wiedem. Arch. I, 2, 1800, p. 115, Sumatra,
t. 1, f. 2 (*Rhynchophorus*). Java,
Borneo,
Malakka,
Birma

- var. *quadripunctatus* Weber, Observ. Java
ent. 1801, p. 93 (*Curculio*). — F. Syst.
Eleuth. II, 1801, p. 431 (*Calandra*). — Gyll.
in Schönh. Gen. spec. Curc. IV, 2, 1838,
p. 867. — Lacord. Gen. Col. VII, 1866, p. 280.
conformis Pasc. Ann. Mag. Nat. Hist. (5) XIX, Philippinen
1887, p. 376.
- Fausti** Hartm. Deutsche Ent. Zeitschr. 1899, p. 32. Perak
- femoratus** Heller, Philipp. Journ. Sc. XXV, 1924, Philippinen
p. 299.
- impluviatus** Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 334.
- irroratus** Chevr. Ann. Soc. Ent. France (6) II, Philippinen
1882, p. 566.
- melanaspis** Pasc. Ann. Mus. Civ. Genova (2) II, Java
(XXII), 1885, p. 298.
- meleagris** Pasc. Ann. Mag. Nat. Hist. (5) XIX, Borneo
1887, p. 375
- mentaweiensis** Günther, Ann. Mus. Civ. Genova LVII, Mentawai
1935, p. 212, fig. 1.
- ocellatus** Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, Formosa
p. 376.
- perelegans** Fairm. Bull. Soc. Ent. France 1898, p. Ishigaki
15.
- pygidialis** Chevr. Ann. Soc. Ent. France (6) II, Malakka
1882, p. 566.
- rufescens** Pasc. Ann. Mag. Nat. Hist. (5) XIX, Tondano
1887, p. 375.
- scutellatus** Faust, Ent. Zeit. Stettin LIII, 1892, p. Nias,
227. Sumatra
- seminudus** Faust, l. c. LVII, 1896, p. 159. Java
- tenuirostris** Günther, Zool. Mededeel. Leiden XVIII, Sumatra,
1935, p. 165, fig. 3. Borneo

16

Pseudacanthorhinus Hell.

Heller, Philipp. Journ. Sc. XXV, 1924, p. 303.

- bipodex** Heller, Philipp. Journ. Sc. XXV, 1924, p. Philippinen
304, t. 1, f. 10a—b.

1

Prodioces Pasc.

Pasc. Journ. Linn. Soc. Lond. XII, 1874, p. 66. — Faust, Ent. Zeit.
Stettin LIX, 1893, p. 151; Ann. Mus. Civ. Genova XXXIV, 1894, p.
342.

Meroplus Chevr. Ann. Soc. Ent. France (6) V, 1885, p.
97, 292.

Meraphus Chevr. l. c. p. 95 (err.).

alternans Chevr. Ann. Soc. Ent. France (6) V, 1885, Amboina
p. 97.

amoenus Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Borneo
1885, p. 300.

borneanus Faust, Ent. Zeit. Stettin LVI, 1895, p. Borneo,
108. Sumatra

carinensis Faust, l. c. p. 113. Birma

einereiventris Chevr. Ann. Soc. Ent. France (6) V, Molukken
1885, p. 97.

denticulatus Chevr. l. c. p. 96. Amboina

- dux** Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Birma
p. 337.
- fallax** Faust, Ent. Zeit. Stettin LVI, 1895, p. 113. Perak
- flavolineatus** Chevr. Ann. Soc. Ent. France (6) V, Philippinen
1885, p. 99.
- formosanus** Heller, Wien. Ent. Zeit. XLVIII, 1931, Formosa
p. 110.
- Fruhstorferi** Faust, Ent. Zeit. Stettin LXI, 1895, Java
p. 109.
- gemellus** Faust, l. c. p. 113. Perak
- geminus** Faust, l. c. p. 112. Java
- geniculatus** Chevr. Ann. Soc. Ent. France (6) V, Celebes
1885, p. 98. — Faust, Ent. Zeit. Stettin LVI,
1895, p. 105.
- var. *austerus* Faust, l. c. p. 105.
- haematicus** Chevr. Ann. Soc. Ent. France (6) V, Ceylon
1885, p. 99.
- Heydeni** Heller, Abhandl. Zool. Mus. Dresden XIII, Neuguinea
3, 1910, p. 35.
- interjectus** Faust, Ent. Zeit. Stettin LVI, 1895, p. Perak
114.
- Kirschi** Faust, l. c. p. 110. Halmahera
- lineanigra** Chevr. Ann. Soc. Ent. France (6) V, W.-Java
1885, p. 98.
- nigrocinctus** Chevr. l. c. p. 98. Philippinen
- octopustulatus** Faust, Ent. Zeit. Stettin LVI, 1895; Borneo
p. 107.
- pavoninus** Pasc. Journ. Linn. Soc. Lond. XII, 1847, „
p. 67.
- quinarius** Pasc. l. c. p. 67, t. 4, f. 2. Borneo
- quinquepustulatus** Faust, Ent. Zeit. Stettin LVI, Java
1895, p. 109.
- rubricosus** Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 335.
- rubrovittatus** Heller, Philipp. Journ. Sc. X, D, 1915, Luzon
p. 234.
- serrirostris** Chevr. Ann. Soc. Ent. France (6) V, Celebes
1885, p. 96.
- similis** Heller, Abhandl. Mus. Dresden IX, 5, 1900, „
p. 43, t. 1, f. 20.
- singhalensis** Faust, Ent. Zeit. Stettin LVI, 1895, Ceylon
p. 106.
- subscutellaris** Chevr. Ann. Soc. Ent. France (6) V, Cochin-China
1885, p. 99.
- subscutellatus* Chevr. l. c. p. 96 (err.).
- surigaonis** Heller, Philipp. Journ. Sc. XXV, 1924, Philippinen
p. 298, t. 1, f. 8.
- var. *nigrivennis* Heller, l. c. p. 298. „
- tristis** Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Darjeeling
p. 337.
- unicolor** Heller, Philipp. Journ. Sc. XXV, 1924, Philippinen
p. 299.

Tyndides Pasc.

Pasc. Journ. Linn. Soc. Lond. XII, 1874, p. 68.

Tendides Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 567.

lineatus Pasc. Journ. Linn. Soc. Lond. XII, 1874, Borneo
p. 68.

- luctuosus** Pasc. Ann. Mag. Nat. Hist. (5) XIX, Borneo
1887, p. 379, t. 11, f. 5.
pustulosus Pasc. Journ. Linn. Soc. Lond. XII, 1874, Sumatra,
p. 68, t. 4, f. 4.
- 3

Anathymus Pasc.

- Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 299. — Faust,
Ent. Zeit. Stettin LIX, 1895, p. 207.
coloratus Faust, Ent. Zeit. Stettin LIX, 1895, p. 208. Java
lineatocollis Heller, Philipp. Journ. Sc. LIV, 1934, Luzon
p. 301.
maximus Heller, Ber. Mus. Tierkde. u. Völkerkde. Borneo
Dresden XVII, 3, 1929, p. 19.
Meyeri Faust, Ent. Zeit. Stettin LIX, 1895, p. 207. Java
nigroscutellatus Heller, Philipp. Journ. Sc. XXV, Philippinen
1924, p. 297.
singularis Pasc. Ann. Mus. Civ. Genova (2) II Neuguinea
(XXII), 1885, p. 299, t. 3, f. 13.
tricolor Heller, Wien. Ent. Zeit. XLVIII, 1931, Formosa
p. 110.
- 7

Megaproctus Schönh.

- Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 868 [nec Chevr. 1840]. —
Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 341.
Belorrhinus Guér. Iconogr. Règne anim. 1829—44, t. 39 bis,
f. 5.
Oxyphygus Lacord. Gen. Col. VII, 1866, p. 279, 281. —
Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 567.
Oxypleurus Chevr. l. c. (6) II, 1882, Bull. p. CXXXVIII
(err.).
acutus F. Syst. Eleuth. II, 1801, p. 505 (*Lixus*). — Sumatra,
Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Java
1838, p. 870. — Guér. Iconogr. Règne anim.
1829—44, t. 39 bis, f. 5a—b.
affinis Guér. l. c. p. 178. Java
exclamationis Wiedem. Zool. Mag. II, 1, 1823, p. Java,
121 (*Curculio*). — Gyll. in Schönh. Gen. Malakka,
spec. Cerc. IV, 2, 1838, p. 871. Birma
filiformis Guér. Iconogr. Règne anim. 1829—44, p. Java
179.
furcatus Chevr. Ann. Soc. Ent. France (6) II, Malakka
1882, p. 567.
ocellatus Guér. Iconogr. Règne anim. 1829—44, p. Java
177, t. 39 bis, f. 5a—b.
pugionatus Pasc. Journ. Linn. Soc. Lond. XII, 1874, Tondano
p. 68, t. 4, f. 8; Ann. Mag. Nat. Hist. (5)
XIX, 1887, p. 380.
trisignatus Kirsch. Mittb. Mus. Dresden I, 1875, Malakka
p. 44.
- 8

Neoxides Pasc.

- Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 378.
bilineatus Pasc. Ann. Mag. Nat. Hist. (5) XIX, Sumatra
1887, p. 378, t. 11, f. 4.
- 1

Zetheus Pasc.

- Pasc.* Journ. Linn. Soc. Lond. XII, 1874, p. 68.
electilis *Pasc.* Journ. Linn. Soc. Lond. XII, 1874, Penang
 p. 69, t. 4, f. 1.

1

Anapygus Kirsch.

- Kirsch, Mitt. Mus. Dresden I, 1875, p. 44. — Faust, Ent. Zeit. Stettin LIV, 1893, p. 151; Ann. Mus. Civ. Genova XXXIV, 1894, p. 342.

- Pleurothorax* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 566.

- carinicollis** Kirsch, Mitt. Mus. Dresden I, 1875, Malakka p. 45.

- De Haani** Gyll. in Schönh. Gen. spec. Curae. IV, Java, 2, 1838, p. 880 (*Sphenophorus*). — *Pasc.* Borneo, Journ. Linn. Soc. Lond. XI, 1873, p. 67 Malakka, (*Prodiocetes*). — Faust, Ent. Zeit. Stettin Birma LIV, 1893, p. 151; Ann. Mus. Civ. Genova XXXIV, 1894, p. 335.

- eximius** Guér. Iconogr. Règne anim. 1829—44, p. Java, 180. — Gyll. in Schönh. Gen. spec. Curae. Birma IV, 2, 1838, p. 880 (*Cercidocerus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 566. — Kraatz, Deutsche Ent. Zeitschr. 1893, p. 320 (*Cercidocerus*). — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 335.

3

Periphemus Pasc.

- Pasc.* Journ. Linn. Soc. Lond. XII, 1874, p. 69. — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 349. — Heller, Zool. Mededeel. Leiden VIII, 1925, p. 243.

- albomaculatus** Heller, Philipp. Journ. Sc. XXV, 1925, Philippinen p. 301; Zool. Mededeel. Leiden VIII, 1925, p. 242.

- Corporaali** Heller, l. c. VIII, 1925, p. 242, 243. Sumatra

- deletus** *Pasc.* Journ. Linn. Soc. Lond. XII, 1874, Laos, p. 70. — Faust, Ent. Zeit. Stettin LIV, 1893, Birma, p. 150; Ann. Mus. Civ. Genova XXXIV, Bengal 1894, p. 350. — Heller, Zool. Mededeel. Leiden VIII, 1925, p. 243.

- bilineatus** Desbr. Ann. Soc. Ent. Belg. XXXV, 1891, Compt.-Rend. p. CCCLXI (*Megaproctus*).

- dorsalis** Hartm. Tijdschr. Ent. LVII, 1914, p. 128. Sumatra
pygidialis Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 352. — Heller, Zool. Mededeel. Leiden VIII, 1925, p. 242.

- var. *laevior* Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 352. — Heller, Zool. Mededeel. Leiden VIII, 1925, p. 242.

- retrorsus** *Pasc.* Journ. Linn. Soc. Lond. XII, 1874, Borneo p. 69, t. 4, f. 3. — Heller, Zool. Mededeel. Leiden VIII, 1925, p. 242.

- superciliaris** *Pasc.* Journ. Linn. Soc. Lond. XII, Sumatra 1874, p. 70. — Heller, Zool. Mededeel. Leiden VIII, 1925, p. 243.

- tricolor** Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Birma
p. 350. — Heller, Zool. Mededeeel. Leiden
VIII, 1925, p. 243.
vittiger Faust, Ann. Mus. Civ. Genova XXXIV, 1894,
p. 351. — Heller, Zool. Mededeeel. Leiden
VIII, 1925, p. 242.

9

Nassophasis C. O. Waterh.

C. O. Waterh. Trans. Ent. Soc. Lond. 1879, p. 17. — Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 378. — Heller, Ent. Tidskr. XXV, 1904, p. 197.

Hilipomorphus Desbr. Ann. Soc. Ent. Belg. XXXV, 1891, Compt.-Rend. p. CCCLX. — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 338, 342.

foveata C. O. Waterh. Trans. Ent. Soc. Lond. 1879, Brit. Indien,
p. 18. Ceylon

pictipes Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, ? Ceylon
p. 378, t. 11, f. 1.

subfasciata Desbr. Ann. Soc. Ent. Belg. XXXV, Birma
1891, Compt.-Rend. p. XII. — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 342.

3

4. Subtrib. **Oxyopisthi.**

Oxyopisthinae Kolbe, Ent. Zeit. Stettin LX, 1899, p. 5.

Conopisthen Faust.

Faust, Deutsche Ent. Zeitschr. 1895, p. 256. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 9, 18, 29.

mucrosternale Kolbe, Ent. Zeit. Stettin LX, 1899, Kamerun
p. 33.

pruinosum Faust, Deutsche Ent. Zeitschr. 1895, p. Togo
257. — Kolbe, Ent. Zeit. Stettin LX, 1899,
p. 31.

2

Scoliopisthen Hartm.

Hartm. Wien. Ent. Zeit. XIX, 1900, p. 121.

sordidum Hartm. Wien. Ent. Zeit. XIX, 1900, p. 122. Fr. Kongo
1 (Benito)

Acherus Roel.

Roel. Not. Leyd. Mus. XIII, 1891, p. 173. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 10, 18, 37.

discrepans Kolbe, Ent. Zeit. Stettin LX, 1899, p. Kamerun
41, 45.

femoralis Faust, l. c. LVI, 1895, p. 222 (? *nigricans* „
var.). — Kolbe, l. c. LX, 1899, p. 40, 43.

nigricans var. Roel. Not. Leyd. Mus. XIV,
1892, p. 37.

nigricans Roel. l. c. XIII, 1891, p. 174. — Kolbe, Gabun
Ent. Zeit. Stettin LX, 1899, p. 40, 41.

rubripes Kolbe, l. c. p. 40, 42. Kamerun

4

Haplorhynchus Auriv.

Auriv. Ent. Tidskr. VII, 1886, p. 95. — Roel. Not. Leyd. Mus. XIV, 1892, p. 36. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 10, 18, 48.

Cryptopisthen Auriv. Öfv. Vet. Akad. Förhandl. 1891, Nr. 6, p. 369. — Faust, Deutsche Ent. Zeitschr. 1895, p. 255.

Aurivillianus Kolbe, Ent. Zeit. Stettin LX, 1899, Kamerun p. 68.

bipindicus Kolbe, l. c. p. 67.

"

camerunus Kolbe, l. c. p. 70.

"

Conradti Kolbe, l. c. p. 64.

"

dissidens Kolbe, l. c. p. 66.

"

Kraatzi Faust, Deutsche Ent. Zeitschr. 1895, p. 255. Togo — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 61.

lolous Kolbe, l. c. p. 73.

Kamerun

mimicus Kolbe, l. c. p. 57.

"

patruelis Kolbe, l. c. p. 75.

"

praecox Kolbe, l. c. p. 69.

Togo

Preussi Kolbe, l. c. p. 69.

Kamerun

propinquus Kolbe, l. c. p. 72.

"

rubicundus Auriv. Öfvers. Vet. Akad. Förhandl. 1891, Gabun, Nr. 6, p. 369. — Roel. Not. Leyd. Mus. Kamerun XIV, 1892, p. 36 (= Valdaui). — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 62.

Valdaui Auriv. Ent. Tidskr. VII, 1886, p. 96. — Kamerun Roel. Not. Leyd. Mus. XIII, 1891, p. 172. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 62.

Zenkeri Kolbe, l. c. p. 55.

"

15

Oxyopisthen J. Thoms.

J. Thoms. Arch. Ent. II, 1858, p. 141. — Lacord. Gen. Col. VII, 1866, p. 279, 282. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 11, 18, 76.

funebre Ill. Mag. Insektdkde. I, 1802, p. 177 (*Rhynchophorus*). — Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 873. — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 568. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 81.

Sierra Leone, Togo, Kamerun, Gabun, Fr. Kongo

funerarium J. Thoms. Arch. Ent. II, 1858, p. 142.

var. *Illigeri* Faust, Nov. Zool. I, 1894, p. 568.

Kolbei Hartm. Wien. Ent. Zeit. XIX, 1900, p. 123. Fr. Kongo (Benito)

Westermannii Auriv. Ent. Tidskr. VII, 1886, p. 97. Guinea, Togo, Kamerun, Kongo
— Kolbe, Ent. Zeit. Stettin LX, 1899, p. 78.

3

Cryptocordylus Faust.

Faust, Ent. Zeit. Stettin LVI, 1895, p. 222. — Kolbe, l. c. LX, 1899, p. 11, 18, 84.

linea-alba J. Thoms. Arch. Ent. II, 1858, p. 143 Gabun (*Oxyopisthen*). — Roel. Not. Leyd. Mus. 1892, p. 34 (*Ichthyopisthen*). — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 88.

quadrimaculatus Faust, l. c. LVI, 1895, p. 233. — Lukolete, Kamerun
Kolbe, l. c. LX, 1899, p. 87.

vittatus Roel. Not. Leyd. Mus. XIII, 1891, p. 119 Kongo (*Oxyopisthen*); l. c. XIV, 1892, p. 33 (*Ichthyopisthen*). — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 88.

3

Dolichopisthen Kolbe.

Kolbe, Ent. Zeit. Stettin LX, 1899, p. 12, 18, 89.

rufofemoratum J. Thoms. Arch. Ent. II, 1858, p. Gabun, 142 (*Oxyopisthen*). — Lacord. Gen. Col. VII, Kamerun 1866, p. 283. — Roel. Not. Leyd. Mus. XV, 1893, p. 242. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 91.

con vexicollis Auriv. Oefvers. Vet. Akad. Förhandl. 1891, Nr. 6, p. 367 (*Ichthyopisthen*).

togoense Faust, Deutsche Ent. Zeitschr. 1895, p. 254 Togo (*Ichthyopisthen*). — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 94.

2

Coptopisthen Kolbe.

Kolbe, Ent. Zeit. Stettin LX, 1899, p. 12, 18, 96.

amitimum Kolbe, Ent. Zeit. Stettin LX, 1899, p. 99, Kamerun 105.

consobrinum Kolbe, l. c. p. 98, 101.

„

exhaustum Kolbe, l. c. p. 98, 99.

„

obtusatum Kolbe, l. c. p. 99, 104.

„

separandum Kolbe, l. c. p. 98, 102.

„

5

Ichthyopisthen Auriv.

Auriv. Oefvers. Vet. Akad. Förhandl. 1891, Nr. 6, p. 363. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 12, 18, 106.

acutum Kolbe, Ent. Zeit. Stettin LX, 1899, p. 110, Togo 117.

var. *abscuripes* Kolbe, l. c. p. 118. Oberguinea

bimaculatum Auriv. Oefvers. Vet. Akad. Förhandl. Gabun, 1891, Nr. 6, p. 365. — Faust, Deutsche Ent. Kamerun Zeitschr. 1898, p. 88. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 109, 110.

Büttikoferi Roel. Not. Leyd. Mus. XIII, 1891, p. Liberia 118 (*Oxyopisthen*). — Kolbe, Ent. Zeit.

Stettin LX, 1899, p. 109, 113.

nitidum Roel. Not. Leyd. Mus. XIII, 1891, p. 168; Gabun l. c. XIV, 1892, p. 36 (*Oxyopisthen*). — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 110, 111.

albolineatum Auriv. Oefvers. Vet. Akad. Förhandl. 1891, Nr. 6, p. 366, fig. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 111.

4

Anoxyopisthen Kolbe.

Kolbe, Ent. Zeit. Stettin L, 1889, p. 131; l. c. LX, 1899, p. 13, 18, 119.

Aurivillianum Kolbe, Ent. Zeit. Stettin LX, 1899, Kamerun p. 133.

Büttneri	Kolbe, l. c. L, 1889, p. 131; l. c. LX, 1899, p. 124.	LX, 1899, p. 124.	Portug. Kongo
carbonatum	Kolbe, l. c. LX, 1899, p. 130.		Kamerun
clavatum	Roel. Not. Leyd. Mus. XIII, 1891 (20. August), p. 169 (<i>Oxyopisthen</i>). — Faust, Deutsche Ent. Zeitschr. 1898, p. 87 (<i>Ichthyopisthen</i>). — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 131.	(<i>Oxyopisthen</i>). — Faust, Deutsche Ent. Zeitschr. 1898, p. 87 (<i>Ichthyopisthen</i>). — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 131.	Gabun, Kongo
<i>rufoclavatum</i>	Auriv. Oefvers. Vet. Akad. Förhandl. 1891 (29. August), Nr. 6, p. 366, fig. (<i>Ichthyopisthen</i>).		
Conradti	Kolbe, Ent. Zeit. Stettin LX, 1899, p. 135.		Kamerun
deplanatum	Roel. Not. Leyd. Mus. XIII, 1891, p. 116 (<i>Oxyopisthen</i>); l. c. XIV, 1892, p. 34. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 125.		Niam-Niam, Ober-Kongo
depressum	Roel. Not. Leyd. Mus. XV, 1893, p. 242 (<i>Oxyopisthen</i>). — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 128.		Gabun, Togo
<i>rufemoratum</i>	Auriv. Oefvers. Vet. Akad. Förhandl. 1891, Nr. 6, p. 364 [non J. Thoms.].		
pygidiale	H. W. Simpson in J. S. Jameson, Story Rear Column Emin Pascha Relief Exped. 1890, p. 425 (<i>Oxyopisthen</i>). — Roel. Not. Leyd. Mus. XIII, 1891, p. 116 (<i>Ichthyopisthen</i>). — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 127 (= ? <i>Büttneri</i> Kolbe vel <i>deplanatum</i> Roel.).		Aruwimi River, Kongo
sejunctum	Kolbe, l. c. p. 132.		Kamerun
	9		

5. Subtrib. **Calandri.**

Sphénophorides Lacord. Gen. Col. VII, 1866, p. 270, 286.

Sphénophorinae Kolbe, Ent. Zeit. Stettin LX, 1899, p. 5.

Plagiopisthen Roel.

Roel. Not. Leyd. Mus. XIV, 1892, p. 134. — Kolbe, Ent. Zeit. Stettin LX, 1899, p. 4.

albopectorale Roel. Not. Leyd. Mus. XV, 1893, p. 242.

suturale Roel. l. c. XIII, 1891, p. 170 (*Oxyopisthen*). , ,

trilineatum Auriv. Oefvers. Vet. Akad. Förhandl. 1891, Nr. 6, p. 370 (*Stenophida*). — Roel. Not. Leyd. Mus. XIV, 1892, p. 36.

2

Stenophida Pasc.

Pasc. Journ. Linn. Soc. Lond. XIX, 1886, p. 336.

pygialis Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, Compt.-Rend. p. CXLVIII (? *Liocalandra*); Ann. Soc. Ent. France (6) VII, 1887, p. 321. — Marshall, Proc. Zool. Soc. Lond. 1906, p. 958.

Ost-Afrika,
Zanzibar,
Kongo,
Somali

linearis Pasc. Journ. Linn. Soc. Lond. XIX, 1886, p. 336. — Roel. Not. Leyd. Mus. XIV, 1892, p. 135.

zanzibarica Desbr. Ann. Soc. Ent. Belg. XXXV, 1891, Compt.-Rend. p. CCCLIII (*Megaproctus*). — Heller, Zool. Mededeel. Leiden VIII, 1925, p. 242.

rufipes Roel. Not. Leyd. Mus. XV, 1893, p. 129. Matabeleland
2

Heterotoxus Lacord.

Lacord. Gen. Col. VII, 1866, p. 280, 283.

gratus Lacord. Gen. Col. VII, 1866, p. 284. Java
miniocerus Chevr. Ann. Soc. Ent. France (6) II, Sylhet 1882, p. 568.

2

Tetratopus Chevr.

Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 569 (*Tetratopos*).

Faust, Ann. Mus. Civ. Genova (2) XIV (XXXIV), 1894, p. 341.

Feae Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Birma p. 332. — Heller, Philipp. Journ. Sc. XXV, 1924, p. 301.

femoralis Heller, l. c. XXV, 1924, p. 301. Philppinen

longicollis Faust, Ann. Mus. Civ. Genova XXXIV, Sikkim 1894, p. 332.

scabrirostris Heller, Philipp. Journ. Sc. XXV, 1924, Philppinen p. 300, 301.

var. *monomorphus* Heller, l. c. p. 300, 301.

semiruber Faust, Deutsche Ent. Zeitschr. 1898, p. „ Brit. Indien 331. — Heller, Philipp. Journ. Sc. XXV, 1924, p. 301.

sericans Wiedem. Zool. Mag. II, 1, 1823, p. 120 Java, (*Calandra*). — Boh. in Schönh. Gen. spec. Sumatra, Curc. IV, 2, 1838, p. 986; l. c. VIII, 2, Birma 1845, p. 235 (*Sphenophorus*). — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 330.

hypocrita Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 879 (*Sphenophorus*).

ab. *Wiedemannii* Faust, Ann. Mus. Civ. Nias Genova XXXIV, 1894, p. 331.

ab. *Bohemani* Faust, l. c. p. 331.

sternalis Chevr. Ann. Soc. Ent. France (6) II, Java 1882, p. 569.

7

Abacobius Lacord.

Lacord. Gen. Col. VII, 1866, p. 280, 285. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 425.

Calyptaris Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 570.

fissirostris Hust. Rev. Zool. Bot. afr. XXVI, 1934, Gabun p. 35.

Jekeli Lacord. Gen. Col. VII, 1866, p. 286, Atl. t. Kaffernland, 76, f. 1 a. — Faust, Ann. Soc. Ent. Belg. Angola XLIII, 1899, p. 426.

gigas Fährs. Öfvers. Vet. Akad. Förhandl. XXVIII, 1871, p. 282 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 570.

procerus Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 303.

politus Quedenf. l. c. p. 304.

senegalensis Gyll. in Schönh. Gen. spec. Circ. IV, 2, 1838, p. 877 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 570.

? *caffer* Ol. Encycl. méth. V, 1790, p. 475 (*Curculio*); Ent. V, 1807, Nr. 83, p. 84, t. 16, f. 194 (*Calandra*). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 28, t. 61, f. 10 (*Rhynchophorus*).

4

Flamingorhynchus Hell.

Heller, Abhandl. Mus. Dresden X, 2, 1902, p. 18.

Helleri Bovie, Ann. Soc. Ent. Belg. XLVII, 1903, Australien p. 306.

Weiskei Heller, Abhandl. Mus. Dresden X, 2, 1902, Neuguinea p. 19.

2

Trymatoderus Fairm.

Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 55.

spongicollis Fairm. Ann. Soc. Ent. France (6) IX, China 1889, p. 55.

1

Barystethus Lacord.

Lacord. Gen. Col. VII, 1866, p. 286, 287. — Faust, Ann. Mus. Civ. Genova (2) XX (XL), 1899, p. 119. — Heller, Ent. Mitt. III, 1914, p. 137.

aberrans Günther, Ann. Mus. Civ. Genova LVII, Br. 1935, p. 216, fig. 4. Neuguinea

ater Pasc. Journ. Linn. Soc. Lond. XII, 1874, p. 71. — Heller, Ent. Mitt. III, 1914, p. 138. Neuguinea, Aru

Chevrolati Faust, Ann. Mus. Civ. Genova (2) XX (XL), 1899, p. 119.

? *melenosoma* Boisd. Voy. Astrolabe II, N. S. Wales 1835, p. 449 (*Calandra*). — Schönh. Gen. spec. Circ. IV, 2, 1838, p. 987. — Lacord. Gen. Col. VII, 1866, p. 287, Atl. t. 76, f. 2a.

var. *dispar* Chevr. Le Naturaliste II, 1880, Neuguinea p. 333. — Faust, Ann. Mus. Civ. Genova (2) XX (XL), 1899, p. 118. — Heller, Ent. Mitt. III, 1914, p. 138.

tropicus Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 303.

var. *basalis* Faust, l. c. (2) XX (XL), 1899, p. 119. — Heller, Ent. Mitt. III, 1914, p. 138.

var. *rufus* Faust, Ann. Mus. Civ. Genova (2) XX (XL), 1899, p. 119. — Heller, Ent. Mitt. III, 1914, p. 138.

var. *puncticollis* Heller, l. c. p. 139, 140.

var. *parvulus* Heller, l. c. p. 139, 140.

Cletusi Heller, l. c. p. 140.

globithorax Heller, l. c. p. 139, 142.

Angola
Senegal,
Kongo

Neuguinea,
I. Tumleo
Neuguinea

imparatus Pasc. Ann. Mus. Civ. Genova (2) II Neuguinea (XXII), 1885, p. 304 (*Diathetes*). — Heller, Ent. Mitt. III, 1914, p. 312.

imperialis Heller, Deutsche Ent. Zeitschr. 1914, p. 313, t. 12, f. 12; Ent. Mitt. III, 1914, p. 139. "

macilentus Heller, l. c. III, 1914, p. 139, 141. "

Wahnesi Hartm. Deutsche Ent. Zeitschr. 1900, p. 294. — Heller, Ent. Mitt. III, 1914, p. 139. "

8

Perissoderes C. O. Waterh.

C. O. Waterh. Ann. Mag. Nat. Hist. (5) III, 1879, p. 362. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1893, p. 549. — Hust. Bull.

Acad. Malgache (2) VII, 1924, p. 500.

collaris Faust, Ent. Zeit. Stettin LVI, 1895, p. 328. Madagascar — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 501.

oblongus Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 416; Bull. Acad. Malgache (2) VII, 1924, p. 501. "

ruficollis C. O. Waterh. Ann. Mag. Nat. Hist. (5) Ins. III, 1879, p. 363. — Fairm. Ann. Soc. Ent. Johanna, Belg. XXXVIII, 1893, p. 549. — Hust. Bull. Madagaskar Acad. Malgache (2) VII, 1924, p. 501.

3

Diathetes Pasc.

Pasc. Journ. Linn. Soc. Lond. XII, 1874, p. 71.

amoenus Faust, Ent. Zeit. Stettin LIX, 1898, p. 210. Neuguinea

Buxtoni Marshall, Ins. Samoa IV, 5, 1931, p. 316. Samoa

intrusus Faust, Ent. Zeit. Stettin LIX, 1898, p. 209. Trobriand

Kükenthali Faust, l. c. LVI, 1895, p. 104. Halmahera

lyriger Marshall, Ins. Samoa IV, 5, 1931, p. 318. Samoa

fig. 21.

maculosus Günther, Int. Ent. Zeitschr. (Guben) Neuguinea XXVIII, 1934, p. 443, fig. 2.

morio Pasc. Journ. Linn. Soc. Lond. XII, 1874, p. Cap York, 73.

? *hemiscotus* Chevr. Ann. Soc. Ent. France (6) I, 1881, Bull. p. VIII. — Heller, Ent. Mitt. III, 1914, p. 142. Aru, Lizard-Ins.

nigripennis Pasc. Ann. Mus. Civ. Genova (2) II Ternate (XXII), 1885, p. 303.

nitidicollis Pasc. Journ. Linn. Soc. Lond. XII, 1874, Goram, Amboina

p. 72.

pictus Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 304. — Günther, Int. Ent. Zeitschr. (Guben) XXVIII, 1934, p. 442 (= ? *ruficollis* var.).

planus Heller, Abhandl. Zool. Mus. Dresden XIII, 3, 1910, p. 36. "

pulchellus Günther, Int. Ent. Zeitschr. (Guben) XXVIII, 1934, p. 444. "

ruficollis Pasc. Journ. Linn. Soc. Lond. XII, 1874, Waigi, Neuguinea

p. 72, t. 4, f. 7.

var. *eremothecus* Günther, Int. Ent. Zeitschrift (Guben) XXVIII, 1934, p. 442. Neumeck-

lenburg

var. *Bürgersi* Günther, l. c. fig. 1. Neuguinea

- sanguinivittis** Heller, Treubia, Suppl. VII, 1929, p. Buru
137.
ab. *nigricans* Heller, l. c. p. 138.
sanguinosus Heller, Deutsche Ent. Zeitschr. 1915, Neuguinea
p. 527.
sannio Pasc. Journ. Linn. Soc. Lond. XII, 1874, Neuguinea,
p. 72. Aru
seminitidus Chevr. Ann. Soc. Ent. France (6) II, N. Hebriden
1882, p. 571.
semitomentosus Chevr. l. c. p. 571 (*Barystethus*). — N. Kaledonien
Heller, Ent. Mitt. III, 1914, p. 143.
?signaticollis Faust, Ann. Mus. Civ. Genova XL, Neuguinea
1899, p. 120.
strenuus Pasc. Journ. Linn. Soc. Lond. XII, 1874, Aru
p. 72.
?Testardi Montrouz. Ann. Soc. Ent. France (3) N. Kaledonien
VIII, 1860, p. 909 (*Sphenophorus*). — Chevr.
l. c. (6) II, 1882, p. 571.
vittaticollis Heller, Ent. Mitt. III, 1914, p. 311. Ceram
22

Tapinostethus Faust.

- Faust, Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 532.
nitidicollis Faust, Ann. Soc. Ent. Belg. XXXVIII, W. Afrika
1894, p. 533.

1

Cercidocerus Schönh.

- Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 850. — Lacord. Gen. Col.
VII, 1866, p. 286, 291. — Kraatz, Deutsche Ent. Zeitschr. 1893, p. 317.
albicollis Öl. Ent. V, 1807, Nr. 83, p. 91, t. 28; Gabun,
f. 414 (*Curculio*). — Faust, Ent. Zeit. Stettin Calabar,
LIV, 1893, p. 151. Kongo
var. *rubromaculatus* Faust, Ann. Soc. Kongo
Ent. Belg. XLIII, 1899, p. 428.
bimaculatus Boh. in Schönh. Gen. spec. Cerc. VIII, Assam,
2, 1845, p. 231. Java
bipunctatus Gyll. l. c. IV, 2, 1838, p. 851. Birma
birmanicus Faust, Ann. Mus. Civ. Genova XXXIV, Java
1894, p. 343.
bisulcatus Chevr. Ann. Soc. Ent. France (6) II, 1882, Sylhet
p. 574.
carinensis Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 344.
Chevrolati Faust, Ent. Zeit. Stettin LI, 1890, p. 78. Java
— Kraatz, Deutsche Ent. Zeitschr. 1893,
p. 319.
curvaturatus Heller, Philipp. Journ. Sc. X, D, 1915, Luzon
p. 235, t. 1, f. 10.
distinctus Faust, Ent. Zeit. Stettin LI, 1890, p. 79. Darjeeling
effetus Pasc. Journ. Linn. Soc. Lond. XII, 1874, Singapore
p. 74.
erubescens Heller, Wien. Ent. Zeit. XLVIII, 1931, Formosa
p. 111.
erythroceus Gyll. in Schönh. Gen. spec. Cerc. IV, Java
2, 1838, p. 854; l. c. VIII, 2, 1845, p. 232.
— Chevr. Ann. Soc. Ent. France (6) II,
1882, p. 572. — Kraatz, Deutsche Ent.
Zeitschr. 1893, p. 320 (*erythrocerus*).

- fabricator** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Borneo
1838, p. 852. — Kraatz, Deutsche Ent.
Zeitschr. 1893, p. 319.
- fabrilis** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Borneo,
1838, p. 853. Java,
Sumatra
- flavopictus** Heller, Philipp. Journ. Sc. VIII, D, Philippinen
1913, p. 186, fig. 3.
- flavopunctulatus** Günther, Ann. Mus. Civ. Genova Sumatra
LVII, 1935, p. 213, fig. 2.
- haematopterus** Chevr. Ann. Soc. Ent. France (6) II, Celebes
1882, p. 574.
- heros** Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, Penang
p. 377, t. 11, f. 3.
- hispidulus** Pasc. Journ. Linn. Soc. Lond. XII, 1874, „
p. 73, t. 4, f. 5. — Chevr. Ann. Soc. Ent.
France (6) II, 1882, p. 572 (? *erythropus*).
- hypocrita** Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 345.
- indicator** Pasc. Journ. Linn. Soc. Lond. XII, 1874, Singapore
p. 73.
- infernalis** Chevr. Ann. Soc. Ent. France (6) II, Assam
1882, p. 575.
- interruptolineatus** Heller, Ent. Zeit. Stettin LXIX, Borneo
1908, p. 192.
- lateralis** Fährs. in Schönh. Gen. spec. Cerc. VIII, Birma
2, 1845, p. 232. — Faust, Ann. Mus. Civ.
Genova XXXIV, 1894, p. 343. — Kraatz,
Deutsche Ent. Zeitschr. 1893, p. 319 (=
Schönherrii Guér.).
- nervosus** Pasc. Journ. Linn. Soc. Lond. XII, 1874, Java,
p. 74, t. 4, f. 6. — Kraatz, Deutsche Ent. Borneo
Zeitschr. 1893, p. 318.
var. Chevr. Ann. Soc. Ent. France (6) II,
1882, p. 572.
- nilger** Auriv. Ark. f. Zool. XVIII A, Nr. 22, 1926, C. Afrika
p. 9.
- pictus** Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Birma
p. 347.
- prodictoides** Heller, Ent. Zeit. Stettin LXIX, 1908, Borneo
p. 190.
- pygmaeus** Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 346.
- rufipes** Günther, Zool. Mededeel. Leiden XVIII, 1935, Assam,
p. 166, fig. 4. Sikkim
- sanguinipes** Heller, Philipp. Journ. Sc. XXV, 1924, Philippinen
p. 303.
- saturatus** Pasc. Journ. Linn. Soc. Lond. XII, 1874, Penang
p. 74.
- Schönherrii** Guér. Iconogr. Règne anim. 1829—44, Java,
p. 179. — Chevr. Ann. Soc. Ent. France Borneo,
(6) II, 1882, p. 572. — Faust, Ann. Mus. Birma
Civ. Genova XXXIV, 1894, p. 343.
var. *funebris* Guér. Iconogr. Règne anim. Java
1829—44, p. 180. — Kraatz, Deutsche Ent.
Zeitschr. 1913, p. 319.
- securifer** Gaede, Ann. Soc. Ent. France II, 1833, p. Java,
458, t. 17 C, f. 1. (*Calandra*). — Kraatz, Borneo
Deutsche Ent. Zeitschr. 1893, p. 318.

- nigrolateralis* Guér. Iconogr. Règne anim. 1829—44, t. 39 bis, f. 6, a—b.
- similis** Chevr. Ann. Soc. Ent. France (6) II, 1882, Philippinen p. 573.
- sulcicollis** Chevr. l. c. p. 573. Assam
- sutura-alba** Chevr. l. c. p. 573. — Kraatz, Deutsche Java Ent. Zeitschr. 1893, p. 318.
- trichopygus** Chevr. Ann. Soc. Ent. France (6) V, Sylhet 1885, p. 91.
- viduus** Chevr. l. c. (6) II, 1882, p. 573. Cochinchina
- x-rubrum** Desbr. Ann. Soc. Ent. Belg. LIV, 1910, Philippinen p. 132.
- 40

Trigonotarsus Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 843. — Lacord. Gen. Col. VII, 1866, p. 286, 288.

rugosus Boisd. Voy. Astrolabe II, 1835, p. 445 (*Calandra*). N. S. Wales

Biologie: Foggatt, Proc. Linn. Soc. N. S. Wales (2) XXI, 1896, p. 76.

calandroides Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 844; l. c. VIII, 2, 1845, p. 227. — Guér. Iconogr. Règne anim. 1829—44, t. 30 bis, f. 9, a. — Lacord. Gen. Col. VII, 1866, p. 289.

1

Phacecorynus Schönh.

Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 228. — Lacord. Gen. Col. VII, 1866, p. 286, 289. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 502.

Sommeri Burm. Naturg. Gatt. Calandra 1837, p. 19, Kapland t. 1, fig. 7—8 (*Calandra*). — Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 229. — Lacord. Gen. Col. VII, 1866, p. 290.

Biologie: Burm. Naturg. Gatt. Calandra 1837, p. 24, t. 1.

variegatus F. Spec. Ins. I, 1781, p. 163; Mant. Ins. I, 1787, p. 97; Ent. Syst. I, 2, 1792, p. 397 (*Curculio*); Syst. Eleuth. II, 1801, p. 434 (*Calandra*). — Ol. Encycl. méth. V, 1790, p. 475 (*Curculio*); Ent. V, 1807, Nr. 83, p. 87, t. 13, f. 158 (*Calandra*). — Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1742 (*Curculio*). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 22, t. 61, f. 4 (*Rhynchophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 575; l. c. Bull. p. CXXXVIII.

varius F. Gen. Ins. 1776, p. 223 (*Curculio*).

Zamiae Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 963 (*Sphenophorus*). — Lacord. Gen. Col. VII, 1866, p. 290. — Chevr. Ann. Soc. Ent. France (6) I, 1881, Bull. p. VIII. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 503.

Biologie: Westw. Ann. Soc. Ent. Belg. XXX, 1886, p. 125, t. 5, f. C 1—3.

2

Rhynogryphus Roel.

Roel. Tijdschr. Ent. XXXVI, 1893, p. 32.

velutinus Roel. Tijdschr. Ent. XXXVI, 1893, p. 33. Philippinen
1

Poteriophorus Schönh.

Schönh. Gen. spec. Curaç. IV, 2, 1838, p. 845. — Lacord. Gen. Col. VII, 1866, p. 286, 290. — Roel. Not. Leyd. Mus. XV, 1893, p. 246.
— Heller, Ent. Zeit. Stettin LXIX, 1908, p. 190.

Hyposarothra White, Ann. Mag. Nat. Hist. (2) I, 1848,
p. 107.

Eugithopuss Chevr. Ann. Soc. Ent. France (6) II, 1882,
p. 576. — Faust, Ent. Zeit. Stettin LVII, 1896, p. 162.

andamanensis Roel. Not. Leyd. Mus. XV, 1893, p. 247. Andamanen

angulicollis Heller, Deutsche Ent. Zeitschr. 1915, Neuguinea
p. 525.

bilineatus Heller, Philipp. Journ. Sc. LIV, 1934, Philippinen
p. 303, fig.

Bowringi Waterh. Ann. Mag. Nat. Hist. (5) XVII, Java
1886, p. 499.

congestus Pase. Journ. Linn. Soc. Lond. XII, 1874, Malakka
p. 70, t. 4, f. 9.

elegans Roel. Not. Leyd. Mus. XIII, 1891, p. 145, Philippinen
t. 8, f. 5.

fuscovarius Waterh. Ann. Mag. Nat. Hist. (5) XVII, Borneo
1886, p. 499.

imperatrix White, l. c. (2) I, 1848, p. 108, fig. Philippinen

isabellinus Faust, Ent. Zeit. Stettin LVII, 1896, p. Java
160.

monilifasciatus Chevr. Ann. Soc. Ent. France (6) Sylhet
II, 1882, p. 577.

nesaeus Günther, Ann. Mus. Civ. Genova LVII, 1935, Mentawai
p. 214, fig. 3.

niveus Gyll. in Schönh. Gen. spec. Curaç. IV, 2, 1838, Java
p. 846.

nobilis Roel. Not. Leyd. Mus. XIV, 1892, p. 7. Borneo

ochreatus Eydoux, Rev. Mag. Zool. 1839, p. 266. — Philippinen
Chevr. Ann. Soc. Ent. France (6) II, 1882,
p. 576.

var. *albiventris* Chevr. l. c. p. 576.

ornatus Roel. Tijdschr. Ent. XXXVI, 1893, p. 29. "

plagiatus Roel. l. c. p. 30.

sellatus Roel. Not. Leyd. Mus. XII, 1890, p. 239. Perak

stellatus Heller, Ent. Zeit. Stettin LXIX, 1908, Borneo
p. 188.

Uhlemanni Schultze, Philipp. Journ. Sc. XXI, 1922, Philippinen
p. 591, t. 1, f. 1—2.

var. *regulus* Heller, Ent. Zeit. Stettin Ins. Polillo
LXXXIV, 1923, p. 13; Philipp. Journ. Sc.
XXV, 1924, p. 302, t. 1, f. 13.

Vandepolli Roel. Not. Leyd. Mus. XIII, 1890, p. 238. Sumatra

vittatus Boh. in Schönh. Gen. spec. Curaç. VIII, 2, Java
1845, p. 227. — Heller, Ent. Zeit. Stettin
LXIX, 1908, p. 190.

luggubris Faust, l. c. LVII, 1896, p. 160.

Megastethus Faust.

Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 426.

Lacordairei Faust, Ann. Soc. Ent. Belg. XLIII, Kongo 1899, p. 427.

1

Cytorhinus Lacord.

Lacord. Gen. Col. VII, 1866, p. 286, 292. — Marshall, Proc. Zool. Soc. Lond. 1906, p. 956. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 514.

Liocalandra Chevr. Ann. Soc. Ent. Belg. XXV, 1881, p. 92.

Polyaulax Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 95.

castaneipennis Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 249 (*Sphenophorus*). — Marshall, Proc. Zool. Soc. Lond. 1906, p. 956.

baridioides Lacord. Gen. Col. VII, 1866, p. 293, Atl. t. 76, f. 3, a.

caffeer Fährs. Oefvers. Vet. Akad. Förhandl. XXVIII, 1871, p. 282.

nudus Chevr. Ann. Soc. Ent. Belg. XXV, 1881, p. 92 (*Liocalandra*). — Faust, l. c. XLIII, 1899, p. 427.

hovanus Fairm. l. c. XLVI, 1902, p. 242 (*Liocalandra*). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 514. Madagaskar

squamiger Faust, Deutsche Ent. Zeitschr. 1895, p. 257. Ashanti
3

Rhinocles C. A. Dohrn.

C. A. Dohrn, Ent. Zeit. Stettin XXXVII, 1876, p. 86. — Heller, Ent. Tidskr. XXV, 1904, p. 200.

?**modestus** Heller, Ent. Tidskr. XXV, 1904, p. 199, Kamerun fig.

nasica C. A. Dohrn, Ent. Zeit. Stettin XXXVII, Liberia 1876, p. 88.

2

Acanthorhinus Gemm. & Har.

Gemm. & Har. Cat. Col. VIII, 1871, p. 2646.

Acantharhinus Schönh. Gen. spec. Curc. IV, 2, 1838, p. 861. — Lacord. Gen. Col. VII, 1866, p. 286, 293.

carinatus Marshall, Proc. Zool. Soc. Lond. 1906, p. Südafrika 955, t. 67, f. 12.

Dregei Gyll. in Schönh. Gen. spec. Curc. IV, 2, Kapland, 1838, p. 863. — Lacord. Gen. Col. VII, 1866, Kongo p. 294.

zambesianus Marshall, Proc. Zool. Soc. Lond. 1906, Südafrika p. 956.

3

Scyphophorus Schönh.

Schönh. Gen. spec. Curc. IV, 2, 1838, p. 855. — Lacord. Gen. Col. VII, 1866, p. 286, 294. — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 409. — J. Lec. l. c. XV, 1876, p. 331. — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 105.

- interstitialis** Gyll. in Schönh. Gen. spec. Cerc. IV, Colorado,
2, 1838, p. 856.
 — *acupunctatus* Gyll. l. c. p. 857. — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 409. — J. Lec. l. c. XV, 1876, p. 331. — Dug. Le Naturaleza V, 1881, p. 124, t. 3, f. 6, 6a—j; Ann. Soc. Ent. Belg. XXX, 1886, p. 33, t. 2, f. 11. — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 577. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 —10 (1910), p. 152, t. 7, f. 32, 32a. Biologie: Dug. Ann. Soc. Ent. Belg. XXX, 1886, p. 33, t. 2, f. 12—16. — Cotton, Proc. U. S. Nat. Mus. LXVI, Nr. 5, 1924, p. 11, t. 8, f. 1—7, t. 10, f. 7.
- anthracinus* Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 858.
- asperulus* J. Lec. Pacif. Railw. Rep. Expl. Surv. XII, 1857, p. 58 (*Rhyncophorus*).
- robustior* G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 409.
- yuccae** G. Horn, l. c. p. 410.
- 2

Kalifornien

Cactophagus J. Lec.

- J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 331. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 82.
- ciliatus** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Mexiko —10 (1910), p. 82, 85, t. 4, f. 9, 9a.
 var. Champ. l. c. p. 86.
- cirratus** Champ. l. c. p. 83, 87, t. 4, f. 12, 12a. Nicaragua
- Fahrsei** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Mexiko 1838, p. 884 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 579. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 —10 (1910), p. 82, 83, t. 4, f. 5, 5a.
- Lacordairei** Chevr. Ann. Soc. Ent. France (6) II, Kolumbien 1882, p. 581.
- pulcherrimus** Chevr. l. c. p. 579 (*Sphenophorus*); Mexiko l. c. (6) V, 1885, p. 92 (*Phyllerythrurus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 —10 (1910), p. 83, 88, t. 4, f. 16, 16a, 17.
- rubroviriegatus** Bovie, Ann. Soc. Ent. Belg. LI, Brasilien 1907, p. 328.
- rufocinctus** Champ. Biol. Centr.-Amer. Col. IV, 7, Costa Rica 1909—10 (1910), p. 83, 86, t. 4, f. 10, 10a.
 var. Champ. l. c. p. 177. „
- fusomaculatus** Champ. l. c. p. 83, 86, t. 4, f. 11, 11a. Panama
- Sierrakowskyi** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 887 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 580. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 83, 87.
 var. α Champ. l. c. p. 88. Kolumbien
 var. β Champ. l. c. p. 88, t. 4, f. 15. Costa Rica
 var. γ Champ. l. c. p. 88, t. 4, f. 13. Costa Rica, Panama
 var. δ Champ. l. c. p. 88, t. 4, f. 14. Panama

- Spinolae** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 883 (*Sphenophorus*). — Dugès, La Naturaleza V, 1881, p. 121; Ann. Soc. Ent. Belg. XXX, 1886, p. 31, 44. — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 579. — Heyne-Taschenberg, Exot. Käf. 1908, p. 233, t. 32, f. 6 (*Sphenophorus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 82, 84, t. 4, f. 6, 6a.
- Biologie:** Dugès, La Naturaleza V, 1881, p. 121, t. 3, f. 5, 5a; Ann. Soc. Ent. Belg. XXX, 1886, p. 31, 44, t. 2, f. 1—10.
- bifasciatus** Sturm, Cat. 1843, p. 227 (*Cassandra*) [nec Gyll.].
- var. *obliquafasciatus* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 580. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 84, t. 4, f. 7, 7a.
- var. *validus* J. Lee. Proc. Acad. Nat. Sc. Philad. 1858, p. 80 (*Sphenophorus*); Proc. Amer. Phil. Soc. XV, 1876, p. 322. — G. Horn, l. c. XIII, 1873, p. 415 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 579. — Casey, Ann. New York Acad. Sc. VI, 1892, p. 685. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 82, 84.
- Biologe:** Cotton, Proc. U. S. Nat. Mus. LXVI, 1924, Nr. 5, p. 9, t. 1, f. 1—7, t. 10, f. 3.
- procerus* J. Lee. Proc. Acad. Nat. Sc. Philad. 1858, p. 80 (*Sphenophorus*).
- subnitens* Casey, Ann. New York Acad. Sc. VI, 1892, p. 685.
- var. *ruberoniger* Fisher, Proc. Ent. Soc. Washingt. XXVIII, 1926, p. 217.
- striatoforatus** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 878 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 580. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 82, 83.
- perforatus* Fähr. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 236 (*Sphenophorus*).
- var. *majör* Fähr. l. c. p. 236.
- tibialis** C. O. Waterh. Cist. Ent. II, 1879, p. 426.
- validirostris** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 886 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 579. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 82, 85, t. 4, f. 8, 8a.
- bifasciatus** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 885 (*Sphenophorus*) [nec Sturm].

Cactophagoides Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 89.
gibberosus Champ. Biol. Centr.-Amer. Col. IV, 7, Costa Rica, 1909—10 (1910), p. 90, t. 4, f. 19, 19a.

Kalifornien,
Arizona,
Mexiko

Kolumbien,
Guatemala,
Mexiko,
Salvador,
Costa Rica,
Trinidad

Kolumbien
Costa Rica

verrucosus Champ. l. c. p. 89, t. 4, f. 18, 18 a. Costa Rica
2

Disodontogenus Marshall.

Marshall, Trans. Zool. Soc. Lond. XIX, 1909, p. 231.

Wollastoni Marshall, Trans. Zool. Soc. Lond. XIX, Ruwenzori
1909, p. 231, t. 7, f. 19.

1

Phyllerythrurus Chevr.

Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 92.

Sphenophorus Chevr. Ann. Soc. Ent. France (6) II,
1882, p. 578 (part.).

Phyllerythrurus D. Sharp, Zool. Rec. XXII, 1885, Ins.
p. 121 (err.).

annulatus Champ. Biol. Centr.-Amer. Col. IV, 7, Costa Rica,
1909—10 (1910), p. 91, 95, t. 4, f. 27. Panama
var. Champ. l. c. p. 4, f. 28, 28 a.

aurofasciatus Brême, Ann. Soc. Ent. France (2) II, Kolumbien
1844, p. 308, t. 9, f. 7 e (*Sphenophorus*). —
Chevr. l. c. (6) V, 1885, p. 92.

circumdatus Champ. Biol. Centr.-Amer. Col. IV, 7, Nicaragua,
1909—10 (1910), p. 91, 95, t. 4, f. 29, 29 a. Costa Rica

circumjectus Champ. l. c. p. 91, 94, t. 4, f. 26, 26 a. Costa Rica,

Panama

miniatopunctatus Chevr. Ann. Soc. Ent. France (6)
II, 1882, p. 580 (*Cactophagus*); l. c. (6) V,
1885, p. 92. — Champ. Biol. Centr.-Amer.
Col. IV, 7, 1909—10 (1910), p. 91, 93, t. 4,
f. 28, 28 a.

Mexiko,

Guatemala,

Nicaragua

ornatus Champ. l. c. p. 91, 94, t. 4, f. 25, 25 a. Nicaragua,
Panama,

Ecuador

quadrinotatus Champ. l. c. p. 91, 92, t. 4, f. 21, 21 a. Costa Rica,
Panama

rectistriatus Champ. l. c. p. 91, 92, t. 4, f. 22, 22 a. Nicaragua,
Costa Rica,

Panama

sanguinolentus Ol. Encycl. méth. V, 1790, p. 473
(*Curculio*); Ent. V, 1807, Nr. 83, t. 10, f.
116 (*Calandra*). — F. Ent. Syst. I, 2, 1792,
p. 398 (*Curculio*); Syst. Eleuth. II, 1801,
p. 434 (*Calandra*). — Herbst, Natursyst.
Ins. Käfer VI, 1795, p. 24, t. 61, f. 6
(*Rhynchophorus*). — Chevr. Ann. Soc. Ent.
France (6) II, 1882, p. 578 (*Sphenophorus*);
l. c. (6) V, 1885, p. 92. — Champ. Biol.
Centr.-Amer. Col. IV, 7, 1909—10 (1910),
p. 91, t. 4, f. 20, 20 a.

Mexiko,

Guatemala,

Nicaragua,

Costa Rica,

Panama,

Tobago

sinuatus Champ. l. c. p. 91, 93, t. 4, f. 24, 24 a. Panama

xanthozona Champ. l. c. p. 91, 96, t. 4, f. 30, 30 a. Guatemala

11

Eucactophagus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 96.

aurocinctus Champ. Biol. Centr.-Amer. Col. IV, 7, Nicaragua,
1909—10 (1910), p. 97, 99, t. 5, f. 3, 3 a. Costa Rica

var. *albopunctatus* Champ. l. c. p. 99 Mexiko
(*albipunctatus*).

- biocellatus** Barber, Proc. Ent. Soc. Washingt. XIX, Panama
1917, p. 22, t. 4, f. 5.
- carinipyga** Champ. Biol. Centr.-Amer. Col. IV, 7, Nicaragua
1909—10 (1910), p. 96, 98, t. 5, f. 1, 1 a,
1 b.
- duplocinctus** Champ. l. c. p. 96, 97, t. 4, f. 31, 31 a. Guatemala,
Costa Rica,
Panama
- var. α Champ. l. c. p. 97, t. 4, f. 32.
var. β Champ. l. c. p. 97, t. 4, f. 33.
- graphipterus** Champ. l. c. p. 96, 98, t. 4, f. 35,
35 a. — Weiss, Ent. News XXVIII, 1917, p.
25, t. 5, f. 1.
- orizabensis** Chevr. Ann. Soc. Ent. France (6) II, Mexiko,
1882, p. 578 (*Sphenophorus*); l. c. (6) V, Guatemala
1885, p. 92 (*Phyllerythrurus*). — Champ.
Biol. Centr.-Amer. Col. IV, 7, 1909—1910
(1910), p. 96, 97, t. 4, f. 34, 34 a.
- pruiniosus** Champ. l. c. p. 97, 99, t. 5, f. 2, 2 a. Panama
- Weissi** Barber, Proc. Ent. Soc. Washingt. XIX, 1917, Süd-Amerika,
p. 21, t. 4, f. 4 a—b. ? N. Jersey

8

Aethes Chevr.

- Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 582. — Champ. Biol.
Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 100.
- spinicollis** Chevr. Ann. Soc. Ent. France (6) II, Mexiko
1882, p. 583. — Champ. Biol. Centr.-Amer.
Col. IV, 7, 1909—10 (1910), p. 100, t. 5,
f. 4, 4 a.

1

Metamasiopsis Champ.

- Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 100.
- bisbisignatus** Gyll. in Schönh. Gen. spec. Circ. IV, Brasilien
2, 1838, p. 908 (*Sphenophorus*). — Champ.
Biol. Centr.-Amer. Col. IV, 7, 1909—1910
(1910), p. 114.
- costatus** C. O. Waterh. Cist. Ent. II, 1879, p. 425 Kolumbien
(*Sphenophorus*). — Champ. Biol. Centr.-
Amer. Col. IV, 7, 1909—10 (1910), p. 101.
- decempunctatus** Champ. Biol. Centr.-Amer. Col. IV, Mexiko
7, 1909—10 (1910), p. 101, 102, t. 5, f. 7,
7 a.
- flavopictus** Champ. l. c. p. 101, 102, t. 5, f. 6, 6 a.
- lojanus** Heller, Deutsche Ent. Zeitschr. 1912, p. 391. Ecuador
- rugipectus** Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko
1909—10 (1910), p. 101, t. 5, f. 5, 5 a.
- transatlanticus** Kirsch, Abhandl. Zool. Mus. Dresden Ecuador
Nr. 4, 1888—89, p. 35, t. 3, f. 67 (*Hetero-*
toxus). — Champ. Biol. Centr.-Amer. Col.
IV, 7, 1909—10 (1910), p. 101.
- var. *maculicollis* Heller, Deutsche Ent. „
Zeitschr. 1912, p. 390.

7

Metamasius G. Horn.

- G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 408, 410. — J. Lec.
l. c. XV, 1876, p. 331.

- bigeminatus** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 104, 108, t. 5, f. 14, 14 a. Mexiko
- biguttatus** Champ. l. c. p. 104, 108, t. 5, f. 13, 13 a. Guatemala
- bromeliadicola** Champ. Ent. Mag. XLIX, 1913, p. 5. Costa Rica
- callizona** Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 578 (*Sphenophorus*); l. c. V, 1885, p. 92 (*Phyllerythrurus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 105, 113, t. 5, f. 22, 22 a. Mexiko
- cincinnatus** Champ. l. c. p. 104, 110, t. 5, f. 18, 18 a. Nicaragua
- cinnamominus** Perty, Del. anim. art. Bras. 1830, p. 82, t. 16, f. 13 (*Calandra*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 177, t. 9, f. 1, 1 a. Brasilien, Cayenne, Kolumbien, Honduras
- obsoletus* Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 895 (*Sphenophorus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 103, 112.
- cinnamomeus* Gemm. & Har. Cat. Col. VIII, 1871, p. 2647.
- connexus** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 104, 111, t. 5, f. 19, 19 a. Mexiko, Guatemala
- dasyurus** Champ. l. c. p. 104, 111, t. 5, f. 20, 20 a. Costa Rica, Panama, Ecuador
- Günther, Int. Ent. Zeitschr. (Guben) XXIX, 1935, p. 223, fig. 5.
- var. α — γ Champ. l. c. p. 112.
- dimidiatipennis** Jekel, Ann. Mag. Nat. Hist. (3) II, 1858, p. 359 (*Sphenophorus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 103, 106, t. 5, f. 10, 10 a. Mexiko, Nicaragua, Costa Rica, Panama
- var. β Champ. l. c. p. 108.
- var. γ Champ. l. c. p. 108.
- ensirostris** Germ. Ins. spec. nov. 1824, p. 296 (*Calandra*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 103. Ost-Mexiko
- dispar* Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 892.
- ? *purpurascens* Panz. in Voet, Beschr. Ins. IV, 1798, p. 52, t. 36, f. 11 (*Curculio*). Costa Rica
- fasciatus** Ol. Encycl. méth. V, 1790, p. 474 (*Curculio*); Ent. V, 1807, Nr. 83, t. 11, f. 136 (*Calandra*). — F. Ent. Syst. I, 2, 1792, p. 398 (*Curculio*); Syst. Eleuth. II, 1801, p. 434 (*Calandra*). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 25, t. 61, f. 7 (*Rhynchophorus*). — Gemm. & Har. Cat. Col. VIII, 1871, p. 2648 (*Sphenophorus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 104, 109, t. 5, f. 16, 16 a. Brasilien
- hebetatus** Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 919 (*Sphenophorus*). — Boh. l. c. VIII, 2, 1845, p. 243 (*Sphenophorus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 105, 116, t. 5, f. 27, 27 a. Panama, ?Südamerika
- hemipterus** L. Mus. Lud. Ulr. 1764, p. 44; Syst. Nat. Ed. XII, 1767, p. 606 (*Curculio*). — Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1742 (*Curculio*). — F. Syst. Ent. 1775, p. 128; Spec. Ins. I, 1781, p. 163; Mant. Ins. I, 1787, p. 97; Ent. Syst. I, 2, 1792, p. 396 Nicaragua, Panama, Kolumbien, Venezuela, Ecuador
- Cayenne, Brasilien, Guadeloupe

<i>(Curculio)</i> ; Syst. Eleuth. II, 1801, p. 433 (<i>Calandra</i>). — Ol. Encycl. méth. V, 1790, p. 475 (<i>Curculio</i>); Ent. V, 1807, Nr. 83, p. 86, t. 1, f. 4, t. 16, f. 4 b (<i>Calandra</i>). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 9, t. 60, f. 4 (<i>Rhynchophorus</i>). — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 889. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 103, 105.	
<i>rufofasciatus</i> Deg. Mém. Ins. V, 1781, p. 271, t. 15, f. 25 (<i>Curculio</i>).	
? <i>variegatus</i> Panz. in Voet, Beschr. Ins. IV, 1798, p. 57, t. 37, f. 24 (<i>Curculio</i>).	
<i>decoratus</i> Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 888 (<i>Sphenophorus</i>).	
<i>ambiguus</i> Gyll. l. c. p. 899 (<i>Sphenophorus</i>).	
<i>sacchari</i> Gyll. l. c. 891 (<i>Sphenophorus</i>).	
Biologie: Guilding, Trans. Soc. Encour. Arts XLVI, p. 143.	
<i>nigerrimus</i> Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 915 (<i>Sphenophorus</i>). var. <i>inscriptus</i> Gyll. l. c. p. 890.	Brasilien
maculiventris Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 105, 115, t. 5, f. 26, 26 a.	Nicaragua, Costa Rica
melancholicus Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 917 (<i>Sphenophorus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 103.	Brasilien
Mosieri Barber, Proc. Ent. Soc. Washingt. XXII, 1920, p. 151.	Kuba, Florida
nudiventris Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 105, 114, t. 5, f. 24, 24 a.	Nicaragua
ochreofasciatus Champ. l. c. p. 105, 113, t. 5, f. 23, 23 a.	Costa Rica
octonotatus Champ. l. c. p. 105, 116, t. 5, f. 28, 28 a.	Panama
polygrammus Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 918 (<i>Sphenophorus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 104, 107, t. 5, f. 12, 12 a.	Nicaragua, Panama, Ecuador, Brasilien
pygidialis Günther, Int. Ent. Zeitschr. (Guben) XXIX, 1935, p. 223, fig. 4.	Costa Rica
quadrilineatus Champ. l. c. p. 103, 107, t. 5, f. 11, 11 a.	Mexiko, Guatemala
quadrisignatus Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 907 (<i>Sphenophorus</i>). <i>quadrispilotus</i> Chevr. Ann. Soc. Ent. France (5) X, 1880, Bull. p. XXXI.	Antillen, Guadeloupe
var. <i>bisignatus</i> Hust. Faune Col. franç. V, 1922, p. 130.	Guadeloupe
rimoratus Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 893 (<i>Sphenophorus</i>).	Kolumbien
Ritchiei Marshall, Bull. Ent. Res. VII, 1916, p. 197, fig.	Jamaika
scutatus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 —10 (1910), p. 105, 114, t. 5, f. 25, 25 a.	Costa Rica
scutiger Champ. l. c. p. 104, 114, t. 5, f. 25, 25 a.	Panama
sellatus Champ. l. c. p. 104, 108, t. 5, f. 15, 15 a.	Nicaragua, Panama

sericeus	Ol. Ent. V, 1807, Nr. 83, p. 84, t. 28, f. 409 (<i>Calandra</i>). — Latr. in Humb. & Bonpl. Obs. Zool. I, 1811, p. 206, t. 22, f. 4 (<i>Calandra</i>). — Germ. Mag. I, 2, 1813, p. 122 (<i>Calandra</i>). — Gyll. in Schönh. Gen. spec. Curr. IV, 2, 1838, p. 896 (<i>Sphenophorus</i>). — Jacq. du Val in Sagra, Hist. fis. polit. y nat. de Cuba VII, 1856, p. 96 (<i>Sphenophorus</i>). — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 410. — J. Lec. l. c. XV, 1876, p. 331. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 103, 105.	Kalifornien, Arizona, Mexiko, Brit. Honduras, Guatemala, Nicaragua, Costa Rica, Panama, Kuba, Haiti, S. Domingo, Peru
	Biologie: Cotton, Proc. U. S. Nat. Mus. LXVI, Nr. 5, 1924, p. 10, t. 5, f. 1—7, t. 10, f. 6.	
var. <i>dimidiatus</i>	Sturm, Cat. 1826, p. 106 (<i>Calandra</i>).	Kuba
var. <i>carbonarius</i>	Chevr. Col. Mex. Cent. I, fasc. 20 (1833, Juni) (<i>Rhynchophorus</i>). — Gyll. in Schönh. Gen. spec. Curr. IV, 2, 1838, p. 897. — Boh. l. c. VIII, 2, 1845, p. 238 (<i>Sphenophorus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 105, 106.	Mexiko, Nicaragua
var. β	Champ. l. c. p. 106, t. 5, f. 8, 8 a.	Costa Rica, Panama
var. γ	Champ. l. c. p. 106, t. 5, f. 9, 9 a.	Guatemala, Honduras
signiventris	Kirsch, Abhandl. Zool. Mus. Dresden 1888—89, Nr. 4, p. 36, t. 3, f. 68. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 103, 115.	Ecuador
submaculatus	Champ. l. c. p. 104, 112, t. 5, f. 21, 21 a.	Nicaragua, Costa Rica, Kolumbien
sulcirostris	Champ. l. c. p. 104, 110. 32	Guatemala, Nicaragua

Homalostylus Chevr.

Chevr.	Ann. Soc. Ent. France (6) V, 1885, p. 287. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 117.
dentirostris	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 118, 177, t. 5, f. 31, 31 a, 32.
incertus	Champ. l. c. p. 118, t. 5, f. 33, 33 a.
latiscapus	Kirsch, Berl. Ent. Zeitschr. XIII, 1869, p. 221 (<i>Sphenophorus</i>). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 287.
nigrofasciatus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 117, t. 5, f. 29, 29 a.
subcylindricus	Champ. l. c. p. 119, t. 5, f. 34, 34 a.

5

Rhodobaenus J. Lec.

J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 332. — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 275. — Champion, Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 119. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 548, 549.

adspersus	Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 924 (<i>Sphenophorus</i>); l. c. VIII, 2, 1845, p. 247 (<i>Sphenophorus</i>). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 283. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 136, t. 6, f. 29, 29a.	Mexiko, Guatemala
var. <i>impressus</i>	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 283.	
albopunctatus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 138, t. 6, f. 36, 36a.	Mexiko
Andreae	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 279. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 134, t. 6, f. 27, 27a.	"
	var. Champ. l. c. p. 134.	
arcuatus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 134, t. 6, f. 26, 26a.	Mexiko, Nicaragua
auriculatus	Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 580 (<i>Cactophagus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 127, t. 6, f. 11, 11a, 11b, 12.	Mexiko, Guatemala, Nicaragua, Costa Rica
bicinctus	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 282. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 145, t. 7, f. 15, 15a.	Guatemala, Costa Rica, Kolumbien, Venezuela
	var. <i>deliciosus</i> (Jek. i. l.) Champ. l. c. p. 145.	Kolumbien
bipunctatus	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 282.	Brasilien
bisignatus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 143, t. 7, f. 12, 12a.	Mexiko
biundulatus	Champ. l. c. p. 128, t. 6, f. 14, 14a.	"
brevirostris	Champ. l. c. p. 133, t. 24, 24a.	Mexiko, Guatemala
cariniventris	Champ. l. c. p. 144, t. 7, f. 14, 14a, 14b.	Mexiko, Guatemala
cinctus	Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 921 (<i>Sphenophorus</i>). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 286. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 141, t. 7, f. 4, 4a.	Mexiko, Guatemala, Salvador, Nicaragua, Costa Rica, Panama
	var. <i>rubellus</i> Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 921 (<i>Sphenophorus cinctus</i> var.). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 141, t. 7, f. 5, 5a.	Mexiko
	var. <i>obliquus</i> Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 287.	"
	var. <i>funebris</i> Chevr. l. c. p. 287.	Brasilien
	var. <i>quinquemaculatus</i> Chevr. l. c. p. 284. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 141, t. 7, f. 6, 6a.	Mexiko
cinereiventris	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 138, t. 6, f. 34, 34a, 35.	"
confusus	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 285. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 129, t. 6, f. 17, 17a.	"
crucicollis	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 281.	Brasilien

crassipes	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 131, t. 6, f. 20, 20 a.	Panama
cylindricollis	Champ. l. c. p. 132, t. 6, f. 23, 23 a.	Mexiko
deltoides	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 279. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 146, t. 7, f. 16, 16 a.	Mexiko, Guatemala, Brit.
	<i>sanguineus</i> var. γ Gyll. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 240 (<i>Sphenophorus</i>).	Honduras, Nicaragua, Costa Rica
	<i>immaculatus</i> Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 279 [non Gyll.].	
	var. α Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 146.	
	var. β Champ. l. c. p. 146.	
dentifer	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 126, t. 6, f. 10, 10 a.	Costa Rica
fortirostris	Champ. l. c. p. 127, t. 6, f. 13, 13 a.	Mexiko, Guatemala Mexiko
guttatus	Fährs. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 247 (<i>Sphenophorus</i>). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 283. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 140, t. 7, f. 3, 3 a.	
interruptus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 125, t. 6, f. 9, 9 a.	Costa Rica, Panama
leucographus	Fährs. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 240 (<i>Sphenophorus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 141, t. 7, f. 7, 7 a.	Mexiko
lineiger	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 282.	Kolumbien
maculifer	Fährs. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 243 (<i>Sphenophorus</i>). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 111 (<i>Sphenophorus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 129, t. 6, f. 18, 18 a, 18 b.	Mexiko, Guatemala, ?Cayenne
	<i>centromaculatus</i> Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 276, 280.	
maculipes	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 147, t. 7, f. 19, 19 a.	Guatemala
melanurus	Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, p. 278 (<i>Sphenophorus</i>).	Peru
mesomelas	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 121, t. 6, f. 1, 1 a.	Mexiko, Nicaragua, Panama, Costa Rica, Ecuador
miniatus	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 281.	Brasilien
Nawradi	Kirsch, Berl. Ent. Zeitschr. XIII, 1869, p. 233 (<i>Sphenophorus</i>). — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 579 (<i>Cactophagus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 123.	Costa Rica, Kolumbien, Ecuador
	var. Champ. l. c. p. 123, t. 6, f. 4, 4 a.	Costa Rica
nebulosus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 135, t. 6, f. 28, 28 a.	Mexiko, Fidji Ins.
	Biologie: Illingworth, Journ. Econ. Ent. VII, 1914, p. 444 (<i>Sphenophorus</i>).	

- nigricornis** Chevr. Ann. Soc. Ent. Fr. (6) V, 1885, Brasilien
p. 281.
- nigrolineatus** Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 285. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 140, t. 7, f. 2, 2 a.
- suturellus** Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 285.
- nigropictus** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 146, t. 7, f. 17, 17 a.
- nigrosignatus** Champ. l. c. p. 132, t. 6, f. 22, 22 a.
- olivaceus** Champ. l. c. p. 122, t. 6, f. 3, 3 a.
- pantherinus** Champ. l. c. p. 147, t. 7, f. 18, 18 a.
- pinguis** Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 283. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 129, t. 6, f. 16, 16 a.
- plicatus** Champ. l. c. p. 122, t. 6, f. 2, 2 a.
- pulchellus** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 898; l. c. VIII, 2, 1845, p. 239 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 276. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 148, t. 7, f. 20, 20 a.
- dodecimmaculatus** Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 276 (*tredecimpunctatus* var.).
- metropolitanus** Chevr. l. c. p. 277 (*tredecimpunctatus* var.).
- var. *niger* Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 148.
- pustulosus** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 923; l. c. VIII, 2, 1845, p. 247 (*Sphenophorus*). — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 415 (*Sphenophorus*). — J. Lec. l. c. XV, 1876, p. 332. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 p. 137, t. 6, f. 32, 32 a. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 550.
- punctatus** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 923 (*pustulosus* var.).
- pustulatus** Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 283 [non Gyll.; err.].
- puncticollis** Chevr. l. c. p. 283 (*pustulatus* var.).
- alboscutellatus** Chevr. l. c. p. 284.
- quadripunctatus** Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 581 (*Cactophagus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 124, 131.
- rubicundus** Champ. l. c. p. 151, t. 7, f. 31, 31 a.
- rubrovittatus** Champ. l. c. p. 142, t. 7, f. 8, 8 a.
var. Champ. l. c. p. 142, t. 7, f. 9, 9 a.
- saginatus** Champ. l. c. p. 125, t. 6, f. 8, 8 a.
- sanguineus** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 903; l. c. VIII, 2, 1845, p. 240
- Brasilien
Mexiko,
Guatemala
Panama
Panama
Guatemala,
Panama
Panama
Mexiko,
Guatemala,
Costa Rica
Mexiko
- Costa Rica
Mexiko,
Guatemala,
Costa Rica
- Mexiko,
Guatemala,
New Mexico,
Florida
- Kolumbien
- Costa Rica,
Panama
Mexiko,
Guatemala
Guatemala
Mexiko,
Guatemala

<i>(Sphenophorus)</i> . — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 277. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 142, t. 7, f. 10 a, 11.	Nicaragua, Costa Rica
<i>lineatocollis</i> Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 903 (<i>Sphenophorus</i>). — <i>haematus</i> Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 278.	
saucius Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 905 (<i>Sphenophorus</i>).	Brasilien
sexguttatus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 130, t. 6, f. 19, 19 a.	Mexiko
stigmaticus Fährs. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 244 (<i>Sphenophorus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 123, t. 6, f. 5, 5 a.	Mexiko, Brit. Honduras, Guatemala, Nicaragua, Costa Rica, Panama
<i>stigmaticollis</i> Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 579 [non Fährs., err.].	Mexiko
var. <i>cuneipennis</i> Chevr. l. c. p. 579.	
<i>cuneatus</i> Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 124 [non Chevr., err.].	
subcristatus Champ. l. c. p. 124, t. 6, f. 6, 6 a.	Nicaragua, Costa Rica
suturalis Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 904 (<i>Sphenophorus</i>). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 281.	Brasilien
tenuiscapus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 128, t. 6, f. 15, 15 a.	Costa Rica
tesselatus Champ. l. c. p. 125, t. 6, f. 7, 7 a.	Guatemala
tredecimpunctatus Ill. in Schneid. Mag. V, 1791, p. 613 (<i>Curculio</i>). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 10, t. 60, f. 5 (<i>Rhynchophorus</i>). — F. Syst. Eleuth. II, 1801, p. 434 (<i>Calandra</i>). — Say, Amer. Ent. I, 1824, t. 9, f. 3—4 (<i>Calandra</i>); Compl. Writ. I, 1859, p. 18, t. 9, f. 3—4 (<i>Calandra</i>). — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 898; l. c. VIII, 2, 1845, p. 239 (<i>Sphenophorus</i>). — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 414 (<i>Sphenophorus</i>). — J. Lec. l. c. XV, 1876, p. 332. — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 275. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 149. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 550, fig. 119 a—b.	U.S.America, Mexiko, Brit. Honduras, Guatemala, Nicaragua, Costa Rica, Panama, Kolumbien
Biologie: Weiss & Lott, Ent. News XXXIV, 1923, p. 103. — Cotton, Proc. U. S. Nat. Mus. LXVI, Nr. 5, 1924, p. 9, t. 2, f. 1—7, t. 10, f. 2. — Mohr, Trans. Illinois Acad. Sc. XXIV, 1931, p. 226, fig.	
cribrarius F. Ent. Syst. Suppl. V, 1798, p. 165 (<i>Curculio</i>); Syst. Eleuth. II, 1801, p. 434 (<i>Calandra</i>). — Ol. Ent. V, 1807, Nr. 83, p. 88, t. 28, f. 412 a—b (<i>Calandra</i>). — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 900.	

- quatuordecimpunctatus* Panz. in Voet, Beschr. Ins. IV, 1798, p. 54, t. 37, f. 18 (*Curculio*).
leptocerus Panz. l. c. p. 57, t. 37, f. 23 (*Curculio*).
obscurus Voet, Cat. Syst. Col. II, 1806, p. 50, t. 37, f. 23 (*Curculio*).
maculatus Sturm, Cat. 1826, p. 106.
Panceps Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 894 (*Sphenophorus*).
variabilis Gyll. l. c. p. 899; l. c. VIII, 2, 1845, p. 239 (*Sphenophorus*).
var. *formosus* nom. nov. U.S.America,
pulchellus Riley, III. Rep. Ins. Missouri Mexiko
1871, p. 60, fig. 23 (*Sphenophorus*) [non Gyll.]. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 150, t. 7, f. 21, 21a. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 550.
var. *elegans* Chevr. Ann. Soc. Ent. France Mexiko,
(6) V, 1885, p. 278. — Champ. Biol. Centr.- Guatemala,
Amer. Col. IV, 7, 1909—10 (1910), p. 150, Costa Rica, t. 7, f. 22, 22a.
var. *corniculatus* Chevr. Ann. Soc. Ent. Mexico,
France (6) V, 1885, p. 280. — Champ. Biol. Guatemala
Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 150, t. 7, f. 23.
var. *graphicus* Champ. l. c. p. 150. Mexiko,
Champ. l. c. p. 150. Costa Rica
var. *impressus* Gyll. in Schönh. Gen. Mexiko,
spec. Cerc. IV, 2, 1838, p. 901 (*Sphenophorus*); l. c. VIII, 2, 1845, p. 240 (*Sphenophorus variabilis* var.). — Champ. Biol. Mexiko,
Centr.-Amer. Col. IV, 7, 1909—10 (1910), Costa Rica, p. 150.
var. *vittatipennis* Champ. l. c. p. 150, Panama
t. 7, f. 25.
var. *triangularis* Champ. l. c. p. 150, Mexiko
t. 7, f. 26.
var. *Lebasi* Gyll. in Schönh. Gen. spec. Cerc. Mexiko,
IV, 2, 1838, p. 902 (*Sphenophorus*); l. c. Kolumbien
VIII, 2, 1845, p. 239 (*Sphenophorus variabilis* var.). — Chevr. Ann. Soc. Ent. France
(6) V, 1885, p. 282. — Champ. Biol. Centr.- Amer. Col. IV, 7, 1909—10 (1910), p. 151.
var. *femoralis* Chevr. Ann. Soc. Ent. France Mexiko,
(6) V, 1885, p. 277. — Champ. Biol. Centro-Amer. Col. IV, 7, 1909—10 (1910), p. 151, t. 7, f. 27.
var. *quinquepunctatus* Say, Amer. Ent. Mexiko,
I, 1824, t. 9, f. 2 (*Calandra*); Compl. Writ. U.S.America,
I, 1859, p. 19, t. 9, f. 2 (*Calandra*). — Mexiko,
Chevr. Ann. Soc. Ent. France (6) V, 1885, Guatemala
p. 278. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 151. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 550.
var. *auctus* Chevr. Ann. Soc. Ent. France Mexiko,
(6) V, 1885, p. 278. — Champ. Biol. Centr.- Panama

Amer. Col. IV, 7, 1909—10 (1910), p. 151, t. 7, f. 28.	
var. <i>thoracicus</i> Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 900 (<i>Sphenophorus variabilis</i> var.). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 278. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—110 (1910), p. 151, t. 7, f. 29.	Mexiko, Guatemala, Nicaragua
var. <i>nigripennis</i> Champ. l. c. p. 151, t. 7, f. 30.	Mexiko, Guatemala
var. <i>immaculatus</i> Champ. l. c. p. 151.	Mexiko, Panama
unidentatus Champ. l. c. p. 139, t. 7, f. 1, 1 a.	Mexiko
valens Champ. l. c. p. 136, t. 6, f. 30, 30 a, 31.	"
varieguttatus Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 284. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 137, t. 6, f. 33, 33 a.	Mexiko, Guatemala
verapacis Champ. l. c. p. 133, t. 6, f. 25, 25 a.	Guatemala
v-nigrum Champ. l. c. p. 131, t. 6, f. 21, 21 a.	Nicaragua
ypsilon Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 280. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 144, t. 7, f. 13, 13 a.	Mexiko, Guatemala, Nicaragua, Costa Rica, Panama

60

Odontorhynchus Chevr.

Chevr. Le Naturaliste II, 1880, p. 316.	
cornurostris Chevr. Le Naturaliste II, 1880, p. 316.	Guadeloupe
puncticollis Chevr. l. c.	"

2

Calandra Clairv.

Clairv. Ent. Helv. I, 1798, p. 62 (<i>Calandra</i>), t. 2 (<i>Calandra</i>). — Latr. Consid. gén. 1810, p. . — Leng, Journ. New York Ent. Soc. XXVI, 1918, p. 210 (<i>Calandra</i>). — Pierce, Proc. Ent. Soc. Washingt. XXVII, 1925, p. 113 (<i>Calandra</i>).	
---	--

<i>sphenoporus</i> Schönh. Disp. meth. Curc. 1826, p. 327; Gen. spec. Curc. IV, 2, 1838, p. 874. — Redt. Fauna Austr. 1849, p. 43, 369; l. c. 2. Aufl. 1858, p. CXXV, 819; l. c. 3. Aufl. I, 1874, p. CXXXVIII; l. c. II, 1874, p. 359. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 160, 387. — Gutfleisch-Bose, Käf. Deutschl. 1859, p. 453, 556. — Lacord. Gen. Col. VII, 1866, p. 286, 295. — Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 68. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 127; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 167; Fauna Transsylv. 1888—91 (1891), Gatt. p. 167. — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 411. — J. Lec. l. c. XV, 1876, p. 331. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 190. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 17; Best.-Tab. europ. Col. XXXVII, 1898, p. 17; Fauna Germ. V, 1916, p. 187. — Stierl. Käfer-Fauna Schweiz II, 1898, p. 388. — Everts, Col. Neerl. II, 1903, p. 558, 704. — Chittenden, Proc. Ent. Soc. Washingt. VI, 1904, p. 128; l. c. VII, 1905, p. 50, 186. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 152. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 919, 1001. — C. Schauf. in Calw. Käferb. 6. Aufl. I, 1916, p. 1141, 1142. — Blatchley & Leng,	
---	--

Rhynchoph. N. E. Amer. 1916, p. 548, 551, fig. 16. —
Hust. Ann. Soc. Ent. France IC, 1930, p. 253.

abbreviata F. Mant. Ins. I, 1787, p. 99 (*Curculio*); Mittel- u.
Ent. Syst. I, 2, 1792, p. 403 (*Curculio*); Syst. Südeuropa,
Eleuth. II, 1801, p. 436 (*Calandra*). —

Villers, Linn. Ent. IV, 1789, p. 284 (*Curculio*). — Ol. Encycl. méth. V, 1790, p. 479
(*Curculio*). — Panz. Ent. Germ. 1795, p. 301
(*Curculio*); Fauna Germ. XLII, 1797, Nr. 3
(*Curculio*). — Walcken. Faune Paris. I, 1802,
p. 245 (*Curculio*). — Latr. Hist. Nat. Crust.
Ins. XI, 1804, p. 100; Gen. Crust. Ins. II,
1807, p. 270 (*Calandra*). — Oken, Naturg.
III, 1815—16, p. 768 (*Calandra*). — La-
marck, Hist. Nat. Anim. sans Vertèbr. IV,
1817, p. 354 (*Calandra*). — Gyll. in Schönh.
Gen. spec. Curr. IV, 2, 1838, p. 929. —
Redt. Fauna Austr. 1849, p. 369; l. c. 2.
Aufl. 1858, p. 820; l. c. 3. Aufl. II, 1874,
p. 360. — Bach, Käferf. N. u. Mitteldeutschl.
II, 1859, p. 387. — Gutfleisch-Bose, Käf.
Deutschl. 1859, p. 556. — Allard, Berl. Ent.
Zeitschr. XIV, 1870, Beiheft p. 20. — Seidl.
Fauna Balt. 1872—75 (1875), Art. p. 455;
Fauna Transsyrv. 1888—91 (1891), Art. p.
710. — Stierl. Mitth. Schweiz. Ent. Ges.
VI, 1880—84 (1882), p. 398; Käferf. Schweiz
II, 1898, p. 389. — Reitt. Deutsche Ent.
Zeitschr. XXVII, 1883, p. 232, 234; Verh.
Naturf. Ver. Brünn XXXVII, 1898, p. 19;
Best.-Tab. europ. Col. XXXVII, 1898, p. 19;
Fauna Germ. V, 1916, p. 188. — Bedel,
Faune Col. Bass. Seine VI, 1882—88 (1885),
p. 191. — Everts, Col. Neerl. II, 1903, p.
704. — Kuhnt, Illustr. Best.-Tab. Käfer
Deutschl. 1913, p. 1001. — C. Schauf. in
Calw. Käferb. 6. Aufl. II, 1916, p. 1142. —
Hust. Ann. Soc. Ent. France IC, 1930, p.
256, 257.

elegans Fourcr. Ent. Paris. I, 1785, p. 118
(*Curculio*). — Villers, Linn. Ent. I, 1789,
p. 190; l. c. IV, 1789, p. 201.

decorata Gmel. in L. Syst. Nat. Ed. XIII,
I, 4, 1790, p. 1747 (*Curculio*).

brachyptera Ol. Encycl. méth. V, 1790,
p. 561 (*Curculio*). — Gmel. in L. Syst. Nat.
Ed. XIII, I, 4, 1790, p. 1741 (*Curculio*).

porculus F. Suppl. Ent. Syst. 1798, p. 166
(*Curculio*); Syst. Eleuth. II, 1801, p. 436
(*Calandra*).

scoptina Germ. Ins. spec. nov. 1824, p. 298
(*Calandra*). — Chevr. Ann. Soc. Ent. France
(6) V, 1885, p. 106.

paludicola Waltl. Reise Span. 1835, p. 81.
ab. *Ragusaee* Stierl. Mitth. Schweiz. Ent.
Ges. VI, 1880—84 (1882), p. 399; Nat. Sicil.

II, 1882, p. 44. — Reitt. Deutsche Ent.
Zeitschr. XXVII, 1883, p. 234; Verh. Na-
turf. Ver. Brünn XXXVII, 1898, p. 19;
Best.-Tab. europ. Col. XXXVII, 1898, p. 19.

Sizilien

ab. *inaequalis* Allard, Berl. Ent. Zeitschr. Frankreich XIV, 1870, Beiheft p. 208 [nec Say]. — Stierl. Mitt. Schweiz. Ent. Ges. VI, 1882—84 (1882), p. 398. — Reitt. Deutsche Ent. Zeitschr. XXVII, 1883, p. 234; Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 19; Best.-Tab. europ. Col. XXXVII, 1898, p. 19. — C. Schauf. in Calw. Käferb. 6. Aufl. II, 1916, p. 1142. — Hust. Ann. Soc. Ent. France IC, 1930, p. 257.

demoninata Chevr. l. c. (6) V, 1885, p. 106.

elionensis Vitale, Natural. Sicil. XVIII, 1906, p. 133.

meridionalis Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 934. — Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 68, t. 29, f. 139. — Allard, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 209. — Desbr. Mitt. Schweiz. Ent. Ges. III, 1871, p. 374. — Stierl. l. c. VI, 1880—84 (1882), p. 401. — Reitt. Deutsche Ent. Zeitschr. XXVII, 1883, p. 233, 235; Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 20; Best.-Tab. europ. Col. XXXVII, 1898, p. 20. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 191. — C. Schauf. in Calw. Käferb. 6. Aufl. II, 1916, p. 1142, t. 41, f. 17. — Hust. Ann. Soc. Ent. France IC, 1930, p. 256, 258.

ab. *uniseriata* Stierl. Mitt. Schweiz. Ent. Ges. VI, 1880—84 (1882), p. 401; Nat. Sicil. II, 1882, p. 45. — Reitt. Deutsche Ent. Zeitschr. XXVII, 1883, p. 233, 235; Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 20; Best.-Tab. europ. Col. XXXVII, 1898, p. 20. — Hust. Ann. Soc. Ent. France IC, 1930, p. 258.

ab. *Grandini* Mars. L'Abeille VII, 1870, Nouv. et Faits p. 57. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 20; Best.-Tab. europ. Col. XXXVII, 1898, p. 20. — Hust. Ann. Soc. Ent. France IC, 1930, p. 258.

pumila Allard, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 210 [nec Gyll.]. — Stierl. Mitt. Schweiz. Ent. Ges. VI, 1882—1884 (1882), p. 402. — Reitt. Deutsche Ent. Zeitschr. XXVII, 1883, p. 233, 234.

sanguinipes Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 107.

parumpunctata Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 931. — Allard, Berl. Ent. Zeitschrift XIV, 1870, Beiheft p. 209. — Stierl. Mitt. Schweiz. Ent. Ges. VI, 1882—1884 (1882), p. 399. — Reitt. Deutsche Ent. Zeitschr. XXVII, 1883, p. 232, 233; Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 18; Best.-Tab. europ. Col. XXXVII, 1898, p. 18. — Hust. Ann. Soc. Ent. France IC, 1930, p. 255, 257.

Sizilien
S. Frankreich,
Spanien,
Sizilien,
Kreta

Sizilien

S. Frankreich,
Algier

Südeuropa,
Kleinasiens

- var. *opaca* Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 932. — Allard, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 208. — Reitt. Deutsche Ent. Zeitschr. XXVII, 1883, p. 232, 234; Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 18, 19; Best.-Tab. europ. Col. XXXVII, 1898, p. 18, 19.
- sicula* Stierl. Mitth. Schweiz. Ent. Ges. IV, 1876, p. 476; l. c. VI, 1882—84 (1882), p. 399.
- picea** Pallas, Reise versch. Prov. Russ. Reich. 1776, p. 464 (*Curculio*); Icones Ins. Russ. Sib. 1781, p. 23, t. B, f. 3 (*Curculio*). — Ol. Encycl. méth. V, 1790, p. 475 (*Curculio*). — Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1750 (*Curculio*). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 20, t. 60, f. 11 (*Rhynchophorus*). — Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 928. — Redt. Fauna Austr. 1849, p. 369; l. c. 2. Aufl. 1858, p. 820; l. c. 3. Aufl. II, 1874, p. 360. — Gutfleisch-Bose, Käf. Deutschl. 1859, p. 556. — Stierl. Mitth. Schweiz. Ent. Ges. VI, 1882—84 (1882), p. 398; Käf.-Fauna Schweiz II, 1898, p. 389. — Reitt. Deutsche Ent. Zeitschr. XXVII, 1883, p. 232; Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 18; Best.-Tab. europ. Col. XXXVII, 1898, p. 18; Fauna Germ. V, 1916, p. 187. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 191. — Seidl. Fauna Transsylv. 1888—1891 (1891), Art. p. 710. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 1001. — Hust. Ann. Soc. Ent. France IC, 1930, p. 255, 256, fig. 258 a.
- opaca* Stierl. Mitth. Schweiz. Ent. Ges. VI, 1882—84 (1882), p. 399 [non Gyll.].
- ab. *nitens* Allard, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 207. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 17; Best.-Tab. europ. Col. XXXVII, 1898, p. 17. — Hust. Ann. Soc. Ent. France IC, 1930, p. 256.
- ab. *rubrida* Rey, L'Échange XI, 1895, p. 50. — Hust. Ann. Soc. Ent. France IC, 1930, p. 256.
- ab. *alaiensis* Faust, Deutsche Ent. Zeitschrift XXXI, 1887, p. 318. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 18; Best.-Tab. europ. Col. XXXVII, 1898, p. 18.
- striatopunctata* Reitt. Deutsche Ent. Zeitschr. XXVII, 1883, p. 232, 234; Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 18; Best.-Tab. europ. Col. XXXVII, 1898, p. 18 [nec Goeze]. — Hust. Ann. Soc. Ent. France IC, 1930, p. 256.
- striatopunctata** Goeze, Ent. Beytr. I, 1777, p. 410. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1887), p. 353. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 19; Best.-Tab.
- Italien,
Sizilien,
Algier
- Mittel- u.
Südeuropa,
Kleinasiens,
Trans-
kaukasus,
Syrien,
Algier
- S. Frankreich,
- Frankreich,
Korsika
- Alai,
S. Rußland,
Araxes
- Mittel-
Europa,
Frankreich,
Spanien,

- europe. Col. XXXVII, 1898, p. 19; Fauna Germ. V, 1916, p. 188. — Everts, Col. Neerl. II, 1903, p. 705. — Hust. Ann. Soc. Ent. France IC, 1930, p. 256, 258.
- mutilata* Laich. Verz. Tyrol. Ins. I, 1781, p. 216 (*Curculio*). — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 933. — Allard, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 209. — Redt. Fauna Austr. 3. Aufl. II, 1874, p. 360. — Stierl. Mitth. Schweiz. Ent. Ges. VI, 1882—84 (1882), p. 400; Käf.-Fauna Schweiz II, 1898, p. 388. — Reitt. Deutsche Ent. Zeitschr. XXVII, 1883, p. 233, 234. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 191. — Seidl. Fauna Balt. 2. Aufl. 1887—91 (1891), Art. p. 638; Fauna Transsylv. 1888—91 (1891), Art. p. 710.
- fimbriata* Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1804 (*Curculio*).
- abreviata* Herbst, Natursyst. Ins. Käf. VI, 1795, p. 11, t. 60, f. 6 (*Rhynchophorus*). — Clairv. Ent. Helv. I, 1798, p. 64, t. 2, f. 4—5 (*Calandra*). — Ol. Ent. V, 1807, Nr. 83, p. 94, t. 16, f. 195 (*Calandra*).
- ?*ardesia* Ol. l. c. p. 92 (*Calandra*), t. 28, f. 418 (*Curculio*). — Schönh. Gen. spec. Curc. IV, 2, 1838, p. 966. — Allard, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 209 (*ardesius* Ol. = ? species exotica).
- helvetica* Stierl. Mitth. Schweiz. Ent. Ges. VI, 1882—84 (1882), p. 400.

- delumbata** Boh. in Schönh. Gen. spec. Curc. VIII, Benguela 2, 1845, p. 241.
- lateritia** Gyll. l. c. IV, 2, 1838, p. 920.
- simillima** Kolbe, Berl. Ent. Zeitschr. XXVII, 1883, p. 35.
- squamosa** Gyll. in Schönh. Gen. spec. Curc. VIII, Guinea 2, 1845, p. 245.
- subnitida** Harold, Col. Hefte XVI, 1879, p. 152.
- vitticollis** Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 194.
- Sierra Leone
- W. Afrika
- Pungo Adongo
- Zentr.-Afrika

- ?alitura** Heller, Ent. Mitteil. III, 1914, p. 313, t. 5, Ceram f. 7, 7a.
- argillacea** Faust, Ann. Soc. Ent. France LXI, 1892, Saigon p. 521.
- asperipennis** Fairm. Pet. Nouv. Ent. II, 1878, p. 281. Palau
- atomaria** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 301.
- ?basilana** Heller, Philipp. Journ. Sc. XIX, 1922, Philippinen p. 624, t. 3, f. 11.
- caviscutata** Fairm. Pet. Nouv. Ent. II, 1878, p. 282. Palau
- circumscripta** Gemm. Col. Hefte VIII, 1871, p. 123. Woodlark — Fairm. Ann. Soc. Ent. France (6) I, 1881, p. 318.

- cincta* Montrouz. Ann. Soc. Linn. Lyon VII, 1857, p. 55 [nec Gyll.].
- Cumingi** Waterh. Ann. Mag. Nat. Hist. (5) XVIII, Philippinen 1886, p. 318; Aid Identif. Ins. II, 1882—90 (1889), t. 181, f. 8.
- Doriae** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Borneo 1885, p. 301.
- elongata** Roel. Ann. Soc. Ent. Belg. XVIII, 1875, Japan, p. 187. — Cotton, Proc. Ent. Soc. Washingt. U.S.America, XXIX, 1927, p. 93, fig.
- interstitialis** Boh. Eugen. Resa 1859, p. 148. N.S.Wales
- leprosa** Fährs. in Schönh. Gen. spec. Cerc. VIII, 2, Java 1845, p. 248.
- nebulosa** M'Leay, Proc. Linn. Soc. N. S. Wales (2) Neuguinea I, 1886, p. 192.
- nigrovittata** Heller, Philipp. Journ. Sc. XXV, 1924, Philippinen p. 304, t. 1, f. 9.
- octomaculata** Heller, l. c. LIV, 1934, p. 302.
- sationis** Heller, Zool. Mededeel. (Leiden) VIII, 1925, Sumatra p. 243.
- Schönherri** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, N.S.Wales 1838, p. 875.
- sulcipes** Karsch, Berl. Ent. Zeitschr. XXV, 1881, Marschall-Inseln p. 11, t. 1, f. 16.
- sumatrana** Chevr. Ann. Soc. Ent. France (6) II, Sumatra 1882, Bull. p. CXXXIX.
- ferruginea* Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 235 [nec Ol.].
- torrida** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Aru 1885, p. 301.
-
- abrasa** Chittend. Proc. Ent. Soc. Washingt. VII, Kalifornieen 1905, p. 54.
- adunca** Er. Arch. f. Naturg. XIII, 1847, I, p. 137. Peru
- aequalis** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, U. S. Amerika, 1838, p. 941. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 553, fig. 120. Louisiana
- Chittend. Proc. Ent. Soc. Washingt. XXVI, 1924, p. 146, 147.
- Biologie: Webster, Bull. 22 U. S. Bur. Ent. p. 52.
- var. *univittata* Chittend. Proc. Ent. Soc. Washington Washingt. XXVI, 1924, p. 146.
- var. *scirpi* Chittend. l. c. p. 146, 147. Texas, Kansas Mexiko
- angusta** Boh. in Schönh. Gen. spec. Cerc. VII, 2, 1845, p. 250. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 167, t. 8, f. 8, 8a.
- apicalis** J. Lec. Proc. Amer. Phil. Soc. XVII, 1878, Florida, p. 432. — Blatchley & Leng, Rhynchoph. New Jersey N. E. Amer. 1916, p. 562, 570.
- arizonensis** G. Horn, Proc. Amer. Phil. Soc. XIII, Arizona 1873, p. 428.
- atterima** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Mexiko —10 (1910), p. 156.
- atrata** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Cayenne 1838, p. 916.
- atricolor** Chevr. Ann. Soc. Ent. France (5) X, 1880, Martinique Bull. p. CXCVIII.

- austera** Gyll. in Schönh. Gen. spec. Curr. IV, 2, Cayenne 1838, p. 916.
- baridioides** G. Horn, Proc. Amer. Phil. Soc. XIII, Kalifornien 1873, p. 413.
- bartramiae** Chittend. Proc. Ent. Soc. Washingt. XXVI, Texas 1924, p. 154, t. 6, f. 3.
- Blanchardi** Chittend. l. c. VII, 1905, p. 179.
- Blatchleyi** Chittend. l. c. XXVI, 1924, p. 149. Florida
- brunneipennis** Germ. Ins. spec. nov. 1824, p. 297 Argentina
(*Calandra*). — Boh. in Schönh. Gen. spec.
Curr. VIII, 2, 1845, p. 260.
- var. *signaticollis* Gyll. l. c. IV, 2, 1838, Brasilien p. 955.
- bruta** Gyll. l. c. IV, 2, 1838, p. 948. Peru
- callosa** Ol. Ent. V, 1807, Nr. 83, p. 92, t. 28, f. 416 Maine,
(*Calandra*). — Gyll. in Schönh. Gen. spec. Florida,
Curr. IV, 2, 1838, p. 942. — Blatchley & Wisconsin,
Leng, Rhynchoph. N. E. Amer. 1916, p. 562, Arizona
567, fig. 126.
- Biologie:** Smith, Rep. 34 Agric. Exp. Stat. North Carolina 1912, p. 51, fig. 6—12. — Webster, Bull. 95, pt. 4, U. S. Dept. Agric. Ent. 1912, p. 53, t. 6—9. — Cotton, Proc. U. S. Nat. Mus. LXVI, Nr. 5, 1924, p. 10, t. 6, f. 1—7, t. 10, f. 8.
- sculptilis* G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 424 [non Uhler]. Indiana,
var. *sublaevis* Chittend. Proc. Ent. Soc. Illinois,
Washingt. VII, 1906, p. 176; l. c. XXVI, Wisconsin,
1924, p. 152, t. 5, f. 2. — Blatchley & Leng, Missouri,
Rhynchoph. N. E. America 1916, p. 568. Arizona
- cariosa** Ol. Ent. V, 1807, Nr. 83, p. 91, t. 28, f. 415 Pennsylvania,
(*Calandra*). — Schönh. Gen. spec. Curr. IV, Kolorado,
2, 1838, p. 941. — G. Horn, Proc. Amer. Texas,
Phil. Soc. XIII, 1873, p. 420. — Chittend. New York,
Proc. Ent. Soc. Washingt. VII, 1906, p. 177. N. Jersey,
— Champ. Biol. Centr.-Amer. Col. IV, 7, Florida,
1909—10 (1910), p. 158, t. 8, f. 2, 2a. — Illinois,
Blatchley & Leng, Rhynchoph. N. E. Amer. N. England,
1916, p. 556, 560. Kanada,
Mexiko
- larvalis* Germ. Ins. spec. nov. 1824, p. 301 (*Calandra*). — Schönh. Gen. spec. Curr. IV, 2, 1838, p. 941.
- cicatricosa** Say, Descr. Curr. N. Amer. 1831, p. 22; Compl. Writ. I, 1859, p. 289 (*Rhynchophorus*).
- flexuosa* Gyll. in Schönh. Gen. spec. Curr. IV, 2, 1838, p. 940.
- sculptilis* Uhler, Proc. Acad. Nat. Sc. Philad. VII, 1855, p. 416. — Lintner, Rep. Ins. N. York I, 1883, p. 253, fig. 76.
- Biologie:** Riley, Rep. Ent. 1884, p. 413.
- callosa** J. Lee, G. Horn [non Ol.].
- chilensis** Blanch. in Gay, Hist. phys. Chile V, 1851, Chile p. 423, t. 26, f. 1a—d.
- Chittendeni** Blatchley, in Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 561, 565. — Chittend. Proc. Ent. Soc. Washingt. XXVI, 1924, p. 155. Florida

- cicatristrigata** Fährs. in Schönh. Gen. spec. Curc. IV, Nebraska, 2, 1838, p. 958. — Champ. Biol. Centr.-Amer. Wyoming, Col. IV, 7, 1909—10 (1910), p. 159, t. 8, N. Mexico, f. 3, 3a—b. — Chittend. Proc. Ent. Soc. Kolorado, Washingt. XXVI, 1924, p. 150. Mexiko
- cicatrispennis** Fährs. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 262. — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 159.
- Ulkei** G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 413.
- cincticollis** Gyll. in Schönh. Gen. spec. Curc. IV, Uruguay 2, 1838, p. 954.
- var. *rubbrotessellata* Blanch. Voy. d'Orbigny 1843, p. 204, t. 18, f. 9.
- coactorum** Chittend. Proc. Ent. Soc. Washingt. VI, Texas 1904, p. 136. = ? *Hoegbergi* Boh. sec. Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 160.
- coesifrons** Gyll. in Schönh. Gen. spec. Curc. IV, 2, Mexiko 1838, p. 959. — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 109. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1910), p. 161.
- compressirostris** Say, Journ. Acad. Nat. Sc. Philad. III, 1823, p. 319; Amer. Ent. I, 1824, t. 9; Texas Compl. Writ. I, 1859, p. 291. — Germ. Ins. spec. nov. 1824, p. 300 (*Calandra*). — Schönh. Gen. spec. Curc. IV, 2, 1838, p. 952.
- cultrirostris** Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 951.
- var. *obscurredipennis* Chittend. Proc. Ent. Soc. Washingt. XXVI, 1924, p. 158.
- confluens** Chittend. I. c. VI, 1904, p. 133.
- costicollis** Chittend. Proc. Biol. Soc. Washingt. XXII, Louisiana 1919, p. 269.
- costipennis** G. Horn, Proc. Amer. Phil. Soc. XIII, Kanada, 1873, p. 420. — Ormay, Recent. Suppl. Indiana, Faunae Col. Transsylv. 1890, p. 50, 51. — Washington, Blatchley & Leng, Rhynchoph. N. E Amer. Michigan, 1916, p. 555, 558. Illinois,
- var. *calliosipennis* Chittend. Proc. Biol. Soc. Washingt. XXXII, 1919, p. 269. New York, N. Jersey, Wisconsin, Nevada
- crassa** Blanch. Voy. d'Orbigny 1843, p. 204, t. 18, Patagonien, f. 8; in Gay, Hist. phys. Chile V, 1851, Chile, p. 423. Bolivien
- var. *rufa* Chevr. Ann. Soc. Ent. France (6) Patagonien V, 1885, p. 109.
- cruda** Er. Arch. f. Naturg. XIII, 1847, I, p. 137. Peru
- cultellata** G. Horn, Proc. Amer. Phil. Soc. XIII, Kansas, 1873, p. 429. Texas
- deficiens** Chittend. Journ. Washingt. Acad. Sc. X, Florida 1920, p. 313.
- deficta** Boh. in Schönh. Gen. spec. Curc. VIII, 2, Uruguay 1845, p. 261.
- depicta** Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 109 [non Boh., err.].

- destructor** Chittend. Proc. Ent. Soc. Washingt. VII, 1905, p. 174. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 562, 566. New Jersey, Indiana, Missouri, Kansas, Texas, Oklahoma
- Dietrichi** Satterthwait, Ent. News XLIV, 1933, p. 210. U. S. Amerika
- discolor** Mannh. Bull. Soc. Nat. Mosc. XVI, 1843, II, p. 293; in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 246. — Chittend. Proc. Ent. Soc. Washingt. XXVI, 1924, p. 146. Biologie: Smith, Calif. Mon. Bull. St. Comm. Hort. II., 1913, p. 619, fig. 352—353. Kalifornien
- distichlidis** Chittend. Proc. Ent. Soc. Washingt. VI, 1904, p. 130. „
- distorta** Gemm. & Har. Cat. Col. VIII, 1871, p. 2648. Cayenne *in aequalis* Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 926 [nec Say].
- diversa** Chittend. Proc. Ent. Soc. Washingt. VII, 1905, p. 170. Kalifornien, Washington
- Perythrura** Chevr. Ann. Soc. Ent. France (5) X, 1880, Bull. p. XXXII. Guadeloupe
- Falli** Chittend. Proc. Ent. Soc. Washingt. VII, 1905, New Mexico p. 172.
- fossor** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, St. Vincent p. 909.
- gagatina** Gyll. l. c. p. 952. — Blatchley & Leng, New Jersey, Rhynchoph. N. E. Amer. 1916, p. 561, 566. Georgia
- geminata** Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 110. Chile, Peru
- gentilis** J. Lec. Rep. Expl. & Surv. Miss. to Pacif. XII, 3, 1860 (1857), p. 58. Kalifornien
- Germari** G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 430. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 563, 572. Florida, Kansas, Texas
compressirostris Germ. Ins. spec. nov. 1824, p. 300 [non Say]. — Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 258.
 var. *pinguis* Chittend. Proc. Ent. Soc. Florida Washingt. XXVI, 1924, p. 156.
- glyceriae** Chittend. Proc. Biol. Soc. Washingt. XXXII, 1919, p. 270. Distr. of Columbia, Texas
reticulaticollis auct. non Boh.
- graminis** Chittend. Proc. Ent. Soc. Washingt. VII, 1905, p. 168. Utah, Oregon
- Hoegbergi** Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 254. — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 109. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 160. Mexiko
- holosericea** Chittend. Proc. Ent. Soc. Washingt. XXVI, 1924, p. 153, t. 6, f. 2. Texas, Arizona
- ima** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 936. — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 109. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 166. Mexiko

- inaequalis** Say, Descr. n. sp. Cerc. 1831, p. 23; New York,
Compl. Writ. I, 1859, p. 291. — Blatchley Florida,
& Leng, Rhynchoph. N. E. Amer. 1916, p. Texas
552.
- contracta* Gyll. in Schönh. Gen. spec. Cerc.
IV, 2, 1838, p. 953.
- incongrua** Chittend. Proc. Ent. Soc. Washingt. VII,
1905, p. 61. — Blatchley & Leng, Rhyn-
choph. N. E. Amer. 1916, p. 563, 572.
var. *elephantula* Chittend. Proc. Ent. Soc.
Washingt. XXVI, 1924, p. 151.
- incurrens** Gyll. in Schönh. Gen. spec. Cerc. IV, 2,
1838, p. 957. — Chevr. Ann. Soc. Ent.
France (6) V, 1885, p. 109. — Champ.
Biol. Centr.-Amer. IV, 7, 1909—10 (1910),
p. 164, t. 8, f. 5, 5a.
- glabripes* Chevr. Ann. Soc. Ent. France
(6) V, 1885, p. 110.
var. *monilis* Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 946. — Champ. Biol.
Centr.-Amer. Col. IV, 7, 1909—10 (1910),
p. 164.
- jugosa** Chittend. Proc. Ent. Soc. Washingt. XXVI, U. S. Amerika
1924, p. 151.
- laeta** Er. Arch. f. Naturg. XIII, 1847, I, p. 136. Peru
- laevigata** Chittend. Proc. Ent. Soc. Washingt. VII,
1905, p. 58; l. e. XXVI, 1924, p. 148.
- latinasa** G. Horn, Proc. Amer. Phil. Soc. XIII, Georgia
1873, p. 421. — Blatchley & Leng, Rhyn-
choph. N. E. Amer. 1916, p. 553, 554.
- lineata** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Mexiko
—10 (1910), p. 166, t. 8, f. 7.
- lirata** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, Guadeloupe
p. 914.
Biologie: Coquerel, Ann. Soc. Ent. France
(2) VII, 1849, p. 445, t. 14, III, f. 1—5.
- lucedalensis** Satterthwait, Ent. News XLIV, 1933, U. S. Amerika
p. 212.
- ludoviciana** Chittend. Proc. Ent. Soc. Washingt. VII, Louisiana,
1905, p. 55. Texas
- luteolenta** Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko
1909—10 (1910), p. 162.
- maidis** Chittend. Proc. Ent. Soc. Washingt. VII, S. Carolina,
1905, p. 59. — Blatchley & Leng, Rhyn-
choph. N. E. Amer. 1916, p. 556, 558. —
Hayes, Techn. Bull. Agric. Exp. Stat. Kansas
Nr. 6, 1920. — Abbot, Ann. Ent. Soc. Amer.
XXII, 1929, p. 331, fig. (Spiracula).
Biologie: Kelly, U. S. Bur. Ent. Bull. 95,
pt. 2, 1911, p. 11, t. 2—3. — Blatchley &
Leng, Rhynchoph. N. E. Amer. 1916, p. 559.
- marina** Chittend. Proc. Ent. Soc. Washingt. VII, New Jersey
1905, p. 166. — Blatchley & Leng, Rhyn-
choph. N. E. Amer. 1916, p. 561, 564.
- maura** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Martinique
1838, p. 912.
- medoraënsis** Satterthwait, Ent. News XXXVI, 1925, Kansas
p. 270.
- melanocardia** L. Mus. Lud. Ulr. 1764, p. 45 (*Cur-*
cilio); Syst. Nat. Ed. XII, I, 2, 1767, p. 608 W. Indien

- (Curculio)*. — F. Syst. Ent. 1775, p. 129; Spec. Ins. I, 1781, p. 163; Mant. Ins. I, 1787, p. 97; Ent. Syst. I, 2, 1792, p. 397 (*Curculio*); Syst. Eleuth. II, 1801, p. 434 (*Calandra*). — OL Encycl. méth. V, 1790, p. 476 (*Curculio*). — Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1756 (*Curculio*). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 438 (*Curculio*). — Gyll. in Schönh. Gen. spec. Cura. IV, 2, 1838, p. 922.
- melanocephala** F. Syst. Eleuth. II, 1801, p. 435. — Ol. Ent. V, 1807, Nr. 83, p. 93, t. 28, f. 419. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 562, 569, fig. 127.
- nubila* Gyll. in Schönh. Gen. spec. Cura. IV, 2, 1838, p. 938.
- memnonia** Gyll. l. c. p. 935. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 163.
- simplex* J. Lec. Proc. Acad. Nat. Sc. Philad. 1859, p. 79. — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 412. — Chittend. Proc. Ent. Soc. Washingt. VI, 1904, p. 128, 130.
- var. Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 163.
- minima** Hart, 16. Rep. Illin. Stat. Ent. 1890, p. 65. — Hamilton, Ent. News II, 1891, p. 113. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 561, 564, fig. 124.
- monterensis** Chittend. Proc. Ent. Soc. Washingt. VII, 1905, p. 169.
- mormon** Chittend. l. c. VI, 1904, p. 128.
- Morreni** Roel. Ann. Soc. Ent. Belg. XXIX, 1885, p. 10.
- multilineata** Satterthwait, Ent. News XXXVI, 1925, p. 270.
- multipunctata** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—110 (1910), p. 158, t. 7, f. 34 a.
- mundula** Champ. l. c. p. 156.
- necydaloides** F. Syst. Eleuth. II, 1801, p. 435. — Ol. Ent. V, 1807, Nr. 83, p. 94, t. 28, f. 420. — Chittend. Proc. Ent. Soc. Washingt. XXVI, 1924, p. 155.
- retusa* Gyll. in Schönh. Gen. spec. Cura. IV, 2, 1838, p. 949. — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 427, 428. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 561, 565.
- neomexicana** Chittend. Proc. Ent. Soc. Washingt. VI, 1904, p. 134.
- nevadensis** Chittend. l. c. VII, 1905, p. 172.
- notanda** Olliff in Whymper, Trav. Gr. Andes of the Equator, Suppl. App. 1891, p. 79.
- obliquevittata** Taschenberg, Zeitschr. ges. Naturw. I, 1870, p. 190.
- Carolina, N. Jersey, Indiana, New York, Georgia, N. England, Michigan, Kansas, Kalifornien, Utah, Mexiko
- New York, Indiana, N. Jersey, Illinois, Florida, Texas, Kalifornien
- Utah, Washington, Ecuador
- Massachusetts, Florida, New York, N. Jersey
- New Mexico
- Kalifornien, Nevada, Ecuador
- Ecuador (Loja)

- oblita** J. Lec. Proc. Amer. Phil. Soc. XV, 1876, Texas
p. 425. — Chittend. Proc. Ent. Soc.
Washingt. XXVI, 1924, p. 156.
- ochrea** J. Lec. Proc. Acad. Nat. Sc. Philad. 1858,
p. 80. — Chevr. Ann. Soc. Ent. France (6)
V, 1885, p. 107. — Chittend. Proc. Ent. Soc.
Washingt. VII, 1905, p. 182; l. c. XXVI,
1924, p. 146. — Champ. Biol. Centr.-Amer.
Col. IV, 7, 1909—10 (1910), p. 157, t. 8,
f. 1, 1a—b.
Biologie: Webster, Ins. Life II, 1889, p.
132.
- picta** J. Lec. Proc. Acad. Nat. Sc. Philad.
1858, p. 80. — G. Horn, Proc. Amer. Phil.
Soc. XIII, 1873, p. 417. — Chittend. Proc.
Ent. Soc. Washingt. XXVI, 1924, p. 146.
- picea** Chevr. Ann. Soc. Ent. France (6) II,
1882, p. 579 [non J. Lec., err.].
- var. *atrovittata* Chittend. Proc. Ent. Soc. Utah
Washingt. XXVI, 1924, p. 147.
- octocostata** Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko
1909—10 (1910), p. 157, t. 7, f. 33, 33a.
- omissa** Blatchley, Journ. New York Ent. Soc. XXVIII,
1920, p. 176.
- parvula** Gyll. in Schönh. Gen. spec. Col. IV, 2, 1838,
p. 961. — Blatchley & Leng, Rhynchoph.
N. E. Amer. 1916, p. 561, 563, fig. 123.
Biologie: Webster, Riley Rep. 1885, p. 316.
N. England,
Indiana,
New York,
N. Jersey,
Illinois,
Michigan,
Nebraska,
Florida,
Texas
Florida
- peninsularis** Chittend. Proc. Ent. Soc. Washingt. VII,
1905, p. 56. — Blatchley & Leng, Rhyn-
choph. N. E. Amer. 1916, p. 555, 557.
- var. *nasuta* Chittend. Proc. Ent. Soc.
Washingt. XXVI, 1924, p. 148.
- pertinax** Ol. Ent. V, 1807, Nr. 83, p. 90, t. 28, f.
417. — Say, Descr. n. sp. Cerc. N. Amer.
1831, p. 21 (*Rhynchophorus*). — Gyll. in
Schönh. Gen. spec. Cerc. IV, 2, 1838, p.
938. — Chevr. Ann. Soc. Ent. France (6) V,
1885, p. 107. — Blatchley & Leng, Rhyn-
choph. N. E. Amer. 1916, p. 555, 556, fig.
121.
- interstitialis* Say, Descr. n. sp. Cerc.
N. Amer. 1831, p. 21.
- truncata* Say, l. c. p. 22.
- canaliculata* Boh. in Schönh. Gen. spec.
Cerc. VIII, 2, 1845, p. 253.
- var. *australis* Chittend. Proc. Ent. Soc. Louisiana,
Arizona
Washingt. VII, 1905, p. 53.
- var. *typhae* Chittend. l. c. p. 53. Kalifornien,
Nevada
- phoeniciensis** Chittend. l. c. VI, 1904, p. 135.
Arizona,
Kalifornien
- pontederiae** Chittend. l. c. VII, 1905, p. 63. —
Blatchley & Leng, Rhynchoph. N. E. Amer.
1916, p. 562, 570. N. Jersey,
Georgia,
Louisiana,

- Biologie:** Blake, Psyche XXXI, 1924, p. 311. Florida, Texas
- praepotens** Say, Descr. n. sp. Curc. N. Amer. 1831, Arkansas p. 21.
- pumila** Gyll. in Schönh. Gen. spec. Curc. IV, 2, Kansas 1838, p. 960.
- punctatostriata** Gyll. l. c. p. 956. Brasilien
- pygidialis** Chevr. Ann. Soc. Ent. France (5) X, Martinique 1880, Bull. p. CXCVIII.
- quadrivittata** Gyll. in Schönh. Gen. spec. Curc. IV, Mexiko 2, 1838, p. 962. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 165, t. 8, f. 6, 6 a.
- reticulata** Chittend. Proc. Ent. Soc. Washingt. XXVI, Arizona 1924, p. 154.
- reticulaticollis** Boh. in Schönh. Gen. spec. Curc. VIII, Kalifornien, 2, 1845, p. 257. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 160, t. 8, f. 4. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 563, 572. Georgia, Florida, Texas, Louisiana, Distr. of Columbia, New Mexico
- var. *missouriensis* Chittend. Proc. Biol. Soc. Washingt. XXXII, 1919, p. 270 (*glyceriae* var.). Missouri
- robusta** G. Horn, Proc. Amer. Phil. Soc. XIII, Illinois, 1873, p. 419. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 555, 557, fig. 122. Indiana, Minnesota, Kalifornien
- Biologie:** Comstock, Rep. Dept. Agric. 1879, p. 248; l. c. 1880, p. 273. — Riley, Amer. Nat. XV, 1881, p. 915; Rep. Ent. 1884, p. 413.
- var. *rectistriata* Chittend. Proc. Ent. Soc. Michigan, Washingt. XXVI, 1924, p. 148. Indiana
- robustior** Chittend. Proc. Ent. Soc. Washingt. VII, Illinois 1905, p. 62. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 563, 573.
- var. *costifer* Chittend. Proc. Ent. Soc. Washingt. XXVI, 1924, p. 152. Dakota, Iowa
- Sayi** Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, N. Jersey, p. 943; l. c. VIII, 2, 1845, p. 254. — Georgia, Blatchley & Leng, Rhynchoph. N. E. Amer. Illinois, 1916, p. 562, 569. Indiana
- Schwarzii** Chittend. Proc. Ent. Soc. Washingt. XXVI, Virginia 1924, p. 145, t. 5, f. 1.
- scoparia** G. Horn, Proc. Amer. Phil. Soc. XIII, Wisconsin, 1873, p. 424. — Blatchley & Leng, Rhynchoph. Illinois, N. E. Amer. 1916, p. 562, 567. Kansas, Nebraska
- sequoiae** Van Dyke, Pan-Pacif. Ent. VI, 1930, p. 165. Kalifornien
- seriepunctata** Gyll. in Schönh. Gen. spec. Curc. IV, Peru 2, 1838, p. 950.
- serratipes** Chittend. Proc. Ent. Soc. Washingt. XXVI, Colorado, 1924, p. 149, t. 6, f. 4. Alabama
- setigera** Chittend. l. c. VII, 1905, p. 55. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 555, 557. Vermont, New York, Dakota,

Biologie:	Satterthwait, Journ. Econ. Ent. XXVI, 1933, p. 210—217.	<u>Illinois,</u> <u>Texas</u>
var.	<i>intervalata</i> Chittend. Proc. Ent. Soc. Washingt. XXVI, 1924, p. 148.	<u>Massachusetts,</u> <u>New York</u>
Soltaii	Chittend. l. c. VII, 1905, p. 178. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 556, 559.	<u>Pennsylvania,</u> <u>Colorado,</u> <u>Illinois,</u> <u>Texas,</u> <u>Iowa,</u> <u>Kansas</u>
spadicea	Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 906.	<u>Cayenne</u>
striatipennis	Chittend. Proc. Ent. Soc. Washingt. VII, 1905, p. 180. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 553, 554.	<u>Indiana,</u> <u>Michigan,</u> <u>Texas,</u> <u>Kalifornien</u>
strigosa	Er. Arch. f. Naturg. XIII, 1847, I, p. 137.	<u>Peru</u>
subcarinata	Mannh. Bull. Soc. Nat. Mosc. XVI, 1843, II, p. 294; in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 255. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 562, 570.	<u>Alaska,</u> <u>Indiana,</u> <u>Kalifornien,</u> <u>Aleuten</u>
subopaca	Chittend. Proc. Ent. Soc. Washingt. VII, 1905, p. 169.	<u>Kalifornien</u>
subulata	Chittend. l. c. p. 173.	<u>New Mexico</u>
sulcifrons	Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 110. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 162.	<u>Mexiko</u>
tarda	Fall, Papers Calif. Acad. Sc. VIII, 1901, p. 269.	<u>Kalifornien</u>
terricola	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 —10 (1910), p. 161.	<u>Mexiko</u>
tetraspilota	Chevr. Ann. Soc. Ent. France (5) X, 1880, Bull. p. XXXII.	<u>Guadeloupe</u>
tetrica	Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 945.	<u>Brasilien</u>
Tornowii	Brèthes, Anal. Soc. Argent. LXIX, 1910, p. 226.	<u>Argentinien</u>
variolosa	J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 424.	<u>Colorado</u>
velutina	J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 424. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 556, 559.	<u>Florida,</u> <u>Louisiana</u>
venata	Say, Descr. n. sp. Curc. N. Amer. 1831, p. 22; Compl. Writ. I, 1859, p. 290. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 562, 571, fig. 128. — Chittend. Proc. Ent. Soc. Washingt. XXVI, 1924, p. 152.	<u>Maine,</u> <u>Wisconsin,</u> <u>Georgia,</u> <u>Florida,</u> <u>Texas,</u> <u>Louisiana,</u> <u>Indiana,</u> <u>New York,</u> <u>N. Jersey</u>
<i>placida</i>	Say, Descr. n. sp. Curc. N. Amer. 1831, p. 23. — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 947.	
<i>recta</i>	Say, Descr. n. sp. Curc. N. Amer. 1831, p. 23.	
<i>immunis</i>	Say, l. c. p. 23.	
<i>confusa</i>	Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 944.	
<i>fallax</i>	Boh. l. c. VIII, 2, 1845, p. 236.	
<i>vestita</i>	Chittend. Proc. Ent. Soc. Washingt. VI, 1904, p. 132, 134. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 563, 571 (? var.).	

vilosiventris	Chittend. Proc. Ent. Soc. Washingt. VII, 1905, p. 58. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 555, 558.	Massachusetts, New York, Maryland, Virginia, N. Jersey, Distr. of Columbia
vomerina	J. Lec. Proc. Acad. Nat. Sc. Philad. 1858, p. 81. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 164.	Colorado, Arizona, Kalifornien
zeae	Walsh, Practical Ent. II, 1867, p. 117. — Riley, 3. Ann. Rep. Ins. Missouri 1871, p. 59, fig. 22. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 562, 566, fig. 125.	New England, Florida, Michigan, Kansas, Indiana, New York, New Jersey
	158	

Trichischius J. Lec.

J. Lec.	Proc. Amer. Phil. Soc. XV, 1876, p. 426.
crenatus	J. Lec. Proc. Amer. Phil. Soc. XV, 1876, Colorado p. 426.
1	

Nea Hell.

Heller, Abhandl. Mus. Dresden IX, Nr. 5, 1900, p. 42.
princeps Heller, Abhandl. Mus. Dresden IX, Nr. 5, Celebes 1900, p. 42, t. 1, f. 18.
1

Aplotes Chevr.

Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 100. — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 338, 342.
alienus Chevr. Ann. Soc. Ent. France (6) V, 1885, Java p. 100.
bisulcatus Faust, Ann. Mus. Civ. Genova XXXIV, Birma 1895, p. 340.
carinicollis Gyll. in Schönh. Gen. spec. Cuc. IV, Java 2, 1838, p. 882 (<i>Sphenophorus</i>). — Chevr. Ann. Soc. Ent. France (6) II, 1882, Bull. p. CXL (? <i>Cercidocerus</i>); I. c. (6) V, 1885, p. 100.
crassirostris Chevr. l. c. p. 100. Molukken
cruciger Motsch. Etud. Ent. VII, 1858, p. 69 (<i>Sphenophorus</i>). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 100. Birma
diversicollis Hartm. Tijdschr. Ent. LVII, 1914, p. Sumatra 127.
lateritius Faust, Ann. Mus. Civ. Genova XXXIV, Birma 1895, p. 338.
quinquemaculatus Hartm. Tijdschr. Ent. LVII, 1914, Sumatra p. 126.
Roelofsi Chevr. Ann. Soc. Ent. France (6) II, 1882, Japan, Bull. p. CLIX (<i>Sphenophorus</i>); l. c. (6) V, ? Java 1885, p. 100.

carinicollis Roel. Ann. Soc. Ent. Belg. XVIII, 1875, p. 187 (*Sphenophorus*) [non Gyll.].

9

Trochorhopalus Kirsch.

Kirsch, Mitth. Mus. Dresden II, 1877, p. 156. — Faust, Ann. Mus. Civ. Genova XXXIV, 1895, p. 341, 342. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 499.

canalipes Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Brit. 1838, p. 927 (*Sphenophorus*). — Chevr. Ann. Indien Soc. Ent. France (6) V, 1885, p. 101.

cincticauda Chevr. l. c. (6) V, 1885, p. 103. Malakka

cinerascens Motsch. Etud. Ent. VII, 1858, p. 69 Birma (*Sphenophorus*). — Faust, Ent. Zeit. Stettin LIII, 1892, p. 50.

corpulentus Heller, Abhandl. Mus. Dresden IX, Nr. Celebes 5, 1900, p. 43.

dipterocarpi Marshall, Ann. Mag. Nat. Hist. (10) Birma II, 1928, p. 553, fig.

fissicauda Chevr. Ann. Soc. Ent. France (6) V, Java 1885, p. 104.

Horsfieldi Chevr. l. c. p. 104.

humeralis Chevr. l. c. p. 103. China,
Cambodia

? *discifer* Walker, Ann. Mag. Nat. Hist. Ceylon (3) IV, 1859, p. 218 (*Calandra*).

discicollis Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 101 [non Walk., err.].

inversicornis Chevr. l. c. (6) V, 1885, p. 105. ? Brit. Indien

leucogrammus Chevr. l. c. p. 103. Ceylon

lineolatus Chevr. l. c. p. 104. Java

reflexus Chevr. l. c. p. 102. Ceram

sacchari Marshall, Stylops I, 1932, p. 213, fig.

strangulatus Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 963 (*Sphenophorus*). — Kirsch, Mitth. Mus. Dresden II, 1877, p. 156. — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 102. — Gahan, Monogr. Christmas Isl. 1900, p. 113. — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 493. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 499.

var. *albolineatus* Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 102. Malakka

sumatranaus Faust, Ent. Zeit. Stettin LIII, 1892, p. Sumatra 227.

15

Axinophorus Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 863. — Lacord. Gen. Col. VII, 1866, p. 286, 297.

gages F. Ent. Syst. I, 2, 1792, p. 416 (*Curculio*); Syst. Guinea Eleuth. II, 1801, p. 500 (*Lixus*). — Ill.

Mag. Insektenkde. IV, 1805, p. 150; l. c. VI, 1807, p. 325 (*Calandra*). — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 865. — Lacord. Gen. Col. VII, 1866, p. 297.

1

Paradiaphorus Chevr.

Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 287.

crenatus Billbg. Enum. Ins. 1820, p. 41 (*Cordyle*). — Brasilien Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 876 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 287.

1

Odoiporus Chevr.

Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 288. — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 333, 341.

longicollis Ol. Ent. V, 1807, Nr. 83, p. 86, t. 28, f. Brit. Indien, 413 (*Calandra*). — Chevr. Ann. Soc. Ent. Ceylon, France (6) II, 1882, Bull. p. CXL. — Faust, Andamanen, Ann. Mus. Civ. Genova XXXIV, 1894, p. 333. Birma, — Marshall, Ann. Mag. Nat. Hist. (10) VI, China 1930, p. 576.

Biologie: Hoffmann, Hong Kong Nat. IV, 1933, p. 48, fig.

gla b r i d i c e u s Walker, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 218 (*Sphenophorus*).

ab. *planipennis* Gyll. in Schönh. Gen. spec. Java, spec. Curc. IV, 2, 1838, p. 911 (*Sphenophorus*). — Ceylon Lacord. Gen. Col. VII, 1866, p. 296. — Chevr. Ann. Soc. Ent. France (6) II, 1882, Bull. p. CXL.

ab. *gla b r i c o l l i s* Gyll. in Schönh. Gen. spec. Brit. Indien, Curc. IV, 2, 1838, p. 913 (*Sphenophorus*). — Java, Roel. Ann. Soc. Ent. Belg. XVIII, 1875, p. 187. — Chevr. Ann. Soc. Ent. France (6) II, 1882, Bull. p. CXL.

g a g e s Herbst, Natursyst. Ins. Käfer VI, 1795, p. 17, t. 60, f. 8 (*Rhynchophorus*) [non F.].

var. *m a j o r* Heller, Abhandl. Mus. Dresden VII, 3, 1898, p. 33.

1

Temnoschoita Chevr.

Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 289.

basipennis Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, Kongo p. 196, 322.

congoana Hust. Faune Col. franç. II, 1928, p. 446. „

cruciata Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 306 (*Sphenophorus*). — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 428.

eruditia Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 166, 321 (*eruditus*).

Maynéi Hust. Rev. Zool. Afr. XII, 1924, p. 393. „

nigroplagata Quedenf. Berl. Ent. Zeitschr. XXXII, Angola 1888, p. 305 (*Sphenophorus*). — Marshall, Ann. Mag. Nat. Hist. (10) I, 1928, p. 424.

pygidialis Faust, Ann. Soc. Ent. Belg. XXXVIII, W. Afrika 1894, p. 534.

- quadripustulata** F. Syst. Ent. 1775, p. 144 (*Curculio*). — Ol. Encycl. méth. V, 1790, p. 494 (*Curculio*); Ent. V, 1807, Nr. 83, p. 88, t. 10, f. 117 (*Calandra*). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 27, t. 61, f. 9 (*Rhynchophorus*). — Marshall, Ann. Mag. Nat. Hist. (10) I, 1928, p. 424.
- quadrimaculata** Gyll. in Schönh. Gen. spec. Curr. IV, 2, 1838, p. 910 (*Sphenophorus*).
- quadrivulnerata** J. Thoms. Arch. Ent. II, 1858, p. 143 (*Sphenophorus*). — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 428.
- Herbsti** Chevr. Ann. Soc. Ent. France (6) II, 1882, Bull. p. CXXXVIII.
- subulirostris** Kolbe, Berl. Ent. Zeitschr. XXVII, 1883, p. 35; Nova Acta Leop. Carol. Acad. 1887, p. 343, t. 3, f. 11.
- terebrans** Ol. Ent. V, 1807, Nr. 83, p. 89, t. 5, f. 54 a—b (*Calandra*). — Lacord. Gen. Col. VII, 1866, p. 296. — Marshall, Ann. Mag. Nat. Hist. (10) I, 1928, p. 424.
- Hanetii** Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 305 (*Sphenophorus*).

10

Rhabdocnemis Faust.

- Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 348.
- eucnemis** Heller, Abhandl. Mus. Dresden VII, Nr. 3, Celebes 1898, p. 33.
- Fausti** Gahan, Monogr. Christmas Isl. 1900, p. 13. — Christmas Isl.
- lineatocollis** Heller, Philipp. Journ. Sc. VII, D, 1913, p. 395. — Philippinen
- maculata** Gyll. in Schönh. Gen. spec. Curr. IV, 2, 1838, p. 881 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, Bull. p. CXXXIX; l. c. (6) V, 1885, p. 101. — Faust, Ent. Zeit. Stettin LIV, 1893, p. 150.
- obscura** Boisd. Voy. Astrolabe II, 1835, p. 448 (*Calandra*). — Fairm. Rev. Zool. 1849, p. 474; Ann. Soc. Ent. Belg. XXVII, 1883, p. 41. — Chevr. Ann. Soc. Ent. France (6) II, 1882, Bull. p. CXL. — Marshall, Ins. Samoa IV, 5, 1931, p. 320.
- Biologie: Riley & Howard, Ins. Life I, 1888, p. 185, fig. 44—45. — Bull. U. S. Dept. Agric. Ent. Nr. 38, 1902, p. 102. — Van Dine, U. S. Dept. Agric. Ent. Bull. 93, 1911, p. 35, fig. 4—5. — Girault, Canad. Ent. XLVI, 1914, p. 174. — Muir & Swezey, Bull. Exp. Stat. Hawaii XIII, 1916, p. 1—102, t. 1—3.
- insularis** Boh. Eugen. Resa 1859, p. 148 (*Sphenophorus*).
- nudicollis** Kirsch, Mitth. Mus. Dresden II, 1877, p. 156 (*Sphenophorus*). — Faust, Ent. Zeit. Stettin LIV, 1893, p. 150.
- Guinea,
Kongo,
Kapland
- W. Afrika,
Kongo
- Senegal
- Java,
Sumatra,
Ceylon
- Taiti,
Hawaii,
Neuguinea,
Samoa,
Ternate,
Batjan,
Celebes,
Mysol,
Aru,
Buru

- promissa* Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 300 (*Sphenophorus*). — Faust, Ent. Zeit. Stettin LIV, 1893, p. 150.
- Beccarii* Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 301. — Heller, Abhandl. Mus. Dresden VII, 3, 1898, p. 34.
- interruptecosta* Schauf. Horae Soc. Ent. Ross. XIX, 1885, p. 204 (*Sphenophorus*). — Heller, Abhandl. Mus. Dresden VII, 3, 1898, p. 34. — Faust, Ann. Mus. Civ. Genova XL, 1899, p. 121.
- tincturata* Pasc. l. c. (2) II (XXII), 1885, p. 301 (*Sphenophorus*).
- pygidialis* Faust, l. c. XXXIV, 1894, p. 348.
- stillata* Heller, Ent. Zeit. Stettin LXIX, 1908, p. 193.
- tricolor* Heller, Deutsche Ent. Zeitschr. 1915, p. 527. Neuguinea 8

Schlaginhaufenia Hell.

- valida* Heller, Abhandl. Mus. Dresden XIII, 3, 1910, p. 37.
- Birma
- Heller, Abhandl. Mus. Dresden XIII, 3, 1910, Neuguinea p. 37.

1

Sparganobasis Marshall.

- Marshall, Trans. Zool. Soc. Lond. XX, 1915, p. 531.
- subcruciata* Marshall, Trans. Zool. Soc. Lond. XX, Neuguinea 1915, p. 532, t. 39, f. 11.

1

Procosmopolites Hust.

- Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 415; Bull. Acad. Malgache (2) VII, 1924, p. 498.
- picrostris* Fairm. Ann. Soc. Ent. Belg. XLI, 1897, Madagaskar p. 185 (*Sphenophorus*). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 498.

1

Cosmopolites Chevr.

- Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 289. — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 342. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 497.
- pruinosus* Heller, Philipp. Journ. Sc. LIV, 1934, p. Luzon 302.
- sordidus* Germ. Ins. spec. nov. 1824, p. 299 (*Calandra*). — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 925 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 290. — Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 340; Ann. Soc. Ent. Belg. XLIII, 1899, p. 428. — Kolbe, Mitt. Zool. Mus. Berlin V, 1910, p. 47. — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1914, p. 493. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 497. — Marshall, Ann. Mag. Nat. Hist. (10) VI, 1930, p. 576.
- Brit. Indien,
Ceylon,
Andamanen,
Birma,
China,
Saigon,
Malakka,
Java,
Neuguinea,
Fidji,
Samoa,
Seychellen,

Biologie: Mozzette, Journ. Agric. Res. XIX, 1920, p. 39, t. 1—4. — Pierce, l. c. p. 44. — Mc. Carthy, Agric. Gazette N. S. Wales XXI, 1920, p. 865, fig. — Cotton, Proc. U. S. Nat. Mus. LXVI, Nr. 5, 1924, p. 10, t. 4, f. 1—7, t. 10, f. 4.

Bibliographie: Leonard, Journ. Dept. Agric. Porto Rico XV, 1931, p. 147. ? *mendicus* Ol. Encycl. méth. V, 1790, p. 480, t. 9, f. 108 (*Curculio*).

striatus Fährs. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 251 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) II, 1882, Bull. p. CXL. — Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 243.

Biologie: T. V. Wollaston, Ann. Mag. Nat. Hist. (4) XX, 1877, p. 334. — Gravier, Bull. Mus. Hist. Nat. Paris 1907, p. 30.

cribricollis Walker, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 218 (*Sphenophorus*).

2

Merothricus Chevr.

Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 290.

campestris Chevr. Ann. Soc. Ent. France (6) V, 1885, Cayenne p. 291.

nigroscutellatus Chevr. l. c. p. 291.

rusticus Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 937 (*Sphenophorus*). — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 290.

3

Aphanomastix Hell.

Heller, Ent. Tidskr. XXV, 1904, p. 196.

cryptophodus Heller, Ent. Tidskr. XXV, 1904, p. Kamerun 197, fig.

1

6. Subtrib. **Sitophili.**

Calandrina C. G. Thoms. Skand. Col. VII, 1865, p. 337.

Calandrides vraies Lacord. Gen. Col. VII, 1866, p. 270, 298.

Calandrini spuri Heller, Ent. Blätt. XXII, 1926, p. 160.

Melchus Lacord.

Lacord. Gen. Col. VII, 1866, p. 298, 300. — Heller, Ent. Blätt. XXII, 1926, p. 184.

leprosus Lacord. Gen. Col. VII, 1866, p. 301, Atl. Venezuela t. 76, f. 4a.

umbratilis Lacord. l. c. p. 301. Cayenne

2

Phrynoïdes Chevr.

Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 94. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 167. — Heller, Ent. Blätt. XXII, 1926, p. 183, 184.

Madagaskar,
Réunion,
Mayotte,
Mauritius,
Gabun,
Brasilien,
Australien,
Polynesien,
Madeira

luteus Chevr. Ann. Soc. Ent. France (6) V, 1885, Panama,
p. 95. — Champ. Biol. Centr.-Amer. Col. IV, Brasilien
7, 1909—10 (1910), p. 168, t. 8, f. 9, 9 a.

1

Belopoeus Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 872. — Lacord. Gen. Col. VII, 1866, p. 298, 299. — Heller, Ent. Blätt. XXII, 1926, p. 184.

carmelita Germ. Ins. spec. nov. 1824, p. 296 (*Calandra*). — Brasilien
Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 873 (*carmelitus*).

niger Arrow, Proc. Zool. Soc. Lond. 1903, II, p. 252,
t. 28, f. 5.

2

Dichthorhinus Waterh.

Waterh. Cist. Ent. II, 1878, p. 293. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 505. — Heller, Ent. Blätt. XXII, 1926, p. 183.

albozebrinus Fairm. Ann. Soc. Ent. Belg. XLVIII, Madagascar
1904, p. 252. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 507.

bicornis Waterh. Cist. Ent. II, 1878, p. 294. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 506.

nivipictus Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 184. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 506.

rubrocollaris Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 184. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 507.

4

Crepidotus Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 859. — Lacord. Gen. Col. VII, 1866, p. 280, 284. — Faust, Abhandl. u. Ber. Mus. Dresden 1899, Festschr. Nr. 2, p. 24. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 504. — Heller, Ent. Blätt. XXII, 1926, p. 184.

variolosus Klug, Abhandl. Berl. Acad. I, 1833, p. 201, t. 4, f. 11 (♂) (*Calandra*); in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 861.

Guér. Iconogr. Règne anim. 1829—44, p. 171. — Lacord. Gen. Col. VII, 1866, p. 285. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 505.

Audouini Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 860 (♀).

1

Eugnoristus Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 848. — Lacord. Gen. Col. VII, 1866, p. 298. — Faust, Abhandl. u. Ber. Mus. Dresden 1899, Festschr. Nr. 2, p. 24. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 508. — Heller, Ent. Blätt. XXII, 1926, p. 183.

arcifer Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 480 (*arciferus*). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 509, 510.

Braueri Kolbe, Mitt. Zool. Mus. Berlin V, 1910, p. 47. — Seychellen
Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 492, t. 24, f. 47.

- latevittatus** Fairm. Ann. Soc. Ent. Belg. XXXVII, Comoren 1893, p. 548. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 509, 510.
- monachus** Ol. Ent. V, 1807, Nr. 83, p. 90, t. 28, Madagaskar f. 411 (*Calandra*). — Klug, Abhandl. Berl. Acad. I, 1833, p. 112 (*Calandra*). — Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 849. — Vollenhoven, Liste Ins. Réun. Comor. Madag. 1869, p. 2. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 525. — Heyne-Taschenberg, Exot. Käf. 1908, p. 233, t. 32, f. 7. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 509.
- tristis** Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 377.
- var. *Alluaudi* Hust. Bull. Acad. Malgache (2) VII, 1924, p. 509.
- niger** Pasc. Ann. Mag. Nat. Hist. (5) XII, 1883, p. 100. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 548. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 508, 510.

5

Oliabus Fairm.

- Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 244. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 513.
- grandicollis** Fairm. Ann. Soc. Ent. France LXXII, Madagaskar 1903, p. 245. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 514.

1

Symmorphorhinus Faust.

- Faust, Ent. Zeit. Stettin LVI, 1895, p. 224; Abhandl. Ber. Zool. Mus. Dresden, Festschr. 1899, Nr. 2, p. 24. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 510. — Heller, Ent. Blätt. XXII, 1926, p. 184.
- Stenolandra* Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 253.

- bilineatus** Faust, Ent. Zeit. Stettin LVI, 1895, p. 224. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 511.

- rectilineatus** Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 500 (*Eugnoristus*). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 511.

- var. *lacteostrigatus* Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 253 (*Stenolandra*). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 511.

2

Neocalandra Faust.

- Faust, Abhandl. u. Ber. Mus. Dresden 1899, Festschrift Nr. 2, p. 22, 25. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 512. — Heller, Ent. Blätt. XXII, 1926, p. 184.

- Nycterorhinus* Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 252.

- arguta** Faust, Abhandl. u. Ber. Mus. Dresden 1899, Madagaskar Festschrift Nr. 2, p. 23. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 512.

- ebena** Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, Madagaskar p. 252 (*Nycterorhinus*). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 512.
- obsoleta** Faust, Abhandl. u. Ber. Mus. Dresden 1899, Festschrift Nr. 2, p. 22. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 512.

3

Polytus Faust.

Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 353; Abhandl. u. Ber. Mus. Dresden 1899, Festschr. Nr. 2, p. 25. — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 493. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 503. — Heller, Ent. Blätt. XXII, 1926, p. 184, fig. 14.

- Mellerborgi** Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 976 (*Sitophilus*). — Heller, Ent. Blätt. XXIII, 1927, p. 2.
- Mellenborgi** Gemm. & Har. Cat. Col. VIII, 1871, p. 2653 (*Calandra*). — Faust, Ann. Mus. Civ. Genova XXXIV, 1934, p. 353. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 503.
- remotus** D. Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 183, 254, t. 5, f. 29 (*Calandra*). — Perkins, Fauna Hawaïiens. II, 1900, p. 139.
- musaecola** Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 489 (*Sphenophorus*).
- mexicanus** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 170, t. 8, f. 11 (*Calandra*).

1

Sitophilus Schönh.

Schönh. Gen. spec. Curc. IV, 2, 1838, p. 967. — Redt. Fauna Austr. 1849, p. 43, 368; l. c. 2. Aufl. 1858, p. CXXV, 820. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 160, 387. — Gutfleisch-Bose, Käf. Deutschl. 1859, p. 453, 556. — Pierce, Proc. Ent. Soc. Washingt. XXVII, 1925, p. 113.

- calandra** auct. non Clairv., Latr. — Leach, Edinb. Encycl. IX, Ent. 1815, p. 106. — Schönh. Disp. meth. Curc. 1826, p. 23. — C. G. Thoms. Skand. Col. VII, 1865, p. 338. — Lacord. Gen. Col. VII, 1866, p. 298, 301. — Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 69. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 127; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 167; Fauna Transsylv. 1888—91 (1891), Gatt. p. 167. — Redt. Fauna Austr. 3. Aufl. I, 1874, p. CXXXVIII; l. c. II, 1874, p. 360. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 190, 191. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 388. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 17; Best.-Tab. europ. Col. XXXVII, 1898, p. 17; Fauna Germ. V, 1916, p. 187. — Faust, Abhandl. u. Ber. Mus. Dresden 1899, Festschr. Nr. 2, p. 24, 26. — Everts, Col. Neerl. II, 1903, p. 558, 705. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 919, 1001. — C. Schauf. in Calw. Käferb. 6. Aufl. II, 1916, p. 1141, 1142. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 548, 573. — Heller, Ent. Blätt. XXII, 1926, p. 184. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 518; Ann. Soc. Ent. France IO, 1930, p. 253, 259.

- chilensis** Philippi, Ent. Zeit. Stettin XXV, 1864, p. Chile
374 [nec Blanch.].
- cribrosus** Pasc. Ann. Mus. Civ. Genova (2) II Neuguinea
(XXII), 1885, p. 306.
- Decauxi** Decaux, Etud. Ins. réc. l'Expos. univ. Paris Siam
1890, p. 14.
- glandium** Marshall, Bull. Ent. Res. XI, 1920, p. Brit. Indien
277, t. 7, f. 3.
- Gotschi** Hochh. Bull. Soc. Nat. Mosc. XX, 1847, Armenien
II, p. 579.
- granarius** L. Syst. Nat. Ed. X, 1758, p. 378 (*Curculio*); l. c. Ed. XII, 1767, I, 2, p. 608
(*Curculio*). — Scop. Ent. Carn. 1763, p. 29
(*Curculio*). — F. Syst. Ent. 1775, p. 134;
Spec. Ins. I, 1781, p. 171 (*Curculio*); Mant.
Ins. I, 1787, p. 103; Ent. Syst. I, 2, 1792,
p. 414; Syst. Eleuth. II, 1801, p. 437 (*Calandra*). — O. F. Müll. Zool. Dan. Prodr.
1776, p. 88 (*Curculio*). — Deg. Mém. Ins. V,
1781, p. 239 (*Curculio*). — Laich. Verz. Tyrol.
Ins. I, 1781, p. 218 (*Curculio*). — Schrank,
Enum. Ins. Austr. 1781, p. 108 (*Curculio*).
— Herbst in Borowsky, Naturg. Thierr. VI,
1784, p. 108 (*Curculio*); Natursyst. Ins. Käf.
VI, 1795, p. 14, t. 60, f. 7 (*Rhynchophorus*).
— Fourer. Ent. Paris. I, 1785, p. 121 (*Curculio*). — Villers, Linn. Ent. I, 1789, p. 177
(*Curculio*). — Ol. Encycl. méth. V, 1790,
p. 488 (*Curculio*); Ent. V, 1807, Nr. 83, p.
95, t. 16, l. 196 a—b (*Calandra*). — Gmel.
in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1745
(*Curculio*). — Rossi, Fauna Etr. 1790, p.
118; Ed. Hellwig, 1795—97, p. 125 (*Curculio*). — Payk. Monogr. Cucul. Suec. 1792,
p. 54; Fauna Suec. III, 1800, p. 245 (*Curculio*). — Panz. Ent. Germ. 1795, p. 307;
Fauna Ins. Germ. XVII, 1796, Nr. 11 (*Curculio*). — Clairv. Ent. Helv. I, 1798, p. 62,
t. 2, f. 1—2 (*Calandra*). — Marsh. Ent. Brit.
I, 1802, p. 274 (*Curculio*). — Walcken. Ent.
Paris. I, 1802, p. 244 (*Curculio*). — Latr.
Hist. Nat. Crust. Ins. XI, 1804, p. 100;
Gen. Crust. Ins. II, 1807, p. 271 (*Calandra*).
— Gyll. Ins. Suec. I, 3, 1813, p. 255 (*Calandra*); in Schönh. Gen. spec. Öurc. IV, 2,
1838, p. 977. — Thunbg. Nova Acta Upsal.
VII, 1815, p. 112 (*Cordyle*). — Steph. Illustr.
Brit. Ent. Mandib. IV, 1831, p. 9 (*Calandra*).
— Redt. Fauna Austr. 1849, p. 369; l. c.
2. Aufl. 1858, p. 820; l. c. 3. Aufl. II, 1874,
p. 360. — Bach, Käferf. N. u. Mitteldeutschl.
II, 1859, p. 387. — Gutfleisch-Bose, Käf.
Deutschl. 1859, p. 556. — C. G. Thoms.
Skand. Col. VII, 1865, p. 338. — Jacq. du
Val, Gen. Col. d'Eur. IV, 1868, p. 69, t. 29,
f. 140. — Seidl. Fauna Balt. 1872—1875
(1875), Art. p. 455; l. c. 2. Aufl. 1887—91
(1891), Art. p. 638; Fauna Transsylv. 1888
—91 (1891), Art. p. 710. — Bedel, Faune
Europa,
Amerika,
Asien,
Afrika,
Yule Isl.

- Col. Bass. Seine VI, 1882—88 (1885), p. 192. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 20; Best.-Tab. europ. Col. XXXVII, 1898, p. 20; Fauna Germ. V, 1916, p. 188, t. 162, f. 24. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 389. — Everts, Col. Neerl. II, 1903, p. 705. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 168. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 1001, fig. 312. — C. Schauf. in Calw. Käferb. 6. Aufl. II, 1916, p. 1143, t. 41, f. 18. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 573, 574, fig. 129. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 518, 519; Ann. Soc. Ent. France IC, 1930, p. 260, 261, fig. 258 b.
- Biology:** Frisch, Beschr. allerl. Ins. II, 1720, p. 36, t. 8. — Curtis, Farm Ins. 1860, p. 341. — Westw. Trans. Ent. Soc. Lond. 1870, Proc. p. XVI. — Künstler, Verh. zool.-bot. Ges. Wien XXI, 1871, Beiheft p. 160. — Baillot, Feuille Jeun. Nat. VIII, 1878, p. 160. — E. A. Fitch, Ent. XII, 1879, p. 41. — E. A. Ormerod, I. c. p. 51, 206; Rep. XI, 1887, p. 71. — Demaison, Ann. Soc. Ent. France (6) VII, 1887, Bull. p. CCIV. — Olliff, Agric. Gaz. N. S. Wales 1891, p. 284, t. 6. — Jablonowski, Rov. Allom. Közlem. I, 7, 1892, p. 1—28, fig. 1; Rovart. Lapok V, 1898, p. 35; Köztelek X, 1900, II, p. 1680; Természettud. Közlöny XXXIII, 1901, p. 394; Folia Ent. Hung. I, 1927, p. 133. — Scherdlin, Intern. Ent. Zeitschr. VI, 1913, p. 359. — Meyer, Ent. Zeitschr. XXVII, 1913, p. 87. — Zacher, Mitt. Kais. Biol. Anstalt 1913, Heft 14; Tageszeit. f. Brauerei XXV, 1927, p. 446; Vorrats-, Speicher- u. Materialschädl. 1927, p. 146, fig. 52—53, t. 1, f. 1—6; Mitt. Ges. Vorratsschutz III, 1927; I. c. VII, 1931, Nr. 6; Nachrbl. Deutsch. Pflanzenschutzdienst IX, 1929. — Strachov-Kolein, Voronez Trudy St. borib. vred. rast. I, 1916, p. 1—74, fig. 1—25. — Millot, La Nature 1916, p. 243, fig. — Teichmann & Andres, Zeitschr. angew. Ent. VI, 1919, p. 1, t. 1. — Cotton, Proc. U. S. Nat. Mus. LXVI, Nr. 5, 1924, p. 9, t. 3, f. 1—7, t. 10, f. 1. — Back & Cotton, U. S. Agric. Bull. Nr. 1393, 1926, p. 1—35, fig. — Bodenheimer, Zeitschr. wiss. Insektenbiol. XXII, 1927, p. 65, fig. — Müller, Zeitschr. angew. Ent. XIII, 1928, p. 313, fig. — Abbott, Ann. Soc. Ent. Amer. XXII, 1929, p. 331, fig. — Krautwig, Zool. Jahrb. Abt. Anat. LII, 1930, p. 539, fig. — Reh in Sorauer, Handb. Pflanzenkrankh. V, 1932, p. 293. — Inkmann, Zool. Jahrb. Abt. Anat. LVI, 1933, p. 521, fig. — Kadocsa, A gabonasziszik. Budapest, 1935, p. 3, fig. 1—6. — Baranyovits, Köztelek XLV, 1935,

Nr. 19—22, fig. — Andersen, Nachrbl. Schädlingsbekämpf. IX, 1934, p. 105, fig. *segretis* L. Syst. Nat. Ed. X, 1758, p. 381; l. c. Ed. XII, 1767, p. 612 (*Curculio*). — Gmel. l. c. Ed. XIII, I, 4, 1790, p. 1761 (*Curculio*). — Villers, Linn. Ent. I, 1789, p. 193 (*Curculio*). — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 193 (*Rhynchaenus*). *pulicarius* Panz. in Voet, Beschr. Ins. IV, 1798, p. 54, t. 37, f. 17 (*Curculio*). *unicolor* Marsh. Ent. Brit. I, 1802, p. 275. — Steph. Illustr. Brit. Ent. Mandib. IV, 1831, p. 9. *remotepunctatus* Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 979. — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 431. — J. Lee l. c. XV, 1876, p. 333. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 474.

laevicosta Philippi, Ent. Zeit. Stettin XXV, 1864, Chile p. 374.

linearis Herbst, Naturhist. Ins. Käf. VI, 1795, p. 5, t. 100, f. 1 (*Rhynchophorus*). — Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 979. — Suffr. Ent. Zeit. Stettin VIII, 1847, p. 91. — Redt. Fauna Austr. 3. Aufl. II, 1874, p. 360. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 169. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 574. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 519, 520; Ann. Soc. Ent. France IC, 1930, p. 260, 262.

Biologie: Jackson, Ann. appl. Biol. VII, 1920, p. 269—298, t. 1—6. — Cotton, Journ. Agric. Res. XX, 1920, p. 439, t. 61.

striatus Thunbg. Nova Acta Upsal. VII, 1815, p. 112 (*Cordyle*). — Perkins, Fauna Hawaïensis II, 1900, p. 139.

tamarinidi Christy, Trans. Ent. Soc. Lond. I, 1834, p. 36.

longiusculus Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 490. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 519, 520.

oryzae L. Amoen. Acad. VI, 1763, p. 395 (*Curculio*). — F. Syst. Ent. 1775, p. 134; Spec. Ins. I, 1781, p. 171; Mant. Ins. I, 1787, p. 103; Ent. Syst. I, 2, 1792, p. 414 (*Curculio*); Syst. Eleuth. II, 1801, p. 438 (*Calandra*). — Ol. Encycl. méth. V, 1790, p. 488 (*Curculio*); Ent. V, 1807, Nr. 83, p. 97, t. 7, f. 81 a—b (*Calandra*). — Villers, Linn. Ent. I, 1789, p. 188; l. c. IV, 1789, p. 269 (*Curculio*). — Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1745 (*Curculio*). — Herbst, Naturhist. Ins. Käf. VI, 1795, p. 18, t. 60, f. 9 (*Rhynchophorus*). — Marsh. Ent. Brit. I, 1802, p. 275 (*Curculio*). — Gyll. Ins. Suec. I, 4, 1827, p. 603 (*Calandra*); in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 981. — Steph. Illustr. Brit. Ent. Mandib. IV, 1831, p. 9.

Süd- u. N.-Amerika,
Antillen,
Hawaii,
Seychellen,
Comoren,
Ostafrika,
Bengal

Kosmopolit.

- Redtb. Fauna Austr. 1849, p. 369; l. c. 2. Aufl. 1858, p. 820; l. c. 3. Aufl. II, 1874, p. 360. — Scriba, Ent. Zeit. Stettin XVIII, 1857, p. 377. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 387. — Gutfleisch-Bose, Käf. Deutschl. 1859, p. 556. — Seidl, Fauna Balt. 1872—75 (1875), Art. p. 455; l. c. 2. Aufl. 1887—91 (1891), Art. p. 638; Fauna Transsylv. 1888—91 (1891), Art. p. 710. — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 430. — J. Lec. l. c. XV, 1876, p. 333. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 192. — Broun, Trans. New Zeal. Inst. 1890, p. 305. — Casey, Ann. New York Acad. Sc. VI, 1892, p. 686. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 20; Best.-Tab. europ. Col. XXXVII, 1898, p. 20; Fauna Germ. V, 1916, p. 188, t. 162, f. 25. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 389. — Everts, Col. Neerl. II, 1903, p. 705. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 169. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 1001, fig. 313. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 574, 575, fig. 130. — C. Schauf. in Calw. Käferb. 6. Aufl. II, 1916, p. 1143. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 519; Ann. Soc. Ent. France IC, 1930, p. 260, 261.
- Biology:** Kollar, Sitzber. Acad. Wiss. Wien V, 1848, p. 3. — Fitch, Ent. XII, 1879, p. 41. — E. A. Ormerod, l. c. p. 51, 206; Rep. XI, 1887, p. 71. — Lucas, Ann. Soc. Ent. France (5) X, 1880, Bull. p. XXXII. — Comstock, Rep. Dept. Agric. 1880, p. 273. — Cotes, Notes Econ. Ent. Calcutta, Nr. 1, 1888, p. 1, t. 1; Indian Mus. Not. I, 1889, p. 15. — Olliff, Agric. Gaz. N. S. Wales 1891, p. 284. — Künstler, Actes Soc. Linn. Bordeaux LVII, 1902, p. 17. — Hinds & Turner, Journ. Econ. Ent. IV, 1911, p. 230, t. 7. — Gee, Agric. Exp. Stat. South Carolina Nr. 170, 1912, p. 1—21, fig. 1—2. — Lathrop, Ohio Nat. XIV, 1914, p. 321, fig. 1—5. — Weiss, Canad. Ent. XLV, 1913, p. 135. — Barnes & Grove, Mem. Dept. Agric. Ind. Chem. IV, 1916, p. 192, t. 3. — Cotton, Journ. Agric. Res. XX, 1920, p. 409, t. 60. — Wille, Zeitschr. angew. Ent. IX, 1923, p. 333, fig. — Zacher, Vorrats-, Speicher- u. Materialschäd. 1927, p. 153, t. 4, f. 44, Textfig. 54—55. — Jablonowski, Folia Ent. Hung. I, 1927, p. 133; Kisérletügyi Közlem. XXX, 1927, p. 685—712. — Bodenheimer, Zeitschr. wiss. Insektenbiol. XXII, 1927, p. 65, fig. — Hôzawa, Annot. Zool. Jap. XII, 1929, p. 25, fig. — Mansour, Quart. Journ. Micr. Sc. (N. S.) LXXIII, 1930, p. 421, fig. — Nakayama, Journ. Agric. Exp. Stat. Govt.-Gen. Chosen Nr. 18, 1931, p. 25, fig.

- Reh in Sorauer, Handb. Pflanzenkrankh. V, 1932, p. 293.
- frugilegus* Deg. Mém. Ins. V, 1781, p. 273 (*Curculio*). — Gmel. in L. Syst. Nat. Ed. XIII, I, 1790, p. 1756 (*Curculio*).
- granarius* Stroem, Danske Vid. Selsk. Skrift. II, 1783, p. 56 (*Curculio*) [nec L.].
- quadrivittatus* Montrouz. Ann. Soc. Ent. France (3) VIII, 1860, p. 910.
- quadrimacula* Walker, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 219 (*Cossonus*). — Marshall, l. c. (10) VI, 1930, p. 577.
- ab. *funebris* Rey, L'Echange XI, 1895, p. 50. — Kuhnt, Illustr. Best.-Tab. Käfer Deutschl. 1913, p. 1001.
- var. *zeae-mais* Motsch. Etud. Ent. IV, 1855, p. 77. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 169 (= *oryzae* L.). — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 574, 576.
- Biology:** Zacher, Vorrats-, Speicher- und Materialschädl. 1927, p. 157, f. 4, f. 45.
- pumilus** Montrouz. Ann. Soc. Ent. France (3) VIII, 1860, p. 900.
- quadrinotatus** Wiedem. Zool. Mag. II, 1, 1823, p. 121. Bengal
- Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 982.
- rugicollis** Casey, Ann. New York Acad. Sc. VI, 1892, p. 686. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 574, 576. — Cotton, Proc. Ent. Soc. Washingt. XXVI, 1924, p. 141.
- shoreae* Marshall, Bull. Ent. Res. XI, 1920, p. 276, t. 7, f. 4. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 518, 520.
- rugosicollis* Hust. Ann. Soc. Ent. France LXXXIX, 1921, p. 192. Mauritius
- rugosulus** Pasc. Ann. Mus. Civ. Genova (2) II Neuguinea (XXII), 1885, p. 306.
- rugosus** Thunbg. Nova Acta Upsal. VII, 1815, p. 112 (*Cordyle*). — Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 975.
- Sasakii** Takahashi, Treat. Ins. Pests Cult. Crops 1928. Japan
- sculpturatus** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 974.
- 17
- Diocalandra** Faust.
- Faust, Ann. Mus. Civ. Genova (2) XIV (XXXIV), 1894, p. 353; Ent. Zeit. Stettin LVI, 1895, p. 225. — Heller, Ent. Blät. XXII, 1926, p. 184.
- frumenti** F. Syst. Eleuth. II, 1801, p. 438 (*Calandra*). — Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 982 (*Sitophilus*). — Marshall, Ins. Samoa IV, 5, 1931, p. 321. Birma, Malakka, Sumatra, Celebes, Batjan, Samoa
- var. *subfasciata* Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 971 (*Sitophilus*). Brit. Indien, Ceylon,

<i>s t i g m a t i c o l l i s</i> Gyll. l. c. p. 972 (<i>Sitophilus</i>). — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 428. — Kolbe, Mitt. Zool. Mus. Berl. V, 1910, p. 46 (<i>Calandra</i>). — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 495 (<i>Calandra</i>). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 519, 520.	Malakka, Sumatra, Java, Flores, Borneo, Philippinen, Celebes, Batjan, Ceram, Tenimber, Aru, Neuguinea, Tonga, Tobago, Kongo, Usambara, Seychellen, Madagaskar, Mauritius, Ile de France
<i>s u b s i g n a t a</i> Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 973 (<i>Sitophilus</i>).	Gabun, Angola
<i>c r u c i g e r a</i> Motsch. Etud. Ent. VII, 1858, p. 69.	Angola
<i>p u n c t i g e r a</i> Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 305 (<i>Calandra</i>).	Taiti
<i>s e c h e l l a r u m</i> Kolbe, Mitt. Zool. Mus. Berl. V, 1910, p. 46.	Biologie: Herms, Philipp. Journ. Sc. XXX, 1926, p. 263, fig. 4

Eucalandra Faust.

Faust, Abhandl. u. Ber. Mus. Dresden 1899, Festschr. Nr. 2, p. 25.
— Heller, Ent. Blätt. XXII, 1926, p. 186.

setulosa Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 969 (*Sitophilus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 168, t. 8, f. 10, 10a.

1

Mexiko,
Guatemala,
Honduras,
Costa Rica,
Panama,
Kolumbien,
Venezuela

Microspathe Faust.

Faust, Ann. Mus. Civ. Genova (2) XX (XL), 1899, p. 122. — Heller, Ent. Blätt. XXII, 1926, p. 186.

fuliginosa Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 306 (*Calandra*). — Faust, l. c. (2) XX (XL), 1899, p. 122.

1

Birma,
Java,
Sangi,
Philippinen,
Neuguinea

Myocalandra Faust.

Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 354; Abhandl. Ber. Zool. Mus. Dresden 1899, Festschr. Nr. 2, p. 25. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 515. — Heller, Ent. Blätt. XXII, 1926, p. 186.

discors	Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 355.	Nias, Sumatra, Philippinen, Birma, Tenasserim Madagaskar, Réunion, Mauritius, Seychellen, Mayotte, Ceylon, Singapore, Sumatra, Aru
exarata	Boh. in Schönh. Gen. spec. Cire. IV, 2, 1838, p. 970 (<i>Sitophilus</i>). — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 495. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 516, 517. — Marshall, Ann. Mag. Nat. Hist. (10) VI, 1930, p. 577. <i>e x q u i s i t a</i> Walker, l. c. (3) IV, 1859, p. 218 (<i>Sphenophorus</i>). <i>p o r c a t a</i> Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 306 (<i>Calandra</i>).	
hovana	Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 416; Bull. Acad. Malgache (2) VII, 1924, p. 517.	Madagaskar
intermedia	Hust. Ann. Soc. Ent. France LXXXIX, 1921, p. 190; Bull. Mus. Hist. Nat. Paris 1922, p. 416; Bull. Acad. Malgache (2) VII, 1924, p. 517, 518.	Madagaskar, Mauritius
signatella	Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 544 (<i>Calandra</i>). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 517.	Madagaskar

5

Timiotatus Faust.

Faust, Abhandl. u. Ber. Mus. Dresden 1899, Festschr. Nr. 2, p. 25.
— Heller, Ent. Blätt. XXII, 1926, p. 185.

longicollis Pasc. Ann. Mus. Civ. Genova (2) II Sumatra,
(XXII), 1885, p. 305 (*Laogonia*). — Heller, Birma
Ent. Blätt. XXII, 1926, p. 185, fig. 1—2.
b i r m a n u s Faust, Abhandl. u. Ber. Mus.
Dresden 1899, Festschr. Nr. 2, p. 25.

superciliosus Heller, Ent. Blätt. XXIII, 1927, p. 4. Luzon
2

Dyspnoetus Faust.

Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 357. — Heller, Ent.
Blätt. XXII, 1926, p. 185 (*Dyspnœutes*); l. c. XXIII, 1927, p. 3.

dignus Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Birma
p. 357.

lineellus Faust, l. c. p. 359.

Brit. Indien

morio Faust, l. c. p. 358.

Birma

3

Calandrotopus Faust.

Faust, Abhandl. u. Ber. Mus. Dresden 1899, Festschr. Nr. 2, p. 26.
— Heller, Ent. Blätt. XXII, 1926, p. 184, 185.

punctiger Faust, Abhandl. u. Ber. Mus. Dresden 1899, Birma
Festschr. Nr. 2, p. 26.

1

Tryphetus Faust.

Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 355. — Heller, Ent.
Blätt. XXII, 1926, p. 186 (*Triphetus*).

- incarnatus** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Birma, 1838, p. 968 (*Sitophilus*). — Gemm. & Har. Java Cat. Col. VIII, 1871, p. 2654 (*Toxorrhinus*). — Lacord. Gen. Col. VII, 1866, p. 305 (? *Toxorrhinus*).
solidus Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Birma p. 356.

2

Laocalandra Hell.

- Heller, Ent. Blätt. XXII, 1926, p. 186.
forticornis Heller, Ent. Blätt. XXII, 1926, p. 185, Philippinen fig. 16; l. c. XXIII, 1927, p. 6.
impressicollis Heller, l. c. XXII, 1926, p. 185, fig. 9—10; l. c. XXIII, 1927, p. 5.

2

Tatiotimus Hell.

- Heller, Ent. Blätt. XXII, 1926, p. 186.
ruficornis Heller, Ent. Blätt. XXII, 1926, p. 185, Philippinen fig. 7—8; l. c. XXIII, 1927, p. 6.

1

Laostates Hell.

- Heller, Ent. Blätt. XXII, 1926, p. 186.
albiventris Heller, Ent. Blätt. XXII, 1926, p. 185, Philippinen fig. 5—6; l. c. XXIII, 1927, p. 6.

1

Laodaria Hell.

- Heller, Ent. Blätt. XXII, 1926, p. 186.
dajaca Heller, Ent. Blätt. XXIII, 1927, p. 7. Borneo,
 1 Sumatra

Ganaë Pasc.

- Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 307. — Heller, Ent. Blätt. XXII, 1926, p. 186.

- amoena** Pasc. Ann. Mus. Civ. Genova XXII, 1885, Neuguinea p. 307.

- pulchella** Pasc. l. c. p. 307, t. 3, f. 9. Neuguinea,
 Aru

Subg. Euganaë Hell.

- Heller, Ent. Blätt. XXIII, 1927, p. 9.
maculithorax Heller, Ent. Blätt. XXII, 1926, p. 185, Philippinen fig. 3—4; l. c. XXIII, 1927, p. 8.

3

Laogenia Pasc.

- Pasc. Journ. Linn. Soc. Lond. XII, 1874, p. 75. — Heller, Ent. Blätt. XXII, 1926, p. 186.

- dispar** Faust, Ent. Zeit. Stettin LI, 1890, p. 81. — Brit. Indien, Heller, Ent. Blätt. XXIII, 1927, p. 10. Java

- Dohrni** Faust, Ent. Zeit. Stettin LI, 1890, p. 80. — Philippinen Heller, Ent. Blätt. XXIII, 1927, p. 10.

- episternalis** Heller, Ent. Blätt. XXIII, 1927, p. 10, 11.,

- formosana** Heller, l. c. XXII, 1926, p. 185, fig. 15; Formosa
l. c. XXIII, 1927, p. 9, 11.
- geminata** Faust, Ent. Zeit. Stettin LIX, 1898, p. Neuguinea,
212. — Heller, Ent. Blätt. XXIII, 1927, Formosa
p. 11.
- intrusa** Pasc. Journ. Linn. Soc. Lond. XII, 1874, Celebes,
p. 76. — Heller, Ent. Blätt. XXIII, 1927, Ternate,
p. 11. Borneo
- laticollis** Pasc. Ann. Mag. Nat. Hist. (5) XIX, 1887, N. Borneo
p. 379, t. 11, f. 2. — Heller, Ent. Blätt.
XXIII, 1927, p. 10.
- sorex** Pasc. Journ. Linn. Soc. Lond. XII, 1874, p. Gilolo,
76, t. 4, f. 11. — Heller, Ent. Blätt. XXIII, Borneo
1927, p. 11.
- subrufescens** Heller, l. c. XXIII, 1927, p. 9, 11. Philppinen
9

Anogelia Hell.

Heller, Ent. Blätt. XXII, 1926, p. 186, fig. 12, 13.

- cylindricollis** Heller, Philipp. Journ. Sc. XXV, 1924, Philppinen
p. 305 (*Laogenia*); Ent. Blätt. XXIII, 1927,
p. 4.

1

Catapyges Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 982. — Lacord. Gen. Col.
VII, 1866, p. 298, 303.

- albostriatus** F. Syst. Eleuth. II, 1801, p. 503 (*Lixus*). Guinea
— Gyll. in Schönh. Gen. spec. Cerc. IV, 2,
1838, p. 984.

1

Gypsophorus Marshall.

Marshall, Ann. Mag. Nat. Hist. (10) I, 1928, p. 245.

- albidiventris** Marshall, Ann. Mag. Nat. Hist. (10) Uganda
I, 1928, p. 245, fig.

1

7. Subtrib. **Litosomi.**

Litosomides Lacord. Gen. Col. VII, 1866, p. 270, 303.

Litosomini Hust. Bull. Acad. Malgache (2) VII, 1924,
p. 9.

Toxorrhinus Lacord.

Lacord. Gen. Col. VII, 1866, p. 304. — Champ. Biol. Centr.-Amer.
Col. IV, 7, 1909—10 (1910), p. 170. — Hust. Bull. Acad. Malgache
(2) VII, 1924, p. 520. — Heller, Ent. Blätt. XXII, 1926, p. 187.

- Banoni** Guér. Iconogr. Règne anim. 1829—44, p. 172 Cayenne,
(*Sitophilus*). — Lacord. Gen. Col. VII, 1866, Panama,
p. 305, Atl. t. 76, f. 5 a. — Champ. Biol. Ecuador,
Centr.-Amer. Col. IV, 7, 1909—10 (1910), Brasilien
p. 170.

peruvianus Heller, Ent. Blätt. XXIII, 1927, p. 13. Peru

- vittatus** Guér. Iconogr. Règne anim. 1829—44, p. 171 Réunion
(*Sitophilus*). — Lacord. Gen. Col. VII, 1866,
p. 305. — Hust. Bull. Acad. Malgache (2)
VII, 1924, p. 521.

3

Litosomus Lacord.

Lacord. Gen. Col. VII, 1866, p. 304, 305. — Heller, Ent. Blätt. XXII, 1926, p. 187.
grallarius Lacord. Gen. Col. VII, 1866, p. 305, Atl. Kolumbien t. 8, f. 6 a.

1

Autonopsis Pasc.

Pasc. Journ. Linn. Soc. Lond. XII, 1874, p. 75. — Heller, Ent. Blätt. XXII, 1926, p. 187.

agrana Heller, Ent. Blätt. XXIII, 1927, p. 12. Brit. Indien

cruentata Heller, l. c. p. 12. N.W. Borneo

lineata Pasc. Journ. Linn. Soc. Lond. XII, 1874, Malakka, p. 75, t. 4, f. 10. — Heller, Ent. Blätt. XXIII, 1927, p. 11. Sumatra, Borneo

stellata Heller, l. c. p. 13. Sumatra, Java

tenuicornis Heller, l. c. p. 12. Formosa

5

Brenthidogenia Hell.

Heller, Ent. Blätt. XXII, 1926, p. 187, fig. 11.

Ibis Heller, Ent. Blätt. XXIII, 1927, p. 13. Philippinen

1

III. Tribus Stromboscerini.

Cryptopygi Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 790 (part.).

Stromboscerides Lacord. Gen. Col. VII, 1866, p. 264, 306.

Stromboscerini Hust. Bull. Acad. Malgache (2) VII, 1924, p. 10.

Stromboscerus Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 814. — Lacord. Gen. Col. VII, 1866, p. 306. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 522.

Schlüppeli Gyll. in Schönh. Gen. spec. Cerc. IV, 2, Madagaskar 1838, p. 815. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 522.

1

Caulosomus Faust.

Faust, Deutsche Ent. Zeitschr. 1898, p. 88.

sulcicollis Faust, Deutsche Ent. Zeitschr. 1898, p. 89. Kamerun

1

Dryophthoroides Roel.

Roel. Ann. Soc. Ent. Belg. XXII, 1879, Compt.-Rend. p. LIV.

parvungulis Marshall, Ind. Forest Rec. XVI, 8, 1931, Bengal p. 270, t. 1, f. 5.

sulcatus Roel. Ann. Soc. Ent. Belg. XXII, 1879, Japan Compt.-Rend. p. LIV. — Marshall, Ind. Forest Rec. XVI, 8, 1931, p. 271.

2

Orthosinus Motsch.

- Motsch. Bull. Soc. Nat. Mosc. XXXVI, 1863, II, p. 525. — Faust, Ent. Zeit. Stettin XXXVI, 1875, p. 94.
Xerodermus Lacord. Gen. Col. VII, 1866, p. 306, 307. — Roel. Ann. Soc. Ent. Belg. XXIV, 1880, p. 146.
cylindricollis Marshall, Ind. For. Rec. XVI, 1931, Brit. Indien p. 274.
direptus Marshall, l. c. p. 273, t. 1, f. 10. " "
himalayanus Marshall, l. c. p. 272, t. 1, f. 9. "
salutarius Faust, Ann. Mus. Civ. Genova XXXIV, Birma 1894, p. 359.
sculpticollis Motsch. Bull. Soc. Nat. Mosc. XXXVI, Ceylon 1863, II, p. 526. — Chevr. Ann. Soc. Ent. France (6) V, 1885, p. 112.
porcellus Lacord. Gen. Col. VII, 1866, p. 308, Atl. t. 8, f. 7a—b (*Xerodermus*).
subulirostris Marshall, Ind. For. Rec. XVI, 1931, Bengal p. 271, t. 1, f. 4.
velatus Motsch. Bull. Soc. Nat. Mosc. XXXVI, 1863, Ceylon II, p. 526.

7

Nephius Pasc.

- Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 308.
Gestroi Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Sumatra 1885, p. 308, t. 3, f. 12.

1

IV. Tribus Cryptodermini.

- Oxyrhynchides* Lacord. Gen. Col. VII, 1866, p. 264, 308.
Cryptodermiae Bovie, Gen. Ins. fasc. 70, 1908, p. 1.

Cryptoderma Rits.

- Ritsema, Not. Leyd. Mus. VII, 1885, p. 54. — Bovie, Gen. Ins. fasc. 70, 1908, p. 2.
Oxyrhynchus Schönh. Isis 1823, p. 1137; Disp. meth. Curc. 1826, p. 77; Gen. spec. Curc. I, 1833, p. 378 [nec Leach, nec Spix, nec Swains., nec Agass., nec Quedst.]. — Lacord. Gen. spec. Col. VII, 1866, p. 309. — Ritsema, Not. Leyd. Mus. IV, 1882, p. 181, 186, 187.
brevipenne Rits. Not. Leyd. Mus. IV, 1882, p. 182. Borneo — Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 7.
collare Rits. Not. Leyd. Mus. IV, 1882, p. 185. — Amboina Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 8, 12.
convexum Rits. Not. Leyd. Mus. IV, 1882, p. 181. — Sumatra Pascoe, Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 309. — Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 5.
discors F. Syst. Eleuth. II, 1801, p. 432 (*Calandra*). Java, — Boh. in Schönh. Gen. spec. Curc. I, 1833, Sumatra, p. 379. — Labram & Imhoff, Gatt. Rüsselkäf. 1836—51, Nr. 26. — Rits. Not. Leyd. Mus. IV, 1882, p. 187. — Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 308. — Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 3.

Fabricii	Rits. Not. Leyd. Mus. IV, 1882, p. 186.	Sumatra, Borneo
formosense	Kôno, Trans. Sapporo Nat. Hist. Soc. Formosa XIII, 1934, p. 279, fig.	
Fortunei	Waterh. Trans. Ent. Soc. Lond. (2) II, N. China, 1853, p. 172.	N. China, Japan
	— Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 2.	
fractisignum	Heller, Philipp. Journ. Sc. LIV, 1934, Isl. Panay p. 304.	
grande	Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, Compt.-Rend. p. XXIV.	China
hydropicum	Chevr. Trans. Ent. Soc. Lond. (2) 1853, Andamanen p. 172; Ann. Soc. Ent. France (5) X, 1880, Bull. p. CXIV.	
	— Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 11.	
inchoatum	Marshall, Stylops I, 1932, p. 215.	Malay. Halbinsel
Knapperti	Veth, Tijdschr. Ent. XLVIII, 1905, p. 202.	Sumatra
laterale	Boh. in Schönh. Gen. spec. Cerc. I, 1833, p. 379.	Singapore, Sumatra,
	— Heyne-Taschenbg. Exot. Käf. 1908, p. 233, t. 32, f. 9.	Java
	— Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 6.	Borneo, Andamanen.
lobatum	Rits. Not. Leyd. Mus. XXV, 1905, p. 169.	Sumatra
longicolle	Heller, Philipp. Journ. Sc. XXV, 1924, p. 306.	Philippinen
mangyanum	Heller, l. c. p. 306, t. 1, f. 12.	"
maximum	Heller, Abhandl. Mus. Dresden VI, Nr. 10, 1897, p. 34; l. c. IX, Nr. 5, 100, p. 44.	Celebes
perakense	Marshall, Stylops I, 1932, p. 214.	Malay. Halbinsel
philippinense	Waterh. Trans. Ent. Soc. Lond. (2) II, 1853, p. 173.	Philippinen
	— Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 9.	
plicatipenne	Rits. Not. Leyd. Mus. XXXIV, 1912, p. 95.	Borneo
regulare	Rits. Not. Leyd. Mus. IV, 1882, p. 184.	Borneo,
	— Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 4.	Sumatra
rivulosum	Boh. in Schönh. Gen. spec. Cerc. I, 1833, p. 381.	Borneo, Sumatra,
	— Bovie, Gen. Ins. fasc. 70, 1908, t. 1, f. 1.	Java
Sancti-Andreae	Rits. Not. Leyd. Mus. IV, 1882, p. 185.	Java, Amboina,
	A <i>ndreae</i> Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 308.	Ceram, Banda
suturale	Roel. Not. Leyd. Mus. II, 1880, p. 235.	Sumatra

22

Oxyrhynchoides Hust.

Hust. Faune Colon. franç. II, 1928, p. 443.
Ellenbergeri Hust. Faune Colon. franç. II, 1928, Kongo
p. 445, fig.

1

V. Tribus Sipalini.

Sipalides Lacord. Gen. Col. VII, 1866, p. 264, 310.
Sipalini Hust. Bull. Acad. Malgache (2) VII, 1924, p. 10.

1. Subtrib. **Orthognathi.**

Orthognathides Lacord. Gen. Col. VII, 1866, p. 311.

Orthognathus Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 812. — Lacord. Gen. Col. VII, 1866, p. 311.

Sphaenognathus Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 215.

coelomerus Chevr. Ann. Soc. Ent. France (5) X, Brasilien 1880, Bull. p. CXXV (*Mesocordylus*).

lividus Gyll. in Schönh. Gen. spec. Cerc. IV, 2, „ 1838, p. 813.

subparallelus Chevr. Ann. Soc. Ent. France (5) X, Mexiko, 1880, Bull. p. CXXIV (*Mesocordylus*). — Guatemala, Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 — 10 (1910), p. 171, t. 8, f. 12, 12 a, 12 b.

3

Nicaragua,

Costa Rica,

Panama

2. Subtrib. **Sipali.**

Cryptopygi Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 790; l. c. VIII, 2, 1845, p. 205.

Sipalides vrais Lacord. Gen. Col. VII, 1866, p. 311, 312.

Rhinidae J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 333.

Sipalides Champ. Biol. Centr.-Amer. Col. VI, 7, 1909 — 10 (1910), p. 172.

Sipalus Schönh.

Schönh. Disp. meth. Cerc. 1826, p. 324; Gen. spec. Cerc. IV, 2, 1838, p. 800. — Lacord. Gen. Col. VII, 1866, p. 313. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 523.

Aloysii-Sabaudiae Camerano, Boll. Mus. Zool. Anat. Ruwenzori Torino XXII, Nr. 562, 1907, p. 6. (Toro)

Aurivillii Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, Kongo p. 166, 324.

brevis Hust. Rev. Zool. Afr. XII, 1924, p. 392.

Burmeisteri Boh. in Schönh. Gen. spec. Cerc. IV, Neuguinea 2, 1838, p. 802.

granulatus Boisd. Voy. Astrolabe II, 1835, p. 443 [non F.]

chinensis Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, China p. 133.

cristatus Schauf. Horae Soc. Ent. Ross. XIX, 1885, Celebes p. 204.

formosanus Kôno, Ins. Matsum. IX, 1934, p. 6, 7. Formosa

gigas F. Syst. Ent. 1775, p. 127; Spec. Ins. I, Sumatra, 1781, p. 161; Mant. Ins. I, 1787, p. 97;

Ent. Syst. I, 2, 1792, p. 395 (*Curculio*); Molukken,

Syst. Eleuth. II, 1801, p. 429 (*Calandra*). — Philippinen,

Ol. Encycl. méth. V, 1790, p. 472 (*Curculio*); Neuguinea,

Ent. V, 1807, Nr. 83, p. 80, t. 12, f. 146 Birma,

(*Calandra*). — Gmel. in L. Syst. Nat. Ed. Laos

XIII, I, 4, 1790, p. 1740 (*Curculio*). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 21, t. 61, f. 1 (*Rhynchaenus*).

elephas F. Spec. Ins. I, 1781, p. 162; Mant.

Ins. I, 1787, p. 97 (*Curculio*). — Ol. Encycl.

méth. V, 1790, p. 474 (*Curculio*). — Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1742 (*Curculio*).

granulatus F. Syst. Eleuth. II, 1801, p. 432 (*Calandra*). — Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 803. — Roel. Ann. Soc. Ent. Belg. XVIII, 1875, p. 188. — Faust, Ann. Mus. Civ. Genova (2) XX (XL), 1899, p. 122.

guineensis F. Suppl. Ent. Syst. 1798, p. 165 (*Curculio*); Syst. Eleuth. II, 1801, p. 432 (*Calandra*). — Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 800.

hypocrita Boh. l. c. VIII, 2, 1845, p. 209. — Kolbe, Arch. f. Naturg. LII, 1886, I, p. 219. — Heyne-Taschenbg. Exot. Käf. 1908, p. 233, t. 32, f. 10 (*hypocritus*). — Marshall, Ann. Mag. Nat. Hist. (10) VI, 1930, p. 577. — Yokoyama, Nippon no Kochu 1930, p. 49, t. 6, f. 1. — Matsumura, 6000 Illustr. Ins. Japan 1931, p. 997; Illustr. Common Ins. Japan III, 1931, p. 115, t. 26, f. 23. — Yuasa in Hokuryukan, Nippon Konchu Zukan 1932, p. 540, fig. 1054. — Kanoya & Adachi, Genshoku Kochu Zufu 1933, t. 43, f. 5. — Kōno, Ins. Matsum. IX, 1934, p. 6. *tinctus* Walker, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 218.

madecassus Fairm. Ann. Soc. Ent. France LXXII, Madagaskar 1903, p. 245. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 523.

mendicus Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 804.

misumenum Boh. l. c. VIII, 2, 1845, p. 210.

porosus Walker, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 218.

squalidus Kolbe, Berl. Ent. Zeitschr. XXVII, 1883, p. 35; Nova Acta Acad. Leop. Carol. LI, 1887, p. 344.

15

Mesocordylus Lacord.

Lacord. Gen. Col. VII, 1866, p. 313, 314.

bracteolatus Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 809 (*Sipalus*). — Champ. Biol. Br. Honduras, Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 174, t. 8, f. 17, 17 a.

cylindraceus Boh. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 212 (*Sipalus*).

dispersus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 172, 174, t. 8, f. 18, 18 a.

gracilicornis C. O. Waterh. Cist. Ent. II, 1879, p. 425.

gracilis Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 172, 173, t. 8, f. 14, 14 a.

Guinea,
Gabun,
Kongo,
Niam-Niam
Himalaya,
Ceylon,
Korea,
Japan

- immundus** Er. Arch. f. Naturg. XIII, 1847, I, Peru
p. 135.
- leprosus** Boh. in Schönh. Gen. spec. Curr. IV, 2, Kolumbien
1838, p. 810 (*Sipalus*).
- luteosignatus** Blanch. Voy. d'Orbigny 1843, p. 203, Corrientes
t. 18, f. 6.
- memnonius** Fährs. in Schönh. Gen. spec. Curr. VIII, Brasilien
2, 1845, p. 211 (*Sipalus*).
- papulatus** Fährs. l. c. p. 213 (*Sipalus*). ,
- porriginosus** Boh. l. c. IV, 2, 1838, p. 811 (*Sipalus*). Guadeloupe
- pustulosus** Champ. Biol. Centr.-Amer. Col. IV, 7, Nicaragua
1909—10 (1910), p. 172, 173, t. 8, f. 16, 16 a.
- rubetra** Ol. Ent. V, 1807, Nr. 83, p. 85, t. 4, f. Cayenne
34 a—c. — Schönh. Gen. spec. Curr. IV,
2, 1838, p. 812.
gagates Herbst, Natursyst. Ins. Käf. VI,
1795, p. 26, t. 61, f. 8.
- rugicollis** Boh. in Schönh. Gen. spec. Curr. VIII, ,
2, 1845, p. 214 (*Sipalus*).
- scutellaris** Er. Arch. f. Naturg. XIII, 1847, I, p. Peru
136.
- sphacelatus** Boh. in Schönh. Gen. spec. Curr. IV, Kolumbien
2, 1838, p. 808 (*Sipalus*). — Blanch. Voy.
d'Orbigny 1837—43, p. 203, t. 18, f. 4.
- striatus** Boh. in Schönh. Gen. spec. Curr. IV, 2, Cayenne,
1838, p. 805 (*Sipalus*). — Lacord. Gen. Peru,
Col. VII, 1866, p. 315. — Champ. Biol. Panama
Centr.-Amer. Col. IV, 7, 1909—10 (1910),
p. 172, t. 8, f. 13, 13 a.
- subulatus** Germ. Ins. spec. nov. 1824, p. 301 (*Calandra*). — Boh. in Schönh. Gen. spec. Curr. Brasilien,
IV, 2, 1838, p. 806 (*Sipalus*). — Champ. Peru,
Biol. Centr.-Amer. Col. IV, 7, 1909—1910 Costa Rica,
p. 172, 173, t. 8, f. 15, 15 a. Nicaragua

18

Anius Pasc.

- Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 312 (*Cossognini*).
carinicollis Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 360.
- pauperatus** Faust, l. c. (2) II (XXII), 1885, p. 313. Borneo
2

Tasactes Faust.

- Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 361.
carinulatus Faust, Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 361.
- interruptus** Faust, l. c. p. 362. ,

2

Harpacterus Schönh.

- Schönh. Gen. spec. Curr. VIII, 2, 1845, p. 206. — Lacord. Gen. Col.
VII, 1866, p. 313, 315.
- ebeninus** Boh. in Schönh. Gen. spec. Curr. VIII, 2, Brasilien
1845, p. 207.
- quadrisignatus** Boh. l. c. p. 208. ,

2

Yuccaborus J. Lec.

- J.** Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 331. — Casey, Ann. New York Acad. Sc. VI, 1892, p. 687. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 175.
frontalis J. Lec. Trans. Amer. Ent. Soc. V, 1874, Kalifornien p. 70 (*Rhina*); Proc. Amer. Phil. Soc. XV, 1876, p. 333.
 Biologie: Wickham, Journ. New York Ent. Soc. IV, 1896, p. 123, t. 5, f. 5.
grossus Casey, Ann. New York Acad. Sc. VI, 1892, Arizona, p. 689. Texas
lentiginosus Casey, Canad. Ent. XXXVI, 1904, p. 323. Texas, — Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko 1909—10 (1910), p. 175, t. 8, f. 19, 19 a.
 Biologie: Cotton, Proc. U. S. Nat. Mus. LXVI, Nr. 5, 1924, p. 11, t. 9, f. 1—7, t. 10, f. 5.
Sharpi Casey, Ann. New York Acad. Sc. VI, 1892, Mexiko p. 688. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 176.

4

Rhina Latr.

- Latr. Hist. Nat. Crust. Ins. III, 1802, p. 198; l. c. XI, 1804, p. 101; Consid. gén. 1810, p. 222; Règne anim. III, 1817, p. 395. — Ill. Mag. Ins. III, 1804, p. 103; l. c. VI, 1807, p. 324. — Ol. Ent. V, 1807, Nr. 83, p. 73. — Cuvier, Règne anim. III, 1817, p. 328. — Lamarck, Anim. sans Vertèbr. IV, 1817, p. 353. — Schönh. Disp. méth. Curc. 1826, p. 323; Gen. spec. Curc. IV, 2, 1838, p. 790. — Lacord. Col. VII, 1866, p. 313, 316. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 525.

- Afzelii** Fährs. in Schönh. Gen. spec. Curc. IV, 2, Sierra Leone 1838, p. 797. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 176 (= ? *nigra* Drury).

- amplicollis** Gerst. Monatsber. Berl. Acad. 1855, p. 85; Mozambik, in Peters' Reise Mossamb. 1862, p. 317. D. O. Afrika

- barbirostris** Bertol. Nov. Comm. Ins. Bonon. X, 1849, p. 427 [non F.].

- barbirostris** F. Syst. Ent. 1775, p. 135; Spec. Ins. I, 1781, p. 172; Mant. Ins. I, 1787, p. 104; Ent. Syst. I, 2, 1792, p. 418 (*Curculio*); Syst. Eleuth. II, 1801, p. 501 (*Lixus*). — Ol. Encycl. méth. V, 1790, p. 492 (*Curculio*); Ent. V, 1807, Nr. 83, p. 232, t. 4, f. 37 a—b. — Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1751 (*Curculio*). — Herbst, Natur-syst. Ins. Käf. VI, 1795, p. 64, t. 63, f. 5 a—b (*Curculio*). — Panz. in Voet, Beschr. Ins. IV, 1798, p. 49, t. 35, f. 2 (*Curculio*). — Ill. Mag. Inskde. V, 1806, p. 244 (*Lixus*). — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 102; Gen. Crust. Ins. II, 1807, p. 269. — Lamarck, Anim. sans Vertèbr. IV, 1817, p. 353. — Fährs. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 792. — Guér. Iconogr. Règne anim. 1829—44, t. 39 bis, f. 2. — Lacord.

- Ann. Sc. Nat. XXI*, 1830, p. 166. — Blandford, *Proc. Ent. Soc. Lond.* 1894, p. XVIII.
— Heyne-Taschenbg. *Exot. Käf.* 1908, p. 233, t. 32, f. 14. — Champ. *Biol. Centr.-Amer. Col. IV*, 7, 1909—10 (1910), p. 176, t. 8, f. 20, 21.
valida Panz. in Voet, *Beschr. Ins. IV*, 1798, p. 50, t. 35, f. 2 (*Curculio*).
verrirostis Ill. *Mag. Inskde.* V, 1806, p. 244 (*Curculio*).
ebrios Fährs. in Schönh. *Gen. spec. Curc. IV*, 2, 1838, p. 791.
costalis Fährs. I. c. p. 793.
affaber Fährs. I. c. p. 794. — Chevr. *Ann. Soc. Ent. France* (6) V, 1885, p. 112.
lineata Desbr. *Journ. Asiat. Soc. Bengal LIX*, 2, Andamanen 1890, p. 218.
Meldolae Pasc. *Ann. Mag. Nat. Hist.* (5) XIX, 1887, p. 380.
nigra Drury, *Illustr. Nat. Hist. II*, 1773, p. 63, t. 34, f. 2 (*Curculio*). — Herbst, *Natursyst. Ins. Käf. VI*, 1795, p. 54, t. 12, f. 10 (*Curculio*). — Klug, *Ins. Madag.* 1833, p. 112. — Fährs. in Schönh. *Gen. spec. Curc. IV*, 2, 1838, p. 798. — Fairm. *Ann. Soc. Ent. Belg. XXXVII*, 1893, p. 525. — Brancsik, *Jahresh. Naturw. Ver. Trencsén XV*, 1893, p. 240. — Vuillet, *Agronomie colon.* 1913, p. 37, fig. ♂ ♀. — Hust. *Bull. Acad. Malgache* (2) VII, 1924, p. 526.
Biologie: Coqueb. *Ann. Soc. Ent. France* (2) VI, 1848, p. 181, t. 7, IV, f. 4.
oblitia Jacq. du Val, *Hist. Cuba* 1857, p. 229.
scrutator Ol. *Ent. V*, 1807, Nr. 83, p. 233, t. 29, f. 428. — Fährs. in Schönh. *Gen. spec. Curc. IV*, 2, 1838, p. 795. — Heyne-Taschenbg. *Exot. Käf.* 1908, p. 233, t. 32, f. 12.

8

Madagaskar,
NossibéKuba
Haiti

Bastaphorus Fairm.

- Fairm. *Ann. Soc. Ent. Belg. XLII*, 1898, p. 490. — Hust. *Bull. Acad. Malgache* (2) VII, 1924, p. 524.
Perrieri Fairm. *Ann. Soc. Ent. Belg. XLII*, 1898, p. 491. — Hust. *Bull. Acad. Malgache* (2) VII, 1924, p. 525.

1

3. Subtrib. **Sclerocardii.**

- Sclerocardiides* Lacord. *Gen. Col. VII*, 1866, p. 311, 317.

Sclerocardius Schönh.*)

- Schönh. *Mantissa sec. Curc.* 1847, p. 82. — Lacord. *Gen. Col. VII*, 1866, p. 318. — Hartm. *Deutsche Ent. Zeitschr.* 1897, p. 96.

*) Nach Marshall [Ann. Mag. Nat. Hist. (10) XV, 1935, p. 516] gehört *Sclerocardius* zu den *Ithyporinae*.

Heteropus Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 1
[nec Palis.-Beauv., Journ., Germ., Cast., Blyth].

Charactocnemus Hartm. Deutsche Ent. Zeitschr. 1896,
p. 185.

africanus Boh. in Schönh. Gen. spec. Curc. VIII, 2, Senegal,
1845, p. 3. — Gerst. in Peters' Reise Natal,
Mossamb. 1862, p. 316. Kongo

Bohemani Schönh. Mant. sec. Curc. 1847,
p. 84. — Lacord. Gen. Col. VII, 1866, p.
318.

Hintzi Hartm. Deutsche Ent. Zeitschr. 1896,
p. 187, t. 1, f. 1a—g; l. c. 1897, p. 96.

indicus Hartm. Wien. Ent. Zeit. XXII, 1903, p. 29. Sumatra

Index.

Subfamiliae, Tribus, Subtribus.

- | | |
|-------------------------------------|-----------------------------|
| Calandri 28 | Oxyopisthi 25 |
| <i>Calandrides</i> 8 | <i>Oxyopisthinae</i> 25 |
| <i>Calandrides vrais</i> 68 | <i>Oxyrhynchides</i> 82 |
| <i>Calandrina</i> 68 | |
| <i>Calandrinae</i> 3, 8 | Phaenomeri 6 |
| <i>Calandrini</i> 8 | <i>Phaenomerina</i> 6 |
| <i>Calandrini spurii</i> 68 | |
| <i>Calandrites</i> 8 | Rhinidae 84 |
| Campylosceli 3 | Rhynchophori 8 |
| <i>Campyloscelides</i> 3 | <i>Rhynchophorides</i> 3, 8 |
| <i>Campyloscelina</i> 3 | <i>Rhynchophorina</i> 8 |
| <i>Campyloscelini</i> 3 | <i>Rhynchophorinae</i> 3 |
| <i>Cossonidae</i> 3 | <i>Rhynchophorinini</i> 8 |
| <i>Cryptoderminae</i> 82 | <i>Rhyncophorini</i> 8 |
| <i>Cryptodermini</i> 82 | |
| <i>Cryptopygi</i> 81, 84 | Sclerocardii 88 |
| <i>Curculionides phanérognathes</i> | <i>Sclérocardiides</i> 88 |
| <i>apostasimérides</i> 3 | Sipali 84 |
| <i>Gymnopygi</i> 8 | <i>Sipalides</i> 83, 84 |
| Litosomi 80 | <i>Sipalides vrais</i> 84 |
| <i>Litosomides</i> 80 | <i>Sipalini</i> 83 |
| <i>Litosomini</i> 80 | Sitophili 68 |
| Ommatolampi 18 | <i>Sphenocorynae</i> 20 |
| <i>Ommatolampides</i> 18 | <i>Sphenocoryni</i> 20 |
| <i>Ommatolampini</i> 18 | <i>Sphénocorynides</i> 20 |
| Orthognathi 84 | <i>Sphénophorides</i> 28 |
| <i>Orthognathides</i> 84 | <i>Sphenophorinae</i> 28 |
| | <i>Stromboscerides</i> 81 |
| | <i>Stromboscerini</i> 81 |

Genera, Subgenera.

- | | |
|---------------------------------|----------------------------|
| Abacobius Lac. 29 | Anogelia Hell. 80 |
| Abrachius Roel. 17 | Anoxyopisthen Kolbe 27 |
| <i>Acantharrhinus</i> Chevr. 36 | Aphanomastix Hell. 68 |
| Acanthorrhinus Chevr. 36 | Aphiocephalus Lac. 18 |
| Acherus Roel. 25 | Aplotes Chevr. 63 |
| Aethes Chevr. 40 | Autonopsis Pasc. 81 |
| Alloscolytoproctus Hust. 6 | Axinophorus Schönh. 64 |
| <i>Alsirrhinus</i> Fairm. 7 | Barystethus Lac. 30 |
| Amorbaeus G. & H. 3 | Bastaphorus Fairm. 88 |
| <i>Amorbaius</i> Schönh. 3 | Belopoeus Schönh. 69 |
| Anapygus Kirsch 24 | <i>Belorhinus</i> Guér. 23 |
| Anathymus Pasc. 23 | Brenthidogenia Hell. 81 |
| Anius Pasc. 86 | |

Cactophagoides Champ. 38
Cactophagus Lec. 37
Calandra Clairv. 49
Calandra auct. 71
Calandrotopus Faust 78
Calendra auct. 49
Calyptris Chevr. 29
Campyloscelus Schönh. 3
Catapyges Schönh. 80
Caulosomus Faust 81
Cercidocerus Schönh. 32
Charactocnemus Hartm. 89
Conocephalus Schönh. 19
Conopisthen Faust 25
Coptopisthen Kolbe 27
Coraliphorus Chevr. 18
Cordyle Thunbg. 9, 15
Corynemerus Fährs. 6
Cosmopolites Chevr. 67
Crepidotus Schönh. 69
Cryptocordylus Faust 26
Cryptoderma Rits. 82
Curanigus Faust 8
Cylindrocephalus Faust 19
Cyrtopisthen Auriv. 26
Cyrtotrachelus Schönh. 8
Cytorrhinus Lac. 36

Decorseia Hust. 7
Diathetes Pasc. 31
Dichthorhinus Waterh. 69
Diocalandra Faust 76
Disodontogenus Mrshl. 39
Dolichopisthen Kolbe 27
Dryophthoroides Roel. 81
Dynamis Chevr. 17
Dyspnoetus Faust 78

Epiphylax Schönh. 4
Eucactophagus Champ. 39
Eucalandra Faust 77
Euganaë Hell. 79
Eugithopus Chevr. 35
Eugnoristus Schönh. 69

Flamingorhynchus Hell. 30

Ganaë Pasc. 79
Gandarius Frm. 5
Gypsophorus Mrshl. 80

Haplorhynchus Auriv. 26
Harpacterus Schönh. 86
Heteronus Fairm. 4
Heteropus Schönh. 89
Heterotoxus Lac. 29
Hilipomorphus Desbr. 25
Histeropus Hust. 6
Homalostylus Chevr. 43
Hypophylax Fairm. 5
Hyposarothra White 35

Ichthyopisthen Auriv. 27
Iphthimorhinus Roel. 17

Lapommatus Hell. 19
Laocalandra Hell. 79
Laodaria Hell. 79
Laogenia Pasc. 79
Laostates Hell. 79
Liocalandra Chevr. 36
Lithorrhynchus Schönh. 10
Litosomus Lac. 81

Macrocheirus Schönh. 10
Macrochirus Schönh. 10
Megaproctus Schönh. 23
Megastethus Faust 36
Melchus Lac. 68
Meraphus Chevr. 21
Meroplus Chevr. 21
Merothricus Chevr. 21
Mesocordylus Lac. 85
Metamasiopsis Champ. 40
Metamasius Horn 40
Microspathe Faust 77
Myocalandra Faust 77

Nassophasis Waterh. 25
Nea Hell. 63
Neocalandra Faust 70
Neoxides Pasc. 23
Nephius Pasc. 82
Nycterorhinus Fairm. 70

Odoiporus Chevr. 65
Odontorrhynchus Chevr. 49
Oliabus Fairm. 70
Ommatolampus Schönh. 19
Omotemnus Chevr. 13
Orthognathus Schönh. 84
Orthosinus Motsch. 82
Otidognathus Lac. 10
Oxyopisthen 26
Oxypleurus Chevr. 23
Oxypygus Lac. 23
Oxyrrhynchoides Hust. 83
Oxyrrhynchus Schönh. 82

Paracorynemerus Hust. 6
Paradiaphorus Chevr. 65
Paratasis Chevr. 18
Parepiphylax Hust. 4
Parisocordylus Faust 4
Periphemus Pasc. 24
Perissoderes Waterh. 31
Phacecorynus Schönh. 34
Phaenomerus Schönh. 7
Phauletodes Faust 4
Phrynoides Chevr. 68
Phylleruthrus Sharp 39
Phyllerythrurus Chevr. 39

Plagiopisthen Roel. 28
Pleurothorax Chevr. 24
Podalgorerus Motsch. 7
Polyaulax Chevr. 36
Polytus Faust 71
Poteriophorus Schönh. 35
Pristirrhina Hell. 17
Procosmopolites Hust. 67
Procuranigus Hust. 8
Prodioces Pasc. 21
Protocerius Schönh. 12
Pseudacanthorhinus Hell. 21

Rhabdoenemis Faust 66
Rhina Latr. 87
Rhinocles Dohrn 36
Rhodobaenus Lec. 43
Rhynchodynamis Hell. 18
Rhynchohovanus Hust. 19
Rhynchophorus Hbst. 14
Rhynogryphus Roel. 35
Roelofsi Rits. 9

Schlaginhaufenia Hell. 67
Sclerocardius Schönh. 88
Scoliopisthen Hartm. 25
Scolytoproctus Faust 6
Scyphophorus Schönh. 36
Secania Fairm. 4
Sipalus Schönh. 84
Sitophilus Schönh. 71
Sparganobasis Mrshl. 67

Sphaenognathus Schönh. 84
Sphenocorynus Schönh. 20
Sphenophorus Chevr. 39
Sphenophorus Schönh. 49
Stasiastes Faust 6
Stenolandra Fairm. 70
Stenophida Pasc. 28
Stenophylax Fairm. 5
Stromboscerus Schönh. 81
Symmorphorhinus Faust 70

Tapinostethus Faust 32
Tasactes Faust 86
Tatiotimus Hell. 79
Temnoschoita Chevr. 65
Tendides Chevr. 22
Tetratopus Chevr. 29
Timiotatus Faust 78
Tomicoproctus Faust 6
Toxorrhinus Lac. 80
Trichischius Lec. 63
Trigonotarsus Schönh. 34
Triphetus Hell. 78
Trochorhopalus Kirsch 64
Tryphetus Faust 78
Trymatoderus Fairm. 30
Tyndides Pasc. 22

Xerodermus Lac. 82
Yuccaborus Lec. 87
Zetheus Pasc. 24

Species, Varietates.

abbreviata F. (Calandra) 50
abbreviata Hbst. (Calandra) 53
aberrans Faust (Otidogn.) 10
aberrans Günth. (Baryst.) 30
abrasa Chitt. 54
acupunctatus Gyll. 37
acutum Kolbe (Ichthyopisth.) 27
acutus F. (Megaproct.) 23
adspersus Gyll. 44
adunca Er. 54
aemulus Dohrn 13
aequalis Gyll. 54
affaber Fährs. 88
affaber Fährs. 88
affinis Faust (Campylosc.) 3
affinis Guér. (Megaproct.) 23
affinis Hust. (Phaenom.) 7
africanus Boh. 89
Afzelii Fährs. 87
agrana Hell. 81
alaiensis Faust 52
albicollis Ol. 32

albidiventris Mrsh. 80
albipunctatus Champ. 39
albiventris Chevr. (Poterioph.) 35
albiventris Hell. (Laost.) 79
abolineatum Auriv. (Ichthyopist.) 27
abolineatus Chevr. (Trochorhop.) 64
albomaculatus Hell. 24
albopectorale Roel. 28
albopunctatus Champ. (Eucact.) 39
albopunctatus Champ. (Rhodob.) 44
alboscutellatus Chevr. 46
albostriatus F. 80
albozebrinus Fairm. 69
alfura Hell. 53
alienus Chevr. 63
Allardi Chevr. 20
Alluaudi Hust. 70
Aloysii-Sabaudiae Cam. 84
alternans Chevr. 21

ambiguus Gyll. 42
amitimum Kolbe 27
amoena Pasc. (Ganaë) 79
amoenus Faust (Diathet.) 31
amoenus Pasc. (Prodict.) 21
amplicollis Gerst. (Rhina) 87
anamensis Hell. 19
anceps Gyll. 48
anchora Faust 10
andamanensis Roel. 35
Andreae Chevr. (Rhodob.) 44
Andreae Pasc. (Cryptod.) 83
angulicollis Hell. (Poterioph.) 35
angulicollis Mrshl. (Phaenom.) 7
angusta Boh. 54
angustipennis Chevr. 13
annamensis Hell. 19
annulatus Champ. 39
anthracinus Gyll. 37
aphanes Günth. 10
apicalis Lec. 54
arcifer Fairm. (Eugnor.) 69
arciferus Fairm. (Eugnor.) 69
arenatus Champ. 44
ardesia Ol. 53
areolatus Fairm. 11
argillacea Faust 53
arguta Faust 70
arizonensis Horn 54
asperipennis Fairm. 53
asperulus Lec. 37
assamensis Chevr. 11
ater Pasc. 30
atterima Champ. (Calandra) 54
atterimus Faust (Corynem.) 6
atomaria Pasc. 53
atrata Gyll. 54
atricolor Chevr. 54
atrovittata Chitt. 60
auctus Chevr. 48
Audouini Gyll. 89
auriculatus Chevr. 44
Aurivillianum Kolbe (Anoxyp.) 27
Aurivillianus Kolbe (Haplorrh.) 26
Aurivillii Duv. 84
aurocinctus Champ. 39
aurofasciatus Brême 39
aurolineatus Fairm. 4
austeria Gyll. (Calandra) 55
austerus Faust (Prodict.) 22
australasiae Roel. 17
australis Chitt. 60

baguioensis Günth. 11
banahaoensis Günth. 11
Banoni Guér. 80
barbirostris Bert. (Rhina) 87
barbirostris F. (Rhina) 87

barbirostris Thunbg. (Rhynchoph.) 15
baridioides Horn (Calandra) 55
baridioides Lac. (Cytorrh.) 36
bartramiae Chitt. 55
basalis Faust 30
basilana Hell. 53
basipennis Duviv. 65
Beccarii Pasc. 67
bicinctus Chevr. 44
bicornis Waterh. 69
bifasciatus Chevr. (Otidogn.) 11
bifasciatus Faust (Parisocord.) 4
bifasciatus Gyll. (Cactoph.) 38
bifasciatus Sturm (Cactoph.) 38
bigeminatus Champ. 41
biguttatus Champ. 41
bilineatus Desbr. (Periph.) 24
bilineatus Fairm. (Phaenom.) 7
bilineatus Faust (Symmorph.) 70
bilineatus Hell. (Poterioph.) 35
bilineatus Montr. (Rhynchoph.) 15
bilineatus Pasc. (Neoxid.) 23
bimaculatum Auriv. (Ichthyop.) 27
bimaculatus Boh. (Oercid.) 32
binodulus Boh. 4
biocellatus Barb. 40
bipartitus Hartm. 9
bipindinus Kolbe 26
bipodex Hell. 21
bipunctatus Chevr. (Rhodob.) 44
bipunctatus Gyll. (Cercid.) 32
birmanicus Faust (Cercid.) 32
birmanicus Faust (Cyrtotr.) 10
birmanus Faust 78
bisbisignatus Gyll. 40
bisignatus Champ. (Rhodob.) 44
bisignatus Faust (Omotemn.) 13
bisignatus Hust. (Metamas.) 42
bispinus Chevr. 9
bisulcatus Chevr. (Cercid.) 32
bisulcatus Faust (Aplot.) 63
biundulatus Champ. 44
Blanchardi Chitt. 55
blandus Jord. 14
Blatchleyi Chitt. 55
Bohemani Faust (Tetratop.) 29
Bohemani Schönh. (Sclerocard.) 89
Borassi F. 17
borealis Jord. 9
borneanus Faust 21
borneensis Hell. 20
Bowringi Waterh. 35
brachyptera Ol. 50
bracteolatus Boh. 85
Braueri Kolbe 69
brevipenne Rits. 82

- brevirostris* Champ. (Rhodob.) 44
brevirostris Mrshl. (Phaenom.) 7
brevis Hust. 84
bromeliacicola Champ. 41
brunneipennis Germ. 55
bruta Gyll. 55
Buqueti Guér. 9
Burgeoni Hust. 6
Burmeisteri Boh. 84
Buxtoni Mrshl. 31
Bürgersi Günth. 31
Büttikoferi Roel. 27
Büttneri Kolbe 28

caffer Fährs. (Cytorrh.) 3
caffer Ol. (Abacob.) 30
calandroides Gyll. 34
callizona Chevr. 41
callosa Lec. (Calandra) 55
callosa Ol. (Calandra) 55
callosipennis Chitt. 56
camerunus Kolbe 26
campestris Chevr. 68
canaliculata Boh. 60
canalipes Gyll. 64
carbonarius Chevr. 43
carbonatum Kolbe 28
carinatus Marshall 36
carinensis Faust (Cercid.) 32
carinensis Faust (Prodiect.) 21
carinicollis Faust (Anius) 86
carinicollis Gyll. (Aplotes) 63
carinicollis Kirsch (Anapyg.) 24
carinicollis Roel. (Aplotes) 64
carinipyga Champ. 40
cariniventris Champ. 44
carinulatus Faust 86
cariosa Ol. 55
carmelita Germ. 69
carnifex Faust 13
castaneipennis Boh. 36
castanescens Fairm. 19
cavicollis Qued. 3
caviscutata Fairm. 53
cebuensis Günth. 11
celatus Pasc. 11
celebensis Günth. 18
centralis Günth. 11
centromaculatus Chevr. 45
cephalotes Hell. 19
cervinopictus Fairm. 4
ceylanensis Roel. 14
Chevrolati Faust (Baryst.) 30
Chevrolati Faust (Cercid.) 32
chilensis Blanch. (Calandra) 55
chilensis Philippi (Sitoph.) 72
chinensis Fairm. 84
Chittendeni Blatchl. 55
cicatricosa Say 56
cicatripennis Fährs. 56

cicatrictriata Fährs. 56
ciliatus Champ. 37
cincinnatus Champ. 41
cincta Montr. (Calandra) 54
cineticauda Chevr. 64
cinetocollis Gyll. 56
cinctus Faust (Omotemn.) 14
cinctus Faust (Rynchoph.) 17
cinctus Gyll. (Rhodob.) 44
cinerascens Motsch. 64
cinereiventris Champ. (Rhodob.) 44
cinereiventris Chevr. (Prodiect.) 21
cinereus Ill. 20
cinnamomeus G. & H. 41
cinnamominus Perty 41
circumdatus Champ. 39
circumjectus Champ. 39
circumscripta Gemm. 53
cirratus Champ. 37
clathratus Fairm. 4
clavatum Roel. 28
Cletusi Hell. 30
coactorum Chitt. 56
coelirostris Hell. 13
coelomerus Chevr. 84
coesifrons Gyll. 56
collare Rits. (Cryptod.) 82
collaris Faust (Perissod.) 31
collaris Jord. (Otidiogn.) 11
coloratus Faust 23
colossus Hbst. (Macroch.) 10
colossus Ol. (Protoc.) 18
sompressirostris Germ. (Calandra) 57
compressirostris Jord. (Omotemn.) 13
compressirostris Say (Calandra) 56
comptus Pasc. 11
confluens Chitt. 56
conformis Pasc. 21
confusa Gyll. (Calandra) 62
confusus Chevr. (Rhodob.) 44
congestus Pasc. 35
congoana Hust. (Temnosch.) 65
congoanus Hust. (Procuran.) 8
conicus Jord. 13
connexus Champ. 41
Conradti Kolbe (Anoxyop.) 28
Conradti Kolbe (Haplorrh.) 26
consobrinum Kolbe 27
contracta Gyll. 58
convexicolle Auriv. 27
convexum Rits. 82
corniculatus Chevr. 48
cornurostris Chevr. 49
Corporaali Hell. 24
corpullentus Hell. 64

costalis Fährs. 88
costatus Waterh. 40
costicollis Chitt. (Calandra) 56
costicollis Fairm. (Epiphyl.) 4
costifer Chitt. 63
costipennis Horn 56
crassa Blanch. 56
crassipes Champ. 45
crassirostris Hartm. 63
crenatus Billbg. (Paradiaph.) 65
crenatus Lec. (Trichisch.) 63
cribrarius F. 47
cribricollis Fairm. (Epiphyl.) 4
cribricollis Walk. (Cosmop.) 68
cribrosus Pasc. 72
cristatus Schauf. 84
cruciata Quedf. 65
crucicollis Chevr. 44
cruciger Motsch. (Aplotes) 63
crucigera Motsch. (Diocalandra)
 77
eruda Er. 56
cruentata Hell. (Autonopsis) 81
cruentatus F. (Rhynchoph.) 15
cruralis Fairm. 4
cryptophodus Hell. 68
cultellata Horn 56
cultrirostris Gyll. 56
Cumungi Waterh. 54
cuneatus Champ. (Rhodob.) 47
cuneatus Fairm. (Epiphyl.) 4
cuneipennis Chevr. 47
curvaturatus Hell. 32
Cuvieri Boh. 20
cycadis Er. 15
cylindraceus Boh. 85
cylindricollis Champ. (Rhodob.)
 45
cylindricollis Hell. (Anog.) 80
cylindricollis Mrshl. (Orthos.) 82

dajaca Hell. (Laod.) 79
dajaca Hell. (Parat.) 18
dajacus Hell. (Ommatol.) 20
dasyurus Champ. 41
Davidis Fairm. 11
Decauxi Dec. 72
decemmaculatus Fairm. 19
decempunctatus Champ. 40
decemstriatus Chevr. 11
decoratus Gyll. 42
decurtata Gmel. 50
deficiens Chitt. 56
defricta Boh. 56
De Haani Gyll. 24
deletus Pasc. 24
deliciosus Champ. 44
deltoides Chevr. 45
delumbata Boh. 53
denominata Chevr. 51

denticulatus Chevr. 21
dentifer Champ. 45
dentirostris Champ. 43
depicta Chevr. 56
deplanatum Roel. 28
depressum Roel. (Anoxyopisth.)
 28
depressus Chevr. (Rhynchoph.) 15
destructor Chitt. 57
dichrous Fairm. 9
Dietrichi Satt. 57
dignus Faust 78
dimidiatipennis Jek. 41
dimidiatus Faust (Rhynchoph.)
 17
dimidiatus Sturm (Metam.) 43
dipteroarpi Mrshl. 64
direptus Mrshl. 82
discicollis Chevr. 64
discifer Walk. 64
discolor Mannh. 57
discors F. (Cryptod.) 82
discors Faust (Myocal.) 78
discrepans Kolbe 25
dispar Chevr. (Baryst.) 30
dispar Faust (Laog.) 79
dispar Gyll. (Metam.) 41
dispersus Champ. 85
dissidens Kolbe 26
distichlidis Chitt. 57
distinctus Faust 32
distorta G. & H. 57
diversa Chitt. 57
diversicollis Chevr. 63
diversilineis Chevr. 44
Dohrni Faust 79
Doriae Pasc. 54
dorsalis Hartm. (Periph.) 24
dorsalis Hell. (Cyrtotrach.) 9
Dregei Gyll. 36
Druryi Guér. 10
duodecimmaculatus Chevr. 46
duplocinctus Champ. 40
dux Boh. (Cyrtotrach.) 9
dux Faust (Prodioc.) 22

ebena Fairm. 71
ebeninus Boh. 86
ebriosa Fährs. 88
effetus Pasc. 32
Eichhoffi Faust 7
electilis Pasc. 24
elegans Chevr. (Rhodob.) 48
elegans Fairm. (Otidogn.) 11
elegans Fourer. (Calandra) 50
elegans Guér. (Parat.) 18
elegans Roel. (Poterioph.) 35
elegantula Hust. 8
elephantula Chitt. 58
elephas F. 84

elionensis Vit. 51
 Ellenbergeri Hust. 83
 elongata Roel. 54
 ensirostris Germ. 41
 ephippiger Boh. 4
 episternalis Hell. 79
eremothocus Günth. 31
 erubescens Hell. 32
 erudita Duviv. 65
 erythroceus Gyll. 32
 erythrura Chevr. 57
 eucnemis Hell. 66
 exarata Boh. 78
 exclamacionis Wied. 23
 exhaustum Kolbe 27
 exilis Pasc. 7
 eximius Guér. 24
exquisita Walk. 78

 fabricator Gyll. 33
 Fabricii Rits. 83
 fabrilis Gyll. 33
 Fähraei Gyll. (Cactoph.) 37
 Fähraeusi Faust (Phaulotr.) 4
fallax Boh. (Calandra) 62
 fallax Faust (Prodiocet.) 22
 Falli Chitt. 57
 fasciatus Ol. 41
 fasciolatus Fairm. 4
 Fausti Gah. (Rhabdoen.) 66
 Fausti Hartm. (Sphenocor.) 21
 Fausti Hell. (Parat.) 18
 Feae Faust (Cyrtotrach.) 9
 Feae Faust (Tetratop.) 29
femoralis Chevr. (Rhodob.) 48
 femoralis Fährs. (Corynem.) 6
 femoralis Faust (Acher.) 25
 femoralis Hell. (Tetratop.) 29
 femoratus Hell. 21
ferruginea Boh. (Calandra) 54
 ferrugineus Ol. (Rhynchoph.) 15
 fervidus Pasc. 13
festiva Sturm 18
 figuratus Faust (Curanig.) 8
 figuratus Faust (Phaenom.) 7
 filiformis Buq. 23
 filirostris Hell. 18
fimbriata Gmel. 53
 fissicauda Chevr. 64
 fissirostris Hust. 29
 flavolineatus Chevr. 22
 flavopictus Champ. (Metamasiops.) 40
 flavopictus Hell. (Cercidoc.) 33
 flavopunctatus Günth. 33
 Fleutiauxi Faust 13
flexuosa Gyll. 55
 formosana Hell. (Laogen.) 80
 formosanus Hell. (Prodiocet.) 22
 formosanus Kôno (Sipalus) 84

formosense Kôno (Cryptod.) 83
formosus Csiki 48
 forticornis Hell. 79
 fortirostris Champ. 45
 Fortunei Waterh. 83
 fossor Gyll. 57
 foveata Waterh. 25
 Försteri Hartm. 11
 fractisignum Hell. 83
 frontalis Lec. 87
frugilegus Deg. 76
 Fruhstorferi Faust 22
 frumenti F. 76
 fuliginosa Pasc. 77
fulvopictus Hell. 11
 funebre Ill. (Oxyopisth.) 26
funebris Guér. (Cercid.) 33
funebris Rey (Sitoph.) 76
funerarium Thoms. (Oxyopisth.) 26
funerarius Chevr. (Rhodob.) 44
 furcatus Chevr. 23
 fuscovarius Waterh. 35

 gabonicus Faust (Amorb.) 3
 gabonicus Faust (Parisocord.) 4
gagates Hbst. 86
 gagatina Gyll. 57
 gages F. (Axinoph.) 64
gages Hbst. (Odoip.) 65
 gemellus Faust 22
 geminata Chevr. (Calandra) 57
 geminata Faust (Laogen.) 80
 geminus Faust 22
 geniculatus Chevr. 22
 Germari Boh. (Ommat.) 20
 Germari Horn (Calandra) 57
 Germari Perty (Dynam.) 18
 Gestroi Pasc. 82
 gentilis Lec. 57
 gibberosus Champ. 38
 gigas F. (Sipal.) 84
gigas Fährs. (Abacob.) 29
 glabratus Faust 6
glabricollis Gyll. 65
glabridiscus Walk. 65
glabripes Chevr. 58
 glabrirostris Schauf. 16
 glandium Mrshl. 72
 globithorax Hell. 30
gloriosus Günth. 11
 glyceriae Chitt. 57
Goliath Guér. 13
 Gotschi Hochh. 72
 gracilicornis Waterh. 85
 gracilis Champ. (Mesocord.) 85
 gracilis Jord. (Omotemn.) 13
 grallarius Lac. 81
 graminis Chitt. 57
 granarius L. (Sitoph.) 72

- granarius* Stroem (Sitoph.) 76
grande Fairm. (Cryptod.) 83
grandicollis Fairm. 70
Grandini Mars. 51
grandis Guér. (Protoc.) 13
granulatus Boisd. (Sipal.) 84
granulatus F. (Sipal.) 85
graphicus Champ. 48
graphipterus Champ. 40
gratus Lac. 29
griseostriatus Fairm. 5
grossus Cas. 87
Guerini Klug 19
guineensis F. 85
guttatus Fährs. 45
Gyllenhali Gyll. 19
- haematicus* Chevr. 22
haematidus Chevr. 47
haematopterus Chevr. 33
haemorrhoidalis Wied. 20
Hanetii Quedf. 66
Hauseri Faust 14
hebetatus Gyll. 41
Helleri Bovie (Flaming.) 30
Helleri Faust (Rhynchophov.) 19
helvetica Stierl. 53
hemipterus L. (Metam.) 41
hemipterus Sulz. (Rhynchoph.) 16
hemiscotus Chevr. 31
Herbsti Chevr. 66
heros F. (Protoc.) 13
heros Pasc. (Cercid.) 33
Herveyi Waterh. 10
Hewitei Hell. 20
Heydeni Hell. 22
himaleyanus Hell. (Cyrtotrach.) 9
himalayanus Mrshl. (Orthos.) 82
Hintzi Hartm. 89
hispidulus Pasc. 33
histrio Fairm. 5
Hoegbergi Boh. 57
holomelas Hell. 9
holosericea Chitt. 57
Horsfieldi Chevr. 64
hovana Hust. (Myocal.) 78
hovanus Fairm. (Cytorrh.) 86
humeralis Chevr. (Trochorh.) 64
humeralis Hell. (Cyrtotr.) 9
hydropicum Chevr. 83
hylastoides Fairm. 5
hypocrita Boh. (Sipal.) 85
hypocrita Faust (Cercid.) 33
hypocrita Gyll. (Tetratop.) 29
- immaculatus* Champ. 49
immundus Er. 86
immunis Say 62
imparatus Pasc. 31
imperialis Hell. 31
imperathrix White 35
implicatus Chevr. (Rhodob.) 45
implicatus Gyll. (Rhodob.) 48
impluviatus Faust 21
impressicollis Hell. (Laocal.) 79
impressicollis Quedf. (Diocal.) 77
impressus Chevr. 44
imuganensis Günth. 11
inaequalis All. (Calandra) 51
inaequalis Gyll. (Calandra) 57
inaequalis Say (Calandra) 58
incarnatus Chevr. (Protoc.) 13
incarnatus Gyll. (Tryphet.) 78
incertus Champ. 43
inchoatum Mrshl. 83
incongrua Chitt. 58
incurrens Gyll. 58
indicator Pasc. 33
indiens Hartm. 89
indostanus Chevr. 16
inxpectatus Günth. 11
infernalis Chevr. 33
infestus Boh. 3
injucundus Günth. 11
inscriptus Gyll. 42
insularis Boh. (Rhabdoen.) 66
insularis Roel. (Abrach.) 17
interjectus Faust 22
intermedia Hust. 78
interruptecostata Schauf. 67
interruptolineatus Hell. 33
interruptus Champ. (Rhodob.) 45
interruptus Faust (Tasact.) 86
interstitialis Boh. (Calandra) 54
interstitialis Gyll. (Scyphoph.) 37
interstitialis Say (Calandra) 60
intervalata Chitt. 62
introducens Walk. 14
intrusa Pasc. (Laogen.) 80
intrusus Faust (Diath.) 31
inversicornis Chevr. 64
irroratus Chevr. 21
isabellinus Faust 35
- Jansoni* Roel. 12
javanus Hell. 10
Jekeli Lac. 29
jucundus Faust 7
jugosa Chitt. 58
- kamerunicus* Faust 6
Kaupi Schauf. 16
Kirschi Faust 22
Kolbei Hartm. 26
Knapperti Veth 83

- Kraatzzi* Faust (*Haplorrh.*) 26
Kraatzzi Faust (*Phaenom.*) 7
Kükenthali Faust 31

Lacordairei Chevr. (*Cactoph.*) 37
Lacordairei Faust (*Megast.*) 36
lacteostrigatus Fairm. 70
laeta Er. (*Calandra*) 58
laetus Vollh. (*Protoc.*) 13
laevicosta Phil. 74
laevigata Chitt. 58
laevior Faust 24
lanuginosus Chevr. 16
lar Er. 9
larvalis Germ. 55
laterale Boh. (*Cryptod.*) 83
lateralis Fährs. (*Cercid.*) 33
lateritia Gyll. (*Calandra*) 53
lateritius Faust (*Aplotes*) 63
latevittatus Fairm. 70
laticollis Pasc. 80
latinasa Horn 58
latiscapus Kirsch 43
Lebasi Gyll. 48
lentiginosus Cas. 87
leprosa Fährs. (*Calandra*) 54
leprosus Boh. (*Mesocord.*) 86
leprosus Lac. (*Melchus*) 68
leptocerus Panz. 48
leucogrammus Chevr. (*Trochoph.*) 64
leucogrammus Gerst. (*Phaenom.*) 7
leucographus Fährs. 45
limbatus Ol. 19
linea-alba Thoms. 26
lineanigra Chevr. 22
linearis Hbst. (*Sitoph.*) 74
linearis Pasc. (*Stenoph.*) 29
lineata Champ. (*Calandra*) 58
lineata Desbr. (*Rhina*) 88
lineata Pasc. (*Autonops.*) 81
lineatocollis Gyll. (*Rhabdoen.*) 47
lineatocollis Hell. (*Anathym.*) 23
lineatocollis Hell. (*Rhabdoen.*) 66
lineatus Pasc. (*Phaenom.*) 7
lineatus Pasc. (*Tyndid.*) 22
lineellus Faust 78
lineicollis Fairm. 5
lineiger Chevr. 45
lineolatus Chevr. (*Trochorhop.*) 64
lineolatus Fairm. (*Phaenom.*) 7
lirata Gyll. 58
lividus Gyll. 84
lobatum Rits. (*Cryptod.*) 83
lobatus Rits. (*Rhynchoph.*) 16
lojanus Hell. 40
lolous Kolbe 26
longicolle Hell. (*Cryptod.*) 83
longicollis Faust (*Tetratop.*) 29
longicollis Ol. (*Odoip.*) 65
longicollis Pasc. (*Timiot.*) 78
longimanus F. 9
longipes Drury (*Macroch.*) 10
longipes F. (*Cyrtotrach.*) 9
longiusculus Fairm. 74
longus Chevr. 18
lucedalensis Satt. 58
luctuosus Pasc. 23
ludoviciana Chitt. 58
lugubris Faust (*Epiphyl.*) 5
lugubris Faust (*Poterioph.*) 35
luteosignatus Blanch. 86
luteus Chevr. 69
lutulenta Champ. 58
lyriger Mrshl. 31

macilentus Hell. 31
maculata Gyll. (*Rhabdoen.*) 66
maculatus Sturm (*Rhodob.*) 48
maculicollis Hell. 40
maculifer Fährs. 45
maculipennis Voß 12
maculipes Champ. 45
maculithorax Hell. 79
maculiventris Champ. 42
maculosus Günth. 31
madecassus Fairm. 85
maidis Chitt. 58
major Fährs. (*Cactoph.*) 38
major Hell. (*Odoip.*) 65
mangyanum Hell. 83
marginatus Chevr. 13
marina Chitt. 58
maura Gyll. 58
maximum Hell. (*Cryptod.*) 83
maximus Hell. (*Anath.*) 23
Maynéi Hust. 65
medoraënsis Satt. 58
melanaspis Pasc. 21
melancholicus Gyll. 42
melanocardia L. 58
melanocephala F. 59
melanosoma Boisd. 30
melanurus Kirsch 45
Meldolae Pasc. 88
meleagris Pasc. 21
Mellenborgi G. & H. (*Polytus*) 71
Mellerborgi Boh. (*Polytus*) 71
memnonia Gyll. (*Calandra*) 59
memnonius Fährs. (*Mesocord.*) 86
mendicus Boh. (*Sipal.*) 85
mendicus Ol. (*Cosmopol.*) 68
mentawaiensis Günth. 21
meridionalis Gyll. 51
mesomelas Champ. 45
metropolitanus Chevr. 46
mexicanus Champ. 71
Meyeri Faust 23
mimicus Kolbe 26

miniatocrinus Chevr. 14
miniatopunctatus Chevr. 39
miniatus Chevr. 45
minima Harth. 59
miniocerus Chevr. 29
missouriensis Chitt. 61
misumenus Boh. 85
modestus Hell. 36
molossus Ol. 13
monachus Ol. 70
monilifasciatus Chevr. 35
monilis Gyll. 58
monomorphus Hell. 29
montanus Hell. 10
monterensis Chitt. 59
Montrouzieri Chevr. 16
morio Faust (Dispnoet.) 78
morio Pasc. (Diathet.) 31
mormon Chitt. 59
Morreni Roel. 59
Mosieri Barb. 42
nucrosternale Kolbe 25
multilineata Satt. 59
multipunctata Champ. 59
munda Champ. 59
murinus Fairm. 5
musaecola Fairm. 71
mutilata Laich. 53
myrmidon Bq. 12

naevus Faust 12
nanus Hell. 14
nasica Dohrn 36
nasuta Chitt. 60
Nawradi Kirsch 45
nebulosa M'Leay (*Calandra*) 54
nebulosus Champ. (Rhodob.) 45
nebulosus Motsch. (*Phaenom.*) 7
necydaloides F. 59
nemorivagus Günth. 12
neomexicana Chitt. 59
nervosus Pasc. 33
nesaeus Günth. 35
nevadensis Chitt. 59
nissicus Jord. 14
niger Arr. (Belop.) 69
niger Auriv. (*Cercid.*) 33
niger Auriv. (*Tapinost.*) 16
niger Champ. (Rhodob.) 46
niger Faust (*Rhynchoph.*) 17
niger Hust. (*Aphioe.*) 19
niger Hust. (*Procuran.*) 8
niger Pasc. (*Eugnor.*) 70
nigerrimus Gyll. 42
nigra Drury (*Rhina*) 88
nigricans Hell. (Diathet.) 32
nigricans Roel. (*Acherus*) 25
nigricollis Hell. 12
nigricornis Chevr. 46
nigrinus Hell. (Cyrtotrach.) 9

nigrinus Hell. (Cyrtotrach.) 10
nigripennis Champ. (Rhodob.) 49
nigripennis Hell. (Prodioc.) 22
nigripennis Pasc. (Diathet.) 31
nigrocinctus Chevr. (Prodioc.) 22
nigrocinetus Faust (Cyrtotrach.) 9
nigrocrinitus Faust 14
nigrodiscalis Hell. 10
nigrofasciatus Champ. 43
nigrolateralis Guér. 34
nigrolimbatus Hell. 20
nigrolineatus Chevr. 46
nigropictus Champ. (Rhodob.) 46
nigropictus Fairm. (Otidogn.) 12
nigroplagiata Quedf. 65
nigroscutellatus Chevr. (Merothr.) 68
nigroscutellatus Hell. (Anathym.) 23
nigrosignatus Champ. (Rhodob.) 46
nigrosignatus Hartm. (Omotemn.) 14
nigrovittata Hell. 54
nitens Alld. 52
nitidicollis Faust (*Tapinost.*) 32
nitidicollis Pasc. (Diathet.) 31
nitidior Faust 11
nitidipennis Boh. 18
nitidulus Faust (*Coryn.*) 6
nitidulus Guér. (*Dynam.*) 18
nitidum Roel. (*Ichthyop.*) 27
nitidus Hust. (*Paracoryn.*) 6
niveus Gyll. 35
nivipictus Fairm. 69
nobilis Roel. 35
notanda Olliff. 59
notatus Hust. (*Parepiph.*) 4
notatus Pasc. (*Phaenom.*) 7
notatus Voss (Otidogn.) 12
noxius Gyll. 18
nubila Gyll. 59
nudicollis Kirsch 66
nudiventris Champ. 42
nudus Chevr. 36

obliquefasciatus Chevr. 38
obliquevittata Taschbg. 59
obliquus Chevr. 44
oblita Jacq.-Duv. (*Rhina*) 88
oblita Lec. (*Calandra*) 60
oblongulus Fairm. 5
oblongus Hust. 31
obscuratus Fairm. 5
obscuriceps Chevr. 10
obscuripennis Chitt. 56
obscuripes Kolbe 27
obscura Boisd. (Rhabdoen.) 66
obscurus Voet (Rhodob.) 48
obsolete Faust (Neocal.) 71

obsoletus Gyll. (Metamas.) 41
obtusatum Kolbe 27
ocellatus Guér. (Megapr.) 23
ocellatus Pasc. (Sphenocor.) 21
ochrea Lec. 60
ochreatus Eyd. 35
ochreofasciatus Champ. 42
octocostata Champ. 60
octomaculata Hell. 54
octonotatus Champ. 42
octopustulatus Faust 22
olivaceus Champ. 46
omissa Blatchl. 60
opaca Gyll. (Calandra) 52
opaca Stierl. (Calandra) 52
orizabensis Chevr. 40
ornatus Champ. (Phyllerythr.) 39
ornatus Roel. (Poterioph.) 35
oryzae L. 74

palawanicus Günth. 11
palmarum L. (Rhynchoph.) 16
palmarum Montr. (Rhynchoph.) 16
paludicola Waltl. 50
panaonensis Günth. 11
pantherinus Champ. 46
papuanus Hartm. (Otidogn.) 12
papuanus Kirsch (Rhynchoph.) 17
populatus Fährs. 86
paratasioides Hell. 20
parumpunctata Gyll. 51
parvula Gyll. (Calandra) 60
parvulus Hell. (Baryst.) 30
parvungulis Mrshl. 81
Pascha Boh. (Rhynchoph.) 17
patruelis Kolbe 26
pauperatus Faust 86
pavonicus Pasc. 22
pedicularis Faust 3
peninsularis Chitt. 60
perakense Mrshl. 83
peregrinus Günth. 11
perelegans Fairm. 21
perforatus Fährs. 38
perminutus Günth. 12
peropacus Champ. 18
Perrieri Fairm. 88
pertinax Ol. 60
peruanus Hust. 6
peruvianus Hell. 80
philippinense Waterh. 83
phoeniciensis Chitt. 60
phoenicis F. 17
picea Chevr. (Calandra) 60
picea Pall. (Calandra) 52
picrostris Fairm. 67
pictipes Pasc. 25
picta Lec. (Calandra) 60
pictus Faust (Cercid.) 33

pictus Faust (Curanig.) 8
pictus Hell. (Otidogn.) 11
pictus Pasc. (Diathet.) 31
pictus Roel. (Ommatol.) 20
pilosellus Hust. 4
pinguis Chevr. (Rhodob.) 46
pinguis Chitt. (Calandra) 57
placida Say 62
plagiatus Roel. 35
planicollis Fairm. (Aphioceph.) 19
planicollis Fairm. (Epiphyl.) 5
planipennis Gyll. 65
planus Hell. 31
plicatipenne Rits. 83
plicatus Champ. 46
politus Gyll. (Dynamis) 18
politus Quedenf. (Abacob.) 30
polygrammus Gyll. 42
pontederiae Chitt. 60
porcata Pasc. 78
porcellus Lac. 82
porculus F. 50
porosus Walk. 85
porriginosus Boh. 86
praecox Kolbe 26
praepotens Say 61
praetor Faust (Protocer.) 13
praetor Gyll. (Macrochir.) 10
princeps Hell. (Nea) 63
Preussi Kolbe 26
princeps Hell. (Omotemn.) 14
procerus Lec. (Cactoph.) 38
procerus Quedf. (Abacob.) 30
prodioctoides Hell. 33
promissa Pasc. 67
propinquus Kolbe 26
pruinosum Faust (Conopisth.) 25
pruinosus Champ. (Eucactoph.) 40
pruinosus Hell. (Cosmopol.) 67
pugionatus Pasc. 23
pulchella Pasc. (Ganaë) 79
pulchellus Günth. (Diathet.) 31
pulchellus Gyll. (Rhodob.) 46
pulchellus Ril. (Rhodob.) 48
pulcherrimus Chevr. 37
pulicarius Panz. 74
pulicarius Panz. 74
pumila Allrd. (Calandra) 51
pumila Gyll. (Calandra) 61
pumilus Montr. (Sitoph.) 76
punctatostriata Gyll. 61
punctatus Gyll. 46
puncticollis Chevr. (Odontorrh.) 49
puncticollis Chevr. (Rhodob.) 46
puncticollis Hell. (Baryst.) 30
punctiger Faust (Calandrotop.) 78
punctigera Pasc. (Diocal.) 77
punctulicollis Fairm. (Epiphyl.) 4, 5

- purpurascens* Panz. 41
purpuratus Dohrn (Protoc.) 13
purpuratus Hartm. (Otidogn.) 12
pustulatus Chevr. 46
pustulosus Champ. (Mesocord.) 86
pustulosus Gyll. (Rhodob.) 46
pustulosus Pasc. (Tyndid.) 23
pygialis Fairm. 28
pygidiale Simps. (Anoxypisth.) 28
pygidialis Chevr. (Calandra) 61
pygidialis Chevr. (Sphenoryn.) 21
pygidialis Faust (Periphem.) 24
pygidialis Faust (Rhabdoen.) 67
pygidialis Faust (Temnosch.) 65
pygidialis Günth. (Metamas.) 42
pygidialis Hell. (Ommatol.) 20
pygidialis Jord. (Otidogn.) 12
pygmaeus Faust 33
quadrangulus Quedf. 17
quadricollis Fairm. 5
quadriguttatus Montr. 76
quadrilineatus Champ. 42
quadrimacula Walk. 76
quadrimaculata Gyll. (Temnosch.) 66
quadrimaculatus Buq. (Otidogn.) 11
quadrimaculatus Faust (Crypto-cord.) 26
quadrinotatus Champ. (Phyllery-thr.) 39
quadrinotatus Wied. (Sitoph.) 76
quadripunctatus Chevr. (Rhodob.) 46
quadripunctatus Web. (Sphenocor.) 21
quadripustulata F. 66
quadrisignatus Boh. (Harpact.) 86
quadrisignatus Gyll. (Metamas.) 42
quadrispilotus Chevr. 42
quadrivittata Gyll. 61
quadrivulnerata Thoms. 66
quatuordecimpunctatus Panz. 48
quinarius Pasc. 22
quinquemaculatus Chevr. (Rhodob.) 44
quinquemaculatus Hartm. (Aplo.) 63
quinquepunctatus Say 48
quinquepustulatus Faust 22
Ragusae Stierl. 50
rarus Günth. 12
raucus Faust 8
Reaumuri Gyll. 14
reclinatus Mrshl. 7
recta Say 62
rectilineatus Fairm. 70
rectistriata Chitt. (Calandra) 61
rectistrigatus Champ. (Phyllery-thr.) 39
reflexus Chevr. 64
regalis Günth. 14
regulare Bits. 83
regulus Hell. 35
remotepunctatus Gyll. 74
remotus Sharp 71
reticulaticollis auct. (Calandra) 57
reticulaticollis Boh. (Calandra) 61
reticulata Chitt. (Calandra) 61
reticulata Quedf. (Diocal.) 77
retrorsus Pasc. 24
retusa Gyll. 59
rex Chevr. (Cyrtotrach.) 9
rex Faust (Rhynchoph.) 17
rhinoceros Chevr. 14
rimoratus Gyll. 42
Ritchiei Mrshl. 42
rivulosum Boh. 83
robusta Horn (Calandra) 61
robustior Chitt. (Calandra) 61
robustior Horn (Scyphoph.) 37
robustus Faust (Otidogn.) 12
Roelofsi Chevr. 63
rubellus Gyll. 44
ruber Faust 17
rubetra Ol. 86
rubicundus Auriv. (Haplorrh.) 28
rubicundus Champ. (Rhodob.) 46
rubida Rey 52
rubiginea Wied. 18
rubiginosa Chevr. 18
rubriceps Chevr. 12
rubricosus Faust 22
rubripes Kolbe 25
rubrocinctus Chevr. 17
rubrocollaris Fairm. 69
rubromaculatus Faust 32
rubroniger Fish. 38
rubrotessellata Blanch. 56
rubrovariegatus Bovie 37
rubrovittatus Champ. (Rhodob.) 46
rubrovittatus Hell. (Prodioc.) 22
rufa Chevr. 56
rufescens Hartm. (Otidogn.) 12
rufescens Pasc. (Sphenocor.) 21
ruficollis Pasc. (Diathet.) 31
ruficollis Waterh. (Perissod.) 31
ruficornis Hell. (Tatiotim.) 79
rufifrons Hell. (Protoc.) 13
rufipes Günth. (Cercid.) 33
rufipes Roel. (Stenoph.) 29
rufithorax Hell. 10
rufocinctus Champ. 37
rufoclavatum Auriv. 28

- rufofasciatus* Deg. 42
rufofemoratum Auriv. (Anoxyopisth.) 28
rufofemoratum Thoms. (Dolichopisth.) 27
rufomaculatus Champ. 37
rufopectinipes Chevr. 10
rufus Faust 30
rugicollis Boh. (Mesocord.) 86
rugicollis Cas. (Sitoph.) 76
rugipectus Champ. 40
rugosicollis Hust. 76
rugosulus Pasc. 76
rugosus Boisd. (Trigonot.) 34
rugosus Thbg. (Sitoph.) 76
rusticus Gyll. 68
- sacchari* Gyll. (Metamas.) 42
sacchari Mrshl. (Trochorhop.) 64
saginatus Champ. 46
salutarius Faust 82
Sancti-Andreae Rits. 83
sanguarius Rumph. 16
sanguineus Gyll. 46
sanguinipennis Chevr. 51
sanguinipes Hell. 33
sanguinivittis Hell. 32
sanguinolentus Ol. 39
sanguinosus Hell. (Diathet.) 32
sanguinosus Hell. (Omotemn.) 14
sannio Pasc. 32
Sasakii Takah. 76
satelles Günth. 12
sationis Hell. 54
saturatus Pasc. 33
saucius Gyll. 47
Sayi Gyll. 61
scabricollis Fairm. 5
scabrirostris Hell. 29
scenicus Faust 7
Schach F. 16
Schaumi Faust 6
Schönherrri Guér. (Cercid.) 33
Schönherrri Gyll. (Calandra) 54
Schultzei Hell. 20
Schüppeli Gyll. 81
Schwarzii Chitt. 61
scirpi Chitt. 54
scoparia Horn 61
scotina Germ. 50
scrutator Ol. 88
sculpticollis Motsch. 82
sculptilis Horn (Calandra) 55
sculptilis Uhl. (Calandra) 55
sculpturatus Gyll. 76
scutatus Champ. 42
scutellaris Er. 86
scutellatus Faust 21
scutiger Champ. 42
sechellarum Kolbe 77
- securifer* Gaede 33
segetis L. 74
sejunctum Kolbe 28
sellatus Champ. (Metamas.) 42
sellatus Roel. (Poterioph.) 35
semifrenatus Fairm. 5
seminitidus Chevr. 32
seminiger Faust 16
seminudus Faust 21
semiruber Faust 29
semitomentosus Chevr. 32
senegalensis Gyll. 30
separandum Kolbe (Coptopisth.) 27
separandus Faust (Otidogn.) 12
septempunctatus Fairm. 5
septentrionalis Günth. 11
sequoiae VDyke 61
seriatus F. 14
sericans Wied. 29
sericeus Ol. 43
sericoplaga Hell. 11
seriepunctata Gyll. 61
serratipes Chitt. 61
serrirostris Chevr. (Prodioc.) 22
serrirostris F. (Omotemn.) 14
setigera Chitt. 61
setulosa Gyll. 77
sexguttatus Champ. 47
sexmaculatus Thbg. 16
Sharpi Cas. 87
shoreae Mrshl. 76
scicula Strl. 52
Sierrakowskyi Gyll. 37
signatella Fairm. 78
signaticollis Chevr. (Rhynchoph.) 17
signaticollis Faust (Diathet.) 32
signaticollis Gyll. (Calandra) 55
signiventris Kirsch 43
simillima Kolbe 53
similis Chevr. (Cercid.) 34
similis Hell. (Prodioc.) 22
simplex Lec. 59
singhalensis Faust 22
singularis Pasc. 23
sinuatus Champ. 39
solidus Faust 79
Soltaii Chitt. 62
Sommeri Burm. 34
sordidum Hartm. (Scoliopisth.) 25
sordidus Germ. (Cosmopol.) 67
sorex Pasc. 80
spadicea Gyll. 62
spectabilis Dohrn 10
sphacelatus Boh. 86
spinicollis Chevr. 40
Spinolae Gyll. 38
spongiocollis Fairm. 30
squalidus Kolbe 85

squamiger Faust 36
squamosa Gyll. 53
squamulosus Hell. 12
stellata Hell. (Autonops.) 81
stellatus Hell. (Poterioph.) 35
sternalis Chevr. 29
stigma Pasc. 20
stigmaticollis Chevr. (Rhodob.) 47
stigmaticollis Gyll. (Diocal.) 77
stigmaticus Fährs. 47
stillata Hell. 67
Stolzi Rits. 14
strangulatus Gyll. 64
strenuus Pasc. 32
striatipennis Chitt. 62
striatoforatus Gyll. 38
striatopunctata Goeze (Calandra) 52
striatopunctata Reitt. (Calandra) 52
striatus Boh. (Mesocord.) 86
striatus Fährs. (Cosmopol.) 68
striatus Thbg. (Sitoph.) 74
striga Faust 7
strigicollis Faust 7
strigosa Er. 62
subcarinata Mannh. 62
subcostatus Fairm. 6
subcristatus Champ. 47
subcoruciata Mrshl. 67
subcylindricus Champ. 43
subfasciata Boh. (Diocal.) 76
subfasciata Desbr. (Nassoph.) 25
subfasciatus Chevr. (Otidogn.) 12
sublaevis Chitt. 55
submaculatus Champ. 43
subnitens Cas. 38
subnitida Har. 53
subnotatus Voss 10
subopaca Chitt. 62
subparallelus Chevr. 84
subrufescens Hell. 80
subscutellaris Chevr. 22
subscutellatus Chevr. 22
subsignata Boh. 77
subulata Chitt. (Calandra) 62
subulatus Germ. (Mesocord.) 86
subulirostris Kolbe (Temnosch.) 66
subbulirostris Mrshl. 82
sulcatus Roel. 81
sulcicollis Chevr. (Cercid.) 34
sulcicollis Faust (Caulos.) 81
sulcifrons Chevr. 62
sulcipes Karsch 54
sulcirostris Champ. (Metam.) 43
sulcirostris Hell. (Ommatol.) 20
sumatrana Chevr. (Calandra) 54
sumatratus Faust (Trochorhop.) 64

sumatratus Hell. (Cyrtotrach.) 9
Sundevallii Boh. 7
superciliaris Pasc. 7
superciliosus Hell. 78
surigaensis Günth. 11
surigaonis Hell. 22
sutura-alba Chevr. 34
suturale Roel. (Plagypisth.) 28
suturale Roel. (Cryptod.) 83
suturalis Gyll. (Rhodob.) 47
suturellus Chevr. 46
Swierstraë Rits. 14
taitensis Guér. 77
tamarindi Christy 74
tarda Fall. 62
tenuicornis Hell. 81
tenuirostris Chevr. (Rhynchoph.) 16
tenuirostris Günth. (Sphenocor.) 21
tenuis Fairm. 5
tenuiscapus Champ. 47
terebrans Ol. 66
terricola Champ. 62
tesselatus Champ. 47
Testardi Montr. 32
tetraspilota Chevr. (Calandra) 62
tetraspilotus Guér. (Ommatol.) 20
tetrica Gyll. 62
thoracicus Gyll. 49
tibialis Waterh. 38
tincturata Pasc. 67
tinctus Walk. 85
togoense Faust 27
tonkinensis Günth. 10
Tornowii Bréth. 62
torrida Pasc. 54
transatlanticus Kirsch 40
tredecimpunctatus Ill. 47
triangularis Champ. 48
trichopygus Chevr. 34
tricolor Faust (Periphem.) 25
tricolor Hell. (Anathym.) 23
tricolor Hell. (Rhabdoen.) 67
trilineatum Auriv. 28
trisignatus Kirsch 23
tristis Faust (Prodioct.) 22
tristis Pasc. (Eugnorist.) 70
tropicus Pasc. 30
truncata Say 60
turbatus Faust 12
typhae Chitt. 60

Uhlemanni Schlze 35
Ulkei Horn 56
umbratilis Lac. 68
unicolor Hell. (Prodioct.) 22
unicolor Marsh. (Sitoph.) 74
unidentatus Champ. 49

uniseriata Stierl. 51
univittata Chitt. 54
ursinus Faust 12
Valdaui Auriv. 26
valens Champ. 49
valida Hell. (Schlaginb.) 67
valida Panz. (Rhina) 88
validirostris Gyll. 38
validus Lec. 38
Vandepolli Roel. 35
variabilis Günth. (Omotemn.) 14
variabilis Gyll. (Rhodob.) 48
variegatus F. (Phaeocoryn.) 34
variegatus Fairm. (Epiphyl.) 5
variegatus Fairm. (Gandar.) 6
variegatus Panz. (Metamas.) 42
varieguttatus Chevr. 49
variolosa Hell. (Pristirrh.) 17
variolosa Lec. (Calandra) 62
variolosus Klug (Crepidot.) 69
varius F. 34
velatus Motsch. 82
velutina Lec. (Calandra) 62
velutinus Fairm. (Rhynchoph.) 16
velutinus Hartm. (Otidogn.) 12
velutinus Roel. (Rhynogr.) 35
venata Say 62
veraepacis Champ. 49
verrirostris Ill. 88
verrucosus Champ. 39
vestita Chitt. 62
vicarius Faust 14
viduus Chevr. (Cercid.) 34
viduus Guér. (Toxorrhin.) 80
villosoviventris Chitt. 63
viridiaenea Hell. 18

vittaticollis Hell. 32
vittatipennis Champ. 48
vittatus Boh. (Poterioph.) 35
vittatus Jord. (Macroch.) 10
vittatus Roel. (Cryptocord.) 27
vitticollis Hartm. (Omotemn.) 14
vitticollis Quedf. (Calandra) 53
vittiger Faust 25
v-nigrum Champ. 49
vomerina Lec. 63
vulneratus Panz. 16
Wahnesi Hartm. 31
Weiskei Hell. 30
Weissi Barb. 40
Westermanni Auriv. (Oxyopisth.) 26
Westermanni Boh. (Campylosc.) 3
Westermanni Boh. (Otidogn.) 12
Whiteheadi Hell. 20
Wiedemannii Faust 29
Wollastoni Mrshl. 39
xanthozona Champ. 39
x-rubrum Desbr. 34
x-rufum Hell. 14
psilon Chevr. 49
yuccae Horn 37
zambesianus Mrshl. 36
Zamiae Gyll. 34
zanzibarica Desbr. 29
zeae Walsh 63
zeae-mais Motsch. 76
Zenkeri Kolbe 26
Zimmermanni Fâhrs. 15

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

Erlinge
- 7. OKT.

editus a

S. Schenkling.

Pars 149:

E. Csiki

Curculionidae:

Rhynchophorinae, Cossoninae.



Dr. W. Junk

Verlag für Naturwissenschaften

's-Gravenhage

1936.

INHALTS-VERZEICHNIS.

Curculionidae:

	Seite
I: Subfam. Rhynchophorinae	3
1. Tribus Campyloscelini	3
2. Tribus Rhynchophorini	8
3. Tribus Stromboscerini	81
4. Tribus Cryptodermini	82
5. Tribus Sipalini	83
Index: Subfamilia, Tribus, Subtribus	90
Genera, Subgenera	90
Species, Varietates	92
II: Subfam. Cossoninae	105
1. Tribus Acamptini	105
2. Tribus Trypetini	106
3. Tribus Cossonini	109
Index: Subfamilia, Tribus, Subtribus	196
Genera, Subgenera	196
Species, Varietates	199

Subfam. Cossoninae.

Auct. E. Csiki.

Cossonidae C. G. Thomson, Skand. Col. VII, 1865, p. 336
(part.).

Cossoninae Blatchley & Leng, Rhynchoph. N. E. America
1916, p. 48, 518.

I. Trib. Acamptini.

Acampti J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 237.

Acamptina Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10
(1910), p. 1.

Acamptini Blatchley & Leng, Rhynchoph. N. E. Amer.
1916, p. 518, 519.

Acamptopsis Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 1, 2.

cubanus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Kuba
—1910 (1909), p. 2.

encaustus Champ. l. c. p. 2, t. 1, f. 1, 1a—c. Panama
2

Pseudacamptus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 1, 3.

plurisetosus Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko
1909—10 (1909), p. 3, t. 1, f. 2, 2a—c.

1

Acamptus J. Lec.

J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 238. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 2. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 519.

echinus Casey, Ann. New York Acad. Sc. VIII, 1895, Arizona,
p. 837. — Blatchley & Leng, Rhynchoph. N. ? Ohio
E. Amer. 1916, p. 520.

rigidus J. Lec. Proc. Amer. Phil. Soc. XV, 1876, Ontario,
p. 239. — Casey, Ann. New York Acad. Sc. Distr. of
VI, 1892, p. 446. — Champ. Biol. Centr.- Columbia,
Amer. Col. IV, 7, 1909—10 (1909), p. 3. — Florida,
Blatchley & Leng, Rhynchoph. N. E. Amer. Texas,
1916, p. 519. Ohio,
Biologie: Wickham, Journ. New York Ent. Michigan,
Soc. IV, 1896, p. 123, t. 5, f. 5. Kanada

2

Choerorrhynchus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 2, 3.

tenuitarsis Champ. Biol. Centr.-Amer. Col. IV, 7, Panama
1909—10 (1909), p. 4, t. 1, f. 3, 3a—c.

1

Paracamptopsis Hust.

Hust. in Voy. Alluaud & Jeannel Afr. orient. XIX, 1929, p. 512.
oblongus Hust. Voy. Alluaud & Jeannel Afr. orient. Kenya
 XIX, 1929, p. 513, fig.
ovatus Hust. l. c. p. 514, fig. 2 „

II. Trib. Trypetini.

Trypetides Lacordaire, Gen. Col. VII, 1866, p. 6, 177.
Trypetina Champion, Biol. Centr.-Amer. Col. IV, 7, 1909
 — 1910 (1909), p. 4. — Hustache in Gruvel, Faune Colon.
 Franç. V, fasc. 1, 1932, p. 78 (Sep. p. 330).
Trypetini J. Leconte & Horn, Proc. Amer. Phil. Soc. XV,
 1876, p. 338; Classif. Col. N. America 1883, p. 483.

Arthrotomus Schönh.

Schönh. Gen. Spec. Cerc. VIII, 1, 1844, p. 37. — Lacord. Gen. Col. VII, 1866, p. 176, 179. — Gemm.-Har. Cat. Col. VIII, 1871, p. 2598.
 — Hust. Bull. Acad. Malgache (n. s.) VII, 1924, p. 468.
depressus Klug, Abhandl. Berl. Akad. I, 1833, p. Madagaskar
 201, t. 4, f. 12. — Schönh. Gen. Spec. Cerc. IV, 2, 1838, p. 1870. — Bohem. l. c. VIII, 1, 1844, p. 39. — Hust. Bull. Acad. Malgache (n. s.) VII, 1924, p. 468.
madaガscaricensis Bovie, Ann. Soc. Ent. Belg. LI, 1907, p. 67 (*Cossonus*).
planatus Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 380 (*Cossonus*).
subimpressus Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 120.

2

Arthrotomoidellus Hust.

Hust. Mém. Acad. Malgache XIV, 1932 (1933), p. 109.
rugosipennis Hust. Mém. Acad. Malgache XIV, 1932 Madagaskar (1933), p. 109.

1

Sycites Champ.

Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 455.
pilicornis Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 456, t. 24, f. 41.

1

Nanus Schönh.

Schönh. Gen. Spec. Cerc. VIII, 1, 1844, p. 89. — Lacord. Gen. Col. VII, 1866, p. 177, 179. — Gemm.-Har. Cat. Col. VIII, 1871, p. 2598. — J. Lec. & Horn, Classif. Col. N. Amer. 2. ed. 1883, p. 484. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 5. — Hust. in Gruvel, Faune Colon. Franç. V, fasc. 1, 1932, p. 97 (Sep. p. 331).

Homaloxenus Woll. Trans. Ent. Soc. Lond. 1873, p. 436, 470, 552. — J. Lec. Proc. Amer. Philos. Soc. XV, 1876, p. 338.

erythrurus	Chevr. Ann. Soc. Ent. Fr. (5) X, 1880,	Guadeloupe
	Bull. p. XXXII (? <i>Sphenophorus</i>); Le Natural. II, 1880, p. 295. — Hust. in Gruvel, Faune Colon. Franç. V, fasc. 1, 1932, p. 80 (Sep. p. 332).	
hispidus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909,	Panama
	p. 6, t. 1, f. 6, 6a, 7.	
punctatellus	Bohem. in Schönh. Gen. Spec. Curc. VIII, 1, 1844, p. 91.	Columbien
uniformis	Bohem. in Schönh. l. c. p. 90. — Chevr. Le Natural. II, 1880, p. 295. — J. Lec. & Horn, Classif. Col. N. Amer. 2. ed. 1883, p. 484. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 5, t. 1, f. 4, 4a, 5. — Hust. in Gruvel, Faune Colon. Franç. V, fasc. 1, 1932, p. 79 (Sep. p. 331).	Florida, Mexiko, Cuba, Portoriko, San Domingo
<i>denticipes</i>	Woll. Trans. Ent. Soc. Lond. 1873, p. 615. — J. Lec. Proc. Amer. Philos. Soc. XV, 1876, p. 338.	

4

Homalorrhynchus Champ.

Champ.	Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 452.
rubicatus	Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 453.
serripes	Champ. l. c. p. 453, t. 24, f. 38.
Verschaffeltiae	Champ. l. c. p. 454, t. 24, f. 39, 39a.

3

Sphodrias Champ.

Champ.	Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 454.
magdaloides	Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 455, t. 24, f. 40.

Hoplorrhinus Chevr.*)

Chevr. Ann. Soc. Ent. France (5) VIII, 1878,	Bull. p. CVIII. — Champ. Biol. Centr.-Amer. Col. IV, 4, 1902—06 (1903), p. 277; l. c. IV, 7, 1909—10 (1909), p. 4.
bimaculatus	Hust. Bull. Soc. Ent. Fr. 1929, p. 42. Brasilien
crispus	Champ. Biol. Centr.-Amer. Col. IV, 4, 1902 —1906 (1903), p. 278, t. 14, f. 17, 17a. Brit. Honduras, Guatemala
geniculatus	Chevr. Ann. Soc. Ent. France (5) VIII, 1878, Bull. p. CVIII. Brasilien
Lizeri	Hust. Anal. Soc. Cient. Argent. XCVII, 1924, Bolivien p. 177.
melanocephalus	Chevr. l. c. p. CVIII. Brasilien
mexicanus	Champ. Biol. Centr.-Amer. Col. IV, 4, 1902—06 (1903), p. 278, t. 14, f. 15, 15a—b; l. c. IV, 7, 1909—10 (1909), p. 5. Mexiko

6

Hoplorrhinoidea Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7	1909—10 (1909), p. 6.
attalae	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909, Guatemala p. 6, t. 1, f. 8, 8a, 9.

*) Schon unter *Antliarrhininae* (Pars 146) gebracht, gehört aber besser hierher.

- pallidus** Champ. l. c. p. 7. Panama
palmarum Voß, Deutsche Ent. Zeitschr. 1921, p. 80. Costa Rica
 3

Trypetes Schönh.

- Schönh. Gen. Spec. Curc. III, 1836, p. 595; l. c. VIII, 1, 1844, p. 36. — Gemm.-Har. Cat. Col. VIII, 1871, p. 2597.
Guildini Fähr. in Schönh. Gen. Spec. Curc. VIII, St. Vincent 1, 1844, p. 36. — Hope in Dej. Col. Cat. 3. ed. 1836, p. 310.
politus Pasc. Ann. Mag. Nat. Hist. (5) VI, 1880, Ost-Peru p. 180.
rhinoides Gyll. in Schönh. Gen. Spec. Curc. III, Cayenne 1836, p. 596. — Latr. in Dej. Col. Cat. 2. ed. 1821, p. 286; 3. ed. 1836, p. 310. — Lacord. Gen. Col. Atl. VIII, t. 75, f. 1 a. *calandroides* Dej. Col. Cat. 3. ed. 1836, p. 310.
 3

Tyrpetes Hell.

- Heller, Abhandl. Ber. Zool. Anthropol.-Ethnogr. Mus. Dresden XII, 1908, nr. 1, p. 30.

- Ottonis** Heller, Abhandl. Ber. Zool. Anthropol.- Salomon Ethnogr. Mus. Dresden XII, 1908, nr. 1, p. Isl. 31, fig.

1

Homoeopus Berg.

- Berg, Comun. Mus. Buenos Aires I, 1899, p. 79.

- Isoopus* Faust, Deutsche Ent. Zeitschr. 1898, p. 73 [nec Montrouzier].

- corticalis** Faust, Deutsche Ent. Zeitschr. 1898, p. 73. Kamerun
 1

Parasycites Hust.

- Hust. Bull. Mus. Hist. Nat. 1922, p. 413; Bull. Acad. Malgache (n. s.) VII, 1924, p. 466.

- sexspilotus** Hust. Bull. Mus. Hist. Nat. 1922, p. 413; Madagaskar Bull. Acad. Malgache (n. s.) VII, 1924, p. 467.

1

Nyella Oke.

- Oke, Proc. Roy. Soc. Vict. XLIII, 1931, p. 200.

- tuberculata** Oke, Proc. Roy. Soc. Vict. XLIV, 1931, Victoria p. 200, fig.; l. c. XLVI, 1934, p. 262.

1

Arecophaga Broun.

- Broun, Man. New Zealand Col. I, 1880, p. 533; Trans. New Zealand Inst. XLI, 1908 (1909), p. 205.

- varia** Broun, Man. New Zealand Col. I, 1880, p. Neuseeland 534; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 205, t. 16, f. 6.

1

Eudontus Broun.

Broun, Man. New Zeal. Col. III, 1886, p. 808; New Zeal. Journ. Sc. I, 1883, p. 492.

punctithorax Broun, New Zeal. Journ. Sc. I, 1883, Neuseeland p. 492; Man. New Zeal. Col. III, 1886, p. 808.

1

Pogonorhinus Hutton.

Hutton, Index Fn. New Zeal. 1904, p. 218. — Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 206. — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 452.

Lasiorhinus Broun, Man. New Zeal. Col. I, 1880, p. 532; l. c. III, 1886, p. 803 [nec Gray].

opacus Broun, Man. New Zeal. Col. I, 1880, p. 533; Neuseeland Trans. New Zeal. Inst. XLI, 1908 (1909), p. 207, t. 16, f. 7.

1

Nesotocus Perk.

Perk. Fauna Hawaiiensis II, 1900, p. 150.

kausiensis Perkins, Fauna Hawaiiensis II, 1900, p. Hawaii 151, t. 8, f. 5.

Munroi Perkins, l. c. p. 150.

Newelli Perkins, l. c. p. 151.

3

"

"

III. Trib. Cossonini.

Cossonides Schönh. Gen. spec. Curae VIII, 2, 1845, p. 265. — Lacord. Gen. Col. VII, 1866, p. 264, 319.

Cossonidae Wollast. Trans. Ent. Soc. Lond. 1873, p. 427. — Broun, Man. New Zeal. Col. I, 1880, p. 507.

Cossonini Redt. Fauna Austr. 3. Aufl. I, 1874, p. CXXX; l. c. II, 1874, p. 360. — Stierl. Mitth. Schweiz. Ent. Ges. VI, 1880—84 (1883), p. 406; Käf. Schweiz II, 1898, p. 207. — Seidl. Fauna Balt. 2. Aufl. 1887—91 (1890), Gatt. p. 154; Fauna Transsylv. 1888—91 (1891), Gatt. p. 154. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 3; Best.-Tab. europ. Col. XXXVII, 1898, p. 3; Verh. Naturf. Ver. Brünn LI, 1912, p. 55; Best.-Tab. europ. Col. LXVIII, 1912, p. 55; Fauna Germ. V, 1916, p. 118, 127. — Everts, Col. Neerl. II, 1903, p. 550. — C. Schauf. in Calw. Käferb. 6. Aufl. II, 1916, p. 1034, 1109. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 10; Ann. Soc. Ent. France IC, 1930, p. 264.

Cossonina Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 7.

Cossoninæ Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 906, 977.

1. Subtrib. Apheli.

Notiomimetiades Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 440.

Psaldus Pasc.*)

Pasc. Trans. Ent. Soc. Lond. 1870, p. 188. — Lea, Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 638.

Notiomimetes, Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 440, 504.

liosomoides Pasc. Trans. Ent. Soc. Lond. 1870, p. 189. S. Australien

Pascoei Wollast. l. c. 1873, p. 594.

var. *ammodytes* Pasc. apud Lea, Proc. W. Australien Linn. Soc. N. S. Wales XXII, 1897, p. 638.

1

Aphela Pasc.

Pasc. Journ. of Ent. II, 1865, p. 416.

algarum Pasc. Trans. Ent. Soc. Lond. 1870, p. 203. N. S. Wales

helopoides Pasc. Journ. of Ent. II, 1865, p. 417, „
t. 17, f. 4.

phaleroides Pasc. Trans. Ent. Soc. Lond. 1870, p. Queensland 202.

pictipes Broun, Ann. Mag. Nat. Hist. (7) XII, 1903, Neuseeland p. 75.

4

Wollastonics Lea.

Lea in Michaelsen, Fauna Südwest-Austral. II, 1909, p. 231.

minuta Lea in Michaelsen, Fauna Südwest-Austral. S. W.

II, 1909, p. 231. Australien

1

2. Subtrib. **Dryophthori.**

Dryophthorides Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1088. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 151. — Lacord. Gen. Col. VII, 1866, p. 321. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 7, 9, 434, 441. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 8.

Dryophthorites Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 71, 95.

Dryophthorini J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 334. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1884), p. 65. — Everts, Col. Neerl. II, 1903, p. 547. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 518, 523. — Hust. Ann. Soc. Ent. France IC, 1930, p. 263.

Psilodryophthorus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 441, 505.

costatus Wollast. Trans. Ent. Soc. Lond. 1873, p. 595. Neuguinea

1

Stenommatus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 442, 506. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 9.

Fryi Wollast. Trans. Ent. Soc. Lond. 1873, p. 595. Mexiko

nanus Champ. Ent. Monthly Mag. LXI, 1925, p. 270. Brit. Indien (Kumaon)

*) Schon unter *Erirrhininae* (Pars 140) gebracht, gehört aber hierher.

sulcifrons Champ. Biol. Centr.-Amer. Col. IV, 7, Panama
1909—10 (1909), p. 9, t. 1, f. 11.

3

Metopoma Cas.

Casey, Ann. New York Acad. Sc. VI, 1892, p. 689.

repens Casey, Ann. New York Acad. Sc. VI, 1892, Kalifornien
p. 690.

1

Dryophthorus Schönh.

Schönh. Cerc. Disp. Meth. 1826, p. 332; Gen. spec. Cerc. IV, 2, 1838, p. 1088. — Redt. Fauna Austr. 1849, p. 42, 365; l. c. 2. Aufl. 1858, p. CXXI, 824; l. c. 3. Aufl. I, 1874, p. CXXXVIII; l. c. II, 1874, p. 361. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 160. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 453, 559. — O. G. Thoms. Skand. Col. VII, 1865, p. 339. — Lacord. Gen. Col. VII, 1866, p. 322. — Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 78. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 442, 506. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 127; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 164; Fauna Transsylv. 1888—91 (1891), Gatt. p. 164. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 192. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 3; Best.-Tab. europ. Col. XXXVII, 1898, p. 3; Verh. Naturf. Ver. Brünn LI, 1912, p. 60; Best.-Tab. europ. Col. LXVIII, 1912, p. 60; Fauna Germ. V, 1916, p. 128, 129. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 389. — Everts, Col. Neerl. I, 1903, p. 558, 705. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 916. — C. Schauf. in Calwer, Käferf. 6. Aufl. II, 1916, p. 1110. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 524. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 544; Ann. Soc. Ent. France IC, 1930, p. 263.

Alluaudi Hust. Bull. Mus. Hist. Nat. Paris 1922, Madagaskar
p. 417; Bull. Acad. Malgache (2) VII, 1924,
p. 546.

americanus Bedel, Faune Col. Bass. Seine VI, 1882 Kanada,
—88 (1885), p. 192. — Blatchley & Leng, New
Rhynchoph. N. E. Amer. 1916, p. 524. — England,
Champ. Trans. Linn. Soc. Lond. (2) XVI, Indiana,
1913—14 (1914), p. 457 (= *lymexylon* F.). Wisconsin,
corticalis Say, Descr. Cerc. N. Amer. 1831, New York,
p. 24 [non Payk.]; Compl. Writ. I, 1859, New Jersey,
p. 292. — Boh. in Schönh. Gen. spec. Cerc. Florida,
IV, 2, 1838, p. 1089. Seychellen
assimilis Gah. Monogr. Christm. Isl. 1900,
p. 116.

armaticollis Marshall, Ins. Samoa IV, 5, 1931, p. 322, Samoa
fig. 22 b.

atomus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, Komoren,
p. 550. — Hust. Bull. Acad. Malgache (2) Maskarenen,
VII, 1924, p. 546. Madagaskar

bituberculatus F. Spec. Ins. I, 1781, p. 171; Mant. Neuseeland,
Ins. I, 1787, p. 103; Ent. Syst. I, 2, 1792, ?Sandwich I.,
p. 414 (*Curculio*); Syst. Eleuth. II, 1801, ?Kalifornien
p. 438 (*Calandra*). — Gmel. in L. Syst.
Nat. ed. XIII, I, 4, 1790, p. 1745 (*Curculio*).
— Ol. Encycl. méth. V, 1790, p. 489 (*Curculio*); Ent. V, 1807, nr. 83, p. 95, t. 13, f. 167 a—b (*Calandra*). — Herbst, Natursyst.
Ins. Käf. VI, 1795, p. 29, t. 61, f. 12 a—b (*Rhynchophorus*). — Boisd. Voy. d'Astrolabe

- II, 1835, p. 451 (*Calandra*). — White, Voy. Erebus and Terror XI, 1846, p. 17, t. 3, f. 7. — Fairm. Rev. Zool. 1849, p. 654. — Dietz, Ent. News XXI, 1910, p. 47.
- crenatus* Boisd. Voy. d'Astrolabe II, 1835, p. 450 (*Calandra*).
- brevipennis* Perk. Fauna Hawaiensis II, 1900, p. 144. Hawaii
- brevis* Voss, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 190. Madagascar
- cocosensis* Champ. Biol. Centr.-Amer. IV, 7, 1909 Cocos Isl. — 10 (1909), p. 8.
- corticalis* Payk. Monogr. Curc. 1792, p. 41 (*Curculio*). — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 192, 193. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 5; Best.-Tab. europ. Col. XXXVII, 1898, p. 5; Fauna Germ. V, 1916, p. 129, t. 160, f. 1. — Everts, Col. Neerl. II, 1903, p. 706. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 977. — C. Schauf. in Calw. Käferb. 6. Aufl. II, 1916, p. 1111, t. 40, f. 12. — Hust. Ann. Soc. Ent. France IC, 1930, p. 263. — Donisthorpe, Ent. Monthly Mag. LXI, 1925, p. 182.
- Biologie: Perris, Ann. Soc. Ent. France (3) IV, 1856, p. 245, t. 5, f. 324—325. — Buysson, Ann. Soc. Linn. Lyon LIX, 1912, p. 89.
- lymexylon* F. Ent. Syst. I, 2, 1792, p. 420 (*Curculio*); Syst. Eleuth. II, 1801, p. 504 (*Lixus*). — Panz. Fauna Germ. 18, 1794, nr. 11 (*Curculio*). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 231, t. 76, f. 9 (*Curculio*). — Payk. Fauna Suec. III, 1800, p. 240 (*Curculio*). — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 140 (*Curculio*). — Ol. Ent. V, 1807, nr. 83, p. 427, t. 35, f. 538 (*Cossonus*). — Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1089. — Guér. Iconogr. Règn. anim. VII, 1829—44, t. 39 bis, f. 8a—d. — Redt. Fauna Austr. 1849, p. 366; l. c. 2. Aufl. 1858, p. 824; l. c. 3. Aufl. II, 1874, p. 361. — Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 73, t. 30, f. 145. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 391. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 559. — O. G. Thoms. Skand. Col. VII, 1865, p. 339. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 455; l. c. 2. Aufl. 1887—91 (1891), Art. p. 617; Fauna Transsylv. 1888—1891 (1891), Art. p. 687. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 390.
- crassus* D. Sharp, Trans. Ent. Soc. Lond. 1878, p. Hawaii 22. — Perkins, Fauna Hawaiensis II, 1900, p. 141.
- curtus* Hust. Mém. Acad. Malgache XIV, 1932 (1933), Madagaskar p. 113.
- declivis* D. Sharp, Trans. Ent. Soc. Lond. 1878, p. Hawaii 23. — Perkins, Fauna Hawaiensis II, 1900, p. 142, t. 7, f. 18.
- Europa,
Kaukasus

- distinguendus** Perkins, l. c. p. 140. Hawaii
ecarinatus Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen
 1913—14 (1914), p. 457.
excavatus Boh. in Schönh. Gen. spec. Cucr. IV, 2, Madagaskar
 1838, p. 1092. — Fairm. Ann. Soc. Ent.
 France (5) I. 1871, p. 56. — Hust. Bull.
 Acad. Malgache (2) VII, 1924, p. 545, 546.
Forestieri Perroud, Ann. Soc. Linn. Lyon (2) XI, N. Kale-
 1864, p. 187. donien
fuscescens Perkins, Fauna Hawaiensis II, 1900, p. Hawaii
 145.
gravidus D. Sharp, Trans. Ent. Soc. Lond. 1878, „
 p. 22. — Perkins, Fauna Hawaiensis II,
 1900, p. 141.
guadeloupensis Hust. Faune Colon. franç. V, 1932, Guadeloupe
 p. 84.
homoeorhynchus Perkins, Fauna Hawaiensis II, Hawaii
 1900, p. 142, t. 7, f. 17.
insignis D. Sharp, Trans. Ent. Soc. Lond. 1878, p. „
 24. — Perkins, Fauna Hawaiensis II, 1900,
 p. 144, t. 7, f. 19.
insignoides Perkins, l. c. p. 144. „
kauaiensis Perkins, l. c. p. 143. „
laticauda Fairm. Ann. Soc. Ent. Belg. XLV, 1901, Madagaskar
 p. 241. — Hust. Bull. Acad. Malgache (2)
 VII, 1924, p. 545, 547.
modestus D. Sharp, Trans. Ent. Soc. Lond. 1878, Hawaii
 p. 23; Trans. R. Dublin Soc. (2) III, 1885,
 t. 5, f. 30. — Perkins, Fauna Hawaiensis
 II, 1900, p. 142.
muscosus Marshall, Ins. Samoa IV, 5, 1931, p. 321, Samoa
 fig. 22 a.
nanus Hust. Faune Colon. franç. V, 1932, p. 84. Guadeloupe
neslotes Perkins, Fauna Hawaiensis II, 1900, p. 141, Hawaii
 t. 7, f. 16.
oahuensis Perkins, l. c. p. 143. „
peles Perkins, l. c. p. 140. „
pusillus D. Sharp, Trans. Ent. Soc. Lond. 1878, p. „
 24. — Perkins, Fauna Hawaiensis II, 1900,
 p. 143.
quadricollis Champ. Biol. Centr.-Amer. Col. IV, 7, Guatemala
 1909—10 (1909), p. 8, t. 1, f. 10.
setulosus Motsch. Bull. Soc. Nat. Mosc. XXXIX, Ceylon
 1866, II, p. 446.
squalidus D. Sharp, Trans. Ent. Soc. Lond. 1878, Hawaii
 p. 22. — Perkins, Fauna Hawaiensis II,
 1900, p. 139.
trichocerus Montrouz. Ann. Soc. Ent. France (3) Lifu
 VIII, 1860, p. 914.
tricuspidis Faust, Ann. Mus. Civ. Genova XL, 1899, p. Neuguinea
 122.
verticalis Perkins, Fauna Hawaiensis II, 1900, p. Hawaii
 145, t. 7, f. 20.

Tetraspartus Pasc.

- Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 309.,
bagoides Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Java
 1885, p. 309.

Glyphostethus Marshall.

Marshall, Proc. Hawaii. Ent. Soc. IV, 1921, p. 595.
cancellatus Marshall, Proc. Hawaii. Ent. Soc. IV, Samoa
 1921, p. 596.

1

Tetratemnus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 7, 9, 434, 442, 507.
Perroudi Faust, Ent. Zeit. Stettin L, 1889, p. 74.

N. Kaledonien

sculpturatus Woll. Trans. Ent. Soc. Lond. 1873, p. 11. — Roel. Ann. Soc. Ent. Belg. XVIII, Japan,
 1875, Compt.-Rend. p. 1875, CXXXIII. China

2

Dryotribus G. Horn.

G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 433. — Champ. Ent. Monthly Mag. XLV, 1909, p. 103, 123. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 524.

Thalattodora Perkins, Fauna Hawaiianensis II, 1900, p. 146.
breviceps Marshall, Treubia VI, 1925, p. 219.

Sunda Ins.
(Kombuis)

mimeticus G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 433. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 525.
insignis Perkins, Fauna Hawaiianensis II, 1900, p. 146.

Florida,
Hawaii,
N.W.
Australien,
China

solitarius Perkins in Bryan Bishop Mus. Bull. XXXI, 1926, p. 56.

Wilderi Perkins, Proc. Hawaii. Ent. Soc. III, 1916, p. 250.

4

Pentacerus Faust.

Faust, Ent. Zeit. Stettin LV, 1894, p. 155.
Horni Faust, Ent. Zeit. Stettin LV, 1894, p. 156. Brasilien
 1

Aphyoda Pasc.

Pasc. Journ. Linn. Soc. Lond. XI, 1873, p. 214.
brenthoides Pasc. Journ. Linn. Soc. Lond. XI, 1873, Waigu
 p. 215.

diura Pasc. l. c. p. 215, t. 7, f. 1.

Neuguinea,
Batchian,
Ceram

integripennis Heller, Philipp. Journ. Sc. X, D, 1915, Luzon
 p. 236.

3. Subtrib. **Pentarthri.**

Pentarthrides Lacord. Gen. Col. VII, 1866, p. 321, 323.
 — Wollast. Trans. Ent. Soc. Lond. 1873, p. 7, 12, 434, 443.
 — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909),
 p. 9. — Broun, Trans. New Zeal. Inst. XLI, 1908 (1909),
 p. 155.

Synommatus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 444, 508.
confluens Woll. Trans. Ent. Soc. Lond. 1873, p. 596. Borneo,
Neuguinea
interruptus Pasc. Ann. Mus. Civ. Genova (2) II Java
(XXII), 1885, p. 311.
lineatus Pasc. l. c. p. 310.
3

Dexipeus Pasc.

- Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 311.
costatus Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Sumatra
1885, p. 311.
fumosus Pasc. l. c. p. 311.
2 Java

Allaeotes Pasc.

- Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 312.
griseus Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Amboina
1885, p. 312.

1

Choerorrhinoides Champ.

- Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 458.
tenuiculus Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen
1913—14 (1914), p. 458.

1

Choerorrhinus Fairm.

- Fairm. Ann. Soc. Ent. France (3) V, 1857, p. 742. — Lacord. Gen. Col. VII, 1866, p. 322, 323. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 127; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 165; Fauna Transsylv. 1888—91 (1891), Gatt. p. 165. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 444, 509. — Redt. Fauna Austr. 3. Aufl. I, 1874, p. CXXXVIII; l. c. II, 1874, p. 361. — Bedel. Faune Col. Bass. Seine VI, 1882—88 (1885), p. 193. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 3; Best.-Tab. europ. Col. XXXVII, 1898, p. 3; Verh. Naturf. Ver. Brünn LI, 1912, p. 60; Best.-Tab. europ. Col. LXVIII, 1912, p. 60 (*Choerorrhinus*); Fauna Germ. V, 1916, p. 128. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 916. — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 458. — Hust. Ann. Soc. Ent. France IC, 1930, p. 265; l. c. C, 1931, p. 154.

Pentacoptus Wollast. Trans. Ent. Soc. Lond. 1873, p. 7, 12, 434, 444, 510.

- abyssinicus** Hust. Bull. Mus. Hist. Nat. Paris 1922, Abessinien
p. 502.

- gronopiformis** Woll. Trans. Ent. Soc. Lond. 1873, Japan
p. 13 (*Pentacoptus*).

- ? **sordidus** Auriv. Kilimandjaro-Meru Exp. I, 1910, Kilimandjaro
VII, 21, p. 434.

- squalidus** Fairm. Ann. Soc. Ent. France (3) V, 1857, Südeuropa
p. 743, t. 14, f. 3a—b. — Redt. Fauna Austr.

3. Aufl. II, 1874, p. 361. — Reitt. Verh.

Naturf. Ver. Brünn XXXVII, 1898, p. 5;

Best.-Tab. europ. Col. XXXVII, 1898, p. 5.

— Kuhnt, Illustr. Best.-Tab. Käf. Deutschl.

1913, p. 977. — Hust. Ann. Soc. Ent.

France C, 1931, p. 155.

Biologie: Xambeu, L'Échange (Moeurs et métamorph. d'Ins. II) 1892, p. 38.

brevirostris Chevr. Rev. Mag. Zool. (2) XII, 1860, p. 137. — Lacord. Gen. Col. VII, 1866, p. 323.

ab. intrusus Rey, L'Échange XI, 1895, p. Pyrenäen, 50. — Kuhnt, Illustr. Best.-Tab. Käf. Frankreich Deutschl. 1913, p. 977. — Hust. Ann. Soc. Ent. France C, 1931, p. 155.

4

Elatticus Pasc.

Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 310.
Beccarii Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Neuguinea 1885, p. 310.

1

Myrmecorhinus Wasm.

Wasm. Deutsche Ent. Zeitschr. 1897, p. 271. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 535.

pinniger Wasm. Deutsche Ent. Zeitschr. 1897, p. Madagascar 271, t. 2, f. 3a—b. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 535.

1

Myrmecolixus Wasm.

Wasm. Deutsche Ent. Zeitschr. 1899, p. 170.

Braunsi Wasm. Deutsche Ent. Zeitschr. 1899, p. 171, Kapland t. 2, f. 7, 7a.

1

Lyprodes Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 444, 511.

cylindricus Woll. Trans. Ent. Soc. Lond. 1873, p. 596. Ins. Sula 1

Phloeophagomorphus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 445, 511. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 14, 15 (*Pseudopentarthrum* subg.).

angusticollis Wollast. Trans. Ent. Soc. Lond. 1873, p. 596.

ater Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Mexiko, Brit.

—10 (1909), p. 18. Honduras,
Guatemala

depressifrons Champ. l. c. p. 18, t. 1, f. 19.

Guatemala

foveifrons Champ. l. c. p. 19.

”

incisus Champ. l. c. p. 17.

Mexiko

limbatus Champ. l. c. p. 18, t. 1, f. 18.

Mexiko,
Guatemala

subcylindricus Champ. l. c. p. 17.

Guatemala

tenuis Champ. l. c. p. 19.

”

8

Pseudopentarthrum Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 445, 512. — Casey, Ann. New York Acad. Sc. VI, 1892, p. 696. — Champ. Biol. Centr.-

- Amer. Col. IV, 7, 1909—10 (1909), p. 14. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 537, 540.
angustulum Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko 1909—10 (1909), p. 15.
brevirostre Champ. l. c. p. 16, t. 1, f. 17.
caudatum Champ. l. c. IV, 7, 1909—10 (1910), " p. 211, t. 9, f. 34.
ferruginipes Hust. Faune Colon. franç. V, 1932, Guadeloupe p. 89.
fraternum Blatchley, Journ. New York Ent. Soc. Florida XXXVI, 1928, p. 260.
importatum Hust. Faune Colon. franç. V, 1932, p. Guadeloupe 90.
intermedium Hust. l. c. p. 89.
lineifrons Champ. Biol. Centr.-Amer. Col. IV, 7, Guatemala 1909—10 (1909), p. 15.
mexicanum Champ. l. c. p. 15. Mexiko
phloeophagooides Wollast. Trans. Ent. Soc. Lond. 1873, p. 597. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 17.
planifrons Champ. l. c. p. 16. Guatemala
robustum Casey, Ann. New York Acad. Sc. VI, 1892, Texas p. 697.
simplex Casey, l. c. p. 697. — Blatchley & Leng, Nebraska, Rhynchoph. N. E. Amer. 1916, p. 540. Mississippi, Indiana
13

Pentarthrinus Casey.

- Casey, Ann. New York Acad. Sc. VI, 1892, p. 698. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 14 (= ? *Pseudopentarthrum*). — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 537, 541.
anonus Blatchley, Rhynchoph. N. E. Amer. 1916, p. Florida 541, 543.
atrolucens Casey, Ann. New York Acad. Sc. VI, 1892, p. 700. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 541, 542.
brevirostris Blatchley, Journ. New York Ent. Soc. XXX, 1922, p. 126.
dissimilis Blatchley, l. c. XXXIII, 1925, p. 108.
nitens G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 434 (*Amaurorhinus*). — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 541. Florida, Distr. of Columbia, Ohio
parvicollis Casey, Ann. New York Acad. Sc. VI, 1892, p. 699. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 541, 542. Pennsylvania, Virginia, New Jersey, New York
piceus Casey, Ann. New York Acad. Sc. VI, 1892, p. 700. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 541, 542. Florida, Indiana, Ohio

Xenosomatium Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 446, 513.
tibiale Wollast. Trans. Ent. Soc. Lond. 1873, p. 597. Malay. Ins.

Pentarthrodes Wollast.

- Wollast. Col. St. Helena 1877, p. 96.
Dicksoniae Wollast. Col. St. Helena 1877, p. 97. St. Helena
filicum Wollast. l. c. p. 98. " 2

Pentarthrum Wollast.

- Wollast. Ann. Mag. Nat. Hist. (2) XIV, 1854, p. 129; Trans. Ent. Soc. Lond. 1873, p. 7, 13, 434, 446, 513. — Lacord. Gen. Col. VII, 1866, p. 323, 324. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 127; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 165; Fauna Transsylv. 1888—91 (1891), Gatt. p. 165. — Redt. Fauna Austr. 3. Aufl. I, 1874, p. CXXXVIII; l. c. II, 1874, p. 361. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 194. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 4; l. c. LI, 1912, p. 60; Best.-Tab. europ. Col. XXXVII, 1898, p. 4; l. c. LXVIII, 1912, p. 60; Fauna Germ. V, 1916, p. 128. — Everts, Col. Neerl. II, 1903, p. 558, 706. — Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 155. — Hust. Ann. Soc. Ent. France IC, 1930, p. 265; l. c. C, 1931, p. 156.
 Subg. *Hypopentarthrum* Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 122 [nec Champ.].

- affine** Wollast. Trans. Ent. Soc. Lond. 1873, p. 599. Chile
alpinum Hust. Mém. Acad. Malgache XIV, 1932 Madagaskar (1933), p. 114.
amicum Broun, Man. New Zeal. Col. V, 1893, p. Neuseeland 1247; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 156.
angustissimum Wollast. Trans. Ent. Soc. Lond. 1873, Japan p. 14.
assimilatum Broun, Man. New Zeal. Col. I, 1880; Neuseeland p. 511 (*assimilata*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 158.
auripilum Broun, l. c. XLIII, 1911, p. 109. Pitt Isl.
Blackburni D. Sharp, Trans. Ent. Soc. Lond. 1878, Hawaii p. 26.
brevicorne Broun, Bull. New Zeal. Inst. I, 1915, Neuseeland p. 246.
brevirostre D. Sharp, Trans. Ent. Soc. Lond. 1878, " p. 12. — Broun, Man. New Zeal. Col. I, 1880, p. 512; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 157.
brunneum Broun, Man. New Zeal. Col. I, 1880, " p. 510; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 158.
capense Péring. Ann. S. Afr. Mus. V, 1908, p. 327, Kapland t. 5, f. 11—12.
Carmichaeli Waterh. Ann. Mag. Nat. Hist. (5) XIII, Inaccesible 1884, p. 279. Isl.
castaneum Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 122 (Subg. *Hypopentarthrum*). W. Afrika (Ashanti)
celebensis Schauf. Horae Soc. Ent. Ross. XXI, Celebes 1887, p. 138.
congoanum Hust. Bull. Mus. Hist. Nat. Paris 1922, Franz. Kongo p. 501.
crassirostre Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 122 (Subg. *Hypopentarthrum*). Madagaskar

- cylindricum** Wollast. Trans. Ent. Soc. Lond. (2) V, 1861, p. 398, t. 19, f. 5, 5a; l. c. 1873, p. 653. — Champ. Ent. Monthly Mag. XLV, 1909, p. 104; Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 10, t. 1, f. 12. Honduras, Nicaragua, Panama, Brasilien, Ascension Isl., Malay. Isl., Samoa
- dissimile** Broun, Trans. New Zeal. Inst. XLIII, 1911, p. 109 (*dissimilum*). Pitt Isl.
- ferrugineum** Broun, New Zeal. Journ. Sc. I, 1883, Neuseeland p. 488; Man. New Zeal. Col. III, 1886, p. 804.
- foveiceps** Lea, Proc. Linn. Soc. N. S. Wales LII, Tasmanien 1927, p. 374.
- foveiventre** Lea, l. c. p. 373.
- Fultoni** Broun, Man. New Zeal. Col. V, 1893, p. 1243; Neuseeland Trans. New Zeal. Inst. XLI, 1908 (1909), p. 156.
- gracilicorne** Broun, l. c. XLII, 1910, p. 298.
- Grayi** Wollast. Trans. Ent. Soc. Lond. 1873, p. 601. Brasilien
- halodorum** Perkins in Bryan Bishop Mus. Bull. XXXI, 1926, p. 56. Hawaii
- hirticolle** Marshall, Ins. Samoa IV, 5, 1931, p. 324. Samoa
- hovanum** Hust. Mém. Acad. Malgache XIV, 1933, p. 115. Madagaskar
- humile** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 549 (*Catolethrus*). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 536. Madagaskar, Gr. Comore
- Huttoni** Wollast. Ann. Mag. Nat. Hist. (2) XIV, 1854, p. 130. — Redt. Fauna Austr. 3. Aufl. II, 1874, p. 361. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 195. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 7; Best.-Tab. europ. Col. XXXVII, 1898, p. 7. — Everts, Col. Neerl. II, 1903, p. 706. — Champ. Ent. Monthly Mag. XLV, 1909, p. 104, 122. — Hust. Ann. Soc. Ent. France C, 1931, p. 156. England, Frankreich, Holland, Belgien
- Biologie: Peschet, l. c. LXXXVIII, 1919, p. 293.
- Herrei* Allard, L'Abeille V, 1868, p. 475 (*Rhyncolus*).
- impressum** Broun, Trans. New Zeal. Inst. XLV, Neuseeland 1913, p. 147.
- indicator** Péring. Ann. S. Afr. Mus. V, 1908, p. 327, Kapland t. 5, f. 13.
- interoculare** Lea, Proc. Linn. Soc. N. S. Wales LII, Tasmanien 1927, p. 375.
- longicolle** Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 459, t. 24, f. 42. Seychellen
- melanosternum** Broun, Man. New Zeal. Col. IV, 1886, p. 869; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 157. Neuseeland
- Millingtoni** Olliff, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 1009. Norfolk Isl.
- musae** Marshall, Treubia VIII, 1926, p. 350. Java
- naucum** Marshall, Ins. Samoa IV, 5, 1931, p. 324. Samoa
- nigrum** Wollast. Trans. Ent. Soc. Lond. 1873, p. 601. Tasmanien
- nitidum** Wollast, l. c. p. 598. Chile

- nubilum** Broun, Man. New Zeal. Col. V, 1893, p. Neuseeland
1244; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 158.
- obscurum** D. Sharp, Trans. Ent. Soc. Lond. 1878, Hawaii
p. 25.
- Opazoi** Brèthes, Ann. Zool. aplic. VI, 1919, p. 29. Chile
- orthodoxum** Lea, Proc. Linn. Soc. N. S. Wales LII, Tasmanien
1927, p. 373.
- paschale** Auriv. in Skottsberg, Nat. Hist. Juan Fernandez III, Zool. 1931, p. 476, fig. Juan Fernandez
- Philpotti** Broun, Ann. Mag. Nat. Hist. (6) XV, Neuseeland
1895, p. 414; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 157.
- planicolle** Broun, Ann. Mag. Nat. Hist. (8) IV, „
1909, p. 277; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 157.
- Porteri** Brèthes, Bol. Mus. Chile V, 1913, p. 138, Chile
fig.; Revista Chil. XVII, 1914, p. 39.
- Pritchardiae** Perkins in Bryan Bishop Mus. Bull. Hawaii
31, 1926, p. 57.
- proximum** Broun, Man. New Zeal. Col. IV, 1886, Neuseeland
p. 910; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 156.
- punctatissimum** Champ. Trans. Linn. Soc. Lond. (2) Seychellen
XVI, 1913—14 (1914), p. 460 [nec Broun].
- punctirostre** Broun, Man. New Zeal. Col. II, 1881, Neuseeland
p. 733; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 157.
- reductum** Broun, Man. New Zeal. Col. II, 1881, „
p. 732; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 158.
- Rodriguezi** C. O. Waterh. Ann. Mag. Nat. Hist. Maskarenen
(4) XVIII, 1876, p. 120; Phil. Trans. R. (Rodriguez
Soc. Lond. CLXVIII, 1879, p. 531. — Hust.
Bull. Acad. Malgache (2) VII, 1924, p. 536.
- ruficorne** Broun, Man. New Zeal. Col. II, 1881, Neuseeland
p. 734; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 157.
- rufoclavatum** Auriv. in Skottsberg, Nat. Hist. Juan Fernandez Isl.
Fernandez III, Zool. 1931, p. 473, fig. Juan Fernandez
- rugosum** Wollast. Trans. Ent. Soc. Lond. 1873, p. 600. Neuguinea
- Scotti** Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen
1913—14 (1914), p. 461.
- seychellarum** Champ. l. c. p. 460.
- strigicolle** Lea, Proc. Linn. Soc. N. S. Wales LII, N. S. Wales
1927, p. 375.
- subconvexum** Wollast. Ann. Mag. Nat. Hist. (4) St. Helena
IV, 1869, p. 410.
- sublaevigatum** Wollast. Trans. Ent. Soc. Lond. 1873, Sula Isl.
p. 600.
- subsericatum** Wollast. l. c. p. 600. — Broun, Man. Neuseeland
New Zeal. Col. I, 1880, p. 509; Trans. New
Zeal. Inst. XLI, 1908 (1909), p. 157.
- tananarivense** Hust. Mém. Acad. Malgache XIV, 1933, Madagaskar
p. 114.
- tenebrosum** Broun, Trans. New Zeal. Inst. XLV, Neuseeland
1913, p. 148.
- Wollastonii** Roel. Ann. Soc. Ent. Belg. XIX, 1876, Ceylon
Compt.-Rend. p. VI.

zeelandicum Wollast. Trans. Ent. Soc. Lond. 1873, Neuseeland

p. 598.

zealandicum Broun, Man. New Zeal. Col. I, 1880, p. 508; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 156, t. 15, f. 1.

var. *canaliculatum* Wollast. Cist. Ent. I, 8, 1874, p. 208.

66

Temnorhamphus Champ.

Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 461.

latirostris Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 461.

1

Hypopentarthrum Champ.

Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 462.

microcephalum Champ. Trans. Linn. Soc. Lond. (2) Seychellen XVI, 1913—14 (1914), p. 462, t. 24, f. 43.

1

Neopentarthrum Mutchler.

Mutchler, Zoologica V, 1925, p. 231.

towerensis Mutchler, Zoologica V, 1925, p. 231, fig. Galapagos Isl.

1

Touropsis Broun.

Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 158.

punctata Broun, Man. New Zeal. Col. I, 1880, p. 518 Neuseeland (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 159.

1

Euophyrum Broun.

Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 159.

antennale Broun, Ann. Mag. Nat. Hist. (6) XV, Neuseeland 1895, p. 415 (*Pentarthrum*); Trans. New

Zeal. Inst. XLI, 1908 (1909), p. 161.

asperellum Broun, Man. New Zeal. Col. II, 1881, „
p. 733 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 160.

confine Broun, Man. New Zeal. Col. II, 1881, p. 732 (*Pentarthrum confinis*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 161 (*continuum*).

crassellum Broun, Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 123 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 161.

dubitans Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 275 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 161.

porcatum D. Sharp, Trans. R. Dubl. Soc. (2) III, 1886, p. 431 (*Pentarthrum*). — Broun, Man. New Zeal. Col. V, 1893, p. 1248 (*Pentarthrum*); Trans. New Zeal. Col. XLI, 1908 (1909), p. 161.

- punctatissimum** Broun, Man. New Zeal. Col. V, Neuseeland 1893, p. 1246 (*Pentarthrum*); Trans. New Zeal. Col. XLI, 1908 (1909), p. 160.
- rufum** Broun, Man. New Zeal. Col. I, 1880, p. 510 (*Pentarthrum*); Trans. New Zeal. Col. XLI, 1908 (1909), p. 160, t. 15, f. 2.
- sculpturatum** Broun, Man. New Zeal. Col. II, 1881, p. 731 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 160.
- servulum** Broun, Man. New Zeal. Col. IV, 1886, p. 911 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 161.

10

Zenoteratus Broun.

- Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 161.
- cephalotes** D. Sharp, Trans. R. Dubl. Soc. (2) III, Neuseeland 1886, p. 430 (*Pentarthrum*). — Broun, Man. New Zeal. Col. V, 1893, p. 1247 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 162.
- diversus** Broun, Man. New Zeal. Inst. XLI, 1908 (1909), p. 162.
- macrocephalus** Broun, Man. New Zeal. Col. IV, 1886, p. 869 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 162, t. 15, f. 3.

3

Torostoma Broun.

- Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 163.
- apicale** Broun, Man. New Zeal. Col. I, 1880, p. 509 Neuseeland, (*Pentarthrum*); Trans. New Zeal. Col. XLI, Juan 1908 (1909), p. 163, t. 15, f. 4. — Champ. Fernandez Ent. Monthly Mag. XLV, 1909, p. 122.

1

Toura Broun.

- Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 164.
- fulva** Broun, Man. New Zeal. Col. V, 1893, p. 1243 Neuseeland (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 164.
- longirostris** Wollast. Trans. Ent. Soc. Lond. 1873, p. 599 (*Pentarthrum*). — Broun, Man. New Zeal. Col. I, 1880, p. 508 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 164, t. 15, f. 5.
- morosa** Broun, Man. New Zeal. Col. IV, 1886, p. 969 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 165.

3

Merisma Broun.

- Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 165.
- aurantiaca** Broun, Man. New Zeal. Col. V, 1893, p. Neuseeland 1245 (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 166.
- Sharpiana** Wollast. Ent. Monthly Mag. XI, 1874, p. 149 (*Pentarthrum*). — Broun, Man. New

Zeal. Col. I, 1880, p. 519 (*Pentarthrum*);
Trans. New Zeal. Inst. XLI, 1908 (1909),
p. 165, t. 15, f. 7.

2

Tanysoma Broun.

Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 166.
angustum Broun, Man. New Zeal. Col. IV, 1886, p. Neuseeland
910 (*Pentarthrum*); Trans. New Zeal. Inst.
XLI, 1908 (1909), p. 167.

1

Stenotoura Broun.

Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 167.
exilis Broun, Man. New Zeal. Col. V, 1893, p. 1245 Neuseeland
(*Pentarthrum*); Trans. New Zeal. Inst. XLI,
1908 (1909), p. 167, t. 15, f. 6.
lateritia Broun, Man. New Zeal. Col. I, 1880, p. 518
(*Pentarthrum*); Trans. New Zeal. Inst. XLI,
1908 (1909), p. 168.
prolixa Broun, l. c. p. 168.

3

Eutassa Broun.

Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 168.
comata Broun, Man. New Zeal. Col. IV, 1886, p. 968 Neuseeland
(*Pentarthrum*); Trans. New Zeal. Inst. XLI,
1908 (1909), p. 169.
fuscicollis Broun, l. c. p. 169.

2

Adel Broun.

Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 170.
crenata Broun, New Zeal. Journ. Sc. I, 1883, p. 489 Neuseeland
(*Pentarthrum*); Man. New Zeal. Col. III,
1886, p. 804 (*Pentarthrum*); Trans. New
Zeal. Inst. XLI, 1908 (1909), p. 170.

1

Rhinanisus Broun.

Broun, New Zeal. Journ. Sc. I, 1883, p. 489; Man. New Zeal. Col.
III, 1886, p. 805; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 171.
— Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 10.

Cheesemani Broun, Man. New Zeal. Col. V, 1893, Neuseeland
p. 1249; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 172.

confertus D. Sharp, Trans. R. Dubl. Soc. (2) III,
1886, p. 431 (*Pentarthrum*). — Broun, Man.
New Zeal. Col. V, 1893, p. 1248 (*Pent-
arthrum*); Trans. New Zeal. Inst. XLI, 1908
(1909), p. 173.

constrictus D. Sharp, Trans. R. Dubl. Soc. (2) III,
1886, p. 431, t. 13, f. 17 (*Pentarthrum*). —
Broun, Man. New Zeal. Col. V, 1893,
p. 1249 (*Pentarthrum*); Trans. New Zeal.
Inst. XLI, 1908 (1909), p. 173.

contiguus	Broun, Man. New Zeal. Col. I, 1880, p. 517 (<i>Pentarthrum</i>); l. c. III, 1886, p. 803; New Zeal. Journ. Sc. I, 1883, p. 489; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 172.	Neuseeland
elongatus	Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 278; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 172.	"
fulvicornis	Broun, Man. New Zeal. Col. I, 1880, p. 512 (<i>Pentarthrum</i>); l. c. III, 1886, p. 803; New Zeal. Journ. Sc. I, 1883, p. 489; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 171, t. 171, t. 15, f. 9.	"
fusiformis	Broun, Bull. New Zeal. Inst. I, 1914, p. 249.	"
gracilis	Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 278.	"
Halli	Broun, Bull. New Zeal. Inst. I, 1914, p. 248.	"
hirtipennis	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 11, t. 1, f. 13.	Panama
Lewisii	Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 278; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 172.	Neuseeland
parvicornis	D. Sharp, Trans. Ent. Soc. Lond. 1878, p. 11 (<i>Pentarthrum</i>). — Broun, Man. New Zeal. Col. I, 1880, p. 513 (<i>Pentarthrum</i>); l. c. III, 1886, p. 203; New Zeal. Journ. Sc. I, 1883, p. 489; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 171.	"
peruanus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 11.	Peru
pilicauda	Champ. l. c. p. 11, 13.	Guatemala
planatus	Champ. l. c. p. 11, 12, t. 1, f. 15.	Panama
sagax	Broun, Man. New Zeal. Col. IV, 1886, p. 969; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 172.	Neuseeland
subconvexus	Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 279; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 172.	"
sulcirostris	Broun, l. c. p. 173.	"
suturalis	Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 280; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 172.	"
tenuiculus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 11, 13.	Guatemala
ventralis	Champ. l. c. p. 11, 12, t. 1, f. 14.	"

21

Camptoscapus Broun.

Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 384; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 173.	
conicollis	Broun, Man. New Zeal. Col. II, 1881, p. 735 (<i>Pentarthrum</i>); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 174.
planiusculus	Broun, Man. New Zeal. Col. I, 1880, p. 511 (<i>Pentarthrum</i>); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 174.
sanguineus	Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 385; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 174.

Macroscytalus Broun.

- Broun, Man. New Zeal. Col. II, 1881, p. 736; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 175.
badius Broun, Man. New Zeal. Col. I, 1880, p. 516 Neuseeland (*Pentarthrum*); l. c. II, 1881, p. 736; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 176.
crenatus Broun, l. c. p. 176.
depressus Broun, New Zeal. Journ. Sc. I, 1883, p. 491; Man. New Zeal. Col. III, 1886, p. 807; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 175.
frontalis Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 386; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 176.
laticollis Broun, Man. New Zeal. Col. II, 1881, p. 737; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 176, t. 15, f. 10.
remotus D. Sharp, Trans. Ent. Soc. Lond. 1878, p. 11 (*Pentarthrum*). — Broun, Man. New Zeal. Col. I, 1880, p. 513 (*Pentarthrum*); l. c. II, 1881, p. 737; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 176.
russulus Broun, Man. New Zeal. Col. II, 1881, p. 737; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 176.

7

Baeorhopalus Broun.

- Broun, New Zeal. Journ. Sc. I, 1883, p. 491; Man. New Zeal. Col. III, 1886, p. 806; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 177.
glaber Broun, New Zeal. Journ. Sc. I, 1883, p. 491 Neuseeland (*glabrus*); Man. New Zeal. Col. II, 1881, p. 735 (*Pentarthrum*); l. c. III, 1886, p. 807; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 177 (*glabrus*).

1

Selocomis Broun.

- Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 177.
aeneopicea Broun, Man. New Zeal. Col. I, 1880, p. 513 Neuseeland (*Pentarthrum*); l. c. II, 1881, p. 736 (*Macroscytalus*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 178.

1

Glyphoramphus Broun.

- Broun, Man. New Zeal. Col. IV, 1886, p. 970; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 178.
rarus Broun, Man. New Zeal. Col. IV, 1886, p. 971; Neuseeland Trans. New Zeal. Inst. XLI, 1908 (1909), p. 179.

1

Belka Broun.

- Broun, Trans. New Zeal. Inst. XVI, 1908 (1909), p. 179.
spadicea Broun, Man. New Zeal. Col. IV, 1886, p. 911 Neuseeland (*Pentarthrum*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 180.

1

Attarus Broun.

- Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 180.
castus Broun, Man. New Zeal. Col. II, 1881, p. 736 Neuseeland
(Pentarthurum); Trans. New Zeal. Inst. XLI,
1908 (1909), p. 181.
tristis Broun, l. c. p. 181.
vestitus Broun, Man. New Zeal. Col. I, 1880, p. 514
(Pentarthurum); Trans. New Zeal. Inst. XLI,
1908 (1909), p. 181.

3

Agastegnus Broun.

- Broun, New Zeal. Journ. Sc. I, 1883, p. 490; Man. New Zeal. Col. III, 1886, p. 805; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 182.
biumpressus Broun, Trans. New Zeal. Inst. XLI, Neuseeland
1908 (1909), p. 184.
coloratus Broun, Man. New Zeal. Col. IV, 1886, p. 911; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 183.
concinnus Broun; Bull. New Zeal. Inst. I, 1913, p. 251.
distinctus Broun, Man. New Zeal. Col. VI, 1893, p. 1388; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 183.
femoralis Broun, Man. New Zeal. Col. IV, 1886, p. 970; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 183.
gratus Broun, Man. New Zeal. Col. I, 1880, p. 517
(Pentarthurum); New Zeal. Journ. Sc. I, 1883, p. 490; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 183.
longipes Broun, Man. New Zeal. Col. I, 1880, p. 522
(Sericotrogus); New Zeal. Journ. Sc. I, 1883, p. 490; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 183, t. 16, f. 1.
nitidirostris Broun, Man. New Zeal. Col. V, 1893, p. 1250; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 183.
ornatus Broun, l. c. XLIII, 1911, p. 110.
rufescens Broun, Ann. Mag. Nat. Hist. (7) XIX, 1907, p. 62; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 184.
ruficollis Broun, New Zeal. Journ. Sc. I, 1883, p. 490; Man. New Zeal. Col. III, 1886, p. 806; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 182.
rugipennis Broun, Bull. New Zeal. Inst. I, 1913, p. 252.
simulans D. Sharp, Trans. Ent. Soc. Lond. 1878, p. 13 *(Sericotrogus)*. — Broun, Man. New Zeal. Col. I, 1880, p. 523 *(Sericotrogus)*; New Zeal. Journ. Sc. I, 1883, p. 490; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 183. — Marshall, Ann. Mag. Nat. Hist. (9) XVIII, 1926, p. 15.
sericatus Broun, Man. New Zeal. Col. IV, 1886, p. 970; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 184.

thoracicus Broun, Bull. New Zeal. Inst. I, 1913, Neuseeland
p. 251.
14

Sericotrogus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 447, 515. — Broun,
Man. New Zeal. Col. I, 1880, p. 521; Trans. New Zeal. Inst. XLI,
1908 (1909), p. 184.

Bryani Swezey, Proc. Hawaii. Ent. Soc. IV, 1921, Easter Isl.
p. 469.

ovicollis Broun, Man. New Zeal. Col. I, 1880, p. 522; Neuseeland
Trans. New Zeal. Inst. XLI, 1908 (1909),
p. 185.

plexus Broun, Bull. New Zeal. Inst. I, 1913, p. 250. "

stramineus Broun, Man. New Zeal. Col. I, 1880,
p. 523; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 185.

subaenescens Wollast. Trans. Ent. Soc. Lond. 1873,
p. 602. — Broun, Man. New Zeal. Col. I,
1880, p. 521; Trans. New Zeal. Inst. XLI,
1908 (1909), p. 185, t. 15, f. 12.

5

Gaurocryphus Broun.

Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 185.

auricomus Broun, Man. New Zeal. Col. II, 1881, Neuseeland
p. 733 (*Pentarthrum*).

1

Eucossonus Broun.

Broun, Man. New Zeal. Col. IV, 1886, p. 870; Trans. New Zeal.
Inst. XLI, 1908 (1909), p. 186.

antennalis Broun, Bull. New Zeal. Inst. I, 1910, Neuseeland
p. 70.

comptus Broun, Man. New Zeal. Col. IV, 1886, p.
870; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 187, t. 15, f. 16.

constrictus Broun, Bull. New Zeal. Inst. I, 1921,
p. 583.

discalis Broun, l. c. I, 1910, p. 71.

disparilis Broun, l. c. I, 1921, p. 584.

elegans Broun, Man. New Zeal. Col. VI, 1893, p.
1386; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 187.

gracilis Broun, Man. New Zeal. Col. VI, 1893, p.
1387; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 187.

nasalis Broun, Bull. New Zeal. Inst. I, 1921, p. 584.

oreobius Broun, l. c. p. 585.

rostralis Broun, Trans. New Zeal. Inst. XLI, 1908
(1909), p. 188.

setiger D. Sharp, Trans. Ent. Soc. Lond. 1878, p.
13 (*Sericotrogus*). — Broun, Man. New Zeal.
Col. I, 1880, p. 523 (*Sericotrogus*); l. c.
IV, 1886, p. 870; Trans. New Zeal. Inst.
XLI, 1908 (1909), p. 188.

sulcicollis Broun, Man. New Zeal. Inst. I, 1921,
p. 583.

12

Agrilochilus Broun.

Broun, Man. New Zeal. Col. I, 1880, p. 520; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 188.

prolixus Broun, Man. New Zeal. Col. I, 1880, p. Neuseeland 521; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 189, t. 15, f. 14. — Waterh. Aid Identif. Ins. II, 1882—90 (1884), t. 145, f. 7.

1

Orothreptes Perk.

Perkins, Fauna Hawaiiensis II, 1900, p. 147.
callithrix Perkins, Fauna Hawaiiensis II, 1900, p. Hawaii 147, t. 8, f. 2.

1

Deinocossonus Perk.

Perkins, Fauna Hawaiiensis II, 1900, p. 147.
nesiotes Perkins, Fauna Hawaiiensis II, 1900, p. Hawaii 148, t. 8, f. 3.

1

Stenopentarthrum Champ.

Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 463.
pandanae Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 463.

1

Stenotrupis Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 434, 447, 515. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 18; Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 464. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 536. — Marshall, Ann. Mag. Nat. Hist. (9) XVIII, 1926, p. 16.

Dioedimorpha Broun, New Zeal. Journ. Sc. I, 1883, p. 489; Man. New Zeal. Col. III, 1886, p. 805; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 189.

acicula Wollast. Trans. Ent. Soc. Lond. 1873, p. 603. Kuba
biformis Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 465, 470.

caliginosa Champ. l. c. p. 466, 471. "

conicicephala Champ. l. c. p. 466, 472. "

convexuscula Champ. l. c. p. 465, 467. "

crassifrons Wollast. Trans. Ent. Soc. Lond. 1873, Makian Isl. p. 602.

crassipes Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 465, 468.

debilis D. Sharp, Trans. Ent. Soc. Lond. 1878, p. 10 Neuseeland (*Pentarthrum*). — Broun, Man. New Zeal. Col. I, 1880, p. 515 (*Pentarthrum*); l. c. III, 1886, p. 803; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 190 (*Dioedimorpha*).

depressicollis Faust, Ann. Mus. Civ. Genova XL, Neuguinea 1899, p. 124.

distinguenda Fairm. Ann. Soc. Ent. Belg. XLI, Madagaskar, 1897, p. 186 (*Catolethrus*). — Hust. Bull. Réunion Acad. Malgache (2) VII, 1924, p. 537.

- ?intermedia* Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 381 (*Catolethrus*).
dumetorum Champ. Trans. Linn. Soc. Lond. (2) Seychellen XVI, 1913—14 (1914), p. 466, 475.
exilis Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Neuguinea, 1885, p. 313 (♀). — Champ. Ent. Monthly Aru Mag. XLV, 1909, p. 104, 123.
filum Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 465, 469.
lodoiceicola Champ. l. c. p. 465, 466.
myristicae Marshall, Ins. Samoa IV, 5, 1931, p. Samoa 329.
nemoralis Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 466, 472.
nitidula Champ. l. c. p. 466, 474.
ovaticeps Champ. Biol. Centr.-Amer. Col. IV, 7, Panama 1909—10 (1909), p. 14, t. 1, f. 16.
parallela Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 465, 468.
polita Champ. l. c. p. 466, 473.
prolixa D. Sharp, Trans. Ent. Soc. Lond. 1878, p. Hawaii 25; Trans. R. Dubl. Soc. (2) III, 1885, t. 5, f. 26 (*Pentarthrum*). — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 465.
rufipes Fairm. Ann. Soc. Ent. France LXXI, 1902, Seychellen p. 381 (*Proëces*). — Kolbe, Mitt. Zool. Mus. Berlin V, 1910, p. 45 (*Proëces*). — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 465, 467.
sericata Champ. l. c. p. 466, 473.
silvicola Champ. l. c. p. 466, 475.
tarsalis Champ. l. c. p. 465, 470.
Wollastoniana D. Sharp, Trans. Ent. Soc. Lond. Neuseeland 1878, p. 9 (*Pentarthrum*). — Broun, Man. New Zeal. Col. I, 1880, p. 514 (*Pentarthrum*); l. c. III, 1886, p. 803 (*Dioedimorpha*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 189, t. 15, f. 8 (*Dioedimorpha*).
26

Leurostenus Mshl.

- claeidis* Marshall, Ann. Mag. Nat. Hist. (10) XI, 1933, p. 14.
filum Marshall, l. c. p. 15.

Sierra Leone
Belg. Kongo,

2

Gitonischius Marshall.

- Marshall, Ins. Samoa IV, 5, 1931, p. 327.
tubicollis Marshall, Ins. Samoa IV, 5, 1931, p. 328, Samoa fig. 24.

1

Microtrupis Champ.

- Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 476.
longipennis Champ. Trans. Linn. Soc. Lond. (2) Seychellen XVI, 1913—14 (1914), p. 476.
piligera Champ. l. c. p. 477.

„

puncticeps Champ. l. c. p. 477.
3

Seychellen

Microcossonus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 448, 517.
pandani Lea, Proc. Linn. Soc. N. S. Wales XXI, N. S. Wales
1896, p. 315.
Wallacei Wollast. Trans. Ent. Soc. Lond. 1873, p. 603. Neuguinea
2

Mastersinella Lea.

Lea, Proc. Linn. Soc. N. S. Wales XXI, 1896, p. 319.
octoarticulata Lea, Proc. Linn. Soc. N. S. Wales N. Queens-
XXI, 1896, p. 319.
1

Cossonideus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 448, 517.
Pascoei Wollast. Trans. Ent. Soc. Lond. 1873, p. 603. W. Australien
1

Conlonia Lea.

Lea, Proc. R. Soc. Victoria XX, 1908, p. 198.
litoralis Lea, Proc. R. Soc. Victoria XX, 1908, p. 198. King Isl.
1

Arecocryptus Hutton.

Hutton, Index Fauna Nov. Zeal. 1904, p. 217. — Broun, Trans. New
Zeal. Inst. XLI, 1908 (1909), p. 190.
canthorhynchus Broun, Man. New Zeal. Col. I, 1880,
p. 525 [nec Swains.].
bellus Broun, Man. New Zeal. Col. I, 1880, p. 526; Neuseeland
Trans. New Zeal. Inst. XLI, 1908 (1909),
p. 190. — Waterh. Aid Identif. Ins. II,
1882—90 (1884), t. 145, f. 8, 9.
1

Tapiromimus Wollast.

Wollast. Col. St. Helena 1877, p. 149.
gibbirostris Wollast. Col. St. Helena 1877, p. 149. St. Helena
1

Tychiorhinus Wollast.

Wollast. Col. St. Helena 1877, p. 151.
inaequalis Wollast. Col. St. Helena 1877, p. 154. St. Helena
lineatus Wollast. l. c. p. 155.
orrectus Wollast. l. c. p. 153.
subochraceus Wollast. l. c. p. 154.
variolosus Wollast. l. c. p. 152.
5

Tychiodes Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 7, 15, 435, 449, 518.
Adamsi Wollast. Trans. Ent. Soc. Lond. 1873, p. 17. Japan
Jansoni Wollast. Cist. Ent. I, 1869—76 (1874), p. 201. Philippinen
2

Tychiosoma Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 449, 519.
gracilirostre Wollast. Trans. Ent. Soc. Lond. 1873, p. Philippinen
604.

1

Leptomimus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 450, 519.
fragilis Wollast. Trans. Ent. Soc. Lond. 1873, p. Gilolo
604. — Champ. Trans. Linn. Soc. Lond. (2)

XVI, 1913—14 (1914), p. 471.

delicatulus Wollast. Trans. Ent. Soc.
Lond. 1873, p. 604 (♀).

longithorax Hust. Voy. Alluaud et Jeannel Afr. Kenya
orient. 19, 1929, p. 542.

posticedilatatus Hust. l. c. p. 541.

3

Micropentarthrum Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 19.
aeneum Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Guatemala
—10 (1909), p. 20, t. 1, f. 20, 20 a.

1

Entium D. Sharp.

D. Sharp, Trans. Ent. Soc. Lond. 1878, p. 9, 13. — Broun, Man.
New Zeal. Col. I, 1880, p. 519; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 191.

aberrans D. Sharp, Trans. Ent. Soc. Lond. 1878, p. Neuseeland
12. — Broun, Man. New Zeal. Col. I, 1880,
p. 520; l. c. III, 1886, p. 803, 804; Trans.
New Zeal. Inst. XLI, 1908 (1909), p. 191.
punctatum Broun, Man. New Zeal. Col.
I, 1880, p. 518 (*Pentarthrum*).

1

Pentarthrocis Lea.

Lea, Trans. R. Soc. S. Austral. XLVI, 1922, p. 302.
ammophilus Lea, Trans. R. Soc. S. Austral. XLVI, Süd- u. West-
1922, p. 303, t. 13, f. 6. Australien

1

Lamprochirus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 450, 520.
cossoides Wollast. Ann. Mag. Nat. Hist. (4) VIII, St. Helena
1871, p. 403 (*Microxylotius*); Trans. Ent.
Soc. Lond. 1873, p. 520.
var. *obscurus* Wollast. Ann. Mag. Nat.
Hist. (4) VIII, 1871, p. 404 (*Microxylotius*). "

1

Acanthomerus Boh.

Boh. Eugen. Resa 1859, p. 141. — Wollast. Trans. Ent. Soc. Lond.
1873, p. 435, 450, 520.
thauomathomerus Wollast. Trans. Ent. Soc. Lond. V,
1861, p. 382; l. c. 1873, p. 520.

Acanthinerus Gemm. & Harold, Cat. Col. VIII, 1871,
p. 2658 (emend.).

angustus Wollast. Ann. Mag. Nat. Hist. (4) VIII, St. Helena
1871, p. 403.

armatus Boh. Eugen. Resa 1859, p. 141. — Wollast.
Ann. Mag. Nat. Hist. (4) VIII, 1871, p.
402.

Chevrolati Wollast. Trans. Ent. Soc. Lond.
(2) V, 1861, p. 383, t. 18, f. 8; Ann. Mag.
Nat. Hist. (4) IV, 1869, p. 408.

asperatus Wollast. Col. St. Helena 1877, p. 134.

conicollis Wollast. Trans. Ent. Soc. Lond. (2) V,
1861, p. 383, t. 18, f. 9; Ann. Mag. Nat.
Hist. (4) IV, 1869, p. 409.

cylindricus Wollast. Col. St. Helena 1877, p. 132.

debillis Wollast. Ann. Mag. Nat. Hist. (4) IV, 1869,
p. 407.

ellipticus Wollast. Col. St. Helena 1877, p. 127.

monilicornis Wollast. Ann. Mag. Nat. Hist. (4) IV,
1869, p. 410.

obliteratus Wollast. l. c. p. 407.

similis Wollast. Col. St. Helena 1877, p. 130.

terebrans Wollast. Trans. Ent. Soc. Lond. (2) V,
1861, p. 382, t. 18, f. 7; Ann. Mag. Nat.
Hist. (4) IV, 1869, p. 406.

11

Microxyllobius Chevr.

Chevr. Trans. Ent. Soc. Lond. I, 1836, p. 98; in Schönh. Gen. spec.

Circ. VIII, 2, 1845, p. 288. — Lacord. Gen. Col. VII, 1866, p. 324,
326. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 451, 521.

bicaudatus Wollast. Col. St. Helena 1877, p. 117. St. Helena

bisectus Wollast. l. c. p. 115.

calcaratus Wollast. l. c. p. 113.

dimidiatus Wollast. Ann. Mag. Nat. Hist. (4) VIII,
1871, p. 402.

granulosus Wollast. Col. St. Helena 1877, p. 117.

lacertosus Wollast. Trans. Ent. Soc. Lond. (2) V,
1861, p. 381, t. 18, f. 5; Ann. Mag. Nat.
Hist. (4) IV, 1869, p. 405.

lucifugus Wollast. Trans. Ent. Soc. Lond. (2) V,
1861, p. 381.

oculatus Wollast. Col. St. Helena 1877, p. 110.

opacus Wollast. l. c. p. 119.

sculpturatus Wollast. l. c. p. 116.

trituratus Wollast. l. c. p. 108.

vestitus Wollast. Ann. Mag. Nat. Hist. (4) IV,
1869, p. 404.

Westwoodi Chevr. Trans. Ent. Soc. Lond. I, 1836,
p. 98, t. 10, f. 6; in Schönh. Gen. spec.
Circ. VIII, 2, 1845, p. 288. — Wollast.
Ann. Mag. Nat. Hist. (4) IV, 1869, p. 403;
l. c. (4) IX, 1872, p. 112.

Whiteheadi Wollast. Col. St. Helena 1877, p. 109.

14

Mesoxenophasis Wollast.

Wollast. Cist. Ent. I, 1869—76 (1874), p. 199. — Broun, Man. New
Zeal. Col. I, 1880, p. 524; Trans. New Zeal. Inst. XLI, 1908 (1909),
p. 191.

- Brouni** Wollast. Cist. Ent. I, 1869—76 (1874), p. Neuseeland
200. — Broun, Man. New Zeal. Col. I, 1880,
p. 525 (*Pentarthrum*); Trans. New Zeal.
Inst. XLI, 1908 (1909), p. 192, t. 16, f. 2.

1

Proconus Broun.

- Broun, New Zeal. Journ. Sc. I, 1883, p. 492; Man. New Zeal. Col. III, 1886, p. 807; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 192.

- asperirostris** Broun, Man. New Zeal. Col. I, 1880; Neuseeland
p. 516 (*Pentarthrum*); New Zeal. Journ. Sc.
I, 1883, p. 492; Man. New Zeal. Col. III,
1886, p. 803; Trans. New Zeal. Inst. XLI,
1908 (1909), p. 192, t. 15, f. 11.

- crassipes** Broun, Man. New Zeal. Col. IV, 1886,
p. 912; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 192.

2

Trapezirrhynchus Champ.

- Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 464.

- silhouettensis** Champ. Trans. Linn. Soc. Lond. (2) Seychellen
XVI, 1913—14 (1914), p. 464, t. 24, f. 44.

1

Heteropsis Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 452, 523. — Broun,
Man. New Zeal. Col. I, 1880, p. 529; Trans. New Zeal. Inst. XLI,
1908 (1909), p. 193.

- latirostris** Marshall, Ann. Mag. Nat. Hist. (9) XVIII, Neuseeland
1926, p. 13, t. 1, f. 9.

- Lawsoni** Wollast. Trans. Ent. Soc. Lond. 1873, p. „
606. — Broun, Man. New Zeal. Col. I, 1880,
p. 529; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 193.

2

Novitas Broun.

- Broun, Man. New Zeal. Col. I, 1880, p. 527; Trans. New Zeal.
Inst. XLI, 1908 (1909), p. 193.

- dispar** Broun, Man. New Zeal. Col. V, 1893, p. 1251; Neuseeland
New Zeal. Inst. XLI, 1908 (1909), p. 194,
t. 16, f. 4.

- nigrans** Broun, Man. New Zeal. Col. I, 1880, p. 528; „
Trans. New Zeal. Inst. XLI, 1908 (1909),
p. 194. — Waterh. Aid Identif. Ins. I, 1883,
t. 138, f. 4.

- rufa** Broun, Man. New Zeal. Col. I, 1880, p. 528 „
(*rufus*); Trans. New Zeal. Inst. XLI, 1908
(1909), p. 194 (*rufum*).

3

Unas Broun.

- Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 194.
piceus Broun, Man. New Zeal. Col. I, 1880, p. 515 Neuseeland
(*Pentarthrum*); Trans. New Zeal. Inst. XLI,
1908 (1909), p. 195.

1

Trachyglyphus Broun.

Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 195.
rugiostris Broun, Man. New Zeal. Col. II, 1881, Neuseeland
 p. 734; Trans. New Zeal. Inst. XLI, 1908
 (1909), p. 196.

1

Microtribus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 451, 522. — Broun,
 Man. New Zeal. Col. I, 1880, p. 527; Trans. New Zeal. Inst. XLI,
 1908 (1909), p. 196.

Huttoni Wollast. Trans. Ent. Soc. Lond. 1873, p. Neuseeland
 605. — Broun, Man. New Zeal. Col. I, 1880,
 p. 527; Trans. New Zeal. Inst. XLI, 1908
 (1909), p. 197, t. 16, f. 3.

longiceps Marshall, Ins. Samoa IV, 5, 1931, p. 330, Samoa
 fig. 25.

pictonensis D. Sharp, Trans. R. Dubl. Soc. (2) III, Neuseeland
 1886, p. 432. — Broun, Man. New Zeal. Col.
 V, 1893, p. 1250; Trans. New Zeal. Inst.
 XLI, 1908 (1909), p. 197.

sculpturatus Broun, Trans. New Zeal. Inst. XLII, „
 1910, p. 300.

4

Idus Broun.

Broun, Man. New Zeal. Col. VII, 1893, p. 1493; Trans. New Zeal.
 Inst. XLI, 1908 (1910), p. 197.

coecus Broun, Man. New Zeal. Col. VII, 1893, p. Neuseeland
 1494; Trans. New Zeal. Inst. XLI, 1908
 (1909), p. 198.

1

Protagonum Broun.

Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 198.

Heimsianum D. Sharp, Trans. Ent. Soc. Lond. 1882, Neuseeland
 p. 91 (*Pentarthurum*). — Broun, Man. New
 Zeal. Col. V, 1893, p. 1247 (*Pentarthurum*);
 Trans. New Zeal. Inst. XLI, 1908 (1909),
 p. 199, t. 16, f. 8.

1

Mesoxenomorphus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 452, 522.

africanus Wollast. Trans. Ent. Soc. Lond. 1873, p. Kaffernland
 605.

pilifer Voß, Arb. morph. taxon. Ent. Berlin-Dahlem Ostafrika
 I, 1934, p. 122 (*piliferus*).

2

Amaurorrhinus Fairm.

Fairm. Ann. Soc. Ent. France (3) VIII, 1860, p. 629. — Lacord.
 Gen. Col. VII, 1866, p. 324. — Seidl. Fauna Balt. 1872—75 (1875),
 Gatt. p. 127; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 165; Fauna
 Transsylv. 1888—91 (1891), Gatt. p. 165. — Wollast. Trans. Ent.
 Soc. Lond. 1873, p. 435, 453, 523. — Redt. Fauna Austr. 3. Aufl.
 I, 1874, p. CXXXVIII; l. c. II, 1874, p. 361. — Bedel, Faune Col.

Bass. Seine VI, 1882—88 (1885), p. 193; Ann. Soc. Ent. France (6) V, 1885, p. CXXXIX. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 3; l. c. LI, 1912, p. 60; Best.-Tab. europ. Col. XXXVII, 1898, p. 3; l. c. LXVIII, 1912, p. 60; Fauna Germ. V, 1916, p. 128. — Hust. Ann. Soc. Ent. France IC, 1930, p. 265, 267.

Mesoxenus Wollast. Trans. Ent. Soc. Lond. (2) V, 1861, p. 395. — Lacord. Gen. Col. VII, 1866, p. 324, 325.

Mazagranus Pic, L'Échange XXI, 1905, p. 146.

Bewickianus Woll. Ann. Mag. Nat. Hist. (3) V, 1860, p. 451; Trans. Ent. Soc. Lond. (2) V, 1861, p. 396, t. 19, f. 6. — Bedel, Ann. Soc. Ent. France (6) V, 1885, Bull. p. CXXXIV; Rev. d'Ent. IX, 1890, p. 334. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 6; Best.-Tab. europ. Col. XXXVII, 1898, p. 6. — Hust. Ann. Soc. Ent. France IC, 1930, p. 268.

Bonnairei Fairm. l. c. (3) VIII, 1860, p. 629. — Desbr. Mitth. Schweiz. Ent. Ges. III, 1871, p. 374. — Redt. Fauna Austr. 3. Aufl. II, 1874, p. 361.

narbonensis Bris. in Grenier, Cat. Col. France 1863, p. 115. — Redt. Fauna Austr. 3. Aufl. II, 1874, p. 362.

crassiusculus Fairm. Ent. Zeit. Stettin XXX, 1869, p. 232.

andalasicus Dieck, Diagn. neuer blind. Käf. 1869, p. 6.

genuensis Fairm. Ann. Mus. Civ. Genova XVIII, 1883, p. 757.

lostiae Fairm. l. c. p. 757.

constrictus Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 98.

Clermonti Desbr. Frelon XVI, 1908, p. 62. — Hust. Frankreich, Ann. Soc. Ent. France IC, 1930, p. 268, 269. Madeira

Coquereli Fairm. Ann. Mus. Civ. Genova XVIII, 1883, p. 757.

crassicornis Peyerimh. Bull. Soc. Ent. France 1924, W. Sahara p. 76, fig.

Monizianus Wollast. Ann. Mag. Nat. Hist. (3) V, 1860, p. 450; Trans. Ent. Soc. Lond. (2) V, 1861, p. 397, t. 19, f. 4. Kanaren (Teneriffa)

obscuripennis Pic, L'Échange XXI, 1905, p. 116 Algier (*Mazagranus*).

Paganettii Ganglb. Münch. Kol. Zeitschr. I, 1903, Dalmatien p. 185.

7

Pseudomesoxenus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 453, 525.

minutissimus Wollast. Col. St. Helena 1877, p. 101. St. Helena

scrobiculatus Wollast. l. c. p. 103.

subcoecus Wollast. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 410 (*Pentarthrum*); Trans. Ent. Soc. Lond. 1873, p. 525.

suec convexus Gemm. & Harold, Cat. Col. VIII, 1871, p. 2658 (*Pentarthrum*) [non Wollast].

3

Madeira,
Algier,
Spanien,
Frankreich,
Korsika,
Sardinien,
Italien,
Griechenland,
Ägypten,
? Tirol

Isotornus Wollast.

- Wollast.** Col. St. Helena 1877, p. 104.
aterrimus Wollast. Col. St. Helena 1877, p. 106. St. Helena
retractilis Wollast. l. c. p. 105. „
 2

Pentatemnus Wollast.

- Wollast. Trans. Ent. Soc. Lond. (2) V, 1861, p. 385; l. c. 1873,
 p. 435, 453, 526. — Lacord. Gen. Col. VII, 1866, p. 324, 326.
affinis Wollast. Col. Hesperid. 1867, p. 122. St. Vincent
arenarius Wollast. Trans. Ent. Soc. Lond. (2) V, Kanaren
 1861, p. 388, t. 19, f. 1.

2

Halorhynchus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 454, 526.
coecus Wollast. Trans. Ent. Soc. Lond. 1873, p. 606. W. Australien
 1

4. Subtrib. **Onycholipi.**

- Onycholipides* Wollast. Trans. Ent. Soc. Lond. 1873,
 p. 435, 454.

Georrhynchus Roel.

- Roel. Ann. Soc. Ent. Belg. X, 1866, p. 241; l. c. XI, 1867, p. 78.
 — Wollast. Ent. Soc. Lond. 1873, p. 435, 454, 527.
Mortetii Roel. Ann. Soc. Ent. Belg. X, 1866, p. 252; Uruguay
 l. c. XI, 1867, p. 78, t. 2, f. 4. — Lacord.
 Gen. Col. VII, 1866, p. 348.

1

Onycholips Wollast.

- Wollast. Trans. Ent. Soc. Lond. (2) V, 1861, p. 389; l. c. 1873,
 p. 435, 455, 529. — Lacord. Gen. Col. VII, 1866, p. 347.
bifurcatus Wollast. Trans. Ent. Soc. Lond. (2) V, Kanaren,
 1861, p. 394, t. 19, f. 2. — Escal. Bol. Soc. Marokko
 Esp. Hist. Nat. VIII, 1908, p. 424, fig. —
 Champ. Ent. Monthly Mag. XLV, 1909, p.
 122.

Wollastonii Escal. Trab. Mus. Hist. Nat. Madrid XI, Marokko
 1914, p. 486.

2

Nyssonotus Casey.

- Casey, Ann. New York Acad. Sc. VI, 1892, p. 701. — Champ. Biol.
 Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 20.
seriatus Casey, Ann. New York Acad. Sc. VI, 1892, Texas,
 p. 701. — Champ. Biol. Centr.-Amer. Col. Kalifornien,
 IV, 7, 1909—10 (1909), p. 20, t. 1, f. 21. Mexiko
 1

5. Subtrib. **Pseudapotrepi.**

- Pseudapotrepiides* Champ. Biol. Centr.-Amer. Col. IV,
 7, 1909—10 (1909), p. 21.

Pseudapotrepus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1910), p. 21.
macrophthalmus Champ. Biol. Centr.-Amer. Col. IV, Guatemala
 7, 1909—10 (1910), p. 21, t. 1, f. 22, 22 a-c.

1

6. Subtrib. Lymanti.

Lymantides Lacord. Gen. Col. VII, 1866, p. 321, 328. —
 G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 434.

Lymantes Schönh.

Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1085. — Lacord. Gen. Col. VII, 1866, p. 328, 331. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 458, 537.

scrobicollis Gyll. in Schönh. Gen. spec. Curc. IV, N. Amerika
 2, 1838, p. 1086.

1

Porteriella Hust.

Hust. Rev. Chil. Hist. Nat. XXXIV, 1930, p. 266.
singularis Hust. Rev. Chil. Hist. Nat. XXXIV, 1930, Chile
 p. 268, fig.

1

7. Subtrib. Cossoni.

Cossonides Bach, Käferf. N. u. Mitteldeutschl. II, 1859,
 p. 151. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 8, 18,
 435, 456 (part.). — Broun, Trans. New Zeal. Inst. XLI,
 1908 (1909), p. 199.

Cossonides vrais Lacord. Gen. Col. VII, 1866, p. 321,
 332.

Cossonina C. G. Thoms. Skand. Col. VII, 1865, p. 339.

Cossonites Jacq. du Val & Fairm. Gen. Col. d'Eur. IV,
 1868, p. 70, 95.

Cossonini J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 334.
 — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1884), p.
 70, (1885), p. 193. — Blatchley & Leng, Rhynchoph. N. E.
 America 1916, p. 519, 525.

Cotastrini Faust, Ent. Zeit. Stettin XLVII, 1886, p. 28,
 31 (part.). — Hust. Ann. Soc. Ent. France IC, 1930, p. 119
 (part.).

Kipommata Wollast.

Wollast. Cat. Col. Mader. 1857, p. 100; Trans. Ent. Soc. Lond.
 1873, p. 435, 457, 534. — Lacord. Gen. Col. VII, 1866, p. 332, 333.

calcarata Wollast. Cat. Col. Mader. 1857, p. 101; Madeira
 Trans. Ent. Soc. Lond. (2) V, 1861, p. 395,
 t. 19, f. 3.

1

Tasmanica Lea.

Lea, Proc. Linn. Soc. N. S. Wales XXV, 1900, p. 392.

myrmecophila Lea, Proc. Linn. Soc. N. S. Wales Tasmanien
 XXV, 1900, p. 393.

1

Heptarthrum Champ.

- Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 22.
Cordillerae Champ. Biol. Centr.-Amer. Col. IV, 7, Guatemala
 1909—10 (1909), p. 23, t. 1, f. 25.
costatipenne Champ. l. c. p. 23, t. 1, f. 24, 24a. Mexiko
gibbipenne Champ. l. c. p. 22, t. 1, f. 23, 23a. Guatemala
 3

Cotaster Motsch.

- Motsch. Rev. Mag. Zool. (2) III, 1851, p. 425. — Lacord. Gen. Col. VII, 1866, p. 328, 330. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 127; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 161; Fauna Transsylv. 1888—91 (1891), Gatt. p. 161. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 458, 536. — Redt. Fauna Austr. 3. Aufl. I, 1874, p. CXXXVIII; l. c. II, 1874, p. 362. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 194. — Faust, Ent. Zeit. Stettin XLVII, 1886, p. 28. — Desbr. Frelon II, 1892, p. 70. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 389. — Reitt. Verh. Naturf. Ver. Brünn LI, 1912, p. 61; Best.-Tab. europ. Col. LXVIII, 1912, p. 60; Fauna Germ. V, 1916, p. 128, 129. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 913, 961. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1110. — Hust. Ann. Soc. Ent. France IC, 1930, p. 120, 121.

- cuneipennis** Aubé, Ann. Soc. Ent. France (2) VIII, S. W. 1850, p. 341 (*Styphlus*). — Lacord. Gen. Alpen, Col. VII, 1866, p. 330, nota 2 (*Cotaster*). — Woll. Trans. Ent. Soc. Lond. 1873, p. 536 nota. — Faust, Ent. Zeit. Stettin XLVII, 1886, p. 29, 30. — Seidl. Fn. Transsylv. 1888—91 (1891), p. 673, nota 7. — Schilsky in Küster, Käf. Eur. XLV, 1908, nr. 75a. — Kuhnt, Ill. Best.-Tab. Käf. Deutschl. 1913, p. 913. — Hust. Ann. Soc. Ent. France IC, 1930, p. 122.

- uncipes** Boh. in Schönh. Gen. spec. Curc. IV, 2, Mitteleuropa, 1838, p. 1055 (*Phloeophagus*). — Redt. Fauna Italien Austr. 2. Aufl. 1858, p. 822 (*Phloeophagus*); l. c. 3. Aufl. II, 1874, p. 362. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 455; l. c. 2. Aufl. 1887—91 (1891), Art. p. 604; Fauna Transsylv. 1888—91 (1891), Art. p. 673. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 391. — Schilsky in Küst. Käf. Eur. XLV, 1908, nr. 75. — Bedel, Bull. Soc. Ent. France 1913, p. 147. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1110, t. 40, f. 10. — Reitt. Fauna Germ. V, 1916, p. 130. — Hust. Ann. Soc. Ent. France IC, 1930, p. 122, 123, fig. 216.

- pilosus** Motsch. Bull. Moscou XXIV, 1851, II, p. 591 (*Styphlus*). — Chevr. Bull. Soc. Ent. Fr. 1881, p. CXXXIV. — Faust, Ent. Zeit. Stettin XLVII, 1886, p. 29.

- Morphologie:** Kleine, Ent. Mitteil. X, 1921, p. 138 (Stridulation).

2

Stilboderma Broun.

- Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 67. — Marshall, l. c. (10) IX, 1932, p. 344.

impressipennis Broun, Ann. Mag. Nat. Hist. (8) IV, Neuseeland
1909, p. 68.

1

Allaorus Broun.

- Broun, Man. New Zeal. Col. VII, 1893, p. 1494; Trans. New Zeal.
Inst. XLI, 1908 (1909), p. 208.
- carinifer** Broun, Bull. New Zeal. Inst. I, 1921, p. Neuseeland
586.
- impressus** Broun, l. c. I, 1917, p. 455.
- ovatus** Broun, Man. New Zeal. Col. VII, 1893, p. " "
1497; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 209.
- pedatus** Broun, Man. New Zeal. Col. VII, 1893, p. "
1496; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 209.
- pliciclavis** Broun, l. c. p. 210.
- pyriformis** Broun, Man. New Zeal. Col. V, 1893, p. "
p. 1223 (*Eiratus*); Trans. New Zeal. Inst.
XLI, 1908 (1909), p. 210.
- rugosus** Broun, Man. New Zeal. Col. V, 1893, p. "
1223 (*Eiratus*); Trans. New Zeal. Inst. XLI,
1908 (1909), p. 210.
- scutellaris** Broun, Bull. New Zeal. Inst. I, 1914, p. "
138.
- sternalis** Broun, Man. New Zeal. Col. VII, 1893, p. "
1496; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 209.
- Urquharti** Broun, Man. New Zeal. Col. VII, 1893, p. "
p. 1495; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 209, t. 16, f. 9.
- versutus** Broun, Man. New Zeal. Col. I, 1880, p. "
447; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 209.

11

Oodemas Boh.

- Boh. Eugen. Resa 1859, p. 138. — Lacord. Gen. Col. VII, 1866, p. 328. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 459, 537. — Blackb. Ann. Soc. Ent. Belg. XXI, 1878, p. 73. — D. Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 185.
- aelosoma** Perkins, Fauna Hawaiensis II, 1900, p. 169. Hawaii
- aenescens** Boh. Eugen. Resa 1859, p. 138, t. 2, f. " "
6 a—e. — Blackb. Ent. Monthly Mag. XIX,
1882, p. 69. — Perkins, Fauna Hawaiensis
II, 1900, p. 169, t. 8, f. 23.
- aequale** Blackb. Trans. R. Dubl. Soc. (2) III, 1885, p. 184. "
- affine** Perkins, Fauna Hawaiensis II, 1900, p. 162. "
- angustum** Blackb. Ann. Soc. Ent. Belg. XXI, 1878, p. 75. "
- apionoides** Perkins, Fauna Hawaiensis II, 1900, p. 161. "
- Borreli** Blackb. Ann. Soc. Ent. Belg. XXI, 1878, p. 75. "
- breviscapum** Perkins in Bryan Bishop Mus. Bull. XXXI, 1926, p. 58. "
- brunneum** Perkins, Fauna Hawaiensis II, 1900, p. 159. "

- chrysodorum** Perkins, l. c. p. 158, t. 8, f. 15 a—b. Hawaii
corticis Perkins, l. c. p. 168, t. 8, f. 21. „
costatum Perkins, l. c. p. 157. „
crassicornे Blackb. Trans. R. Dubl. Soc. (2) III, „
 1885, p. 184.
cupreum Perkins, Fauna Hawaiensis II, 1900, p. 159. „
dilatipes Perkins, l. c. p. 156. „
dubiosum Perkins, l. c. p. 164. „
erro Perkins in Bryan Bishop Mus. Bull. XXXI,
 1926, p. 59. „
flexirostre Perkins, Fauna Hawaiensis II, 1900, p. „
 164.
graciliforme Perkins, l. c. p. 163, t. 8, f. 16. „
grande Perkins, l. c. p. 167, t. 8, f. 20. „
haleakalae Perkins, l. c. p. 160. „
hapticoides Blackb. Ent. Monthly Mag. XIV, 1877,
 p. 5. „
hawaiense Perkins, Fauna Hawaiensis III, 1910,
 p. 655. „
infernum Blackb. Ent. Monthly Mag. XVII, 1881,
 p. 199. „
insulare Blackb. Ann. Soc. Ent. Belg. XXI, 1878,
 p. 74. „
konanum Perkins, Fauna Hawaiensis II, 1900, p. „
 171.
laysanensis Fullaway, Proc. Hawaii. Ent. Soc. III,
 1914, p. 18. „
leiothorax Perkins, Fauna Hawaiensis II, 1900, p. „
 164, t. 8, f. 17.
longicorne Perkins, l. c. p. 157. „
longirostre Perkins, l. c. p. 155, t. 8, f. 13. „
mauiense Blackb. Ann. Soc. Ent. Belg. XXI, 1878,
 p. 75. — Perkins, Fauna Hawaiensis II,
 1900, p. 170, t. 8, f. 25. „
molokaiense Perkins, l. c. p. 158, t. 8, f. 14. „
montanum Perkins, l. c. p. 160. „
multiforme Perkins, l. c. p. 171. „
Neckeri Perkins in Bryan Bishop Mus. Bull. XXXI,
 1926, p. 58. „
nitidissimum Perkins, Fauna Hawaiensis II, 1900,
 p. 170. „
nivicola Blackb. Ann. Soc. Ent. Belg. XXI, 1878,
 p. 74. — D. Sharp, Trans. R. Dubl. Soc.
 (2) III, 1885, p. 185, t. 5, f. 35. „
oblongum Perkins, Fauna Hawaiensis II, 1900, p. „
 167, t. 8, f. 19.
obscurum Blackb. Ann. Soc. Ent. Belg. XXI, 1878,
 p. 75.
 var. *s u b s t r i c t u m* Blackb. Ent. Monthly
 Mag. XVII, 1881, p. 200. „
Olindae Blackb. l. c. p. 199. — Perkins, Fauna
 Hawaiensis II, 1900, p. 155, t. 8, f. 12. „
pachysoma Perkins, l. c. p. 168, t. 8, f. 22. „
paludicola Perkins, Proc. Hawaii. Ent. Soc. VIII,
 1933, p. 269. „
parallelum Perkins, Fauna Hawaiensis II, 1900,
 p. 162. „
pulchrum Perkins, l. c. p. 166, t. 8, f. 18. „
puncticolle Perkins, l. c. p. 165. „
punctulatissimum Perkins, l. c. p. 157. „

- purpurascens* Perkins, l. c. p. 166. Hawaii
ramulorum Perkins, l. c. p. 163. "
robustum Blackb. Ann. Soc. Ent. Belg. XXI, 1878, "
 p. 75.
rubicola Perkins, Proc. Hawaii. Ent. Soc. VIII, 1933, "
 p. 267.
sculpturatum Blackb. Ann. Soc. Ent. Belg. XXI, "
 1878, p. 74. — Perkins, Fauna Hawaiianenses II, 1900, p. 170, t. 8, f. 24.
solidum Perkins, Fauna Hawaiianensis III, 1910, p. "
 654.
striatipenne Perkins, Proc. Hawaii. Ent. Soc. VII, "
 1929—30, p. 513.
striatum Perkins, Fauna Hawaiianense II, 1900, p. "
 165, t. 8, f. 26.
substrictum Blackb. Ent. Monthly Mag. XVII, 1881, "
 p. 200.
tardum Blackb. Trans. R. Dubl. Soc. (2) III, 1885, "
 p. 184.
wiridipenne Perkins, Proc. Hawaii. Ent. Soc. VIII, "
 1933, p. 267.

57

Aphyllura Reitt.

- Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 97; Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 4; l. c. LI, 1912, p. 61; Best.-Tab. europ. Col. XXXVII, 1898, p. 4; l. c. LXVIII, 1912, p. 61; Fauna Germ. V, 1916, p. 129. — Seidl. Fauna Balt. 2. Aufl. 1887—91 (1891), Gatt. p. 165; Fauna Transsyrv. 1888—91 (1891), Gatt. p. 165.
Brenskai Reitt. Deutsche Ent. Zeitschr. XXVIII, Griechenland 1884, p. 97, t. 1, f. 9; Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 10; Best.-Tab. europ. Col. XXXVII, 1898, p. 10.

1

Phloeophagoides Ab.

- Ab. Ann. Soc. Ent. France (7) IV (LXIII), 1894, Bull. p. CCLXXII. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 5; l. c. LI, 1912, p. 62; Best.-Tab. europ. Col. XXXVII, 1898, p. 5; l. c. LXVIII, 1912, p. 62; Fauna Germ. V, 1916, p. 129. — Hust. Ann. Soc. Ent. France IC, 1930, p. 267, 271.

- humilis** Ab. Ann. Soc. Ent. France (7) IV (LXIII), Frankreich 1894, Bull. p. CCLXXII. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 10; Best.-Tab. europ. Col. XXXVII, 1898, p. 10. — Hust. Ann. Soc. Ent. France IC, 1930, p. 272.

1

Neumatora Normd.

- Normand, Bull. Soc. Ent. France 1920, p. 24.
depressa Normand, Bull. Soc. Ent. France 1920, Tunis p. 25.

- scillae** Normand, l. c. p. 25.

2

Pselactus Broun.

- Broun, Man. Zew. Zeal. Col. IV, 1886, p. 972.
Phloeophagus [nec Schönh.] Redt. Fauna Austr. 1849, p. 43, 368; l. c. 2. Aufl. 1858, p. 822; l. c. 3. Aufl. I, 1874,

p. CXXXVIII; l. c. II, 1874, p. 364. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 160, 390. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 453, 557. — Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 71. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 128; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 165, Art. p. 618; Fauna Transsylv. 1888—91 (1891), Gatt. p. 165, Art. p. 688. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 389.

Codiosoma Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 194, 198 [nec Kirby]. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 4; l. c. LI, 1912, p. 62; Best.-Tab. europ. Col. XXXVII, 1898, p. 4; l. c. LXVIII, 1912, p. 62; Fauna Germ. V, 1916, p. 129, 131. — Everts, Col. Neerl. II, 1903, p. 588, 709. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 918. — Hust. Ann. Soc. Ent. France IC, 1930, p. 267, 270.

Phloeophagia Auriv. Svensk Insektfauna IX, Col. 2, Rhynchophora 1924, p. 137.

lauri Uyttenboog. Tijdschr. Ent. LXXII, 1929, p. Kanaren 351 (*Codiosoma*).

spadix Herbst, Natursyst. Ins. Käf. VI, 1795, p. 256, t. 78, f. 11 (*Curculio*). — Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1054 (*Phloeophagus*). — Redt. Fauna Austr. 1849, p. 368; l. c. 2. Aufl. 1858, p. 822; l. c. 3. Aufl. II, 1874, p. 364. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 398. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 557. — Champ. Ent. Monthly Mag. VIII, 1871, p. 85; l. c. XLIX, 1913, p. 32. — Desbr. Ann. Soc. Ent. France (5) I, 1871, Bull. p. LXXV; l. c. (5) II, 1872, p. 428. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), Art. p. 618; Fauna Transsylv. 1888—91 (1891), Art. p. 688. — Heyd. Deutsche Ent. Zeitschrift XIX, 1875, p. 391. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 199. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 7; Best.-Tab. europ. Col. XXXVII, 1898, p. 7; Fauna Germ. V, 1916, p. 131. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 391. — Everts, Col. Neerl. II, 1903, p. 368. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 378, fig. 261. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 539.

Biologie: J. J. Walker, Ent. Monthly Mag. XVI, 1879, p. 40. — Fokker, Tijdschr. Ent. XXXII, 1889, p. 418, t. 11, f. 6—8. — Xambeu, Ann. Soc. Linn. Lyon XLIII, 1896, p. 167.

piceus Steph. Illustr. Brit. Ent. Mandib. IV, 1831, p. 6 (*Rhyncolus*).

sculptus Gyll. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1055.

sculptus Schönh. l. c. VIII, 2, 1845, p. 279. — Redt. Fauna Austr. 3. Aufl. II, 1874, p. 364.

- pilosus* Bach, Ent. Zeit. Stettin XV, 1854,
p. 361. — Redt. Fauna Austr. 2. Aufl. 1858,
p. 824.
puenctatus Broun, Man. New Zeal. Col. IV,
1886, p. 972 (*Pselactus*).

apionoides G. Horn, Proc. Amer. Phil. Soc. XIII, Kanada,
1873, p. 443. — Blatchley & Leng, Rhyn-
choph. N. E. Amer. 1916, p. 538.

New
England,
Michigan,
Distr. of
Columbia

californicus Van Dyke, Pan-Pacific Ent. IV, 1927, Kalifornien
p. 16.

canadensis Van Dyke, l. c. p. 17.
ferrugineus Broun, Trans. New Zeal. Inst. XLI, Alberta
1908 (1909), p. 212 (*Pselactus*).

minor G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, Neuseeland
p. 443. — Blatchley & Leng, Rhynchoph. New York,
N. E. Amer. 1916, p. 538, 539.

New Jersey,
Michigan,
Nebraska,
Virginia

Ohio

variolatus Dury, Journ. Cincinnati Soc. Nat. Hist.
XXII, 1916, p. 14. — Blatchley & Leng,
Rhynchoph. N. E. America 1916, p. 538.

8

Pseudophloeophagus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 436, 460, 540.
tenax Wollast. Ins. Mader. 1854, p. 307; Trans. Madeira,
Ent. Soc. Lond. (2) V, 1861, p. 370, t. 18, Azoren
f. 4 (*Phloeophagus*); l. c. 1873, p. 540.

1

Chaerodemas Faust.

Faust, Deutsche Ent. Zeitschr. 1898, p. 90.
sejuncta Faust, Deutsche Ent. Zeitschr. 1899, p. 338. D. O. Afrika
squalida Faust, l. c. 1898, p. 91. Kamerun
triumpressa Faust, l. c. 1899, p. 338. D. O. Afrika

3

Tarchius Pasc.

Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 314.
pinguis Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Sumatra
1885, p. 314.

1

Thaumastophasis Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 436, 461, 541.
oculatus Wollast. Trans. Ent. Soc. Lond. 1873, p. 606. S. Australien
1

Himatinum Cock.

Cockerell, Ent. News XVII, 1906, p. 243.
Himatium Wollast. Trans. Ent. Soc. Lond. 1873, p. 436,
461, 542 [nec Clark]. — J. Lec. & Horn, Proc. Amer. Phil.
Soc. XV, 1876, p. 426. — Casey, Ann. New York Acad.
Sc. VI, 1892, p. 690. — Champ. Biol. Centr.-Amer. Col.

IV , 7, 1909—10 (1909), p. 23. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 525, 526.	
asperum Marshall, Ann. Mag. Nat. Hist. (8) XII, Assam 1913, p. 189.	
breviusculum Champ. Trans. Linn. Soc. Lond. (2) Seychellen XVI, 1913—14 (1914), p. 481.	
coffae Marshall, Ann. Mag. Nat. Hist. (10) II, Java 1928, p. 555.	
confluum Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 480.	
curtiostre Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 192.	Kamerun
errans J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 427. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 526.	Nova Scotia, New Jersey, New England, Ohio, Massa- chussets, Florida
ab. <i>parvulum</i> Blatchley in Blatchley & Leng, l. c. p. 527.	Florida
ab. <i>nigratum</i> Casey, Ann. New York Acad. Sc. VI, 1892, p. 691. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 526, 527.	"
ab. <i>conicum</i> J. Lec. Trans. Amer. Ent. Soc. VIII, 1880, p. 218. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 526, 527 (spec. propria).	Connecticut, Pennsyl- vanien, Virginia, Distr. of Columbia
exsculptum Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 191.	Ost-Afrika
pubescens Wollast. Trans. Ent. Soc. Lond. 1873, p. 607.	Malabar
robustum Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 192.	Madagaskar
rugicolle Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 24, t. 1, f. 26.	Guatemala
rugipenne Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 480.	Seychellen
spoliatum Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 191.	Madagaskar
tectonae Marshall, Ann. Mag. Nat. Hist. (10) II, 1928, p. 555.	Java
variolosum Wollast. Cist. Ent. I, 1874, p. 202. 14	Kapland

Leptodemasius Voß.

Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 192.
longulus Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 193, fig. 1.

1

Microhimatium Champ.

Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 479.
pubescens Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 479, t. 24, f. 45, 45 a.

1

Caulotrupis Wollast.

Wollast. Ins. Mader. 1854, p. 308; Trans. Ent. Soc. Lond. (2) V, 1861, p. 375; l. c. 1873, p. 435, 459, 538. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 194. — Seidl. Fauna Balt. 2. Aufl. 1887—91 (1891), Art. p. 618; Fauna Transsylv. 1888—1891 (1891), Art. p. 688. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 4; l. c. LI, 1912, p. 62; Best.-Tab. europ. Col. XXXVII, 1898, p. 4; l. c. LXVIII, 1912, p. 62; Fauna Germ. V, 1916, p. 129, 131. — Everts, Col. Neerl. II, 1903, p. 558, 709. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 916. — Hust. Ann. Soc. Ent. France IC, 1930, p. 267; l. c. C, 1931, p. 153.

aeneopicea Boh. in Schönh. Gen. spec. Circ. VIII, England, 2, 1845, p. 278 (*Phloeophagus*). — Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 71, t. 30, f. 143. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 198. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 7; Best.-Tab. europ. Col. XXXVII, 1898, p. 7; Fauna Germ. V, 1916, p. 131. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 391. — Everts, Col. Neerl. II, 1903, p. 709. — Champ. Ent. Monthly Mag. XLV, 1909, p. 122. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 978. — Hust. Ann. Soc. Ent. France C, 1931, p. 153.

truncorum Steph. Illustr. Brit. Ent. Mandib. IV, 1831, p. 6 (*Rhyncolus*) [non Germ.].

Chevrolati Wollast. Ins. Mader. 1854, p. 313.

Madeira

conicollis Wollast. l. c. p. 314.

"

impia Wollast. l. c. p. 311.

"

lacertosa Wollast. l. c. p. 309, t. 6, f. 6.

"

lucifuga Wollast. l. c. p. 310, t. 6, f. 7, 9.

"

opaca Wollast. l. c. p. 313.

"

pyricollis Wollast. Trans. Ent. Soc. Lond. 1871, p. 275.

"

subnitida Wollast. Ann. Mag. Nat. Hist. (3) V, 1860, p. 452; Col. Atlant. 1865, p. 259.

"

terebrans Wollast. Ins. Mader. 1854, p. 312, t. 6, f. 8.

"

10

Trichacorynus Blatchl.

Blatchley in Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 525, 528.

brunneus Blatchley in Blatchley & Leng, Rhynchoph. Indiana N. E. Amer. 1916, p. 528.

sulcirostris Blatchley, Journ. New York Ent. Soc. New Jersey XXXVI, 1928, p. 259.

2

Pholidonotus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 436, 462, 542.

pilosus Faust, Ann. Mus. Civ. Genova (2) XX (XL), Neuguinea 1899, p. 123.

squamulosus Wollast. Trans. Ent. Soc. Lond. 1873, Borneo p. 607.

2

Ochronanus Pasc.

- Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 313.
pumilus Marshall, Ins. Samoa IV, 5, 1931, p. 344. Samoa
pygmaeus Pasc. Ann. Mus. Civ. Genova (2) II Java
(XXII), 1885, p. 314.
subreflexus Faust, l. c. (2) XX (XL), 1899, p. 126. Neuguinea
vicinus Faust, l. c. p. 125. " 4

Dysomma Perk.

- Perkins, Fauna Hawaiianensis II, 1900, p. 151.
sylvicola Perkins, Fauna Hawaiianensis II, 1900, p. Hawaii
152, t. 8, f. 6. 1

Heteramphus D. Sharp.

- D. Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 187.
cylindricus D. Sharp, Trans. R. Dubl. Soc. (2) III, Hawaii
1885, p. 189, t. 5, f. 32. — Perkins, Fauna
Hawaiensis II, 1900, p. 154, t. 8, f. 9, 10.
filiicum Perkins, Fauna Hawaiianensis II, 1900, p. 152, t. 8, f. 7.
foveatus D. Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 188.
frater Perkins, Fauna Hawaiianensis II, 1900, p. 153.
haleakalae Perkins, l. c. p. 153.
hirtellus D. Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 189.
kauaiensis Perkins, Fauna Hawaiianensis II, 1900, p. 154, t. 8, f. 11.
molokaiensis Perkins, l. c. p. 153, t. 8, f. 8.
nivicola Perkins, l. c. p. 154.
Wollastoni D. Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 188, t. 5, f. 31. 10

Cryptommata Wollast.

- Wollast. Col. St. Helena 1877, p. 156.
cucullata Wollast. Col. St. Helena 1877, p. 157. St. Helena 1

Aphanommata Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 436, 463, 544.
euphorbiarum Wollast. Col. Hesperid. 1867, p. 119 Cap Verde
(*Rhyncolus*); Trans. Ent. Soc. Lond. 1873, p. 654. 1

Brachyscapus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 436, 464, 544.
? angolensis Wollast. Ent. Monthly Mag. XI, 1874, Angola
p. 150.
crassirostris Wollast. Trans. Ent. Soc. Lond. 1873, Natal
p. 609. 2

Phloeophagosoma Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 8, 23, 436, 465, 545. — Broun, Man. New Zeal. Col. I, 1880, p. 529; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 199. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 540.
- abdominale** Broun, Man. New Zeal. Col. II, 1881, Neuseeland p. 738; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 201.
- carinirostre** Marshall, Ins. Samoa IV, 5, 1931, p. Samoa 331, fig. 26.
- curvirostre** Wollast. Trans. Ent. Soc. Lond. 1873, Japan p. 26.
- dilutum** Wollast. Cist. Ent. I, 1874, p. 204. — Neuseeland Broun, Man. New Zeal. Col. I, 1880, p. 531; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 200.
- ficus** Marshall, Ann. Mag. Nat. Hist. (10) XII, 1933, Brit. Indien p. 582.
- minutum** Wollast. Trans. Ent. Soc. Lond. 1873, p. Japan 25.
- orchidarum** Marshall, Stylops I, 1932, p. 216, fig. 4. Java
- pedatum** Wollast. Cist. Ent. I, 1874, p. 204. Neuseeland
- rugipenne** Broun, Man. New Zeal. Col. II, 1881, p. 738; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 200.
- tenuis** Gemm. Col. Hefte VIII, 1871, p. 123 (*Rhyn-* Hawaii *colus*). — D. Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 189.
- gracile* Boh. Eugen. Resa 1859, p. 149 [nec Rosh.].
- thoracicum** Wollast. Cist. Ent. I, 1874, p. 203. — Neuseeland Broun, Man. New Zeal. Col. I, 1880, p. 531; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 200.

Subg. Amorphorhynchus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 464, 609.

aldabranum Champ. Trans. Linn. Soc. Lond. (2) Seychellen XVI, 1913—14 (1914), p. 483.

angustulum Wollast. Trans. Ent. Soc. Lond. 1873, Batchian p. 611.

atratum Wollast. l. c. p. 612.

Ceylon

conicicolle Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 482.

corvinum Wollast. Trans. Ent. Soc. Lond. 1873, p. Neuseeland 613. — Broun, Man. New Zeal. Col. I, 1880, p. 530; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 200.

fusirostre Wollast. Trans. Ent. Soc. Lond. 1873, p. Neuguinea 610.

glaberrimum Wollast. l. c. p. 610.

Java

morio Wollast. l. c. p. 612.

Ceylon

muriceum Fergusson, Trans. R. Soc. S. Austral. Australien XXXIX, 1915, p. 85.

opaculum Wollast. Trans. Ent. Soc. Lond. 1873, p. Batchian 612.

puncticolle Wollast. l. c. p. 613.

Malakka

- rotundicolle** Wollast. l. c. p. 610.
sinuaticolle Wollast. l. c. p. 609.
- subcaudatum** Fairm. Rev. Mag. Zool. (2) I, 1849, p. 556 (*Catolethrus*). — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 540.
- p r o x i m u m* Wollast. Trans. Ent. Soc. Lond. 1873, p. 614. — Waterh. Phil. Trans. R. Soc. Lond. CLXVIII, 1879, p. 511, 531.

- wicum** Wollast. Trans. Ent. Soc. Lond. 1873, p. 611. Borneo
26

Rhyncolosoma Champ.

- Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 485.
dubium Gahan, Monogr. Christmas Isl. 1900, p. 114 Christmas
(Phloeophagosoma). — Champ. Trans. Linn. Soc. Lond. (2) 1913—14 (1914), p. 486.
subsignatum Marshall, Ins. Samoa IV, 5, 1931, p. 342, fig. 31.

2

Pholidoforus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 8, 18, 436, 465, 546.
squamosus Wollast. Trans. Ent. Soc. Lond. 1873, Japan
p. 19.

1

Coprodema Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 8, 20, 436, 466, 546.
calandraeforme Wollast. Trans. Ent. Soc. Lond. 1873, Japan
p. 21.

1

Exodema Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 8, 22, 436, 466, 547.
sublutosum Wollast. Trans. Ent. Soc. Lond. 1873, Japan
p. 23.

1

Melarhinus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 436, 466, 547. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 527.
incrustatus Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 481.
nigritus Wollast. Trans. Ent. Soc. Lond. 1873, p. 614. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 528.
crenatus Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 55 (*Dryophthorus*) [nec Boisd.].

2

Psilosomus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 436, 467, 548.
hebes Walker, Ann. Mag. Nat. Hist. (3) IV, 1859, Ceylon,
p. 218 (*Cossonus*). — Marshall, l. c. (10) Malakka,
VI, 1930, p. 577. Pulo

opacus Wollast. Trans. Ent. Soc. Lond. 1873, Penang
p. 614.

1

Mimus Fährs.

Fährs. Öfvers. Vet. Akad. Förh. XXVIII, 1871, p. 283. — Wollast.
Trans. Ent. Soc. Lond. 1873, p. 436, 467, 549.

apicalis Voß, Arb. morph. taxon. Ent. Berlin-Dahlem Kamerun
I, 1934, p. 119.

fretus Faust, Ent. Zeit. Stettin LV, 1894, p. 151. Abessinien

glacialis Hust. Voy. Alluaud & Jeannel Afr. orient. Kenya
XIX, 1929, p. 544.

laevistriatus Hust. Rev. Zool. Bot. Afr. XXVI, 1934, „
p. 39.

natalensis Fährs. Öfvers. Vet. Akad. Förh. 1871, p. Natal
284.

usambaricus Hartm. Deutsche Ent. Zeitschr. 1904, Usambara
p. 417.

6

Pseudomimus Hartm.

Hartm. Deutsche Ent. Zeitschr. 1904, p. 416.

amitinus Voß, Arb. morph. taxon. Ent. Berlin-Dahlem Ostafrika
I, 1934, p. 190 (*crassirostris* Hartm. i. l.
var.).

corpulentus Hartm. Deutsche Ent. Zeitschr. 1904, Usambara
p. 416.

foveicollis Voß, Arb. morph. taxon. Ent. Berlin-Dahlem Kamerun
Dahlem I, 1934, p. 189.

tenebrosus Voß, l. c. p. 189. „
4

Pseudotanaos Voß.

Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 188.

angustifrons Voß, Arb. morph. taxon. Ent. Berlin-
Dahlem I, 1934, p. 188.

basicornis Voß, l. c. p. 188. Kamerun

intermedius Hust. Ann. Soc. Linn. Lyon LXXII, 1926, Kongo
p. 19 (*Tanaos*). — Marshall, Ann. Mag.

Nat. Hist. (10) XV, 1935, p. 517.

? **semiruber** Hust. Ann. Soc. Linn. Lyon LXXXII, 1926, Elfenbein-
p. 18 (*Tanaos*). — Marshall, Ann. Mag. Nat. küste
Hist. (10) XV, 1935, p. 517.

suturalis Voß, Arb. morph. taxon. Ent. Berlin-Dahlem Ostafrika
I, 1934, p. 189. (Usambara)

5

Amorphocerus Schönh.

Schönh. Cerc. Disp. Meth. 1826, p. 329; Gen. spec. Cerc. IV, 2,
1838, p. 989. — Lacord. Gen. Col. VII, 1866, p. 333, 335. — Wollast.
Trans. Ent. Soc. Lond. 1873, p. 436, 468, 549.

rufipes Boh. in Schönh. Gen. spec. Cerc. IV, 2, Kaffernland
1838, p. 990.

setosus Boh. l. c. p. 993.

talpa Boh. l. c. p. 992.

„
Kapland,
Kaffernland
Kaffernland

Zamiae Boh. l. c. p. 991.

4

Paramorphocerus Voß.

Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 187.
parcus Voß, Arb. morph. taxon. Ent. Berlin-Dahlem Ostafrika
I, 1934, p. 187.

1

Neorhyncolus Voß.

Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 193.
nigritus Voß, Arb. morph. taxon. Ent. Berlin-Dahlem Kamerun
I, 1934, p. 194, fig. 2.

1

Dynatopechus Marshall.

Marshall, Ins. Samoa IV, 5, 1931, p. 325.
aureopilosus Fairm. Rev. Mag. Zool. (2) I, 1849, Taiti
p. 555 (*Amorphocerus*). — Marshall, Ins.
Samoa IV, 5, 1931, p. 325.

rubronotatus Marshall, l. c. p. 326, fig. 23. Samoa

2

Anotheorus Blackb.

Blackb. Ent. Monthly Mag. XIV, 1877, p. 4.
ignavus Blackb. Ent. Monthly Mag. XVII, 1881, Hawaii
p. 201.
montanus Blackb. Ent. Monthly Mag. XIV, 1877, „
p. 5. — D. Sharp, Trans. R. Dubl. Soc.
(2) III, 1885, t. 5, f. 34.
robustus Perkins, Fauna Hawaiensis II, 1900, p. „
173, t. 8, f. 27.

3

Lipancylus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 436, 469, 550.
inarmatus Wollast. Trans. Ent. Soc. Lond. 1873, Amazonas
p. 615.

1

Paraorus Voß.

Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 120.
dilucidus Voß, Arb. morph. taxon. Ent. Berlin-Togo,
Dahlem I, 1934, p. 120.
vulgaris Voß, l. c. p. 120. Kamerun,
2 Togo,
Span.
Guinea,
Fernando
Poo

Eucoptoderus Wollast.

Wollast. Col. St. Helena 1877, p. 137.
affinis Wollast. Col. St. Helena 1877, p. 139. St. Helena
vermiculatus Wollast. l. c. p. 138. „

2

Stenotis Wollast.

Wollast. Ins. Mader. 1854, p. 316; Trans. Ent. Soc. Lond. 1873, p.
437, 470, 552. — Lacord. Gen. Col. VII, 1866, p. 333, 336.

acicula Wollast. Ins. Mader. 1854, p. 316, t. 6, f. Madeira
5; Trans. Ent. Soc. Lond. (2) V, 1861, p.
400, t. 19, f. 8.

1

Pseudocoptus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 27.
macrocephalus Champ. Biol. Centr.-Amer. Col. IV, Panama
7, 1909—10 (1909), p. 27, t. 1, f. 31.

1

Eucoptus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 471, 553.
depressus Wollast. Trans. Ent. Soc. Lond. 1873, Brasilien
p. 616.

1

Mesites Schönh.

Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1043. — Redt. Fauna Austr.
2. Aufl. 1858, p. CXXV, 821; l. c. 3. Aufl. I, 1874, p. CXXXVIII;
l. c. II, 1874, p. 363. — Lacord. Gen. Col. VII, 1866, p. 333, 341.
— Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 71. —
Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 128; l. c. 2. Aufl. 1887
— 91 (1891), Gatt. p. 165; Fauna Transsylv. 1888—91 (1891), Gatt.
p. 165. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 472, 554.
— Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 194. —
Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 4; l. c. LI, 1912,
p. 61; Best.-Tab. europ. Col. XXXVII, 1898, p. 4; l. c. LXVIII,
1912, p. 61; Fauna Germ. V, 1916, p. 129, 130. — Kuhnt, Illustr.
Best.-Tab. Käf. Deutschl. 1913, p. 916. — Blatchley & Leng, Rhyn-
choph. N. E. Amer. 1916, p. 526, 536. — Hust. Ann. Soc. Ent.
France IC, 1930, p. 267; l. c. C, 1931, p. 176.

Subg. Mesites s. str.

Seidl. Fauna Balt. 2. Aufl. 1887—91 (1891), Art. p. 617; Fauna
Transsylv. 1888—91 (1891), Art. p. 688. — Reitt. Verh. Naturf.
Ver. Brünn XXXVII, 1898, p. 8; Best.-Tab. europ. Col. XXXVII,
1898, p. 8.

angustior Pic, L'Échange XVI, 1900, p. 91. Rhodus
aquitanus Fairm. Ann. Soc. Ent. France (3) VII, W.-
1859, Bull. p. LII. — Hust. l. c. C, 1931, Frankreich
p. 177.

Biologie: Perris, l. c. (3) IV, 1856, p.
251, t. 5, f. 332—33 (*pallidipennis*).

pallidipennis Perris, l. c. (3) IV, 1856,
p. 252 [non Boh.].

aeguitanus Reitt. Verh. Naturf. Ver.
Brünn XXXVII, 1898, p. 9; Best.-Tab. europ.
Col. XXXVII, 1898, p. 9.

deserticus Escal. Trab. Mus. Hist. Nat. Madrid XI, Marokko
1914, p. 484.

mogadoricus Escal. l. c. p. 483.

pallidipennis Boh. in Schönh. Gen. spec. Curc. IV,
2, 1838, p. 1045. — Redt. Fauna Austr. 2.
Aufl. 1858, p. 821; l. c. 3. Aufl. II, 1874,
p. 363. — Reitt. Verh. Naturf. Ver. Brünn
XXXVII, 1898, p. 9; Best.-Tab. europ. Col.

„
Südeuropa,
Südrholland,
Kaukasus,
Tunis

- XXXVII**, 1898, p. 9. — Hust. Ann. Soc. Ent. France C, 1931, p. 177.
- rufipennis** J. Lec. Proc. Amer. Phil. Soc. XVII, Florida, 1878, p. 432. — Lugger, Proc. Ent. Soc. Georgia Washingt. I, 1886, p. 36 (= *subcylindricus* immat.). — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 536.
- subcylindricus** G. Horn, Proc. Amer. Phil. Soc. XIII, Delaware, 1873, p. 441. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, New York, New Jersey
- subvittatus** Motsch. Bull. Soc. Nat. Mosc. XXXIX, Ceylon 2, 1866, p. 446.
- suturalis** Motsch. l. c. p. 445. "

Subg. **Rhopalomesites** Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 472, 555. — Seidl. Fauna Balt. 2. Aufl. 1887—91 (1891), Art. p. 617; Fauna Transsylv. 1888—91 (1891), Art. p. 688. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 8; Best.-Tab. europ. Col. XXXVII, 1898, p. 8.

complanatus Wollast. Trans. Ent. Soc. Lond. (2) V, Kanaren 1861, p. 401.

cunipes Boh. in Schönh. Gen. spec. Curc. IV, 2, Süd- 1838, p. 1046. — Redt. Fauna Austr. 2. Aufl. frankreich, 1858, p. 821; l. c. 3. Aufl. II, 1874, p. 363. Spanien, — Jacq. du Val & Fairm. Gen. Col. d'Eur. Italien, IV, 1868, p. 71, t. 29, f. 142. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 9; Best.-Tab. europ. Col. XXXVII, 1898, p. 9 (subg. *Mesites* s. str.). — Hust. Ann. Soc. Kleinasien Ent. France C, 1931, p. 177, 178.

Biologie: Krausse, Arch. f. Naturg. LXXX, A. 9, 1915, p. 67, t.

var. *cribratus* Fairm. Ann. Soc. Ent. France (3) IV, 1856, p. 542. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 9; Best.-Tab. europ. Col. XXXVII, 1898, p. 9. — Hust. Ann. Soc. Ent. France C, 1931, p. 178.

cribripennis Desbr. Frelon II, 1892—93, p. 76 (lapsus).

var. *akbesianus* Desbr. l. c. IV, 1894—95, Syrien p. 98. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 9; Best.-Tab. europ. Col. XXXVII, 1898, p. 9.

euphorbiae Wollast. Ins. Mader. 1854, p. 318. Madeira

maderensis Wollast. l. c. p. 319.

persimilis Wollast. Trans. Ent. Soc. Lond. (2) V, Kanaren 1861, p. 402.

proximus Wollast. l. c. p. 404.

Tardyi Curtis, Brit. Ent. II, 1825, t. 59. — Steph. Illustr. Brit. Ent. Mandib. IV, 1831, p. 7. — Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1041; l. c. VIII, 2, 1845, p. 276. — Redt. Fauna Austr. 2. Aufl. 1858, p. 821 (*Tardi*); l. c. 3. Aufl. II, 1874, p. 363 (*Tardi*). — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 8; Best.-Tab. europ. Col. XXXVII, 1898, p. 8; Fauna Germ. V, 1916,

p. 130. — Kuhnt, Illustr. Best.-Tab. Käf.
Deutschl. 1913, p. 978.

Subg. **Odontomesites** Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 472, 555.

fusiformis Wollast. Trans. Ent. Soc. Lond. (2) V, Kanaren
1861, p. 405, t. 19, f. 7, 9; l. c. (2) VI,
1862, p. 176.

Hesperus Wollast. Col. Hesperid. 1867, p. 123. St. Vincent

mimoides Voß, Arb. morph. taxon. Ent. Berlin- Teneriffa
Dahlem I, 1934, p. 119.

pubipennis Wollast. Trans. Ent. Soc. Lond. (2) V, Kanaren
1861, p. 406; l. c. 1862, p. 177.

20

Micromesites Pic.

Pic, Bull. Soc. Ent. Egypte VI, 1919, p. 54.

deplanatus Pic, Bull. Soc. Ent. Egypte VI, 1919, Aegypten
p. 54.

1

Pseudomesites Marshall.

Marshall, Ann. Mag. Nat. Hist. (10) X, 1932, p. 228. — Hust.
Rev. Zool. Bot. Afr. XXVI, 1934, p. 36.

Burgeoni Hust. Rev. Zool. Bot. Afr. XXVI, 1934, Belg. Kongo
p. 37.

dorytomooides Hust. Voy. Alluaud et Jeannel Afr. Kenya
orient. XIX, 1929, p. 547 (*Cossonus*); Rev.
Zool. Bot. Afr. XXVI, 1934, p. 36.

frigidus Hust. Voy. Alluaud et Jeannel Afr. orient. „
XIX, 1929, p. 549 (*Cossonus*); Rev. Zool.
Bot. Afr. XXVI, 1934, p. 36.

glacialis Hust. Voy. Alluaud et Jeannel Afr. orient. „
XIX, 1929, p. 552 (*Cossonus*); Rev. Zool.
Bot. Afr. XXVI, 1934, p. 36.

Kenya Hust. Voy. Alluaud et Jeannel Afr. orient. „
XIX, 1929, p. 548 (*Cossonus*); Rev. Zool.
Bot. Afr. XXVI, 1934, p. 36.

Lobeliae Marshall, Ann. Mag. Nat. Hist. (10) X, Uganda
1932, p. 229, fig. 3, 4.

metallicus Hust. Rev. Zool. Bot. Afr. XXVI, 1934, Belg. Kongo
p. 38.

ruwenzoriensis Hust. Voy. Alluaud et Jeannel Afr. Kenya
orient. XIX, 1929, p. 551 (*Cossonus*); Rev.
Zool. Bot. Afr. XXVI, 1934, p. 36.

senecionis Marshall, l. c. XXIV, 1933, p. 73. Belg.
9 Kongo

Exomesites Broun.

Broun, Man. New Zeal. Col. IV 1886, p. 971; Trans. New Zeal.
Inst. XLI, 1908 (1909), p. 207.

optimus Broun, Man. New Zeal. Col. IV, 1886, p. Neuseeland
972; Trans. New Zeal. Inst. XLI, 1908
(1909), p. 208, t. 16, f. 11.

1

Porthetes Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1041. — Lacord. Gen. Col. VII, 1866, p. 333, 336. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 473, 556.

zamiae Boh. in Schönh. Gen. spec. Cerc. IV, 2, Kaffernland 1838, p. 1042.

1

Megalocorynus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 473, 557.

depressus Boh. in Schönh. Gen. spec. Cerc. IV, 2, Mexiko 1838, p. 1039 (*Cossonus*). — Wollast. Trans.

Ent. Soc. Lond. 1873, p. 557. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1909), p. 41, t. 2, f. 11, 11a, 12.

conicirostris Rosensch. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1040 (*Cossonus*).

capitatus Wollast. Trans. Ent. Soc. Lond. 1873, p. 616.

1

Anolethrus Auriv.

Auriv. in Skottsberg, Nat. Hist. Juan Fernandez III, Zool. 1931, p. 475.

gracilis Auriv. in Skottsberg, Nat. Hist. Juan Fernandez III, Zool. 1931, p. 476, fig.

Juan Fernandez Isl.

1

Catolethrus Schönh.

Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1077. — Lacord. Gen. Col. VII, 1866, p. 333, 338. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 474, 557. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 24.

Subg. Catolethrus s. str.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 24.

basalis Wollast. Trans. Ent. Soc. Lond. 1873, p. 618. Brasilien

Dufaui Hust. Faune Colon. franç. V, 1932, p. 93. Guadeloupe

ebeninus Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko, 1909—10 (1909), p. 25, 26, t. 1, f. 29. Brit.

Honduras

fulvolimbatus Champ. l. c. p. 25, t. 1, f. 28.

Panama

Grayi Wollast. Trans. Ent. Soc. Lond. 1873, p. 617. Brasilien

impressicollis Fairm. Rev. Mag. Zool. (2) I, 1849, p. 556. Marquesas (Nukahiva)

interstitialis Faust. Ent. Zeit. Stettin LVII, 1896, p. 132. Venezuela

longulus Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1078; l. c. VIII, 2, 1845, p. 285. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 25, t. 1, f. 27, 27a—b. Nicaragua, Guatemala, Panama

parvus Wollast. Trans. Ent. Soc. Lond. 1873, p. 618. Brasilien

productus Wollast. l. c. p. 618.

pumilio Fairm. Rev. Mag. Zool. (2) I, 1849, p. 557. Taiti

rufus Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1079. Brasilien

Subg. **Phacegaster** Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 476, 559. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 25; Ent. Monthly Mag. (2) XX (XLV), 1909, p. 121.

fallax Boh. in Schönh. Gen. spec. Curc. VIII, 2, Kolumbien, 1845, p. 285. — Champ. Biol. Centr.-Amer. Venezuela, Col. IV, 7, 1909—10 (1909), p. 25, 26, t. 1, Brasilien, St.Vincent, Panama, Nicaragua

nasalis Boh. in Schönh. Gen. spec. Curc. VIII, 2, Brasilien 1845, p. 286. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 24.

laeviusculus Wollast. Trans. Ent. Soc. Lond. 1873, p. 617.

14

Mystrorrhinus Mshl.

Marshall, Ins. Samoa IV, 5, 1931, p. 340.

dimorphus Marshall, Ins. Samoa IV, 5, 1931, p. 341, Samoa fig. 29 a—c, 30.

1

Stenotribus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 475, 558.

longicollis Wollast. Trans. Ent. Soc. Lond. 1873, Brasilien p. 619.

1

Proëces Schönh.

Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1080. — Lacord. Gen. Col. VII, 1866, p. 333, 339. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 475, 559. — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 488. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 542.

compressicollis Champ. Trans. Linn. Soc. Lond. (2) Seychellen XVI, 1913—14 (1914), p. 488.

filum Fairm. Rev. Mag. Zool. (2) I, 1849, p. 558. Taiti

flavicornis Voß, Arb. morph. taxon. Ent. Berlin- ? (Afrika)

Dahlem I, 1934, p. 121.

hovanus Hust. Mém. Acad. Malgache XIV, 1933, Madagaskar p. 117.

macer Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, „ p. 1042. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 542.

nigritrons Boh. in Schönh. Gen. spec. Curc. IV, 2, Madagaskar, 1838, p. 1081. — Champ. Trans. Linn. Soc. Réunion Lond. (2) XVI, 1913—14 (1914), p. 476; 489. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 542.

* var. *dissimilis* Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 121. [spp.]

praeustum Marshall, Ins. Samoa IV, 5, 1931, p. 339. Samoa

silvestris Kolbe, Mitt. Zool. Mus. Berlin V, 1910, Seychellen p. 45 (*Catolethrus*). — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 489.

Mesitinus Fairm.

Fairm. Ann. Soc. Ent. France LXXII, 1902, p. 246. — Hust. Bull. Acad. Malgache (2) VII, 1914, p. 543.
sulcirostris Fairm. Ann. Soc. Ent. France LXXII, 1902, p. 246. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 543.

1

Gloeodema Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 477, 560.
spatula Wollast. Trans. Ent. Soc. Lond. 1873, p. Neuguinea 619. — Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 315, t. 3, f. 8.
ruficollis Wollast. Trans. Ent. Soc. Lond. 1873, p. 620. — Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 315 (= *spatula* ♀).
var. *bispatalata* Roel. Ann. Soc. Ent. Belg. XVIII, 1875, Compt.-Rend. p. CVI.

1

Gleoxenus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 477, 561. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 544.
armatus Wollast. Trans. Ent. Soc. Lond. 1873, p. Madagaskar 620. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 544.

1

Exonotus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 478, 561.
basalis Wollast. Trans. Ent. Soc. Lond. 1873, p. 620. Tondano, Celebes
1

Pseudocossonus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 8, 27, 437, 479, 562.
brachypus Wollast. Trans. Ent. Soc. Lond. 1873, Japan p. 29.
brevitarsis Wollast. l. c. p. 28.
dimidiatus Wollast. l. c. p. 621. Neuguinea
3

Catolethromorphus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 479, 563.
nigripes Wollast. Trans. Ent. Soc. Lond. 1873, p. 621. Brit. Indien
1

Brachychaenus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 480, 563.
pallidulus Wollast. Trans. Ent. Soc. Lond. 1873, Borneo p. 622.
1

Carphonotus Cas.

Casey, Ann. New York Acad. Sc. VI, 1892, p. 694. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 39. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 525, 528.

ochreipilis	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 39, t. 2, f. 7.	Guatemala
testaceus	Casey, Ann. New York Acad. Sc. VI, 1892, p. 694. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 528.	Minnesota, Ontario, N. Hamp- shire, N. Found- land
2		

Lasiotrupis Champ.

Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 478.
clavigera Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 478.

1

Stenomimus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 480, 564. — J. Lee. Proc. Amer. Phil. Soc. XV, 1876, p. 337, 339. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 30. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 526, 534.

Stilbocara Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 387; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 203.

Subg. **Stenomimus** s. str.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 31.

angustatus Hust. Faune Colon. franç. V, 1932, p. 107. Guadeloupe
armatus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Guatemala —10 (1909), p. 31, t. 2, f. 2 a.

atomus Hust. Faune Colon. franç. V, 1932, p. 100. Guadeloupe
constricticollis Broun, Man. New Zeal. Col. I, 1880, Neuseeland p. 530 (*Phloeophagosoma*); Trans. New Zeal.

Inst. XLI, 1908 (1909), p. 204, t. 16, f. 5 (*Stilbocara*). — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 490.

dirutus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Guatemala —10 (1909), p. 31, 33.

Dufaui Hust. Faune Colon. franç. V, 1932, p. 102. Guadeloupe

filiformis Hust. l. c. p. 105.

filirostris Champ. Biol. Centr.-Amer. Col. IV, 7, Guatemala 1909—10 (1909), p. 31, 32, t. 2, f. 1.

Fryi Wollast. Trans. Ent. Soc. Lond. 1873, p. 622. Brasilien — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 31.

guatemalensis Champ. l. c. p. 31, 34, t. 2, f. 3. Guatemala

latirostris Hust. Faune Colon. franç. V, 1932, p. 104. Guadeloupe

nitidus Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, Neuseeland p. 387; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 204 (*Stilbocara*).

orientalis Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen 1913—14 (1914), p. 490.

ovaticollis Champ. Biol. Centr.-Amer. Col. IV, 7, C. Amerika 1909—10 (1909), p. 31.

pallidus Boh. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 279. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 31. — Dury, Journ. New York Ent. Soc. XXIII, 1915, p. 197. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 535. Pennsyl- vanien, Ohio, Indiana, Illinois

- persimilis** Hust. Faune Colon. franq. V, 1932, p. 105. Guadeloupe
pumilus Hust. l. c. p. 102.
serenus Broun, Man. New Zeal. Col. V, 1893, p. 1251 (*Phloeophagosoma*); Trans. New Zeal. Inst. XLI, 1908 (1909), p. 204 (*Stilbocara*).
striatus Hust. Faune Colon. franq. V, 1932, p. 106. Guadeloupe
sublaevipennis Hust. l. c. p. 108. "
suturalis Hust. l. c. p. 103. "
vicinus Hust. l. c. p. 101. "
Wollastoni Champ. Biol. Centr.-Amer. Col. IV, 7, Guatemala 1909—10 (1909), p. 31, 33.

Subg. **Allomimus** J. Lec.

- J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 339. — Casey, Ann. New York Acad. Sc. VI, 1892, p. 692. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 32. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 526, 534.
corticalis Boh. in Schönh. Gen. spec. Cerc. VIII, 2, N. Carolina, 1845, p. 284 (*Rhyncolus*). — Schwarz, Ent. Amer. II, 1886, p. 20; Proc. Ent. Soc. Washingt. I, 1888, p. 44. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 534.
politus Casey, Ann. New York Acad. Sc. VI, 1892, p. 692. — Champ. Biol. Centr.-Amer. Col. IV, 2, 1909—10 (1909), p. 32.
dubius G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 442 (*Cossonus*). — J. Lec. l. c. XV, 1876, p. 339. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 32. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 534.
quichensis Champ. Biol. Centr.-Amer. Col. IV, 7, Guatemala 1909—10 (1909), p. 32, 36.
rhyncooides Champ. l. c. p. 32, 35, t. 2, f. 4, 4a.
rufipes Champ. l. c. p. 32, 36. "
rugiostris Champ. l. c. p. 32, 36, t. 2, f. 5. Guatemala
veraepacis Champ. l. c. p. 32, 33. "

30

Tytthomimus Champ.

- Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 37.
lineatocollis Champ. Biol. Centr.-Amer. Col. IV, 7, Panama 1909—10 (1909), p. 38.
rubicundus Champ. l. c. p. 37, t. 2, f. 6. Guatemala
rufotestaceus Champ. l. c. p. 38. "

3

Micromimus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 437, 481, 564. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 28.
Batesi Wollast. Trans. Ent. Soc. Lond. 1873, p. 622. Brasilien — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 28.
continuus Champ. l. c. p. 28, t. 1, f. 32, 32a. Panama
cribrorus Champ. l. c. p. 28, 30, t. 1, f. 35, 35a. Brit. Honduras
dehiscens Champ. l. c. p. 28, 29. Panama

- elongatus** Hust. Faune Colon. franç. V, 1932, p. Guadeloupe
96.
- fulvus** Hust. l. c. p. 97.
- minimus** Boh. in Schönh. Gen. spec. Cerc. IV, 2, Mexiko,
1838, p. 1053 (*Phloeophagus*). — Champ. Brit.
Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (Honduras,
(1909), p. 28, 29, t. 1, f. 33, 33 a. Guatemala,
Nicaragua,
Panama
- nigrescens** Wollast. Trans. Ent. Soc. Lond. 1873, p. Mexiko,
623. — Champ. Biol. Centr.-Amer. Col. IV, Guatemala
- 7, 1909—10 (1909), p. 28, 29, t. 1, f. 34, 34 a.
- pumilio** Woll. Trans. Ent. Soc. Lond. 1873, p. 623. Trinidad
— Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 28.
- 9

Gloeotrogus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 482, 565.

- politissimus** Wollast. Trans. Ent. Soc. Lond. 1873, Morty,
p. 623. Gilolo
- 1

Homalotrogus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 482, 564.

- angustifrons** Wollast. Trans. Ent. Soc. Lond. 1873, Ceram,
p. 624. Batchian,
Aru, Neuguinea
- arctatus** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), N.
1885, p. 315. Australien
2 (Cap York)

Isotrogus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 483, 566. — Faust,
Deutsche Ent. Zeitschr. 1895, p. 259.

- bilineatus** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 318. N. Australien
(Cap York),
N. Queensland,
Neuguinea

- Castelnau** Lea, Mém. Soc. Ent. Belg. XVIII, 1911, N. S.
p. 122. Wales
- irregularis** Lea, Proc. Linn. Soc. N. S. Wales LII, N. Australien
1927, p. 376.
- maurus** Wollast. Trans. Ent. Soc. Lond. 1873, p. Batchian
625.

- tabellatus** Wollast. l. c. p. 624. „
5

Psilotrogus Pasc.

- Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 318.
- extensus** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 318. Neuguinea
- 1

Chalcotrogus Wollast.

- Wollast. Col. St. Helena 1877, p. 139.
apionoides Wollast. Col. St. Helena 1877, p. 140. St. Helena
oblongior Wollast. l. c. p. 142. " "
semipolitus Wollast. l. c. p. 142. " "
 3

Xestophasis Wollast.

- Wollast. Col. St. Helena 1877, p. 147.
nasalis Wollast. Col. St. Helena 1877, p. 149. St. Helena
 1

Heterophasis Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 483, 567.
concolor Wollast. Trans. Ent. Soc. Lond. 1873, p. Neuguinea,
 625. — Pasc. Ann. Mus. Civ. Genova (2) II Aru
 (XXII), 1885, p. 319.
congruens Faust, l. c. XXXIV, 1894, p. 370. Birma
erro Pasc. l. c. (2) II (XXII), 1885, p. 319. Java
fulvipennis Pasc. l. c. p. 319.
glabricollis Boh. in Schönh. Gen. spec. Curc. IV, 2, Kapland,
 1838, p. 1034 (*Cossonus*). — Wollast. Trans. Natal
 Ent. Soc. Lond. 1873, p. 568. — Marshall,
 Ann. Mag. Nat. Hist. (7) XV, 1905, p. 394,
 402 (*Cossonus*).
ruficollis Wollast. Trans. Ent. Soc. Lond. 1873, p. Neuguinea
 625.

6

Cossonus Clairv.

- Clairv. Ent. Helv. I, 1798, p. 58. — F. Syst. Eleuth. II, 1801, p. 496. — Walcken. Faune Paris. I, 1802, p. 294. — Latr. Hist. Nat. Ins. Crust. III, 1802, p. 199; l. c. XI, 1804, p. 103; Gen. Crust. Ins. II, 1807, p. 89; Consid. génér. 1810, p. 223; in Cuv. Règne anim. III, 1817, p. 329. — Ill. Magaz. Insectenke. III, 1804, p. 104. — Gyll. Ins. Suec. I, 3, 1813, p. 256. — Germ. Ins. spez. nov. 1824, p. 307. — Zett. Fauna Ins. Lapp. 1828, p. 340. — Schönh. Disp. Meth. Curc. 1826, p. 330; Gen. spec. Curc. IV, 2, 1838, p. 994. — Steph. Illustr. Brit. Ent. Mandib. V, 1832, p. 7. — Redt. Fauna Austr. 1849, p. 43, 367; l. c. 2. Aufl. 1858, p. CXXV, 820; l. c. 3. Aufl. I, 1874, p. CXXXVIII; l. c. II, 1874, p. 363. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 160, 388. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 453, 557. — C. G. Thoms. Skand. Col. VII, 1865, p. 340. — Lacord. Gen. Col. VII, 1866, p. 333, 339. — Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 70. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 128; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 165; Fauna Transsylv. 1888—91 (1891), Gatt. p. 165. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 483, 568. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 194. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 4; l. c. LI, 1912, p. 61; Best.-Tab. europ. Col. XXXVII, 1898, p. 4; l. c. LXVIII, 1912, p. 61; Fauna Germ. V, 1916, p. 128, 130. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 389. — Everts, Col. Neerl. II, 1903, p. 558, 706. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 916. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1110, 1111. —

- Blatchley & Leng**, Rhynchoph. N. E. Amer. 1916, p. 525, 529. —
Hust. Bull. Acad. Malgache (2) VII, 1924, p. 528; Ann. Soc. Ent. France IC, 1930, p. 265; l. c. C, 1931, p. 157.
- Borophloeus** Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 484, 569. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 42.
- Subg. *Eccoptocossonus* Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 118.
- Subg. *Otiorecossonus* Voß, l. c. p. 118.
- abscissus** Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1036. — Gerst. Arch. f. Naturg. XXXVIII, 1871, I, p. 75, 248. — Marshall, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 393, 394. — Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 118 (Subg. *Eccoptocossonus*).
- aifaber** Boh. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 274. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 50, t. 3, f. 4, 4a.
- africanus** Boh. in Schönh. Gen. spec. Curc. VIII, 2, 1845, p. 272. — Marshall, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 393, 397.
- Albertisi** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 317.
- Alluaudi** Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 416; Bull. Acad. Malgache (2) VII, 1924, p. 530, 532.
- amaniensis** Hartm. Wien. Ent. Zeit. XXXIII, 1914, p. 200.
- ambiguus** Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1013.
- anxius** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 315.
- arcuatus** Er. Arch. f. Naturg. XIII, 1847, I, p. 137.
- areatus** Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, p. 280.
- argutus** Faust, Ann. Mus. Civ. Genova XXXIV, 1895, p. 367.
- aterrimu.** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 61, t. 3, f. 8, 8a.
- basalis** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 317.
- bicolor** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 59, t. 3, f. 5, 5a.
- bifoveatus** Champ. l. c. p. 65, t. 3, f. 11, 11a.
- bigeminatus** Champ. l. c. p. 69, t. 3, f. 22, 22a.
- bimaculatus** Faust, Ann. Mus. Civ. Genova XXXIV, 1895, p. 367.
- var. *haematicus* Faust, l. c. p. 368.
- Kapland, Natal, Mashonaland, Kamerun, D. O. Afrika
- Mexiko
- Kapland
- N. Australien (Cap York)
- Madagaskar
- Ostafrika
- ? Ceylon
- Neuguinea
- Peru
- „
- Birma
- Mexiko, Nicaragua, Costa Rica
- Java, Key, Neuguinea, Goodenough Isl.
- Mexiko, Guatemala, Costa Rica
- Guatemala, Nicaragua, Panama, Kolumbien
- Mexiko, Guatemala
- Birma
- „

- binodosus** Marshall, Ann. Mag. Nat. Hist. (8) XI, Birma 1913, p. 230.
- bipunctatus** Blanch. Voy. Amer. mérid. d'Orbigny Corrientes 1835—43, p. 204, t. 18, f. 10.
- biseriatus** Faust, Ent. Zeit. Stettin LVII, 1896, p. Java 163.
- bisulcatus** Champ. Biol. Centr.-Amer. Col. IV, 7, Panama 1909—10 (1909), p. 52, t. 2, f. 24, 24a.
- bivittatus** Champ. l. c. p. 70, t. 3, f. 23, 23a.
- brevinasus** Hartm. Deutsche Ent. Zeitschr. 1904, Usambara p. 419.
- caesus** Er. Arch. f. Naturg. XIII, 1847, I, p. 137. Peru
- camerunus** Heller, Ent. Tidskr. XXV, 1904, p. 200. Kamerun
- canaliculatus** F. Ent. Syst. I, 2, 1792, p. 471 (*Curculio*); Syst. Eleuth. II, 1801, p. 395 (*Hylesinus*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 68, t. 3, f. 19, 19a. Mexiko, Guatemala, Costa Rica, Panama, Kolumbien, Trinidad, Puerto Rico
- vulneratus* Ill. Magaz. Insectenkde IV, 1805, p. 131, 139. — Rosensch. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1030.
- canarensis** Faust. Deutsche Ent. Zeitschr. 1898, p. 332. Brit. Indien
- canus** Philippi, Ent. Zeit. Stettin XXV, 1864, p. 372. Chile
- carinensis** Faust, Ann. Mus. Civ. Genova XXXIV, 1895, p. 369. Birma
- carinicollis** Fährs. Öfvers. Vet. Akad. Förhandl. XXVIII, 1871, p. 284. — Marshall, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 393, 396. var. Fährs. Öfvers. Vet. Akad. Förhandl. XXVIII, 1905, p. 393, 396. Natal
- carinifer** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 50. Brit. Honduras
- castaneipennis** Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1008. Brasilien
- castaneus** Blanch. in Gay, Hist. fis. Chile V, 1851, p. 424, t. 26, f. 2a—d. — Philippi, Ent. Zeit. Stettin XXV, 1864, p. 374. Chile
- catolethroides** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 71, t. 3, f. 26, 26a. Guatemala
- cavirostris** Champ. l. c. p. 51, t. 2, f. 23, 23a. Costa Rica, Panama
- chirindensis** Marshall, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 394, 401. Mashonaland
- circumfusus** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 60, t. 3, f. 6, 6a. Costa Rica
- coeloderes** Chevr. Pet. Nouv. Ent. II, 1877, p. 189. Neuguinea
- cognatus** Faust, Ent. Zeit. Stettin LVII, 1896, p. 135. Venezuela
- coloratus** Olliff in Whymper, Travels Gr. Andes of the Equator, Suppl. Append. 1891, p. 80.
- complanatus** Marshall, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 394, 403. Ecuador
- convexicollis** Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1017. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 55, t. 2, f. 29, 29a. Natal
- convexirostris** Champ. l. c. p. 72, t. 3, f. 27, 27a. Mexiko, Guatemala

- convexusculus** Boh. in Schönh. Gen. spec. Cerc. IV, Mexiko
2, 1838, p. 1007. — Champ. Biol. Centr.-
Amer. Col. IV, 7, 1909—19 (1909), p. 62.
- cotorhinus** Lea, Proc. Linn. Soc. N. S. Wales N. S. Wales
XXXIX, 1915, p. 693.
- impressifrons* Lea, l. c. XXI, 1896, p.
317 [nec Boh.].
- Coquereli** Fairm. Le Naturaliste II, 1880, p. 293. Réunion
— Hust. Bull. Acad. Malgache (2) VII,
1924, p. 529.
- corticalis** F. Syst. Eleuth. II, 1801, p. 497. — Mexiko,
Ol. Ent. V, 1807, nr. 83, p. 426, t. 35, f. Brit.
536. — Rosensch. in Schönh. Gen. spec. Honduras,
Circ. IV, 2, 1838, p. 1012. — Champ. Honduras,
Biol. Centr.-Amer. Col. IV, 7, 1909—1910 Guatemala,
(1909), p. 54, t. 2, f. 28, 28 a. Nicaragua,
bulbirostris Perty, Delect. anim. artic. Costa Rica,
Bras. fasc. 2, 1832, p. 83, t. 16, f. 14. Panama,
sulcirostris Boh. in Schönh. Gen. spec. Kolumbien,
Circ. IV, 2, 1838, p. 1011. — Faust, Ent. Venezuela,
Zeit. Stettin LVII, 1896, p. 133. Ecuador,
Peru,
Trinidad
- corticola** Say, Descr. Amer. 1831, p. 24; New York,
Compl. Writ. I, 1859, p. 291. — Boh. in New Jersey,
Schönh. Gen. spec. Circ. IV, 2, 1838, p. Florida,
1005. — G. Horn, Proc. Amer. Phil. Soc. Kanada,
XIII, 1873, p. 437, 439. — J. Lec. l. c. XV, Missouri,
1876, p. 338. — Champ. Biol. Centr.-Amer. Pennsylvania,
Col. IV, 7, 1909—10 (1909), p. 48, t. 2, New
f. 20, 20 a. — Blatchley & Leng, Rhynchoph. England,
N. E. Amer. 1916, p. 529, 532. Indiana,
minor Wollast. Trans. Ent. Soc. Lond. 1873, Mexiko,
p. 627 (*Borophloeus*). Guatemala
- corvinus** Hartm. Deutsche Ent. Zeitschr. 1904, p. 418.
crenatus G. Horn, Proc. Amer. Phil. Soc. XIII, Usambara
1873, p. 440. Oregon,
- crenulatus** Fairm. Ann. Soc. Ent. France LXXII, Kalifornien,
1902, p. 380. — Hust. Bull. Acad. Malgache New
(2) VII, 1924, p. 530. Mexico,
Madagaskar Arizona
- Cubae** Boh. in Schönh. Gen. spec. Circ. VIII, 2, Kuba
- 1845, p. 275.
- cylindricus** C. R. Sahlbg. Diss. Ins. Fenn. II, 1834 Europa,
—39 (1835), pt. 7, p. 110. — Boh. in Schönh. Kaukasus,
Gen. spec. Circ. IV, 2, 1838, p. 999. — Westsibirien
Redt. Fauna Austr. 1849, p. 368; l. c. 2. Aufl. 1858, p. 821; l. c. 3. Aufl. II, 1874, p. 363. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 388. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 557. — C. G. Thoms. Skand. Col. VII, 1865, p. 341. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 455; l. c. 2. Aufl. 1887—91 (1891), Art. p. 617; Fauna Transsyrv. 1888—91 (1891), Art. p. 687. — Bedel, Faune Col. Bass. Seine VI,

1882—88 (1885), p. 195. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 8; Best.-Tab. europ. Col. XXXVII, 1898, p. 8; Fauna Germ. V, 1916, p. 130. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 391. — Everts, Col. Neerl. II, 1903, p. 707. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 978, fig. 263 d. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1112. — Hust. Ann. Soc. Ent. France C, 1931, p. 159, 161.

linearis Payk. Monogr. Curcul. 1792, p. 51; Fauna Suec. III, 1800, p. 242 [nec F.]. — Ol. Ent. V, 1807, nr. 83, p. 425, t. 35, f. 534 a—b. — Gyll. Ins. Suec. I, 3, 1813, p. 256. — Steph. Illustr. Brit. Ent. Mandib. V, 1832, p. 8.

cylindripennis Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 44, t. 2, f. 13, 13 a. Mexiko, Nicaragua

deceptor Boh. in Schönh. Gen. spec. Cure. IV, 2, 1838, p. 1031. Amerika

Delauneyi Hust. Faune Colon. franç. V, 1932, p. 116. Guadeloupe

dentipes Marshall, Proc. Hawaii. Ent. Soc. IV, 1921, p. 597; Ins. Samoa IV, 5, 1931, p. 337. Samoa

deplanatus Rosensch. in Schönh. Gen. spec. Cure. IV, 2, 1838, p. 1010. Brasilien

depressicollis Boh. l. c. IV, 2, 1838, p. 1004. — Mexiko Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 46, t. 2, f. 17.

Dufaui Hust. Faune Colon. franç. V, 1932, p. 117. Guadeloupe

duplicatus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 67, t. 3, f. 18. Mexiko, Guatemala

ellipticollis Van Dyke, Bull. Brooklyn Ent. Soc. X, 1915, p. 17. Kalifornien

elongaticeps Hust. Rev. Zool. Bot. Afric. XXVI, 1934, p. 40. Belg. Kongo

elongatulus F. Ent. Syst. Suppl. 1798, p. 168 (*Curculio*); Syst. Eleuth. II, 1801, p. 496. — Boh. in Schönh. Gen. spec. Cure. IV, 2, 1838, p. 1022. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 531, 534. — Marshall, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 393, 401. Kapland, Mashona-land, Réunion, Mauritius, ? Brit. Indien

encaustes Fairm. Rev. Mag. Zool. (2) I, 1849, p. 554. Tonga Tabu

enigmaticus Hust. Faune Colon. franç. V, 1932, p. 118. Guadeloupe

ephippiger Boh. in Schönh. Gen. spec. Cure. IV, 2, 1838, p. 1007. — Guér. Iconogr. Règne anim. 1829—1844, t. 39 bis, f. 7 a—b. — Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 317.

euryaspis Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 56, t. 2, f. 32, 32 a. Costa Rica

evanescens Champ. l. c. p. 68, t. 3, f. 20, 20 a. Panama

exaratus Boh. in Schönh. Gen. spec. Cure. IV, 2, 1838, p. 1018. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 62. Mexiko, Guatemala

- var. *rufescens*** Boh. in Schönh. Gen. spec. Mexiko
Curc. IV, 2, 1838, p. 1018. — Champ. Biol.
Centr.-Amer. Col. IV, 2, 1909—10 (1909),
p. 62.
- excavatus** Pasc. Ann. Mus. Civ. Genova (2) II N. Australien
(XXII), 1885, p. 316. (Cap York)
- Fallii** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—
10 (1909), p. 55.
- sulcirostris* Fall, Canad. Ent. XLI, 1909,
p. 169 [nec Boh.].
- ficus** Marshall, Ind. For. Rec. XVI, 1931, p. 275, Brit. Indien
t. 1, f. 1. (Madras)
- filiformis** Hust. Bull. Mus. Hist. Nat. Paris 1922, Madagaskar
p. 416; Bull. Acad. Malgache (2) VII, 1924,
p. 530, 533.
- flavovittatus** Champ. Biol. Centr.-Amer. Col. IV, 7, Guatemala
1909—10 (1909), p. 63, t. 3, f. 9, 9a.
- fortipes** Fairm. Ann. Soc. Ent. France LXXI, 1902, Madagaskar
p. 381. — Hust. Bull. Acad. Malgache (2)
VII, 1924, p. 530, 532.
- fossatus** Boh. in Schönh. Gen. spec. Curc. IV, 2, Brasilien
1838, p. 1020.
- fossicollis** Van Dyke, Bull. Brooklyn Ent. Soc. XI, Arizona
1916, p. 78.
- foveatus** Boh. in Schönh. Gen. spec. Curc. IV, 2,
1838, p. 1026. — Champ. Biol. Centr.-Amer.
Col. IV, 7, 1909—10 (1909), p. 65, t. 3, f.
12, 12a.
- var. *Lebasi*** Boh. in Schönh. Gen. spec. Curc.
IV, 2, 1838, p. 1029. — Champ. Biol. Centr.-
Amer. Col. IV, 7, 1909—10 (1909), p. 65,
t. 3, f. 13.
- foveicollis** Faust, Ann. Mus. Civ. Genova XXXIV,
1895, p. 368.
- fraudiger** Faust, Deutsche Ent. Zeitschr. 1895, p. Togo
258.
- fraudulentus** Kolbe, Deutsch-Ost-Afrika IV, 4, Käf. D. O. Afrika
1898 (1897), p. 281.
- Frenchi** Lea, Proc. Linn. Soc. N. S. Wales XXXIX, Queensland
1915, p. 691.
- gibbirostris** Roel. Ann. Soc. Ent. Belg. XVIII, 1875, Japan
Compt.-Rend. p. CXXXIV.
- guadeloupensis** Hust. Faune Colon. franç. V, 1932, Guadeloupe
p. 117.
- guatemaltecus** Champ. Biol. Centr.-Amer. Col. IV, Guatemala
7, 1909—10 (1909), p. 49.
- Guildingi** Boh. in Schönh. Gen. spec. Curc. IV, 2, St. Vincent
1838, p. 1015.
- Hackeri** Lea, Trans. R. Soc. S. Austral. XXXIII, Queensland
1909, p. 196.
- Hamiltoni** Slosson, Canad. Ent. XXXI, 1899, p. 193. Florida,
— Champ. Biol. Centr.-Amer. Col. IV, 7, Kuba
1909—10 (1909), p. 60. — Blatchley & Leng,
Rhynchoph. N. E. Amer. 1916, p. 529, 530.

Hepburni	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 48, t. 2, f. 19.	Mexiko
heros	Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 118 (Subg. <i>Otiocossonus</i>).	Ostafrika
holomelas	Montrouz. Ann. Soc. Ent. France (3) VIII, 1860, p. 911.	Neukaledonien
hovanus	Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 416; Bull. Acad. Malgache (2) VII, 1924, p. 529, 533.	Madagaskar
Hubbardi	Schwarz, Psyche VIII, 1899, Suppl. I, Arizona p. 10. Biologie: Hubbard, l. c. p. 2.	
hyperboreus	Hust. Voy. Alluaud & Jeannel Afr. orient. XIX, 1929, p. 545.	Kenya
hypocrita	Hust. Faune Colon. franç. V, 1932, p. 115 (<i>hypocritus</i>).	Guadeloupe
ignavus	Faust, Ent. Zeit. Stettin LVII, 1896, p. 163.	Java
Iligeri	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 68. <i>c a n a l i c u l a t u s</i> F. Syst. Eleuth. II, 1801, p. 496 [nec F. 1792]. — Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1023.	Java, Celebes, Philippinen, Neuguinea, Birma
	<i>i n c i s u s</i> Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 317. — Faust, Ent. Zeit. Stettin XIV, 1893, p. 150.	
Imerinae	Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 417; Bull. Acad. Malgache (2) VII, 1924, p. 531. var. <i>e b e n u s</i> Hust. l. c. p. 531, 532.	Madagaskar
immeritus	Fährs. Övers. Vet. Akad. Förh. XXVIII, 1871, p. 286. — Marshall, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 393, 404. ab. <i>r u f e s c e n s</i> Auriv. in Sjöstedt, Kiliman-djaro-Meru Exped. I, 1910, VII, 21, p. 435. [nec Boh. l.]	Kaffernland, Kili-mandjaro Kili-mandjaro
impressicollis	Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 549. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 529, 532.	Komoren
impressifrons	Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1001. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 531. <i>c o n c i n n u s</i> Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1006. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 529, 531.	Kanada, Georgia, Florida, Pennsyl-vania, Arizona, Missouri, Connecticut, Indiana, New York, New Jersey
impressus	Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1019. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 63. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 529, 531. var. <i>m e r i d i a n u s</i> nom. nov.	Florida, Jamaica, Kuba
	<i>i m p r e s s i f r o n s</i> G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 440 [non Boh.].	Florida, Mexiko, Brit.
	<i>i m p r e s s u s</i> var. Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 63.	Honduras, Guatemala, Costa Rica

var. <i>cearensis</i>	Lesne, Bull. Soc. Ent.	Brasilien
France 1907, p. 304.		(Ceara)
incivilis	Fährs. Öfvers. Vet. Akad. Förhandl. XXVIII,	Natal,
	1871, p. 285. — Champ. Trans. Linn. Soc.	Mashona-
	Lond. (2) XVI, 1913—14 (1914), p. 485.	land,
	— Marshall, Ann. Mag. Nat. Hist. (7) XV,	Seychellen
	1905, p. 393, 398.	
indigens	Pasc. Ann. Mus. Civ. Genova (2) II (XXII),	N. Australien
	1885, p. 316.	(Cap York)
I-nitidus	Lea, Proc. Linn. Soc. N. S. Wales XXXIX,	Tasmanien
	1915, p. 690.	
insularis	Boh. Eugen. Resa 1859, p. 149.	I. St. Joseph
integricollis	Lea, Proc. Linn. Soc. N. S. Wales XXI,	N. S. Wales
	1896, p. 317.	
irregularis	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 66, t. 3, f. 15, 15 a.	Guatemala
laesicollis	J. Thoms. Arch. Ent. II, 1858, p. 144. — Faust, Ann. Soc. Ent. Belg. XLIII, 1899, p. 129 (= ? <i>suturalis</i> Boh. var.).	Gabun, Kongo
latipennis	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 58, t. 3, f. 1, 1 a.	Guatemala
latirostris	Champ. l. c. p. 47, t. 2, f. 18.	
latithorax	Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1025.	Brit. Indien
latus	Boh. l. c. p. 1038. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 59, t. 3, f. 3, 3 a.	Mexiko, Guatemala
ligniperda	Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1028 (<i>ligniperdus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 67, t. 3, f. 17.	Mexiko
limbaticollis	Marshall, Proc. Hawaii. Ent. Soc. IV, 1921, p. 598; Ins. Samoa IV, 5, 1931, p. 338.	Samoa
linearis	F. Syst. Ent. 1775, p. 136; Spec. Ins. I, 1781, p. 173; Mant. Ins. I, 1787, p. 104; Ent. Syst. I, 2, 1792, p. 419 (<i>Curculio</i>); Syst. Eleventh. II, 1801, p. 496. — Gmel. in L. Syst. Nat. Ed. XIII, 1790, I, 4, p. 1752 (<i>Curculio</i>). — Ol. Encycl. méth. V, 1790, p. 493 (<i>Curculio</i>). — Villers, Linn. Ent. I, 1789, p. 189; l. c. IV, 1789, p. 270 (<i>Curculio</i>). — Panz. Fauna Ins. Germ. 18, 1794, nr. 7; Ent. Germ. 1795, p. 309 (<i>Curculio</i>). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 53 (<i>Curculio</i>). — Walcken. Faune Paris. I, 1802, p. 247 (<i>Curculio</i>). — Marsh. Ent. Brit. I, 1802, p. 271 (<i>Curculio</i>). — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 105; Gen. Crust. Ins. II, 1807, p. 272. — Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 995. — Redt. Fauna Austr. 1849, p. 367; l. c. 2. Aufl. 1858, p. 821; l. c. 3. Aufl. II, 1874, p. 363. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 388. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 557. — Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 70, t. 29, f. 141. — Seidl. Fauna Balt. 2. Aufl. 1887—91 (1891), Art. p. 617; Fauna Transsyrv. 1888—91 (1891), Art. p. 687. — Reitt. Verh. Naturf. Ver.	Mitteleuropa, Kaukasus

- Brünn XXXVII**, 1898, p. 8; Best.-Tab. europ. Col. XXXVII, 1898, p. 8; Fauna Germ. V, 1916, p. 130, t. 160, f. 2. — Stierl. Käf.-Fauna Schweiz. II, 1898, p. 390. — Everts, Col. Neerl. III, 1903, p. 707. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 978, fig. 263 c. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1111, t. 40, f. 13. — Hust. Ann. Soc. Ent. France C, 1931, p. 158, 159.
- planatus** Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 195. — Everts, Col. Neerl. II, 1903, p. 707.
- Lobeliae** Auriv. Kilimandjaro-Meru Exp. I, 1910, Kilimandjaro, VII, 21, p. 435, fig. 8. Meru
- lupini** Van Dyke, Bull. Brooklyn Ent. Soc. X, 1915, Kalifornien p. 10.
- macer** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Neuguinea 1885, p. 316.
- macilentus** Lea, Proc. Linn. Soc. N., S. Wales Queensland XXXIX, 1915, p. 690.
- maculosus** Fairm. Le Naturaliste II, 1880, p. 293. Réunion, — Hust. Bull. Acad. Malgache (2) VII, 1924, Mauritius p. 531, 534.
- major** Voß, Arb. morph. taxon. Ent. Berlin-Dahlem Kamerun I, 1934, p. 118 (Subg. *Otiocossonus*).
- marcidus** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 —10 (1909), p. 71, t. 3, f. 25. Panama
- marginalis** Boh. in Schönh. Gen. spec. Cure. IV, 2, 1838, p. 1021. — Waterh. Trans. R. Soc. Lond. CLXVIII, 1879, p. 511, 531. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 530, 534. Réunion, Mauritius, Rodriguez
- micraspis** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 57, t. 2, f. 33, 33 a. Mexiko
- moestus** Faust, Deutsche Ent. Zeitschr. 1898, p. 332. Perak
- multiforus** Say, Descr. Amer. 1831, p. 30; Compl. Writ. I, 1859, p. 298. — Boh. in Schönh. Gen. spec. Cure. IV, 2, 1838, p. 1000. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 47. Mexiko
- Murrayi** Wollast. Cist. Ent. I, 1874, p. 205. Kalifornien
- nigroapicalis** Lea, Trans. R. Soc. S. Austral. XXXIII, 1909, p. 195. Queensland
- nigropiceus** Philippi, Ent. Zeit. Stettin XXV, 1864, Chile p. 373.
- nitidicollis** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 69, t. 3, f. 21, 21 a. Mexiko, Guatemala
- nitidirostris** Lea, Ann. Mag. Nat. Hist. (8) XV, 1915, p. 478. Queensland
- nitidus** Philippi, Ent. Zeit. Stettin XXV, 1864, Chile p. 373.
- novaguineensis** nom. nov. Neuguinea
- thoracicus** Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 318 [nec Boh.].

- ocularis** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Mexiko
— 10 (1909), p. 67, t. 3, f. 16.
- pacificus** Van Dyke, Bull. Brooklyn Ent. Soc. XI, Kalifornien
1916, p. 75.
- papalis** Heller, Ent. Mitt. III, 1914, p. 314, fig. Ceram
- papuanus** Faust, Ent. Zeit. Stettin LIX, 1898, p. 213. I. Fergusson
- parallelepipedus** Herbst, Natursyst. Ins. Käf. VI, Europa,
1795, p. 275, t. 81, f. 4 (*Curculio*). — Seidl.
Fauna Balt. 1872—75 (1875), Art. p. 455;
l. c. 2. Aufl. 1887—91 (1891), Art. p. 617;
Fauna Transsylv. 1888—91 (1891), Art. p.
687. — Reitt. Verh. Naturf. Ver. Brünn
XXXVII, 1898, p. 7; Best.-Tab. europ. Col.
XXXVII, 1898, p. 7; Fauna Germ. V, 1916,
p. 130. — Stierl. Käf.-Fauna Schweiz II,
1898, p. 390. — Kuhnt, Illustr. Best.-Tab.
Käf. Deutschl. 1913, p. 978, fig. 263 b. —
Hust. Ann. Soc. Ent. France C, 1931, p. 158,
159.
- linearis** Bedel, Faune Col. Bassin Seine
VI, 1882—88 (1885), p. 195.
- ferrugineus** Clairv. Ent. Helv. I, 1798,
p. 60, t. 1, f. 3, 4. — Latr. Hist. Nat.
Crust. Ins. XI, 1804, p. 106. — Ol. Ent.
V, 1807, nr. 83, p. 426, t. 35, f. 535. —
Ill. Magaz. Insectenkde VI, 1807, p. 312. —
Gyll. Ins. Suec. I, 4, 1823, p. 603. — Redt.
Fauna Austr. 1849, p. 368; l. c. 2. Aufl.
1858, p. 821; l. c. 3. Aufl. II, 1874, p. 363.
— Bach, Käferf. N. u. Mitteldutschl. II,
1859, p. 388. — Gutfleisch & Bose, Käf.
Deutschl. 1859, p. 557. — O. G. Thoms.
Skand. Col. VII, 1865, p. 340.
- Biologie:** Frauenfeld, Verh. zool.-bot. Ges.
Wien XIV, 1864, p. 380. — Kirsch, Berl.
Ent. Zeitschr. X, 1866, p. 282.
- parvicollis** Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko
1909—10 (1909), p. 61, t. 3, f. 7, 7a.
- perfidiosus** Boh. in Schönh. Gen. spec. Curc. IV, 2, Mexiko,
1838, p. 1016. — Faust, Ent. Zeit. Stettin Brit.
LVII, 1896, p. 133. — Champ. Biol. Centr.- Honduras,
Amer. Col. IV, 7, 1909—10 (1909), p. 56, Nicaragua,
t. 2, f. 32, 32a. Costa Rica,
Panama,
Venezuela
- pertusicollis** J. Thoms. Arch. Ent. II, 1858, p. 144. Gabun
- Voß, Arb. morph.-taxon. Ent. Berlin-
Dahlem I, 1934, p. 118 (Subg. *Eccopto-*
cossonus).
- peruanus** Kirsch, Deutsche Ent. Zeitschr. XIX 1875, Peru
p. 281.
- piniphilus** Boh. in Schönh. Gen. spec. Curc. IV, 2, Kalifornien,
1838, p. 1002. — Mannh. Bull. Soc. Nat.
Mosc. XVI, 2, 1843, p. 295. Oregon,
Washington,
New Mexico
- californicus** Motsch. l. c. XVIII, 1845,
I, p. 99.
- scrobiculatus** J. Lec. Proc. Acad. Nat.
Sc. Philad. 1859, p. 285; Col. of Kansas
(Smithson. Contrib. XI) 1860, p. 18.

- planirostris** Champ. Biol. Centr.-Amer. Col. IV, 7, Nicaragua
1909—10 (1909), p. 53, t. 2, f. 27, 27 a.
- planus** Champ. l. c. p. 52, t. 2, f. 25, 25 a. Brasilien,
? Mexiko
- platalea** Say, Descr. Cucr. N. Amer. 1831, p. 24; Kanada,
Compl. Writ. I, 1859, p. 292. — Boh. in Iowa,
Schönh. Gen. spec. Cucr. IV, 2, 1838, p. 998. Indiana,
— Blatchley & Leng, Rhynchoph. N. E. Virginia,
Amer. 1916, p. 529, fig. 116. New England
- B o h e m a n i* G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 438.
- platynotus** Lea, Mém. Soc. Ent. Belg. XVIII, 1911, Queensland,
p. 132. N. S. Wales
- platyrrhinus** Marshall, Ins. Samoa IV, 5, 1931, p. Samoa
338, fig. 28.
- politus** Boh. in Schönh. Gen. spec. Cucr. VIII, 2, Kolumbien
1845, p. 273.
- ponderosae** Van Dyke, Bull. Brooklyn Ent. Soc. X, Kalifornien
1915, p. 13.
- porosternus** Lea, Proc. Linn. Soc. N. S. Wales Queensland
XXXIX, 1915, p. 692.
- praeustus** Redt. Reise Novara II, 1868, p. 171. N. S. Wales
- procerus** Gerst. Arch. f. Naturg. XXXVII, 1871, I, D. O. Afrika
p. 75; in Decken's Reise Ost-Afr. III, 2,
1873, p. 248.
- proximus** Faust, Ent. Zeit. Stettin LV, 1894, p. 150. Abessinien
- puncticeps** Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko
1909—10 (1909), p. 45, t. 2, f. 14, 14 a.
- puncticollis** Boh. in Schönh. Gen. spec. Cucr. IV, 2, „
1838, p. 1003. — Champ. Biol. Centr.-Amer.
Col. IV, 7, 1909—10 (1909), p. 46.
- punctifrons** Boh. in Schönh. Gen. spec. Cucr. IV, 2, „
1838, p. 1027. — Champ. Biol. Centr.-Amer.
Col. IV, 7, 1909—10 (1909), p. 66, t. 3,
f. 14, 14 a.
- purulensis** Champ. l. c. p. 62, Guatemala
- pyrirostris** Boh. in Schönh. Gen. spec. Cucr. IV, 2, St. Domingo
1838, p. 1014.
- quadricollis** Van Dyke, Proc. Brooklyn Ent. Soc. X, Kalifornien
1915, p. 14.
- quaerens** Marshall, Ins. Samoa IV, 5, 1931, p. 338. Samoa
var. *a f o n u s* Marshall, l. c. p. 339. „
- rotundicollis** Faust, Deutsche Ent. Zeitschr. XXVI, Amur
1882, p. 282.
- rufonotatus** Champ. Biol. Centr.-Amer. Col. IV, 7, Guatemala
1909—10 (1909), p. 57, t. 2, f. 34, 34 a.
- rufus** Boh. in Schönh. Gen. spec. Cucr. VIII, 2, Brasilien
1845, p. 268.
- rugosus** Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Guatemala
—10 (1909), p. 45, t. 2, f. 15, 15 a.
- Sargi** Champ. l. c. p. 58, t. 3, f. 2, 2 a. „
- Schwarzii** Van Dyke, Bull. Brooklyn Ent. Soc. XI, Arizona
1916, p. 76.
- scrobicollis** Marshall, Ann. Mag. Nat. Hist. (7) XV, Natal,
1905, p. 394, 404. Portug.
Ostafrika

scrobiculatostriatus	Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 269. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 55, t. 2, f. 30 a.	Mexiko, Guatemala, Nicaragua, Costa Rica, Trinidad, St. Vincent, Brasilien
segnis	Faust, Ent. Zeit. Stettin LVII, 1896, p. 134. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 64, t. 3, f. 10, 10 a.	Costa Rica, Kolumbien, Venezuela, Ecuador, Brasilien, Peru
semirufus	Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1009. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 53, t. 2, f. 26, 26 a.	Mexiko, Guatemala, Panama, Kolumbien, Ecuador, Brasilien
Sheppardi	Marshall, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 393, 395. — Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 118 (Subg. <i>Eccoptocossonus</i>).	Portug. Ostafrika
Sicardi	Hust. Mém. Acad. Malgache XIV, 1933, p. 116.	Madagaskar
Silbermanni	Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1048 (<i>Phloeophagus</i>). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1909), p. 51, t. 2, f. 22, 22 a.	Mexiko
Simsoni	Lea, Mitt. Zool. Mus. Berlin V, 1910, p. 200. <i>Simsonis</i> Seidl. Arch. f. Naturg. LXXVIII, 1911, B 5 (1912), p. 283.	Tasmanien
spathula	Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1035. — Faust, Ent. Zeit. Stettin LVII, 1896, p. 133. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 72, t. 3, f. 28, 28 a.	Mexiko, Brit. Honduras, Panama, Venezuela, Brasilien, Kuba, Jamaika
squama	F. Syst. Eleuth. II, 1801, p. 497. — Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1024.	Südamerika
strangulatus	Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 195. — Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 118 (Subg. <i>Eccoptocossonus</i>).	Zentr.-Afrika
subareatus	Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 266. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 529, 530.	Michigan, Montana, Kansas, Nebraska, Washington, Kalifornien
subcarinatus	Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 50.	Mexiko
subcostatus	Boh. in Schönh. Gen. spec. Cerc. VIII, 2, 1845, p. 270.	Kuba
subfoveolatus	Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 118 (Subg. <i>Eccoptocossonus</i>).	S.W. Afrika

- subopacus** Champ. Biol. Centr.-Amer. Col. IV, 7, Mexiko
1909—10 (1909), p. 45, t. 2, f. 16, 16 a.
- sulcifrons** Hust. Faune Colon. franç. V, 1932, p. 113. Guadeloupe
- sulcatirostris** Hust. l. c. p. 112.
- suturalis** Boh. in Schönh. Gen. spec. Curc. IV, 2, Kapland,
1838, p. 1033. — Marshall, Ann. Mag. Nat. Natal,
Hist. (7) XV, 1905, p. 394, 399. — Champ. Kongo,
Trans. Linn. Soc. Lond. (2) XVI, 1913—14 Madagaskar,
(1914), p. 485. — Hust. Bull. Acad. Malgache Nossibé,
(2) VII, 1924, p. 530, 533. Seychellen,
fasciolatus Fairm. Ann. Soc. Ent. France Komoren
(5) I, 1871, p. 55.
- tenellus** Klug, Abhandl. Acad. Wiss. Berlin I, 1833, Madagaskar
p. 202. — Hust. Bull. Acad. Malgache (2)
VII, 1924, p. 534.
- texanus** Van Dyke, Proc. Brooklyn Ent. Soc. X, Texas
1915, p. 15.
- thoracicus** Boh. in Schönh. Gen. spec. Curc. IV, 2, Mexiko,
1838, p. 1032. — Champ. Biol. Centr.-Amer. Guatemaña,
Col. IV, 7, 1909—10 (1909), p. 70, t. 3, Panama,
f. 24, 24 a. Ecuador,
St. Vincent
- torridus** Boh. in Schönh. Gen. spec. Curc. IV, 2, Senegal
1838, p. 1037.
- transvaalensis** Marshall, Ann. Mag. Nat. Hist. (7) Transvaal
XV, 1905, p. 394, 399.
- umzila** Marshall, l. c. p. 394, 400. Mashonaland
- variipennis** Gahan, Monogr. Christmas Island 1900, Christmas
p. 114. Isl.
- varipes** Faust, Deutsche Ent. Zeitschr. 1895, p. 259. Togo,
Kamerun
- vicarius** Lea, Trans. R. Soc. S. Austral. XXXIII, N. S. Wales
1909, p. 195.
- Vitraci** Hust. Faune Colon. franç. V, 1932, p. 114. Guadeloupe
- vittatus** Kirsch, Berl. Ent. Zeitschr. XIII, 1869, Kolumbien
p. 224.
- xylophilus** Boh. in Schönh. Gen. spec. Curc. IV, 2, Mexiko,
1838, p. 999. — Champ. Biol. Centr.-Amer. Guatemala
Col. IV, 7, 1909—10 (1909), p. 49, t. 2,
f. 21, 21 a.
- puncticollis* Wollast. Trans. Ent. Soc.
Lond. 1873, p. 627 (*Borophloeus*) [nec Boh.].
200

Hoplocossonus Lea.

Lea, Mém. Soc. Ent. Belg. XVIII, 1911, p. 123.

- bicolor** Lea, Mém. Soc. Ent. Belg. XVIII, 1911, Queensland,
p. 124. N.S.Wales
- lethargicus** Olliff, Lord Howe Island 1889, p. 92. — Lord Howe
Lea, Mém. Soc. Ent. Belg. XVIII, 1911, Isl.
p. 124.

2

Hyponotus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 484, 568.

- africanus** Faust, Ann. Soc. Ent. Belg. XLIII, 1899, Zambesi,
p. 429. Natal

subpubescens Wollast. Trans. Ent. Soc. Lond. 1873, p. 626. — Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 319.

2

Singapore,
Borneo,
N. Australien
(Cap York)

Pachytrogus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 485, 569.

crassirostris Wollast. Trans. Ent. Soc. Lond. 1873, p. 627. — Champ. Ent. Monthly Mag. XLV, 1909, p. 122.

1

Chile,
Juan
Fernandez

Stereoborus Wollast.

affinis Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 485, 570.
Wollast. Trans. Ent. Soc. Lond. 1873, p. 628. — Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 319.

Gilolo,
Matabello,
Batchian,
Neuguinea
Queensland

brevirostris Lea, Ann. Mag. Nat. Hist. (8) XV, 1915, p. 477.
inductus Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 320.

N. Australien
(Cap York)

interstitialis Lea, Proc. Linn. Soc. N. S. Wales XXI, 1896, p. 316.

N. S. Wales

Laporteae Lea, l. c. p. 315.

I. Goode-
nough

punctirostris Wollast. Trans. Ent. Soc. Lond. 1873, p. 628.
var. *obliteratus* Wollast. l. c. p. 629.

Neuguinea,
Key

robustus Wollast. l. c. p. 628. — Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 319.

Neuguinea,
Aru

7

Stereotribus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 486, 571.
tissifrons Wollast. Trans. Ent. Soc. Lond. 1873, p. 629.

Ceylon

incisus Wollast. l. c. p. 630.

Batchian,
Banda

scabrifrons Wollast. l. c. p. 629.

Ceylon

tuberculifrons Wollast. l. c. p. 630.

4

Stereomimetes Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 486, 572.
crassicornis Wollast. Trans. Ent. Soc. Lond. 1873, p. 630.

1

W. Australien

Stereoderus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 487, 573.

barbatus Wollast. Trans. Ent. Soc. Lond. 1873, p. 631.

binodifrons Marshall, Proc. Hawaii. Ent. Soc. IV, Samoa 1921, p. 598.

dispar Marshall, Ann. Mag. Nat. Hist. (9) XIII, Assam 1924, p. 295.

fronto	Faust, Ann. Mus. Civ. Genova XL, 1899, p. 128.	Neuguinea
hospes	Faust, l. c. p. 127.	"
longipennis	Pasc. l. c. (2) II (XXII), 1885, p. 320.	"
Macleayi	Lea, Proc. Linn. Soc. N. S. Wales XXI, 1896, p. 317.	N. Queensland
obsoletus	Fauv. (<i>Rhyncolus</i>). — Marshall, Ann. Mag. Nat. Hist. (9) XIII, 1924, p. 296.	Neu-Kaledonien
acificus	Wollast. Trans. Ent. Soc. Lond. 1873, p. 632.	Fiji Isl.
simplex	Wollast. l. c. p. 361.	Batchian
teres	Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 321.	Ternate

11

Stereonotus Faust.

Faust	Ann. Mus. Civ. Genova XL, 1899, p. 128.
Doriai	Faust, Ann. Mus. Civ. Genova XL, 1899, p. 129.

1

Oxydema Wollast.

Wollast.	Trans. Ent. Soc. Lond. 1873, p. 438, 488, 574.
attenuatum	Wollast. Trans. Ent. Soc. Lond. 1873, Neuguinea p. 632.
elongatum	Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 321. — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 484.
fusiforme	Wollast. Trans. Ent. Soc. Lond. 1873, p. 632. — Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 484.
<i>h o s p e s</i>	Perkins, Fauna Hawaiiensis II, 1900, p. 149 (<i>Pseudolus</i>).
naso	Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 321.
puncticolle	Wollast. Trans. Ent. Soc. Lond. 1873, Batchian p. 633.
simplex	Marshall, Ins. Samoa IV, 5, 1931, p. 332. Samoa

6

Notiosomus Wollast.

Wollast.	Trans. Ent. Soc. Lond. 1873, p. 438, 488, 574.
australis	Wollast. Trans. Ent. Soc. Lond. 1873, p. 633. Australien
cervicalis	Marshall, Ins. Samoa IV, 5, 1931, p. 335. Samoa
congener	Wollast. Trans. Ent. Soc. Lond. 1873, p. 634. W. Australien
major	Wollast. l. c. p. 633. S. Australien
maximus	Lea, Proc. Linn. Soc. N. S. Wales XXXIX, 1914 (1915), p. 688. Australien
rugosipennis	Lea, Ann. Mag. Nat. Hist. (8) XV, 1915, p. 478. N. S. Wales
xanthorrhoeae	Lea, Proc. Linn. Soc. N. S. Wales XXXIX, 1914 (1915), p. 687. "

7

Aphanocorynes Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 489, 575.
depressus Wollast. Trans. Ent. Soc. Lond. 1873, p. S. Australien
 634.
humeralis Marshall, Ins. Samoa IV, 5, 1931, p. 334, Samoa
 fig. 27.
procerus Olliff, Lord Howe Island 1889, p. 91. Lord Howe
 Isl.
savaiensis Marshall, Ins. Samoa IV, 5, 1931, p. 333. Samoa
semirufirostris Lea, Proc. Linn. Soc. N. S. Wales W. Australien
 XXXIX, 1914 (1915), p. 689.
 5

Orthotemnus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 438, 489, 575. — Hust.
 Bull. Acad. Malgache (2) VII, 1924, p. 541.
disparilis Pasc. Ann. Mus. Civ. Genova (2 II (XXII)), N. Australien
 1885, p. 322. (Cap York)
filiformis Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen,
 1913—14 (1914), p. 484. — Hust. Bull. Acad. Madagaskar,
 Malgache (2) VII, 1924, p. 541. Nossibé,
 Mayotte
reflexus Wollast. Trans. Ent. Soc. Lond. 1873, p. 634. Neuguinea,
 3 Batchian,
 Ceram,
 Makian

Macrorhyncolus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 8, 33, 438, 490, 576.
crassitarsis Wollast. Trans. Ent. Soc. Lond. 1873, p. Ceylon
 635.
crassiusculus Wollast. l. c. p. 34. Japan
 2

Heterarthrus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 8, 29, 438, 491, 576.
Lewisii Wollast. Trans. Ent. Soc. Lond. 1873, p. 31. Japan
pallidipennis Wollast. l. c. p. 32. "
pictus Wollast. l. c. p. 636. "

3

Conarthrus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 491, 577.
cylindricus Wollast. Trans. Ent. Soc. Lond. 1873, Batchian
 p. 637.
nasutus Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Birma
 p. 363.
tarsalis Wollast. Trans. Ent. Soc. Lond. 1873, p. 636. Makian
vicinus Wollast. l. c. p. 637. Cochinchina,
 Birma
 4

Macrocordylus Faust.

- Faust, Ann. Soc. Ent. France LXI, 1892, p. 522.
Wollastonii Faust, Ann. Soc. Ent. France LXI, 1892, Annam
 p. 522. (Hué)

1

Eutornus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 492, 578. — Broun, Man. New Zeal. Col. I, 1880, p. 534; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 201.
- affinis** Faust, Ann. Mus. Civ. Genova XXXIV, 1894, Birma p. 365.
- amplus** Broun, Man. New Zeal. Col. I, 1880, p. 535; Neuseeland Trans. New Zeal. Inst. XLI, 1908 (1909), p. 203.
- anamalainus** Marshall, Ind. For. Rec. XVI, 1831, Brit. Indien (Madras) p. 276, t. 1, f. 3.
- antennalis** Faust, Ann. Mus. Civ. Genova XXXIV, Birma 1894, p. 364.
- breviceps** Broun, Man. New Zeal. Col. I, 1880, p. 535; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 202.
- congener** Wollast. Cist. Ent. I, 1874, p. 206.
- crenatus** Faust, Ann. Mus. Civ. Genova XXXIV, 1894, p. 366.
- cylindricus** Broun, Man. New Zeal. Col. V, 1893, p. 1252; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 203.
- dubius** Wollast. Trans. Ent. Soc. Lond. 1873, p. 638; Cist. Ent. I, 1874, p. 207. — Broun, Man. New Zeal. Col. I, 1880, p. 534; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 202.
- ferrugineus** Wollast. Trans. Ent. Soc. Lond. 1873, p. 638.
- Jansoni** Wollast. l. c. p. 637.
- litoralis** Broun, Man. New Zeal. Col. I, 1880, p. 536; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 203, t. 16, f. 12.
- longirostris** Faust, Ann. Mus. Civ. Genova XXXIV, Birma 1894, p. 364.
- luzonicus** Heller, Philipp. Journ. Sc. VIII, D, 1913, Philippien p. 148, fig. 5, 5a.
- parvulus** Broun, Man. New Zeal. Col. V, 1893, p. 1253; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 203.
- rufobasalis** Heller, Philipp. Journ. Sc. VIII, D, Philippien 1913, p. 150, fig. 6.
- stricticollis** Heller, l. c. p. 150, fig. 4, 4a.
- vicinus** Broun, Man. New Zeal. Col. I, 1880, p. 535; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 202.

18

Macrancylus J. Lec.

- J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 338. — Champ. Ent. Monthly Mag. (2) XX (XLV), 1909, p. 123. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 525, 532.
- Haloxenus* Perkins, Fauna Hawaïensis II, 1900, p. 149.
- immigrans** Perkins, Fauna Hawaïensis II, 1900, p. Hawaii 149, t. 8, f. 4 (*Haloxenus*).

linearis J. Lec. Proc. Amer. Phil. Soc. XV, 1876, Florida,
p. 339. — Blatchley & Leng, Rhynchoph. Texas
N. E. Amer. 1916, p. 533.

2

Macrancyloides Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 75.

perlongus Champ. Biol. Centr.-Amer. Col. IV, 7, Guatemala
1909—10 (1909), p. 75, t. 3, f. 31, 31 a.

1

Stenancylus Cas.

Casey, Ann. New York Acad. Sc. VI, 1892, p. 693. — Blatchley &
Leng, Rhynchoph. N. E. Amer. 1916, p. 526, 533.

chiriquensis Champ. Biol. Centr.-Amer. Col. IV, 7, Panama
1909—10 (1909), p. 74, t. 3, f. 30 (*Rhyncolus*).

Colomboi Casey, Ann. New York Acad. Sc. VI, 1892, Florida,
p. 693. — Blatchley & Leng, Rhynchoph. Kuba,
N. E. Amer. 1916, p. 533. Jamaika,
St. Vincent

montivagus Champ. Biol. Centr.-Amer. Col. IV, 7, Panama
1909—10 (1909), p. 74 (*Rhyncolus*).
3

Coptus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 492, 578.

latiusculus Champ. Trans. Linn. Soc. Lond. (2) Seychellen
XVI, 1913—14 (1914), p. 488.

minor Wollast. Trans. Ent. Soc. Lond. 1873, p. 639. Neuguinea
ex ilis Pasc. Ann. Mus. Civ. Genova (2) II
(XXII), 1885, p. 313 (♂) (*Stenotrupis*). —
Champ. Ent. Monthly Mag. XLV, 1909, p.
104, 123.

oculatus Wollast. Trans. Ent. Soc. Lond. 1873, p. 639. Sula
3

Hexacoptus Wollast.

Wollast. Col. St. Helena 1877, p. 95.

ferrugineus Wollast. Col. St. Helena 1877, p. 96. St. Helena
1

Tetragonorrhampus Champ.

Champ. Trans. Linn. Soc. Lond. (2) XVI, 1913—14 (1914), p. 486.

tuberculirostris Champ. Trans. Linn. Soc. Lond. (2) Seychellen
XVI, 1913—14 (1914), p. 487, t. 24, f. 46,
46 a.

1

Pachyops Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 493, 579.

cylindrica Wollast. Trans. Ent. Soc. Lond. 1873, p. Borneo
639.

pusilla Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Java
1885, p. 323.

2

Pentamimus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 493, 579.
canaliculatus Wollast. Trans. Ent. Soc. Lond. 1873, Tasmanien
 p. 640.

rhyncoliformis Wollast. l. c. p. 640.

W. Australien,
 S. Australien
 Australien

suffusus Wollast. l. c. p. 640.
 3

Tetracoptus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 494, 580.
reductus Wollast. Trans. Ent. Soc. Lond. 1873, p. 641. Neuguinea
 1

Xestoderma Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 494, 580.

atrum Wollast. Trans. Ent. Soc. Lond. 1873, p. 641 Batchian,
 (atra). Morty

Wallacei Wollast. l. c. p. 641.
 2

Ceram,
 Ternate

Xestosoma Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 494, 581.

costipenne Wollast. Trans. Ent. Soc. Lond. 1873, ? Sula
 p. 642.

grandicolle Wollast. l. c. p. 642.

Batchian

subopacum Wollast. l. c. p. 642.
 3

"

Lissopsis Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 494, 581.

speculifrons Wollast. Trans. Ent. Soc. Lond. 1873, Neuguinea
 p. 643.

1

Sphaerocorynes Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 9, 38, 439, 496, 582.

Lewisianus Wollast. Trans. Ent. Soc. Lond. 1873, Japan
 p. 39.

1

Xenotrupis Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 496, 582.

congruens Pasc. Ann. Mus. Civ. Genova (2) II I. Tawan
 (XXII), 1885, p. 322.

fusiformis Wollast. Trans. Ent. Soc. Lond. 1873, Batchian,
 p. 643. Neuguinea

2

Pachystylus Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 497, 583.

dimidiatus Wollast. Trans. Ent. Soc. Lond. 1873, Chile
 p. 644.

1

Xenomimetes Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 8, 35, 439, 498, 584.
destructor Wollast. Trans. Ent. Soc. Lond. 1873, Japan
 p. 36.

1

Rhypax Pasc.

Pasc. Ann. Mus. Civ. Genova (2) II (XXII), 1885, p. 323.
obscurus Pasc. Ann. Mus. Civ. Genova (2) II (XXII), Borneo,
 1885, p. 323. Celebes,
 Sumatra

1

8. Subtrib. **Rhyncoli**.

Rhyncolinus J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 334. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 519, 537.

Rhyncolides Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 —10 (1909), p. 73.

Eremotes Wollast.

Wollast. Trans. Ent. Soc. Lond. (2) V, 1861, p. 364; l. c. 1873, p. 439, 498, 584. — Lacord. Gen. Col. VII, 1866, p. 333, 344. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 5; l. c. LI, 1912, p. 62; Best.-Tab. europ. Col. XXXVII, 1898, p. 5; l. c. LXVIII, 1912, p. 62; Fauna Germ. V, 1916, p. 129, 131. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 390. — Everts, Col. Neerl. II, 1903, p. 708. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 916. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1110, 1112.

Synatomocerus Wollast. Trans. Ent. Soc. Lond. 1861, p. 365.

Subg. **Eremotes** s. str.

Seidl. Fauna Balt. 2. Aufl. 1887—91 (1891), Art. p. 618; Fauna Transsylv. 1888—91 (1891), Art. p. 688. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 10; Best.-Tab. europ. Col. XXXVII, 1898, p. 10; Fauna Germ. V, 1916, p. 131. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 978. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1112. — Hust. Ann. Soc. Ent. France C, 1931, p. 167.

ater L. Syst. Nat. Ed. X, 1758, p. 385 (*Curculio*); Europa l. c. Ed. XIII, I, 2, 1767, p. 617 (*Curculio*). — O. F. Müll. Zool. Dan. Prodr. 1776, p. 86 (*Curculio*). — Bonsdorff, Hist. nat. Curc. Suec. II, 1785, p. 31, t. f. 20 (*Curculio*). — Villers, Linn. Ent. I, 1789, p. 210 (*Curculio*). — Ol. Encycl. méth. V, 1790, p. 540 (*Curculio*). — Gmel. in L. Syst. Nat. Ed. XIII, 1790, I, 4, p. 1788 (*Curculio*). — Steph. Illustr. Brit. Ent. Mandib. IV, 1831, p. 5 (*Rhyncolus*). — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 198. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 392. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 979, fig. 267 b. — Reitt. Fauna Germ. V, 1916, p. 132, t. 160, f. 3. — Hust. Ann. Soc. Ent. France C, 1931, p. 165, 167.

Biologie: Letzner, Jahr.-Ber. schles. Ges. LX, 1883, p. 302. — Xambeu, Moeurs VI, 1895, p. 54.

chloropus F. Syst. Ent. 1775, p. 149; Spec. Ins. I, 1781, p. 190; Mant. Ins. I, 1787, p. 117; Ent. Syst. I, 2, 1792, p. 471 (*Curculio*); Syst. Eleuth. II, 1801, p. 393 (*Hylesinus*). — Villers, Linn. Ent. I, 1789, p. 209 (*Curculio*). — Payk. Monogr. Curc. Suec. 1792, p. 116; Fauna Suec. III, 1800, p. 311 (*Curculio*). — Ol. Encycl. méth. V, 1790, p. 540 (*Curculio*). — Panz. Fauna Ins. Germ. XIX, 1794, nr. 14; Ent. Germ. 1795, p. 328 (*Curculio*). — Herbst, Natursyst. Ins. Käf. VI, 1795, p. 56, t. 62, f. 12 (*Curculio*). — Marsh. Ent. Brit. I, 1802, p. 310 (*Curculio*). — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 106; Gen. Crust. Ins. II, 1807, p. 273 (*Cossonus*). — Gyll. Ins. Suec. I, 3, 1813, p. 259; l. c. I, 4, 1827, p. 606 (*Cossonus*); in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1064 (*Rhyncolus*). — Zett. Fauna Ins. Lapp. 1828, p. 341 (*Cossonus*). — C. R. Sahlbg. Ins. Fenn. II, 1834—39 (1835), p. 111 (*Cossonus*). — Redt. Fauna Austr. 1849, p. 366; l. c. 2. Aufl. 1858, p. 823; l. c. 3. Aufl. I, 1874, p. 365. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 389. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 558. — C. G. Thoms. Skand. Col. VII, 1865, p. 343 (*Rhyncolus*). — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), Art. p. 619; Fauna Transsylv. 1888—91 (1891), Art. p. 689. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 11; Best.-Tab. europ. Col. XXXVII, 1898, p. 11. — Everts, Col. Neerl. II, 1903, p. 709.

linearis Schrank, Enum. Ins. Austr. 1781, p. 126 (*Curculio*).

incisus Fourcr. Ent. Paris. I, 1785, p. 119 (*Curculio*). — Villers, Linn. Ent. IV, 1789, p. 271 (*Curculio*). — Ol. Encycl. méth. V, 1790, p. 564 (*Curculio*).

inussus Villers, Linn. Ent. I, 1789, p. 190 (*Curculio*).

exaratus Gmel. in L. Syst. Nat. Ed. XIII, I, 4, 1790, p. 1804 (*Curculio*).

pyrenaicus Dufour, Bull. Soc. Sc. Pau 1843, p. 89.

brevinasis Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 186. Kamerun

congoanus Hust. Rev. Zool. Afr. XII, 1924, p. 396. Belg. Kongo
crassicornis Brullé in Webb & Berth. Canar. Ent. 1838, p. 71. — Wollast. Trans. Ent. Soc. Lond. (2) V, 1861, p. 365, t. 18, f. 1. Kamerun

dispar Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 123. Kamerun

- elongatus** Gyll. Ins. Suec. I, 4, 1827, p. 606 (*Cossonus*); in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1065 (*Rhyncolus*). — C. R. Sahlbg. Ins. Fenn. II, 1834—39 (1835), p. 112 (*Cossonus*). — Redt. Fauna Austr. 1849, p. 367; l. c. 2. Aufl. 1858, p. 823; l. c. 3. Aufl. II, 1874, p. 365. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 390. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 558. — C. G. Thoms. Skand. Col. VII, 1865, p. 343 (*Rhyncolus*). — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), Art. p. 618; Fauna Transsylv. 1888—1891 (1891), Art. p. 689. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 11; Best.-Tab. europ. Col. XXXVII, 1898, p. 11; Fauna Germ. V, 1916, p. 131. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 979, fig. 267 a. — Hust. Ann. Soc. Ent. France C, 1931, p. 165, 167.
- planirostris** Panz. Fauna Ins. Germ. XVIII, 1794, nr. 18 (*Curculio*). — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 197. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 391.
- caucasicus** Hochh. Bull. Soc. Nat. Mosc. XX, 1847, II, p. 581.
- crassirostris** Perris, Ann. Soc. Linn. Lyon (2) IV, 1857, p. 147 [nec Duf., nec Woll.].
- nitidipennis** C. G. Thoms. Skand. Col. X, 1868, p. 348. — Kemner, Ent. Tidskr. XL, 1919, p. 169.
- gravidicornis** Wollast. Trans. Ent. Soc. Lond. 1873, p. 644.
- Heydeni** Faust, Deutsche Ent. Zeitschr. 1892, p. 104. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 12; Best.-Tab. europ. Col. XXXVII, 1898, p. 12. Turkestan
- himalayensis** Stebbing, Ind. Forest Ins. 1914, p. 451 (*Rhyncolus*). — Marshall, Ind. Forest Rec. XVI, 1931, p. 278. Brit. Indien
- meridionalis** Hartm. Deutsche Ent. Zeitschr. 1906, p. 84. Transvaal
- nefarius** Faust, l. c. XXIX, 1885, p. 190. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 12; Best.-Tab. europ. Col. XXXVII, 1898, p. 12. Turkestan
- patagiatus** Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 13; Best.-Tab. europ. Col. XXXVII, 1898, p. 13. Kaukasus, Araxes
- plagiatus** Winkl. Cat. Col. reg. pal. II, 1932, p. 1533 (err.).
- planiusculus** Hust. Sborn. Ot. Ent. Mus. Praze X, 1932, p. 109. Ostafrika
- punctatus** Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1073 (*Rhyncolus*). — Redt. Fauna Austr. 3. Aufl. II, 1874, p. 365. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 198. — Reitt. Verh. Naturf. Ver. Brünn Deutschland, Schweiz, Frankreich, Italien

XXXVII, 1898, p. 11; Best.-Tab. europ. Col. XXXVII, 1898, p. 11; Fauna Germ. V, 1916, p. 132, t. 160, f. 4. — Everts, Col. Neerl. II, 1903, p. 709. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 979. — Hust. Ann. Soc. Ent. France C, 1931, p. 165, 168.

Biologie: Perris, Ann. Soc. Ent. France (5) III, 1873, p. 89. — Decaux, Feuille Jeun. Nat. XIX, 1889, p. 2. — Lichtenstein, Bull. Soc. Ent. France 1918, p. 93.

punctulus Reitt. Deutsche Ent. Zeitschr. XXXI, 1887, p. 125 (err.). — Stierl. Käf.-Fauna Schweiz II, 1898, p. 392.

Biologie: Xambeu, Le Naturaliste 1894, p. 196; Moeurs et métamorph. d'Ins. VI, 1895, p. 51.

reflexus Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1072 (*Rhyncolus*). — Redt. Fauna Austr. 1849, p. 366; l. c. 3. Aufl. II, 1874, p. 364. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 557. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), p. 619; Fauna Transsyrv. 1888—91 (1891), Art. p. 689. — Reitt. Verh. Brünn XXXVII, 1898, p. 13; Best.-Tab. europ. Col. XXXVII, 1898, p. 13; Fauna Germ. V, 1916, p. 132. — Everts, Col. Neerl. II, 1903, p. 708. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 978, fig. 263 e. — Hust. Ann. Soc. Ent. France C, 1931, p. 164, 169.

sculpturatus Waltl, Isis 1839, III, p. 223. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 197. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 11; Best.-Tab. europ. Col. XXXVII, 1898, p. 11; Fauna Germ. V, 1916, p. 132. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 979. — Hust. Ann. Soc. Ent. France C, 1931, p. 164, 169.

sculptus C. G. Thoms. Skand. Col. VII, 1865, p. 345.

dalmatinus Desbr. Frelon II, 1892, p. 81 (*Rhyncolus*).

sikkimensis Marshall, Ind. For. Rec. XVI, 1931, p. 277.

strangulatus Perris, Ann. Soc. Linn. Lyon 1852, p. 181. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 197. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 12; Best.-Tab. europ. Col. XXXVII, 1898, p. 12. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 979. — Hust. Ann. Soc. Ent. France C, 1931, p. 164, 168.

Biologie: Perris, Ann. Soc. Ent. France (3) IV, 1856, p. 249, t. 5, f. 380—381.

siyriacus Desbr. Frelon II, 1892, p. 80 (*Rhyncolus*). — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 12; Best.-Tab. europ. Col. XXXVII, 1898, p. 12.

Mittel- u.
Südeuropa,
Algier,
Marokko

Deutschland,
Schweden,
Tirol,
Dalmatien

Brit. Indien

Frankreich,
Korsika,
Dalmatien

Subg. **Hyperemotes** Voß.

Voß, Arb. morph. taxon. Ent. Berlin-Dahlem I, 1934, p. 187.
encaustes Boh. in Schönh. Gen. spec. Curc. IV, 2, Madagaskar
 1838, p. 1059 (*Rhyncolus*). — Hust. Bull.
 Acad. Malgache (2) VII, 1924, p. 538. —
 Voß, Arb. morph. taxon. Ent. Berlin-Dahlem
 I, 1934, p. 187.

vonMaltzani Voß, l. c. p. 187.

Kamerun,
 Togo

Subg. **Brachytemnus** Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 440, 502, 591. — Bedel,
 Faune Col. Bass. Seine VI, 1882—88 (1885), p. 197. — Seidl. Fauna
 Balt. 2. Aufl. 1887—91 (1891), Art. p. 618; Fauna Transsylv. 1888
 — 91 (1891), Art. p. 688. — Reitt. Verh. Naturf. Ver. Brünn
 XXXVII, 1898, p. 10; Best.-Tab. europ. Col. XXXVII, 1898, p. 10;
 Fauna Germ. V, 1916, p. 131. — Stierl. Käf.-Fauna Schweiz II,
 1898, p. 390. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p.
 978. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1112. —
 Hust. Ann. Soc. Ent. France C, 1931, p. 169.

cephalotes Faust, Deutsche Ent. Zeitschr. 1898, p. 333. Brit. Indien
filum Muls. & Rey, Opusc. Ent. IX, 1859, p. 42. Süd-
 — Bris. in Grenier, Cat. Col. France 1867,
 p. 194. — Bedel, Faune Col. Bass. Seine VI,
 1882—88 (1885), p. 197. — Rey, L'Échange
 VIII, 1892, p. 42. — Reitt. Wien. Ent. Zeit.
 XVII, 1898, p. 140 (*Stereocorynes*). — Hust.
 Ann. Soc. Ent. France C, 1931, p. 164, 171,
 fig. 266.

pinipotens Wollast. Col. Hesperid. 1867, Append. p. 275; Trans. Ent. Soc. Lond. 1873, p. 591.

crassirostris Wollast. l. c. (2) V, 1861, p. 367, t. 18, f. 3 [nec Dufour].

porcatus Germ. Ins. spec. nov. 1824, p. 308 (*Cossonus*). — Gyll. Ins. Suec. I, 4, 1827, p. 607 (*Cossonus*). — Rosensch. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1065 (*Rhyncolus*).

— Redt. Fauna Austr. 1849, p. 367; l. c. 2. Aufl. 1858, p. 823; l. c. 3. Aufl. II, 1874, p. 365. — Bach, Käferf. N. u. Mittel-deutschl. II, 1859, p. 390. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 558. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), Art. p. 618; Fauna Transsylv. 1888—91 (1891), Art. p. 688. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 14; Best.-Tab. europ. Col. XXXVII, 1898, p. 14; Fauna Germ. V, 1916, p. 132. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 392. — Everts, Col. Neerl. II, 1903, p. 708. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 979. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1112. — Hust. Ann. Soc. Ent. France C, 1931, p. 163, 170.

Mittel- u.
 Südeuropa

Biologie: Perris, Ann. Soc. Ent. France
 (3) IV, 1856, p. 247, t. 5, f. 326—329.

crassirostris Dufour, Bull. Soc. Sc. Pau 1843, p. 89.

cribratus Baudi, Cat. Col. Piemonte 1889, p. 176.

ruptus Marshall, Ann. Mag. Nat. Hist. (10) II, Brit. Indien 1928, p. 556, fig.

subasperatus Reitt. Verh. Naturf. Ver. Brünn. Lenkoran XXXVII, 1898, p. 14; Best.-Tab. europ. Col. XXXVII, 1898, p. 14.

submuricatus Schönh. in Ménétr. Cat. rais. 1832, Südeuropa, p. 224 (*Rhyncolus*). — Gyll. in Falderm. Algier Fauna Transcauc. II, 1837, p. 249; l. c. III, 1838, p. 207; Nouv. Mém. Soc. Nat. Mosc. V, 1837, p. 249; l. c. VI, 1838, p. 207. — Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1067 (*Rhyncolus*). — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 196; Ann. Soc. Ent. France (6) VII, 1887, p. 202. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 13; Best.-Tab. europ. Col. XXXVII, 1898, p. 13; Fauna Germ. V, 1916, p. 132. — Hust. Ann. Soc. Ent. France C, 1931, p. 162, 170.

simum Chevr. Rev. Mag. Zool. (2) XIII, 1861, p. 125.

27

Oocorynus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 76.

corrosus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Panama —10 (1909), p. 76, t. 2, f. 33, 33 a.

1.

Rhyncolus Germ.

Germ. Ins. spec. nov. 1824, p. 307. — Schönh. Curc. Disp. Meth. 1826, p. 332; Gen. spec. Curc. IV, 2, 1838, p. 1056. — Steph. Illustr. Brit. Ent. Mandib. IV, 1832, p. 5. — Redt. Fauna Austr. 1849, p. 43 (*Rhincolus*), p. 366 (*Rhyncolus*); l. c. 2. Aufl. 1858, p. CXXV, 822; l. c. 3. Aufl. I, 1874, p. CXXXVIII; l. c. II, 1874, p. 364. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 160, 390 (*Rhincolus*). — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 453, 557. — C. G. Thoms. Skand. Col. VII, 1865, p. 341. — Lacord. Gen. Col. VII, 1866, p. 333, 343. — Jacq. du Val & Fairm. Gen. Col. d'Eur. IV, 1868, p. 72. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 498, 585. — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 436, 444. — J. Lec. l. c. XV, 1876, p. 341. — Seidl. Fauna Balt. 1872—75 (1875), Gatt. p. 128; l. c. 2. Aufl. 1887—91 (1891), Gatt. p. 165; Fauna Transsyrv. 1888—91 (1891), Gatt. p. 165 (*Rhyncholus*). — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 194, 196. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 5; l. c. LI, 1912, p. 62; Best.-Tab. europ. Col. XXXVII, 1898, p. 5; l. c. LXVIII, 1912, p. 62; Fauna Germ. V, 1916, p. 129, 133. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 390 (*Rhyncholus*). — Everts, Col. Neerl. II, 1903, p. 558, 707. — Kuhnt, Illustr. Best.-Tab. Käf. Deutschl. 1913, p. 916. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1110, 1113. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 538 (*Rhyncholus*); Ann. Soc. Ent. France IC, 1930, p. 267; l. c. C, 1931, p. 161.

Subg. **Hexarthrum** Wollast.

Wollast. Ann. Mag. Nat. Hist. (3) V, 1860, p. 448; Trans. Ent. Soc. Lond. 1873, p. 8, 37, 439, 501, 588. — Lacord. Gen. Col. VII, 1866, p. 333, 334. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 196. — Seidl, Fauna Balt. 2. Aufl. 1887—91 (1891), Art. p. 618; Fauna Transsylv. 1888—91 (1891), Art. p. 688. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 14; Best.-Tab. europ. Col. XXXVII, 1898, p. 14; Fauna Germ. V, 1916, p. 133. — Everts, Col. Neerl. II, 1903, p. 707. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1113. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 537, 543. — Hust. Ann. Soc. Ent. France C, 1931, p. 162.

brevicornis Wollast. Trans. Ent. Soc. Lond. 1873, Japan p. 38.

capitulus Wollast. Ann. Mag. Nat. Hist. (3) II, Madeira 1858, p. 410; Trans. Ent. Soc. Lond. (2) V, 1861, p. 366, t. 18, f. 2.

compresso Wollast. Ann. Mag. Nat. Hist. (3) V, 1860, p. 449.

culinaris Germ. Ins. spec. nov. 1824, p. 306 (*Cossonus*). — Gyll. Ins. Suec. I, 4, 1827, p. 605 (*Cossonus*). — Boh. in Schönh. Gen. spec. Circ. IV, 2, 1838, p. 1066. — Redt. Fauna Austr. 1849, p. 367; l. c. 2. Aufl. 1858, p. 823; l. c. 3. Aufl. II, 1874, p. 365. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 391. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 558. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), Art. p. 619; Fauna Transsylv. 1888—91 (1891), Art. p. 689. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 196. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 14; Best.-Tab. europ. Col. XXXVII, 1898, p. 14; Fauna Germ. V, 1916, p. 133, t. 160, f. 6. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 392. — Everts, Col. Neerl. II, 1903, p. 708. — Hust. Ann. Soc. Ent. France C, 1931, p. 162, 172, fig. 268, 269.

Biologie: Nitsche, Allg. Tharand. forstl. Jahrb. XLV, 1895, p. 121.

exiguus Boh. in Schönh. Gen. spec. Circ. IV, 2, 1838, p. 1066. — Redt. Fauna Austr. 2. Aufl. 1858, p. 823; l. c. 3. Aufl. II, 1874, p. 366. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 390. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 558.

ferrugineus Waltl, Isis 1839, III, p. 223.
cribrifennis Gräells, Mem. Map. geol. 1858, p. 88, t. 5, f. 3a.

usambaricus Voß, Arb. morph. taxon. Ent. I, 1934, Ostafrika p. 194.

Subg. **Hexarthroides** Lea.

Lea, Proc. Linn. Soc. N. S. Wales XXI, 1896, p. 314.

punctulatus Lea, Proc. Linn. Soc. N. S. Wales N. S. Wales XXI, 1896, p. 314.

Subg. **Stereocorynes** Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 500, 588. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 197. — Seidl. Fauna Balt. 2. Aufl. 1887—91 (1891), Art. p. 618; Fauna Trans-sylv. 1888—91 (1891), Art. p. 688. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 15; Best.-Tab. europ. Col. XXXVII, 1898, p. 15; Fauna Germ. V, 1916, p. 133. — Everts, Col. Neerl. II, 1903, p. 708. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1113. — Hust. Ann. Soc. Ent. France C, 1931, p. 172.

truncorum Germ. Ins. spec. nov. 1824, p. 308 (*Cossonus*). — Gyll. Ins. Suec. I, 4, 1827, p. 605 (*Cossonus*). — Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1068. — Redt. Fauna Austr. 1849, p. 367; l. c. 2. Aufl. 1858, p. 823; l. c. 3. Aufl. II, 1874, p. 365. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 391. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 558. — C. G. Thoms. Skand. Col. VII, 1865, p. 344. — Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 72, t. 30, f. 144. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), Art. p. 619; Fauna Transsylv. 1888—91 (1891), Art. p. 689. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 15; Best.-Tab. Europ. Col. XXXVII, 1898, p. 15; Fauna Germ. V, 1916, p. 133, t. 10, f. 5. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 392. — Everts, Col. Neerl. II, 1903, p. 708. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1113, t. 40, f. 14. — Hust. Ann. Soc. Ent. France C, 1931, p. 163, 173.

Biologie: Heeger, Sitzber. Akad. Wiss. Wien XXXIV, 1859, p. 212, t. 4.

Hopffgarteni Stierl. Mitth. Schweiz. Ent. Ges. VII, 1884, p. 56.

Ulkei G. Horn, Proc. Amér. Phil. Soc. XIII, 1873, p. 446. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 543. New York, New Jersey, Distr. of Columbia

Winkleri Formánek, Wien. Ent. Zeit. XXXI, 1912, p. 312. Krim

Subg. **Rhyncolus** s. str.

Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 197. — Seidl. Fauna Balt. 2. Aufl. 1887—91 (1891), Art. p. 618; Fauna Trans-sylv. 1888—91 (1891), Art. p. 688. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 15; Best.-Tab. europ. Col. XXXVII, 1898, p. 15; Fauna Germ. V, 1916, p. 133. — C. Schauf. in Calwer, Käferb. 6. Aufl. II, 1916, p. 1113. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 537, 543. — Hust. Ann. Soc. Ent. France C, 1931, p. 173.

Phloeophagus Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1047. — Lacord. Gen. Col. VII, 1866, p. 333, 342. — C. G. Thoms. Skand. Col. VII, 1865, p. 342. — Wollast. Trans. Ent. Soc. Lond. 1873, p. 435, 459, 539. — Everts, Col. Neerl. II, 1903, p. 173. — Champ. Ent. Monthly Mag. XLV, 1909,

- p. 121. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916,
p. 537, 538.
- angularis** J. Lee. Proc. Amer. Phil. Soc. 1858, p. 81. Kolorado,
Kalifornien
- angustatus** Boh. in Schönh. Gen. spec. Curc. IV, 2, Madagaskar
1838, p. 1063. — Hust. Bull. Acad. Mal-
gache (2) VII, 1924, p. 538.
- angusticollis** Reitt. Deutsche Ent. Zeitschr. 1896, p. Krim
188; Verh. Naturf. Ver. Brünn XXXVII,
1898, p. 16; Best.-Tab. europ. Col. XXXVII,
1898, p. 16.
- ater** Motsch. Bull. Soc. Nat. Mosc. XXXIX, 1866, Ceylon
II, p. 446 [nec L.].
- brachyrhinus** Montrouz. Ann. Soc. Ent. France (3) VIII, 1860, p. 913.
- brunneus** Mannh. Bull. Soc. Nat. Mosc. XVI, 1843, Alaska,
II, p. 295; in Schönh. Gen. spec. Curc. VIII,
2, 1845, p. 280. — Blatchley & Leng, Rhyn-
choph. N. E. Amer. 1916, p. 544, 545. Kanada,
New York,
New Jersey,
Massa-
chusetts,
Vancouver,
New
Mexico,
Kalifornien,
New
England
- Burgeoni** Hust. Rev. Zool. Afr. XII, 1924, p. 394 Belg. Kongo
(*Cossonus*); Rev. Zool. Bot. Afr. XXVI,
1934, p. 42.
- californicus** Wollast. Trans. Ent. Soc. Lond. 1873, Kalifornien
p. 645.
- calvus** Wollast. Ann. Mag. Nat. Hist. (3) V, 1860, Madeira
p. 448.
- carinatus** Blatchley in Blatchley & Leng, Rhyn- Indiana
choph. N. E. Amer. 1916, p. 544, 545.
- caulium** Wollast. Trans. Ent. Soc. Lond. (2) V, Kanaren
1861, p. 370; l. c. 1862, p. 175.
- cossonoides** Motsch. Bull. Soc. Nat. Mosc. XXXVI, Ceylon
1863, II, p. 531 (*Phloeophagus*).
- cylindricollis** Wollast. Trans. Ent. Soc. Lond. 1873, Kalifornien
p. 645.
- cylindrus** Boh. in Schönh. Gen. spec. Curc. IV, 2, Mittel- u.
1838, p. 1060. — Redt. Fauna Austr. 1849,
p. 386; l. c. 2. Aufl. 1858, p. 823; l. c.
3. Aufl. II, 1874, p. 365. — Bedel, Faune
Col. Bass. Seine VI, 1882—88 (1885), p.
198. — Seidl. Fauna Transsylv. 1888—1891
(1891), Art. p. 690. Südeuropa,
Kaukasus
- longicollis* Boh. in Schönh. Gen. spec.
Curc. IV, 2, 1838, p. 1060 (*cylindrus* var.).
- cylindricus* Boh. l. c. VIII, 2, 1845, p.
280 (err.). — Bach, Käferf. N. u. Mittel-
deutschl. II, 1859, p. 389. — Gutfleisch &
Bose, Käf. Deutschl. 1859, p. 558. — Reitt.
Verh. Naturf. Ver. Brünn XXXVII, 1898,
p. 16; Best.-Tab. europ. Col. XXXVII, 1898,
p. 16; Fauna Germ. V, 1916, p. 134.

- grandicollis* Ch. Bris. in Grenier, Cat. Col. France et Matériaux etc. 1863, p. 193.
- turbatus* Reitt. Deutsche Ent. Zeitschrift XXXI, 1887, p. 127 [non Schönh.].
- depressus** Montrouz. Ann. Soc. Ent. France (3) VIII, 1860, p. 912 (*Phloeophagus*).
- dilatatus** Casey, Ann. New York Acad. Sc. VI, 1892, Kalifornien p. 704.
- discors** Casey, l. c. p. 707.
- dorsalis** J. Lec. Proc. Acad. Nat. Sc. Philad. 1858, p. 81.
- Dufaui** Hust. Faune Colon. franç. V, 1932, p. 120.
- ebeninus** Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1049 (*Phloeophagus*).
- elumbis** Boh. l. c. IV, 2, 1838, p. 1062. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—1910 (1909), p. 73, t. 3, f. 29.
- fusiformis* Wollast. Trans. Ent. Soc. Lond. 1873, p. 647.
- fallax** Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1052 (*Phloeophagus*).
- ferrugineus** Boh. l. c. IV, 2, 1838, p. 1050 (*Phloeophagus*).
- filiformis** Boh. l. c. IV, 2, 1838, p. 1059.
- filum** Chevr. Le Naturaliste II, 1880, p. 198.
- fuscicollis** Marshall, Ins. Samoa IV, 5, 1931, p. 345.
- gracilis** Rosenh. Thiere Andalus. 1856, p. 300. — D. Sharp, Ent. Monthly Mag. VIII, 1871, p. 84. — Redt. Fauna Austr. 3. Aufl. II, 1874, p. 366. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), Art. p. 619; Fauna Transylv. 1888—91 (1891), Art. p. 690. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 198. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 16; Best.-Tab. europ. Col. XXXVII, 1898, p. 16; Fauna Germ. V, 1916, p. 134. — Hust. Ann. Soc. Ent. France C, 1931, p. 166, 175, fig. 267, 274.
- angustus* Fairm. l. c. (3) VII, 1859, Bull. p. CLXIV.
- hispidulus** Fairm. Rev. Mag. Zool. (2) I, 1849, Taiti p. 558.
- hispidus** Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1051 (*Phloeophagus*).
- Hustachei** nom. nov. Madagaskar
- cylindricollis* Hust. Mém. Acad. Malgache XIV, 1933, p. 118 [nec Wollast.].
- Kenya** Hust. Voy. Alluaud et Jeannel Afr. orient. XIX, 1929, p. 554.
- kivuanus** Hust. Rev. Zool. Bot. Afr. XXVI, 1934, Belg. Kongo p. 41.
- laeviusculus** Wollast. Trans. Ent. Soc. Lond. 1873, Brasilien p. 646.
- lauri** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, 1838, Mexiko p. 1076. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 75.
- laurineus** Wollast. Trans. Ent. Soc. Lond. (2) V, Kanaren 1861, p. 373.

<i>affinis</i>	Wollast. l. c. p. 371; Col. Atlantid. 1865, p. 254.	
var. <i>Appenhangeni</i>	Uyttenboogaart, Tijd- Kanaren schr. Ent. LXXIII, 1930, p. 277.	
lignarius	Marsh. Ent. Brit. I, 1802, p. 275. — Steph. Illustr. Brit. Ent. Mandib. V, 1832, p. 6. — Gutfleisch & Bose, Käf. Deutschl. 1859, p. 558. — Bedel, Faune Col. Bass. Seine VI, 1882—88 (1885), p. 198. — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 15; Best.-Tab. europ. Col. XXXVII, 1898, p. 15; Fauna Germ. V, 1916, p. 133, t. 160, f. 7. — Stierl. Käf.-Fauna Schweiz II, 1898, p. 392. — Everts, Col. Neerl. II, 1903, p. 708. — Hust. Ann. Soc. Ent. France C, 1931, p. 166, 173, fig. 275.	Nördl. Europa
<i>cylindirostris</i>	Ol. Ent. V, 1807, nr. 83, p. 427, t. 35, f. 537. — Redt. Fauna Austr. 2. Aufl. 1858, p. 823; l. c. 3. Aufl. II, 1874, p. 365. — Bach, Käferf. N. u. Mitteldeutschl. II, 1859, p. 390. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), Art. p. 619; Fauna Transsylv. 1888—91 (1891), Art. p. 689.	
<i>latitarsis</i>	C. G. Thoms. Ann. Soc. Ent. France (6) VI, 1886, Bull. p. XI.	
<i>sulcirostris</i>	C. G. Thoms. Opusc. XVII, 1894, p. 1862.	
linearis	Boh. in Schönh. Gen. spec. Cire. VIII, 2, Brasilien 1845, p. 283.	
linearis	Motsch. Bull. Soc. Nat. Mosc. XXXVI, 1863, Ceylon II, p. 531 [nec Boh.].	
longicollis	Montrouz. Ann. Soc. Ent. France (3) VIII, 1860, p. 913 [nec Boh.].	Ins. Art
marginalis	Marshall, Ann. Mag. Nat. Hist. (10) VI, 1930, p. 571 (<i>Phloeophagus</i>).	Uganda
Maynei	Hust. Rev. Zool. Afr. XII, 1924, p. 395 (<i>Cossonus</i>); Rev. Zool. Bot. Afr. XXVI, 1934, p. 42.	Belg. Kongo
nigripes	Reitt. Deutsche Ent. Zeitschr. 1901, p. 184.	Turkestan
nimius	Casey, Ann. New York Acad. Sc. VI, 1892, p. 706.	New Mexico
nitidulus	Boh. in Schönh. Gen. spec. Cire. IV, 2, 1838, p. 1074.	Kaffernland
nitidulus	Montrouz. Ann. Soc. Ent. France (3) VIII, 1860, p. 911 [nec Boh.].	Neu- kaledonien
nossibianus	Hust. Bull. Mus. Hist. Nat. Paris 1922, p. 407; Bull. Acad. Malgache (2) VII, 1924, p. 539.	Madagaskar, Nossibé
obesus	Wollast. Col. Hesperid. 1867, p. 120.	St. Vincent
opacus	Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 7, t. 1, f. 10.	Hawaii
oregonensis	G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 445. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 544.	Oregon, Kalifornien, Michigan, New Jersey, N. Carolina, Indiana, Florida

- oryzae** Gyll. in Schönh. Gen. spec. Cerc. IV, 2, ? (imp. Schweden) 1838, p. 1075.
- pallens** Casey, Ann. New York Acad. Sc. VI, 1892, Kalifornien p. 703.
- persimilis** Hust. Mém. Acad. Malgache XIV, 1934, Madagaskar p. 119.
- piceus** Wollast. Trans. Ent. Soc. Lond. (2) V, 1861, Kanaren p. 374.
- plebejus** Boh. in Schönh. Gen. spec. Cerc. IV, 2, Kaffernland 1838, p. 1069.
- praeustus** Boh. l. c. p. 1061. Java
- procer** Boh. l. c. p. 1058. — Hust. Bull. Acad. Java, Malgache (2) VII, 1924, p. 538. Mauritius
- protensus** Wollast. Trans. Ent. Soc. Lond. 1873, p. Kalifornien 647.
- protractus** G. Horn, Proc. Amer. Phil. Soc. XIII, „ 1873, p. 444. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 73.
- punctatus** Wollast. Trans. Ent. Soc. Lond. 1873, Brasilien p. 646.
- regularis** Hust. Faune Colon. franç. V, 1932, p. 119. Guadeloupe
- relictus** Casey, Ann. New York Acad. Sc. VI, 1892, New Mexico p. 705.
- rufipennis** Montrouz. Ann. Soc. Ent. France (3) Ins. Art VIII, 1860, p. 912.
- samoanus** Marshall, Proc. Hawaii. Ent. Soc. V, 1921, Samoa p. 599 (*Temnorhamphus*); Ins. Samoa IV, 5, 1931, p. 345.
- Schönerri** Hochh. Bull. Soc. Nat. Mosc. XX, 1847, Kaukasus, II, p. 580. — Reitt. Verh. Naturf. Ver. Lenkoran Brünn XXXVII, 1898, p. 16; Best.-Tab. europ. Col. XXXVII, 1898, p. 16.
- similis** Wollast. Trans. Ent. Soc. Lond. 1873, p. 646. Brasilien
- simplicipes** Wollast. l. c. (2) V, 1861, p. 374. Kanaren
- spretus** Casey, Ann. New York Acad. Sc. VI, 1892, Kalifornien p. 704.
- sulcipennis** Wollast. Ins. Mader. 1854, p. 308. Madeira
- taciturnus** Motsch. Bull. Soc. Nat. Mosc. XXXIX, 1866, II, p. 446. Ceylon
- teretirostris** Klug, Abhandl. Akad. Berlin I, 1833, Madagaskar p. 202. — Hust. Bull. Acad. Malgache (2) VII, 1924, p. 539.
- Thomsoni** Grill, Cat. Col. Scand. 1896, p. 306; Wien. Ent. Zeit. XVII, 1898, p. 179. — Kemner, Ent. Tidskr. XL, 1919, p. 167. Schweden
- cylindrirostris* C. G. Thoms. Skand. Col. VII, 1865, p. 342 [nec Ol.].
- trivialis** Boh. in Schönh. Gen. spec. Cerc. IV, 2, Kapland 1838, p. 1070.
- troglodytes** Boh. l. c. p. 1073. Peru
- turbatus** Boh. l. c. VIII, 2, 1845, p. 279. — Desbr. Frelon II, 1892, p. 76 (*Caulotrupis*). — Reitt. Verh. Naturf. Ver. Brünn XXXVII, 1898, p. 15; Best.-Tab. europ. Col. XXXVII, 1898, p. 15; Fauna Germ. V, 1916, p. 134. — Hust. Ann. Soc. Ent. France C, 1931, p. 166, 174, fig. 273, 276. Deutschland, Böhmen, Schweden, Finnland, Sibirien
- lignarius* Gyll. Ins. Suec. I, 3, 1813, p. 258 (*Cossonus*) [nec Marsh.]. — Boh. in Schönh. Gen. spec. Cerc. IV, 2, 1838, p. 1052 (*Phloeo-*

phagus; l. c. VIII, 2, 1845, p. 279 (*linearis* ex err.). — C. G. Thoms. Skand. Col. VII, 1865, p. 342. — Seidl. Fauna Balt. 1872—75 (1875), Art. p. 456; l. c. 2. Aufl. 1887—91 (1891), Art. p. 619; Fauna Transsylv. 1888—91 (1891), Art. p. 689. — Grill, Wien. Ent. Zeit. XVII, 1898, p. 179.

cyclindrus Reitt. Deutsche Ent. Zeitschr. XXXI, 1887, p. 126 [non Boh.].

variabilis Crotch, Proc. Zool. Soc. Lond. 1867, p. 387. Azoren 83

Pseudolus D. Sharp.

D. Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 190.
longulus Boh. Eugen. Resa 1859, p. 149 (*Rhyn-* Hawaii,
colus). — D. Sharp, Trans. R. Dubl. Soc. Samoa (2) III, 1885, p. 190, t. 5, f. 33.

1

Caulophilus Wollast.

Wollast. Ins. Mader. 1854, p. 315; Trans. Ent. Soc. Lond. (2) V, 1861, p. 368; l. c. 1873, p. 439, 499, 586. — Lacord. Gen. Col. VII, 1866, p. 333, 346. — J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 337, 340. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 39. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 526, 535.

costatus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 Mexiko

—10 (1909), p. 39, 40, t. 2, f. 9, 9a.

latinatus Say, Descr. n. sp. Curc. N. Amer. 1831, p. 30; Compl. Writ. I, 1859, p. 299 (*Rhyn-* colus). — Boh. in Schönh. Gen. spec. Curc. IV, 2, 1838, p. 1068. — J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 340. — Champ. Ent. Monthly Mag. XLV, 1909, p. 121; Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 39, 40, t. 2, f. 8. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 535, fig. 117.

S. Carolina,
Georgia,
Florida,
W. Indien,
Mexiko,
Guatemala,
Madeira

Biologie: Chittend. U. S. Dept. Agric. Ent. Bull. nr. 96, 1911, p. 19.

sculpturatus Wollast. Ins. Mader. 1854, p. 315, t. 6, f. 4, 4a—c.

pinguis G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 442 (*Cossonus*).

nigrirostris Auriv. in Skottsberg, Nat. Hist. Juan Fernandez III, Zool. 1931, p. 475, fig. Fernandez

sericatus Champ. Biol. Centr.-Amer. Col. IV, 7, 1909 —10 (1909), p. 40, 41, t. 2, f. 10.

veraecrucis Champ. l. c. p. 40, 41. Mexiko

5

Apotrepus Cas.

Casey, Ann. New York Acad. Sc. VI, 1892, p. 695.

densicollis Casey, Ann. New York Acad. Sc. VI, Arizona 1892, p. 695.

1

Xenocnema Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873, p. 439, 500, 587. — Broun, Man. New Zeal. Col. I, 1880, p. 536; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 213.

spinipes Wollast. Trans. Ent. Soc. Lond. 1873, p. 648. — Broun, Man. New Zeal. Col. I, 1880, p. 537; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 214, t. 16, f. 15.
var. *Australiae* Lea, Trans. R. Soc. S. Queensland Austral. XXXV, 1911, p. 88.

1

Inosomus Hutton.

Hutton, Index Faunae Nov. Zeal. 1904, p. 218. — Broun, Trans. New Zeal. Inst. XLI, 1908 (1909), p. 212.

stenopus Broun, Man. New Zeal. Col. II, 1881, p. 739 [nec Guild., nec Latr.]. — D. Sharp, Trans. R. Dubl. Soc. (2) III, 1885, p. 432.

rufopiceus Broun, Man. New Zeal. Col. II, 1881, Neuseeland p. 739; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 213, t. 16, f. 13.

1

Hectaeus Broun.

Broun, Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 124; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 214.

rubidus Broun, Ann. Mag. Nat. Hist. (7) XIV, Neuseeland 1904, p. 125; Trans. New Zeal. Inst. XLI, 1908 (1909), p. 214, t. 16, f. 10.

1

Tomolips Wollast.

Wollast. Trans. Ent. Soc. Lond. 1873 (October), p. 439, 501, 590. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 78. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 537, 539.

Wollaston ia G. Horn, Proc. Amer. Phil. Soc. XIII, 1873 (19. Sept.), p. 433 [nec Heer].

Wollaston iella Cockerell, Ent. News XVII, 1906, p. 243.
Parahornia Cockerell, l. c. p. 349.

bicalcaratus Wollast. Trans. Ent. Soc. Lond. 1873, Mexiko p. 648. — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 78, t. 3, f. 36, 36 a, 37.

asperatus Wollast. Trans. Ent. Soc. Lond. 1873, p. 649. — Champ. Ent. Monthly Mag. XLV, 1909, p. 105 (= ? *bicalcaratus*).

quercicola Boh. in Schönh. Gen. spec. Circ. VIII, Carolina, 2, 1845, p. 281 (*Rhyncolus querciculus*). — G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 434 (*Wollaston ia*). — Champ. Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 78; Ent. Monthly Mag. XLV, 1909, p. 104. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 540.

Biologie: Schwarz, Bull. Brooklyn Ent. Soc. VII, 1885, p. 150.

2

Stenotylus Mshl.

Marshall, Stylops II, 1933, p. 68.

mativorus Marshall, Stylops II, 1933, p. 68, fig. 3. Argentina

1

Calicyforus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 440, 503, 592. — Champ.
 Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 77.
erosus Wollast. Trans. Ent. Soc. Lond. 1873, p. 650. Brasilien
excavatus Wollast. l. c. 1873, p. 650. — Champ. Brasilien,
 Biol. Centr.-Amer. Col. IV, 7, 1909—1910 Panama,
 (1909), p. 77, t. 3, f. 34, 34 a—b. Trinidad
inaequalis Champ. l. c. p. 77, t. 3, f. 35. Mexiko,
 3 Guatemala

Dendroctonomorphus Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 440, 502, 591. — Champ.
 Biol. Centr.-Amer. Col. IV, 7, 1909—10 (1909), p. 76.
gedensis Marshall, Treubia VIII, 1926, p. 350. Java
muricatus Wollast. Trans. Ent. Soc. Lond. 1873, Ceylon
 p. 649.
muriceus Champ. Trans. Linn. Soc. Lond. (2) XVI, Seychellen,
 1913—14 (1914), p. 491. Java
parallelus Wollast. Trans. Ent. Soc. Lond. 1873, Mexiko
 p. 649. — Champ. Biol. Centr.-Amer. Col. IV,
 7, 1909—10 (1909), p. 76, t. 3, f. 32, 32 a.

4

Eurycorynes Wollast.

- Wollast. Trans. Ent. Soc. Lond. 1873, p. 440, 503, 593.
Jansonianus Wollast. Trans. Ent. Soc. Lond. 1873, Brasilien
 p. 651.

1

Rhamphocolus Cas.

- tenuis** Casey, Ann. New York Acad. Sc. VI, 1892, p. 702.
 Casey, Ann. New York Acad. Sc. VI, 1892, Texas
 p. 702.

1

Elassoptes G. Horn.

- G. Horn, Proc. Amer. Phil. Soc. XIII, 1873, p. 436.
marinus G. Horn, Proc. Amer. Phil. Soc. XIII, Kalifornien
 1873, p. 436.

1

Stenoscelis Wollast.

- Wollast. Journ. of Ent. I, 1861, p. 141; Trans. Ent. Soc. Lond. 1873, p. 9, 40, 440, 504, 594. — Lacord. Gen. Col. VII, 1866, p. 333, 345. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 538, 545.

- brevis** Boh. in Schönh. Gen. spec. Curc. VIII, 2, Kanada,
 1845, p. 282 (*Rhyncolus*). — Blatchley & Carolina,
 Leng, Rhynchophora N. E. Amer. 1916, p. Florida,
 545. Kansas,
 Indiana,
 New York,
 New Jersey,
 New England,
 Michigan
crassifrons Wollast. Trans. Ent. Soc. Lond. 1873, Kapland,
 p. 651. Aldabra Ins.

gracilitarsis Wollast. Trans. Ent. Soc. Lond. 1873, Japan
p. 42.

hylastoides Wollast. Journ. of Ent. I, 1861, p. 142, Kapland,
t. 11, f. 1; Ann. Mag. Nat. Hist. (4) IV, St. Helena
1869, p. 401; Col. St. Helena 1877, p. 84, t.
1, f. 1.

4

Pseudostenoscelis Wollast.

Wollast. Col. St. Helena 1877, p. 84.

alutaceicollis Wollast. Col. St. Helena 1877, p. 89. St. Helena

asteriperda Wollast. l. c. p. 87.

"

compositarum Wollast. l. c. p. 90.

"

longitarsis Wollast. l. c. p. 88.

"

minima Wollast. l. c. p. 91.

"

sculpturata Wollast. l. c. p. 86.

"

6

Pachymastax Wollast.

Wollast. Col. St. Helena 1877, p. 91.

crassa Wollast. Col. St. Helena 1877, p. 93. St. Helena

1

Liolepta Blatchley.

Blatchley in Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p.
538, 546.

stenosoma Blatchley in Blatchley & Leng, Rhyn- Florida
choph. N. E. Amer. 1916, p. 546.

1

Dolichotelus Blackb.

Blackb. Trans. R. Dubl. Soc. (2) III, 1885, 190.

apicalis Blackb. Trans. R. Dubl. Soc. (2) III, 1885, Hawaii
p. 191.

1

Mesitomorphus Péring.

Péring. Ann. S. Afr. Mus. V, 1906—09 (1909), p. 328.

vestitus Péring. Ann. S. Afr. Mus. V, 1906—09 Kapland
(1909), p. 328.

1

Pentarthrophasis Péring.

Péring. Ann. S. Afr. Mus. V, 1906—09 (1909), p. 326.

Raffrayi Péring. Ann. S. Afr. Mus. V, 1906—09 Kapland
(1909), p. 326, t. 5, f. 6—8.

1

Amasinus Hust.

Hust. Sborn. Ent. Odd. Narod. Muz. Praze X, 1932, p. 108.

castaneus Hust. Sborn. Ent. Odd. Muz. Praze X, D. SW.
1932, p. 109. Afrika

1

Gryporrhynchus Roel.

Roel. Ann. Soc. Ent. Belg. XVIII, 1875, p. 189.

obscurus Roel. Ann. Soc. Ent. Belg. XIII, 1875, Japan
p. 189, t. 3, f. 13.

1

Togezo Kôno.

Kôno, Ins. Matsum. V, 1930, p. 3.

Takahashii Kôno, Ins. Matsum. V, 1930, p. 3. Japan
1**Xenopus Roel.**

Roel. Ann. Soc. Ent. Belg. XVIII, 1875, t. 1, f. 2.

Celia Roel. Ann. Soc. Ent. Belg. XVII, 1874, p. 126 [nec Zimm., nec Shuck.].**dentipes** Roel. Ann. Soc. Ent. Belg. XVII, 1874, Japan
p. 127 (*Celia*); l. c. XVIII, 1875, t. 1, f. 2
(*Xenopus*). — Kôno, Ins. Matsum. V, 1930,
p. 2.**indicus** Roel. Ann. Soc. Ent. Belg. XXII, 1879, Brit. Indien
Compt.-Rend. p. LIV (*Celia*).
2**9. Subtrib. Hormopi.***Hormopini* J. Lec. Proc. Amer. Philos. Soc. XV, 1876, p. 320. — Blatchley & Leng, Rhynchoph. N. E. Amer. 1916, p. 139, 188.**Hormops J. Lec.**

J. Lec. Proc. Amer. Phil. Soc. XV, 1876, p. 321.

abducens J. Lec. Proc. Amer. Phil. Soc. XV, 1876, Florida,
p. 321. — Blatchley & Leng, Rhynchoph. Distr. of
N. E. Amer. 1916, p. 189. Columbia,
Maryland**latipennis** Casey, Mem. Col. XI, 1924, p. 336. Texas
2

Index.

Subfamiliae, Tribus, Subtribus.

Acampti 105
Acamptina 105
Acamptini 105
Acamptini 105
Apheli 109

Cossoni 137
Cossonidae 105
Cossonides 109, 137
Cossonides vrais 137
Cossonina 109, 137
Cossoninae 105
Cossoninae 105, 109
Cossonini 109
Cossonini 109, 137
Cossonites 137
Cotastrini 137

Dryophthori 110
Dryophthorides 110
Dryophthorini 110
Dryophthorites 110

Hormopi 195
Hormopini 195

Lymanti 137
Lymantides 137

Notiomimetides 109

Onycholipi 136
Onycholipides 136

Pentarthri 114
Pentarthrides 114
Pseudapotrepi 136
Pseudapotrepides 136

Rhyncoli 179
Rhyncolides 179
Rhyncolini 179

Trypetides 106
Trypetina 106
Trypetini 106
Trypetini 106

Genera, Subgenera.

Acamptopsis Champ. 105
Acamptus Lec. 105
Acanthinomerus G. & H. 132
Acanthomerus Boh. 131
Adel Broun 123
Agastegnus Broun 126
Agrilochilus Broun 128
Allaeotes Pasc. 115
Allaorus Broun 139
Allomimus Lec. 158
Amasinus Hust. 194
Amaurorrhinus Fairm. 134
Amorphocerus Schönh. 149
Amorphorhynchus Wollast. 147
Anoletthus Auriv. 154
Anotheorus Blackb. 150
Aphanocorynes Wollast. 175
Aphanommata Wollast. 146
Aphela Pasc. 110
Aphyllura Reitt. 141
Aphyoda Pasc. 114

Apotrepus Cas. 191
Arecocryptns Hust. 130
Arecophaga Broun 108
Arthrotomoidellus Hust. 106
Arthrotomus Schönh. 106
Attarus Broun 126

Baeorhopalus Broun 125
Belka Broun 125
Borophloeus Wollast. 161
Brachyshaenus Wollast. 156
Brachyscapus Wollast. 146
Brachytemnus Wollast. 183

Calyciforus Wollast. 193
Camptoseapus Broun 124
Canthorrhynchus Broun 130
Carphonotus Cas. 156
Catolethromorphus Wollast. 156
Catolethrus Schönh. 154
Catolethrus s. str. 154

Caulophilus Wollast. 191
Caulotrupis Wollast. 145
Celia Roel. 195
Chaerodemas Faust 143
Chalcotrogus Wollast. 160
Choerorrhinoïdes Champ. 115
Choerorrhinus Fairm. 115
Choerorrhynchus Champ. 105
Codiosoma Bed. 142
Conarthrus Wollast. 175
Conlonia Lea 130
Coprodema Wollast. 148
Coptus Wollast. 177
Cossonideus Wollast. 130
Cossonus Clairv. 160
Cotaster Motsch. 138
Cryptommata Wollast. 146

Deinocossonus Perk. 128
Dendroctonomorphus Wollast. 192
Dexipeus Pasc. 115
Diœdimorpha Broun 128
Dolichotelus Blackb. 194
Dryophthorus Schönh. 111
Dryotribus Horn 114
Dynatopechus Mshl. 150
Dysomma Perk. 146

Ecoptocossonus Voß 161
Elassoptes Horn 193
Elatticus Pasc. 116
Entium Sharp 131
Eremotes Wollast. 179
Eremotes s. str. 179
Eucoptus Wollast. 151
Eucoptoderus Wollast. 150
Encossonus Broun 127
Eudontus Broun 109
Euophryum Broun 121
Eurycorynes Wollast. 193
Eutassa Broun 123
Eutornus Wollast. 176
Exodema Wollast. 148
Exomesites Broun 153
Exonotus Wollast. 156

Gaurocryphus Broun 127
Georrhynchus Roel. 136
Gitonischius Mshl. 129
Gleoxenus Wollast. 156
Gloeodema Wollast. 156
Gloeoetrogus Wollast. 159
Glyphotethus Mshl. 114
Glyphorhamphas Broun 125
Gyporhynchus Roel. 194

Halorhynchus Woll. 136
Haloxenus Perk. 176
Hectaeus Broun 192
Heptarthrum Champ. 138

Heteramphus Sharp 146
Heterarthrus Wollast. 175
Heterophasis Wollast. 160
Heteropsis Wollast. 133
Hexacoptus Wollast. 177
Hexarthroides Lea 185
Hexarthroides Lea 185
Hexarthrum Wollast. 185
Himatium Cock. 143
Himatium Wollast. 143
Homaeopus Berg 108
Homalorhynchus Champ. 107
Homalotrogus Wollast. 159
Homaloxenus Wollast. 106
Hoplocossonus Lea 172
Hoplorrhinoïdes Champ. 107
Hoplorrhinus Chevr. 107
Hormops Lec. 195
Hyperemotes Voß 183
Hyponotus Wollast. 172
Hypopentarthrum Champ. 121
Hypopentarthrum Voß 118

Idus Broun 134
Inosomus Hutt. 192
Isopus Faust 108
Isotornus Wollast. 138
Isotrogus Wollast. 159

Lamprochrus Wollast. 131
Lasiorhinus Broun 109
Lasiotrupis Champ. 157
Leptodemasius Voß 144
Leptomimus Wollast. 131
Leurostenus Mshl. 129
Liolepta Blatchl. 194
Lipancylus Wollast. 150
Lipomma Wollast. 137 *Leptolum*
Lissopsis Wollast. 178
Lymantes Schönh. 137
Lyprodes Wollast. 116

Macrancyloides Champ. 177
Macrancylus Lec. 176
Macrocordylus Faust 175
Macrorhyncolus Wollast. 175
Macroscytalus Broun 125
Mastersinella Lea 130
Mazagranus Pic 135
Megalocorynus Wollast. 154
Melarhinus Wollast. 148
Merisma Broun 122
Mesites Schönh. 151
Mesites s. str. 151
Mesitinus Fairm. 156
Mesitomorphus Péring. 194
Mesoxenomorphus Wollast. 134
Mesoxenophasis Wollast. 132
Mesoxenus Wollast. 135
Metopoma Cas. 111

- Microcossonus* Wollast. 130
Microhimatium Champ. 144
Micromesites Pic 153
Micromimus Wollast. 158
Micropentarthrum Champ. 131
Microtribus Wollast. 134
Microtrupis Champ. 129
Microxylobius Chevr. 132
Mimus Fährs. 149
Myrmecolixus Wasm. 116
Myrmecorhinus Wasm. 116
Mystrorrhinus Mshl. 155
- Nanus* Schönh. 106
Neopentarthrum Mutschl. 121
Neorhyncolus Voß 150
Nesotocus Perk. 109
Neumatora Normd. 141
Notiomimetes Wollast. 110
Notiosomus Wollast. 174
Novitas Broun 133
Nyella Oke 108
Nyssonotus Cas. 136
- Ochronanus* Pasc. 146
Odontomesites Wollast. 153
Onycholips Wollast. 136
Oocorynus Champ. 184
Oedemas Boh. 139
Orothreptes Perk. 128
Orthotemnus Wollast. 175
Otiocossonus Voß 161
Oxydema Wollast. 174
- Pachymastax* Wollast. 194
Pachyops Wollast. 177
Pachystylus Wollast. 178
Pachytrogus Wollast. 173
Paracamptopsis Hust. 106
Parahornia Cock. 192
Parahornia Cock. 192
Paramorphocerus Voß 150
Paraorus Voß 150
Parasycites Hust. 108
Pentacerus Faust 114
Pentacoptus Wollast. 115
Pentamimus Wollast. 178
Pentarhrinus Cas. 117
Pentarthrocis Lea 131
Pentarthrodes Wollast. 118
Pentarthrophasis Péring. 194
Pentarthrum Wollast. 118
Pentatemnus Wollast. 136
Phacegaster Wollast. 155
Phloeophagia Auriv. 142
Phloeophagoides Ab. 141
Phloeophagomorphus Wollast. 116
Phloeophagosoma Wollast. 147
Phloeophagus Redt. 141
Phloeophagus Schönh. 186
Pholidophorus Wollast. 148

- Pholidonotus* Wollast. 145
Pogonorhinus Hutt. 109
Porteriella Hust. 137
Porthetes Schönh. 154
Proconus Broun 133
Proëces Schönh. 155
Protogonum Broun 134
Psaldus Pasc. 110
Pselactus Broun 141
Pseudacamptus Champ. 105
Pseudapotrepus Champ. 137
Pseudocoptus Champ. 151
Pseudocossonus Wollast. 156
Pseudolus Sharp 191
Pseudomesites Mshl. 153
Pseudomesoxenus Wollast. 135
Pseudomimus Hartm. 149
Pseudopentarthrum Wollast. 116
Pseudophloeophagus Wollast. 143
Pseudostenoscelis Wollast. 194
Pseudotanaos Voß 149
Psilodryophthorus Wollast. 110
Psilosomus Wollast. 148
Psilotrogus Pasc. 159
- Rhamphocolus* Cas. 193
Rhinanisus Broun 123
Rhopalomesites Wollast. 152
Rhyncolosoma Champ. 148
Rhyncolus Germ. 184
Rhyncolus s. str. 186
Rhypax Pasc. 179
- Selocomis* Broun 125
Sericotrogus Wollast. 127
Sphaerocorynes Wollast. 178
Sphodrias Champ. 107
Stenancylus Cas. 177
Stenommatus Wollast. 110
Stenomimus Wollast. 157
Stenomimus s. str. 157
Stenopentarthrum Champ. 128
Stenoscelis Wollast. 193
Stenotis Wollast. 150
Stenotoura Broun 123
Stenotribus Wollast. 155
Stenotrupis Wollast. 128
Stenotylus Mshl. 192
Stereoborus Wollast. 173
Stereocorynes Wollast. 186
Stereoderus Wollast. 173
Stereomimetes Wollast. 173
Stereomimetes Wollast. 173
Stereonotus Faust 174
Stereotribus Wollast. 173
Stilbocara Broun 157
Stilboderma Broun 138
Sycites Champ. 106
Synommatus Wollast. 115
Syntomocerus Wollast. 179

Tanysoma Broun 123
Tapiromimus Wollast. 130
Tarchius Pasc. 143
Tasmanica Lea 137
Temnorhamphus Champ. 121
Tetragoceptus Wollast. 178
Tetragonorhamphus Champ. 177
Tetraspartus Pasc. 113
Tetratemanus Wollast. 114
Thalattodora Perk. 114
Thaumastophasis Wollast. 143
Thaumathomerus Wollast. 131
Togezo Kôno 195
Tomolips Wollast. 192
Torostoma Broun 122
Toura Broun 122
Touropsis Broun 121
Trachyglyphus Broun 134
Trapezirhynchus Champ. 133
Trichacorynus Blatchl. 145
Trypetes Schönh. 108

Tychiodes Wollast. 130
Tychiorhinus Wollast. 130
Tychiosoma Wollast. 131
Tyrpetes Hell. 108
Tytthomimus Champ. 158
Unas Broun 133
Wollastonina Horn 192
Wollastonicis Lea 110
Wollastonella Cock. 192.
Xenocnema Wollast. 191
Xenomimetes Wollast. 179
Xenopus Roel. 195
Xenosomatium Wollast. 117
Xenotrupis Wollast. 178
Xestoderma Wollast. 178
Xestosoma Wollast. 178
Xestophasis Wollast. 160
Zenoteratus Broun 122

Species, Varietates.

abdominale Broun 147
abducens Lec. 195
aberrans Sharp 131
abscissus Boh. 161
abyssinicus Hust. 115
acicula Wollast. (Stenotis) 151
acicula Wollast. (Stenotrup.) 128
Adamsi Wollast. 130
aelosoma Perk. 139
aeneopicea Boh. (Caulotr.) 145
aeneopicea Broun (Seloc.) 125
aenescens Boh. 139
aeneum Champ. 131
aequale Blackb. 139
aequitanus Reitt. 151
affaber Boh. 161
affine Perk. (Ood.) 139
affine Wollast. (Pentarthr.) 118
affinis Faust (Eutorn.) 176
affinis Wollast. (Eucoptod.) 150
affinis Wollast. (Pentatemn.) 136
affinis Wollast. (Rhyncol.) 189
affinis Wollast. (Stereob.) 173
afonus Mshl. 170
africanus Boh. (Cosson.) 161
africanus Faust (Hyponot.) 172
africanus Wollast. (Mesoxen.) 134
akbesianus Desbr. 152
Albertisi Pasc. 161
aldabranum Champ. 147
algarum Pasc. 110
Alluaudi Hust. (Cosson.) 161
Alluaudi Hust. (Dryophth.) 111
alpinum Hust. 118

alutaceicollis Wollast. 194
amaniensis Hartm. 161
ambiguus Boh. 161
americanus Bed. 111
amicum Broun 118
amitinus Voß 149
ammodytes Pasc. 110
ammophilus Lea 131
amplus Broun 176
anamalainus Mshl. 176
andalusicus Dieck 135
angolensis Wollast. 146
angularis Lec. 187
angustatus Boh. (Rhyncol.) 187
angustatus Hust. (Stenom.) 157
angusticollis Reitt. (Rhynco.) 187
angusticollis Wollast. (Phloeoph.) 116
angustifrons Voß (Pseudotan.) 149
angustifrons Wollast. (Homalotr.) 159
angustior Pic 151
angustissimum Wollast. 118
angustulum Champ. (Pseudopent.) 117
angustulum Wollast. (Phloeph.) 147
angustum Blackb. (Oodem.) 139
angustum Broun (Tanys.) 123
angustus Fairm. (Rhyncol.) 188
angustus Wollast. (Acanth.) 132
anonus Blatchl. 117
antennale Broun (Euophr.) 121

- antennalis Broun (Eucoss.) 127
 antennalis Faust (Eutorn.) 176
 anxius Pasc. 161
 apicale Broun (Torost.) 122
 apicalis Blackb. (Dolichot.) 194
 apicalis Voß (Mimus) 149
 apionoides Horn (Phloeoph.) 143
 apionoides Perk. (Oudem.) 139
 apionoides Wollast. (Chalcotr.) 160
Appenhauseni Uyttbg. 189
 aquitanus Fairm. 151
 arctatus Pasc. 159
 arcuatus Er. 161
 areatus Kirsch 161
 arenarius Wollast. 136
 argutus Faust 161
 armaticollis Mshl. 111
 armatus Boh. (Acanthom.) 132
 armatus Champ. (Stenom.) 157
 armatus Wollast. (Gleoxen.) 156
 asperatus Wollast. (Acanthom.) 132
asperatus Wollast. (Tomolips) 192
 asperellum Broun 121
 asperirostris Broun 133
 asperum Mshl. 144
 assimilatum Broun 118
assimilis Gah. 111
 asteriperda Wollast. 194
 ater Champ. (Phloeophag.) 116
 ater L. (Eremot.) 179
 ater Motsch. (Rhyncol.) 187
 aterrimus Champ. (Cosson.) 161
 aterrimus Wollast. (Isot.) 136
 atomus Fairm. (Dryophth.) 111
 atomus Hust. (Stenom.) 157
 atratum Wollast. 147
 atrolucens Cas. 117
 atrum Wollast. 178
 attalae Champ. 107
 attenuatum Wollast. 174
 aurantiaca Broun 122
 aureopilosus Fairm. 150
 auricomus Broun 127
 auripilum Broun 118
Australiae Lea 192
 australis Wollast. 174
 badius Broun 125
 bagoides Pasc. 113
 bartatus Wollast. 173
 basalis Pasc. (Cosson.) 161
 basalis Wollast. (Catolethr.) 154
 basalis Wollast. (Exonot.) 156
 basicornis Voß 149
 Batesi Wollast. 158
 Beccarii Pasc. 116
 bellus Broun 130
 Bewickianus Wollast. 135
 bicalcaratus Wollast. 192
 bicaudatus Wollast. 132
 bicolor Champ. (Cosson.) 161
 bicolor Lea (Hoplocosson.) 172
 biformis Champ. 128
 bifoveatus Champ. 161
 bifurcatus Wollast. 136
 bigeminatus Champ. 161
 biimpressus Broun 126
 bilineatus Pasc. 159
 bimaculatus Faust (Cosson.) 161
 bimaculatus Hust. (Hoplorrh.) 107
 binodifrons Mshl. 173
 binodosus Mshl. 162
 bipunctatus Blanch. 162
 bisectus Wollast. 132
 biseriatus Faust 162
bispinulata Roel. 156
 bisulcatus Champ. 162
 bituberculatus F. 111
 bivittatus Champ. 162
 Blackburni Charp. 118
Bohemani Horn 170
Bonnairei Fairm. 135
 Borrei Blackb. 139
 brachypus Wollast. 156
 brachyrhinus Montr. 187
 Braunsi Wasm. 116
 Brenskei Reitt. 141
 brenthoides Pasc. 114
 breviceps Broun (Eutorn.) 176
 breviceps Mshl. (Dryotrib.) 114
 brevicorne Broun (Pentarthr.) 118
 brevicornis Wollast. (Rhyncol.) 185
 brevinasis Voß (Eremot.) 180
 brevinasus Hartm. (Cosson.) 162
 brevipennis Perk. 112
 brevirostre Champ. (Pseudopent.) 117
 brevirostre Sharp (Pentarthr.) 118
 brevirostris Blatchl. (Pentarthr.) 117
brevirostris Chevr. (Choerorrhin.) 116
 brevirostris Lea (Stereob.) 173
 brevis Boh. (Stenosc.) 193
 brevis Voß (Dryop.) 112
 breviscapum Perk. 139
 brevitarsis Wollast. 156
 breviusculum Chaillép. 144
 Brouni Wollast. 133
 brunneum Broun (Pentarthr.) 118
 brunneum Perk. (Oudem.) 139
 brunneus Blatchl. (Trichacor.) 145

brunneus Mannh. (*Rhyncol.*) 187
bryani Swezey 127
bulbirostris Perty 163
Burgeoni Hust. (*Pseudomes.*) 155
Burgeoni Hust. (*Rhyncol.*) 187

caesus Er. 162
calandraeforme Wollast. 148
calandrodes Dej. 108
calcarata Wollast. (*Lipomm.*) 137
calcarius Wollast. (*Microxyl.*) 192
californicus Motsch. (*Cosson.*) 169
californicus VDyke (*Pselact.*) 143
californicus Wollast. (*Rhyncol.*) 187
caliginosa Champ. 128
callithrix Perk. 128
calvus Wollast. 187
camerunus Hell. 162
canadensis VDyke 143
canaliculatum Wollast. (*Pentarthr.*) 121
canaliculatus F. (*Cosson.*) 162
canaliculatus F. (*Cosson.*) 166
canaliculatus Wollast. (*Pentam.*) 178
canarensis Faust 162
cancellatus Mshl. 114
canus Phil. 162
capense Péring. 118
capitulus Wollast. 185
capitatus Wollast. 154
carinatus Blatchl. 187
carinensis Faust 162
carinicollis Fährs. 162
carinifer Broun (*Allaorus*) 129
carinifer Champ. (*Cosson.*) 162
carinirostre Mshl. 147
Carmichaeli Waterh. 118
castaneipennis Boh. 162
castaneum Voß (*Pentarthr.*) 118
castaneus Blanch. (*Cosson.*) 162
castaneus Hust. (*Amas.*) 194
Castelnaui Lea 159
castus Broun 126
catolethroides Champ. 162
caucasicus Hochh. 181
caudatum Champ. 117
caulium Wollast. 187
cavirostris Champ. 162
cearensis Lesne 167
celebensis Schauf. 118
cephalotes Faust (*Erem.*) 183
cephalotes Sharp (*Zenot.*) 122
cervicalis Mshl. 174
Cheesemani Broun 123
Chevrolati Wollast. (*Acanth.*) 132

Chevrolati Wollast. (*Caulotr.*) 145
chirindensis Mshl. 162
chiriquensis Champ. 177
chloropus F. 180
chrysodorum Perk. 140
circumfusus Champ. 162
clavigera Champ. 157
Clermonti Desbr. 135
cocosensis Champ. 112
coecus Broun (*Idus*) 134
coecus Wollast. (*Halorhynch.*) 136
coeloderes Chevr. 162
coffeaee Mshl. 144
cognatus Faust 162
Colomboi Cas. 177
coloratus Broun (*Agastegn.*) 126
coloratus Olliff (*Cosson.*) 162
comata Broun 123
complanatus Mshl. (*Cosson.*) 162
complanatus Wollast. (*Mesit.*) 152
compositarum Wollast. 194
compressicollis Champ. 155
compressus Wollast. 185
comptus Broun 127
concininus Boh. (*Cosson.*) 166
concininus Broun (*Agastegn.*) 126
concolor Wollast. 160
confertus Sharp. 123
confine Broun 121
confluens Wollast. 115
confluum Champ. 144
congener Wollast. (*Eutorn.*) 176
congener Wollast. (*Notiosom.*) 174
congoanum Hust. (*Pentarthr.*) 118
congoanus Hust. (*Erem.*) 180
congruens Faust (*Heteroph.*) 160
congruens Pasc. (*Xenotrup.*) 178
conicicephala Champ. 128
conicicolle Champ. 147
conicirostris Rosensch. 154
conicollis Broun (*Camptosc.*) 124
conicollis Wollast. (*Acanthom.*) 132
conicollis Wollast. (*Caulotr.*) 145
conicum Lec. 144
constricticollis Broun 157
constrictus Broun (*Eucosson.*) 127
constrictus Reitt. (*Amaurorrh.*) 135
constrictus Sharp. (*Rhinanis.*) 123
contiguus Broun 124
continuus Champ. 158
convexicollis Boh. 162

- convexirostris* Champ. 162
convexuscula Champ. (Stenotrup.) 128
convexusculus Boh. (Cosson.) 163
cotorhinus Lea 163
Coquereli Fairm. (Amaurorrh.) 135
Coquereli Fairm. (Cosson.) 163
Cordillerae Champ. 138
corpulentus Hartm. 149
corrosus Champ. 184
corticalis Boh. (Stenon.) 158
corticalis F. (Cosson.) 163
corticalis Faust (Homoeop.) 108
corticalis Payk. (Dryophth.) 112
corticalis Say (Dryophth.) 111
corticis Perk. (Oodem.) 140
corticola Say (Cosson.) 163
corvinum Wollast. (Phloeophag.) 147
corvinus Hartm. (Cosson.) 163
cossonoides Motsch. (Rhyncol.) 187
cossonoides Wollast. (Lampochr.) 131
costatipenne Champ. 138
costatum Perk. (Oodem.) 140
costatus Champ. (Cauloph.) 191
costatus Pasc. (Dexipeus) 115
costatus Wollast. (Psilodryophth.) 110
costipenne Wollast. 178
crassa Wollast. 194
crassellum Broun 121
crassicornis Blackb. (Oodem.) 140
crassicornis Brull. (Erem.) 180
crassicornis Peyerimh. (Amaurorrh.) 134, 135
crassicornis Wollast. (Stereomim.) 173
crassifrons Wollast. (Stenosco.) 193
crassifrons Wollast. (Stenotr.) 128
crassipes Broun (Procon.) 133
crassipes Wollast. (Stenotrup.) 128
crassirostre Voß (Pentarhr.) 118
crassirostris Duf. (Eremot.) 184
crassirostris Perr. (Eremot.) 181
crassirostris Wollast. (Brachysc.) 146
crassirostris Wollast. (Eremot.) 183
crassirostris Wollast. (Pachytrog.) 173
crassitarsus Wollast. 175
crassiusculus Fairm. (Amaurorrh.) 135
crassiusculus Wollast. (Macro-rhync.) 175
crassus Sharp 112
crenata Broun (Adel) 123
crenatus Boisd. (Dryophth.) 112
crenatus Broun (Macroscyt.) 125
crenatus Fairm. (Mesarhin.) 148
crenatus Faust (Eutorn.) 176
crenulatus Horn (Cosson.) 163
cribratus Baudi (Eremot.) 184
cribratus Fairm. (Mesites) 152
criripennis Desbr. (Mesites) 152
criripennis Graëlls (Rhyncol.) 185
cribrorus Champ. (Microm.) 158
crispus Champ. (Hoplorrh.) 107
Cubae Boh. 163
cubanus Champ. 105
cucullata Wollast. 146
culinaris Germ. 185
cuneipennis Aubé 138
cunipes Boh. 152
cupreum Perk. 140
curtiostre Voß 144
curtus Hust. 112
curvirostre Wollast. 147
cylindrica Wollast. 177
cylindricollis Hust. (Rhyncol.) 188
cylindricollis Wollast. (Rhyncol.) 187
cylindricum Wollast. (Pentarhr.) 119
cylindricus Boh. (Rhyncol.) 187
cylindricus Broun (Eutorn.) 176
cylindricus Sahlg. (Cosson.) 163
cylindricus Sharp (Heteramph.) 146
cylindricus Wollast. (Acanthom.) 182
cylindricus Wollast. (Conarthr.) 175
cylindricus Wollast. (Lyprod.) 116
cylindripennis Champ. (Cosson.) 164
cylindrirostris Ol. (Rhyncol.) 189
cylindrirostris Thoms. (Rhyncol.) 190
cylindrurus Boh. (Rhyncol.) 187
cylindrurus Reitt. (Rhyncol.) 191
dalmatinus Desbr. 182
debilis Sharp (Stenotrup.) 128
debilis Wollast. (Acanthom.) 132
deceptor Boh. 164
declivis Sharp 112
dehiscens Champ. 158
Delauneyi Hust. 164

- delicatulus* Woll. 131
densicollis Cas. 191
dentipes Mshl. (Cosson.) 164
dentipes Roel. (Xenopus) 195
dentipes Wollast. (Nanus) 107
deplanatus Pic (Micromesit.) 153
deplanatus Rosensch. (Cosson.) 164
depressa Normd. 141
depressicollis Boh. (Cosson.) 164
depressicollis Faust (Stenotrup.) 128
depressifrons Champ. 116
depressus Boh. (Megalocor.) 154
depressus Broun (Macroscyt.) 125
depressus Klug (Arthrotom.) 106
depressus Montr. (Rhyncol.) 188
depressus Wollast. (Aphanocor.) 175
depressus Wollast. (Eucopt.) 151
deserticus Escal. 151
destructor Wollast. 179
Dicksoniae Wollast. 118
dilatatus Cas. 188
dilatipes Perk. 140
dilucidus Voß 150
dilutum Wollast. 147
dimidiatus Wollast. (Acanthom.) 132
dimidiatus Wollast. (Pachystyl.) 178
dimidiatus Wollast. (Pseudo-
cosson.) 156
dimorphus Mshl. 155
dirutus Champ. 157
discalis Broun 127
discors Cas. 188
dispar Broun (Novit.) 133
dispar Mshl. (Stereod.) 173
dispar Voß (Eremot.) 180
disparilis Broun (Eucosson.) 127
disparilis Pasc. (Orthotemn.) 175
dissimile Broun (Pentarthr.) 119
dissimilis Blatchl. (Pentarthri-
nus) 117
dissimilis Voß (Proœces) 155
distinctus Broun 126
distinguenda Fairm. (Stenotrup.) 128
distinguendus Perk. (Dryophth.) 113
diura Pasc. 114
diversus Broun 122
Doria Faust 174
dorsalis Lec. 188
dorytomoides Hust. 153
dubiosum Perk. 140
dubitans Broun 121
dubium Gah. (Rhyncoles.) 148
dubius Horn (Stenom.) 158
dubius Wollast. (Eutorn.) 176
Dufaui Hust. (Catolethr.) 154
Dufaui Hust. (Cosson.) 164
Dufaui Hust. (Rhyncol.) 188
Dufaui Hust. (Stenomim.) 157
dumetorum Champ. 129
duplicatus Champ. 164
ebeninus Boh. (Rhyncol.) 188
ebeninus Champ. (Catolethr.) 154
ebenus Hust. 166
ecarinatus Champ. 113
echinus Cas. 105
elaeides Mshl. 129
elegans Broun 127
ellipticollis VDyke 164
ellipticus Wollast. 132
elongaticeps Hust. 164
elongatus F. (Cosson.) 162
elongatus Hust. (Micromim.) 159
elongatum Pasc. (Oxydema) 174
elongatus Broun (Rhinanis.) 124
elongatus Gyll. (Eremot.) 181
elumbis Boh. 188
encaustes Boh. (Eremot.) 183
encaustes Champ. (Acampt.) 105
encaustes Fairm. (Cosson.) 164
enigmaticus Hust. 164
ephippiger Boh. 164
erosus Wollast. 193
errans Lec. 144
erro Pasc. (Heteroph.) 160
erro Perk. (Oodem.) 140
erythrurus Chevr. 107
euphorbiae Wollast. 152
euphorbiarum Wollast. 146
euryaspis Champ. 164
evanescens Champ. 164
exaratus Boh. (Cosson.) 164
exaratus Gmel. (Eremot.) 180
excavatus Boh. (Dryophth.) 113
excavatus Pasc. (Cosson.) 165
excavatus Wollast. (Calicyph.) 185
exiguus Boh. 185
exilis Broun (Stenotoura) 123
exilis Pasc. (Coptus) 177
exilis Pasc. (Stenotrup.) 129
exsculptum Voß 144
extensus Pasc. 159
fallax Boh. (Catolethr.) 155
fallax Boh. (Rhyncol.) 188
Falli Champ. 165
fasciolatus Fairm. 172
femoralis Broun 126
ferrugineum Broun (Pentarthr.) 119
ferruginens Boh. (Rhyncol.) 188
ferrugineus Broun (Pselact.) 143

- ferrugineus* Clairv. (Cosson.) 169
ferrugineus Waltl (Rhyncol.) 185
ferrugineus Wollast. (Eutorn.) 176
ferrugineus Wollast. (Hexacopt.) 177
ferruginipes Hust. 117
ficus Mshl. (Cosson.) 165
ficus Mshl. (Phloeophagos.) 147
filicum Perk. (Heteramph.) 146
filicum Wollast. (Pentarthrod.) 118
filiformis Boh. (Rhyncol.) 188
filiformis Champ. (Orthotemn.) 175
filiformis Hust. (Cosson.) 165
filiformis Hust. (Stenom.) 157
filirostris Champ. 157
filum Champ. (Stenotrup.) 129
filum Chevr. (Rhyncol.) 188
filum Fairm. (Proëces) 155
filum Mshl. (Leurost.) 129
filum Muls. & Rey (Eremot.) 183
fissifrons Wollast. 173
flavicornis Voß 155
flavovittatus Champ. 165
flexirostre Perk. 140
Forestieri Perroud 113
fortipes Fairm. 165
fossatus Boh. 165
fossicollis VDyke 165
foevatus Boh. (Cosson.) 165
foveatus Sharp (Heteramph.) 146
foveiceps Lea 119
foveicollis Faust (Cosson.) 165
foveicollis Voß (Pseudomim.) 149
foveifrons Champ. 116
foveiventre Lea 119
fragilis Wollast. 131
frater Perk. 146
fraternum Blatchl. 117
fraudiger Faust 165
fraudulentus Kolbe 165
Frenchi Lea 165
fretus Faust 149
frigidus Hust. 153
frontalis Broun 125
fronto Faust 174
Fryi Wollast. (Stenomim.) 157
Fryi Wollast. (Stenommat.) 110
Fultoni Broun 119
fulva Broun 122
fulvicornis Broun 124
fulvipennis Pasc. 160
fulvolimbatus Champ. 164
fulvus Hust. 159
fumosus Pasc. 115
fuscescens Perk. 113
fuscicollis Broun (Eutassa) 123
fuscicollis Mshl. (Rhyncol.) 188
fusiforme Wollast. (Oxydema) 174
fusiformis Wollast. (Mesit.) 153
fusiformis Wollast. (Rhyncol.) 178
fusiformis Wollast. (Xenotrup.) 188
fusiformis Broun (Rhinan.) 124
gedensis Mshl. 193
geniculatus Chevr. 107
genuensis Fairm. 135
gibbipenne Champ. 138
gibbirostris Roel. (Cosson.) 165
gibbirostris Wollast. (Tapirom.) 180
glaber Broun 125
glaberrimum Wollast. 147
glabricollis Boh. 160
glacialis Hust. (Mimus) 149
glacialis Hust. (Pseudomesit.) 153
gracile Boh. (Phloeophag.) 147
gracilicorne Broun 119
graciliforme Perk. 140
gracilirostre Wollast. 131
gracilis Auriv. (Anolethr.) 154
gracilis Broun (Eucossonus) 127
gracilis Broun (Rhinanis.) 124
gracilis Rosh. (Rhyncol.) 188
gracilitarsis Wollast. 194
grande Perk. 140
grandicolle Wollast. (Xestos.) 178
grandicollis Bris. (Rhyncol.) 188
granulosus Wollast. 132
gratus Broun 126
gravidicornis Wollast. 181
gravidus Sharp 113
Grayi Wollast. (Catolethr.) 154
Grayi Wollast. (Pentarthr.) 119
griseus Pasc. 115
gronopiformis Wollast. 115
guadeloupensis Hust. (Cosson.) 165
guadeloupensis Hust. (Dryophth.) 113
guatemalensis Champ. 157
guatemaltecus Champ. 165
Guildingi Fähr. 108
Hackeri Lea 165
haematicus Faust 161
haleakalae Perk. (Heteramph.) 146
haleakalae Perk. (Oodem.) 140
Halli Broun 124
halodorum Perk. 119
halticoides Blackb. 140
Hamiltoni Sloss. 165
hawaiiense Perk. 140
hebes Walck. 148

- Helmsianum* Sharp 134
helopioides Pasc. 110
Hepburni Champ. 166
heros Voß 166
Hervei Allard 119
Hesperus Wollast. 153
Heydeni Faust 181
himalayensis Stebb. 181
hirtellus Sharp 146
hirticolle Mshl. 119
hirtipennis Champ. 124
hispidulus Fairm. 188
hispidus Boh. (Rhyncol.) 188
hispidus Champ. (Nanus) 107
holomelas Montr. 166
homoeorhynchus Perk. 113
Hopffgarteni Stierl. 186
Horni Faust 114
hospest Faust (Stereod.) 174
hospest Perk. (Oxydema) 174
hovanum Hust. (Pentarthr.) 119
hovanus Hust. (Cosson.) 166
hovanus Hust. (Proëces) 155
Hubbardi Schwarz 166
humeralis Mshl. 175
humile Fairm. 119
humilis Ab. 141
Hustachei Csiki 188
Huttoni Wollast. (Microtrib.) 134
Huttoni Wollast. (Pentarthr.) 119
hylastoides Wollast. 194
hyperboreus Hust. 166
hypocrita Hust. 166

ignavus Blackb. (Anotheor.) 150
ignavus Faust (Cosson.) 166
Illigeri Champ. 166
Imerinae Hust. 166
immeritus Fährs. 166
immigrans Perk. 176
impia Wollast. 145
importatum Hust. 117
impressicollis Fairm. (Catolethr.) 154
impressicollis Fairm. (Cosson.) 166
impressifrons Boh. (Cosson.) 166
impressifrons Horn (Cosson.) 166
impressifrons Lea (Cosson.) 163
impressipennis Broun 139
impressum Broun (Pentarthr.) 119
impressus Boh. (Cosson.) 166
impressus Broun (Allaorus) 139
inaequalis Champ. (Calicyf.) 193
inaequalis Wollast. (Tychiorrh.) 130
inarmatus Wollast. 150
incisus Champ. (Phloeophag.) 116
incisus Fourcr. (Eremot.) 180
incisus Pasc. (Cosson.) 166
incisus Wollast. (Stereotrib.) 173
incivilis Fährs. 167
incrassatus Champ. 148
indicator Péring. 119
indicus Roel. 195
indigens Pasc. 167
inductus Pasc. 173
infernum Blackb. 140
I-nitidus Lea 167
insignis Perk. (Dryotrib.) 114
insignis Sharp (Dryophth.) 113
insignoides Perk. 113
insulare Blackb. (Oudem.) 140
insularis Boh. (Cosson.) 167
integricollis Lea 167
integripennis Hell. 114
intermedia Fairm. 129
intermedium Hust. (Pseudopentarthr.) 117
intermedius Hust. (Pseudotan.) 149
interoculare Lea 119
interruptus Pasc. 115
interstitialis Faust (Catolethr.) 154
interstitialis Lea (Stereob.) 173
intrusus Rey 116
inusus Vill. 180
irregularis Champ. (Cosson.) 167
irregularis Lea (Isotrog.) 159

Jansoni Wollast. (Eutorn.) 176
Jansoni Wollast. (Tychoïd.) 130
Jansonianus Wollast. 193

kauaiensis Perk. (Dryophth.) 113
kauaiensis Perk. (Heteramph.) 146
kauaiensis Perk. (Nesot.) 109
Kenya Hust. (Pseudomesit.) 153
Kenya Hust. (Rhyncol.) 188
kivuanus Hust. 188
konanum Perk. 140

lacertosa Wollast. (Caulotrup.) 145
lacertosus Wollast. (Microxylob.) 132
laesicollis Thoms. 167
laevistriatus Hust. 149
laeviusculus Wollast. (Catolethr.) 155
laeviusculus Wollast. (Rhyncol.) 188
Laporteae Lea 173
lateritia Broun 123
laticauda Fairm. 113

- laticollis* Broun 125
latinatus Say 191
latipennis Cas. (*Hormops*) 195
latipennis Champ. (*Cosson.*) 167
latirostris Champ. (*Cosson.*) 167
latirostris Champ. (*Tenmorrh.*) 121
latirostris Hust. (*Stenom.*) 157
latirostris Mshl. (*Heterops.*) 133
latitarsis Thoms. (*Rhyncol.*) 189
latithorax Boh. (*Cosson.*) 167
latiusculus Champ. 177
latus Boh. 167
lauri Gyll. (*Rhyncol.*) 188
lauri Uyttbg. (*Pselact.*) 142
laurineus Wollast. 188
Lawsoni Wollast. 133
laysanensis Fullaw. 140
Lebasi Boh. 165
leiothorax Perk. 140
lethargicus Olliff 172
Lewisii Broun (*Rhinan.*) 124
Lewisii Wollast. (*Heterarthr.*) 175
Lewisianus Wollast. 178
lignarius Gyll. (*Rhyncol.*) 190
lignarius Marsh. (*Rhyncol.*) 189
ligniperda Boh. 167
limbaticollis Mshl. 167
limbatus Champ. 116
linearis Bed. (*Cosson.*) 169
linearis Boh. (*Rhyncol.*) 189
linearis F. (*Cosson.*) 167
linearis Lec. (*Macrancyl.*) 177
linearis Motsch. (*Rhyncol.*) 189
linearis Payk. (*Cosson.*) 164
linearis Schrnk. (*Eremot.*) 180
lineatocollis Champ. 158
lineatus Pase. (*Synomm.*) 115
lineatus Wollast. (*Tychiorh.*) 130
lineifrons Champ. 117
liosomoides Pasc. 110
litoralis Lea (*Conlonia*) 130
littoralis Broun (*Eutornus*) 176
Lizeri Hust. 107
Lobeliae Auriv. (*Cosson.*) 168
Lobeliae Mshl. (*Pseudomes.*) 153
lodoiceicola Champ. 129
longiceps Mshl. 135
longicolle Champ. (*Pentarthr.*) 119
longicollis Boh. (*Rhyncol.*) 187
longicollis Montr. (*Rhyncol.*) 189
longicollis Wollast. (*Stenotrib.*) 155
longicorne Perk. 140
longipennis Champ. (*Microtrup.*) 129
longipennis Pasc. (*Stereod.*) 174
longipes Broun 126
longirostre Perk. (*Oudem.*) 140
longirostris Faust (*Eutorn.*) 176
longirostris Wollast. (*Toura*) 122
longitarsis Wollast. 194
longithorax Hust. 131
longulus Boh. (*Catolethr.*) 154
longulus Boh. (*Pseudol.*) 191
longulus Voß (*Leptodemias.*) 144
Lostiae Fairm. 135
lucifuga Wollast. (*Caulotrup.*) 145
lucifugus Wollast. (*Microxylob.*) 132
lupini VDyke 168
luzonicus Hell. 176
lymexylon F. 112
macer Boh. (*Proëces*) 155
macer Pasc. (*Cosson.*) 168
macilentus Lea 168
Macleayi Lea 174
macrocephalus Broun (*Zenot.*) 122
macrocephalus Champ. (*Pseudo-*
copt.) 151
macrophthalmus Champ. 137
maculosus Fairm. 168
madagascariensis Bovie 106
maderensis Wollast. 152
magdaloides Champ. 107
major Voß (*Cosson.*) 168
major Wollast. (*Notios.*) 174
marcidus Champ. 168
marginalis Boh. (*Cosson.*) 168
marginalis Mshl. (*Rhyncol.*) 189
marinus Horn 193
mativorus Mshl. 192
mauiense Blackb. 140
maurus Wollast. 159
maximus Lea 174
Maynei Hust. 189
melanocephalus Chevr. 107
melanosternum Broun 119
meridianus Csiki 166
meridionalis Hartm. 181
metallicus Hust. 153
mexicanum Champ. (*Pseudopent.*) 117
mexicanus Champ. (*Hoplorrh.*) 107
micraspis Champ. 168
microcephalum Champ. 121
Millingtoni Olliff 119
mimeticus Horn 114
mimoides Voß 153
minima Wollast. (*Pseudostenosc.*) 194
minimus Boh. (*Micromim.*) 159
minor Horn (*Pselact.*) 143
minor Wollast. (*Coptus*) 177
minor Wollast. (*Cosson.*) 163
minuta Lea (*Wollastonie.*) 110

- minutissimus* Wollast. 135
minutum Wollast. (Phloeophag.) 147
modestus Sharp 113
moestus Faust 168
mogadoricus Escal. 151
molokaiense Perk. (Oodem.) 140
molokaiensis Perk. (Heteramph.) 146
monilicornis Wollast. 132
Monzianus Wollast. 135
montanum Perk. (Oodem.) 140
montanus Blackb. (Anoth.) 150
montivagus Champ. 177
morio Wollast. 147
morosa Broun 122
Mortetii Roel. 136
multiforme Perk. 140
multiforus Say 168
Munroi Perk. 109
muricatus Wollast. 193
muriceum Ferg. (Phloeophagos.) 147
muriceus Champ. (Dendroct.) 193
Murrayi Wollast. 168
musae Mshl. 119
muscosus Mshl. 113
myristicae Mshl. 129
myrmecophila Lea 137

nanus Champ. (Stenomm.) 110
nanus Hust. (Dryophth.) 113
narbonnensis Bris. 135
nasalis Boh. (Catolethr.) 155
nasalis Broun (Eucosson.) 127
nasalis Wollast. (Xestophas.) 160
naso Pasc. 174
nasutus Faust 175
natalensis Fährs. 149
naucum Mshl. 119
Neckeri Perk. 140
nefarius Faust 181
nemoralis Champ. 129
nesiotes Perk. (Deinocosson.) 128
nesiotes Perk. (Dryophth.) 113
Newelli Perk. 109
nigrans Broun 133
nigrescens Wollast. 159
nigrifrons Boh. 155
nigripes Reitt. (Rhyncol.) 189
nigripes Wollast. (Catolethrom.) 156
nigrirostris Auriv. 191
nigritulum Cas. 144
nigritus Voß (Neorhyncol.) 150
nigritus Wollast. (Mellarhin.) 148
nigroapicalis Lea 168
nigropiceus Phil. 168
nigrum Wollast. 119
nimius Cas. 189

nitens Horn 117
nitidicollis Champ. 168
nitidipennis Thoms. 181
nitidirostris Broun (Agastegn.) 126
nitidirostris Lea (Cosson.) 168
nitidissimum Perk. 140
nitidula Champ. (Stenotrup.) 129
nitidulus Boh. (Rhyncol.) 189
nitidulus Montr. (Rhyncol.) 189
nitidum Wollast. (Pentarthr.) 119
nitidus Broun (Stenom.) 157
nitidus Phil. (Cosson.) 168
nivicola Blackb. (Oodem.) 140
nivicola Perk. (Heteramph.) 146
nossibianus Hust. 189
novaguineensis Csiki 168
nubilum Broun 120

oahuensis Perk. 113
obesus Wollast. 189
obliteratus Wollast. (Acanthom.) 132
obliteratus Wollast. (Stereob.) 173
oblongior Wollast. 160
oblongum Perk. (Oodem.) 140
oblongus Hust. (Paracampt.) 106
obsoletus Fauv. 174
obscuripennis Pic 135
obscurum Blackb. (Oodem.) 140
obscurum Sharp (Pentarthr.) 120
obscurus Pasc. (Rhypax) 179
obscurus Roel. (Gryporrh.) 194
obscurus Wollast. (Lampochr.) 131
ochreipilis Champ. 157
octoarticulata Lea 130
ocularis Champ. 169
oculatus Wollast. (Coptus) 177
oculatus Wollast. (Microxylob.) 132
oculatus Wollast. (Thaumatoph.) 143
Olindae Blackb. 140
opaca Wollast. (Caulotrup.) 145
opaculum Wollast. (Phloephag.) 147
opus Broun (Pogonorrh.) 109
opus Karsch (Rhyncol.) 189
opus Wollast. (Microxylob.) 132
opus Wollast. (Psilos.) 149
Opazoi Brèth. 120
optimus Broun 153
orchidarum Mshl. 147
oregonensis Horn 189
oreobius Broun 127
orientalis Champ. 157
ornatus Broun 126
orthodoxum Lea 120
oryzae Gyll. 190

- Ottonis* Hell. 108
ovaticeps Champ. 129
ovaticollis Champ. 157
ovatus Broun (*Allaorus*) 139
ovatus Hust. (*Paracamptops.*) 106
ovicollis Broun 127

pachysoma Perk. 140
pacificus Dyke (*Cosson.*) 169
pacificus Wollast. (*Stereod.*) 174
Paganettii Ganglb. 135
pallens Cas. 190
pallidipennis Boh. (*Mesit.*) 151
pallidipennis Perr. (*Mesit.*) 151
pallidipennis Wollast.
 (Heterarthr.) 175
pallidulus Wollast. 156
pallidus Boh. (*Stenomim.*) 157
pallidus Champ. (*Hoplorrh.*) 108
paludicola Perk. 140
palmarum Voß 108
pandanae Champ. 128
pandani Lea 130
papalis Hell. 169
papuanus Faust 169
parallela Champ. (*Stenotrup.*) 129
parallelum Perk. (*Oudem.*) 140
parallelus Wollast. (*Dendroct.*)
 193
parallelepipedus Hbst. 169
parcus Voß 150
parvicollis Cas. (*Pentarthrin.*) 117
parvicollis Champ. (*Cosson.*) 169
parvicornis Sharp 124
parvulum Blatchl. (*Himat.*) 144
parvulus Broun (*Eutorn.*) 176
parvus Wollast. 154
paschale Auriv. 120
Pascoei Wollast. (*Cossonid.*) 130
Pascoei Wollast. (*Psald.*) 110
patagiatus Reitt. 181
pedatum Wollast. (*Phloeophagos.*)
 147
pedatus Broun (*Allaorus*) 139
peles Perk. 113
perfidosus Boh. 169
perlongus Champ. 177
Perroudi Faust 114
persimilis Hust. (*Rhyncol.*) 190
persimilis Hust. (*Stenomim.*) 158
persimilis Wollast. (*Mesit.*) 152
pertusicollis Thoms. 169
peruanus Champ. (*Rhinan.*) 124
peruanus Kirsch (*Cosson.*) 169
phaleroides Pasc. 110
Philpotti Broun 120
phloeophagoides Wollast. 117
piceus Broun (*Unas*) 133
piceus Cas. (*Pentarthrin.*) 117
piceus Steph. (*Pselact.*) 142

piceus Wollast. (*Rhyncol.*) 190
piciclavis Broun 139
pictipes Broun 110
pictonensis Sharp 134
pictus Wollast. 175
pilicauda Champ. 124
pilicornis Champ. 106
piliferus Voß 134
piligera Champ. 129
pilosus Bach (*Pselact.*) 143
pilosus Faust (*Pholidonot.*) 145
pilosus Motsch. (*Cotast.*) 138
pinguis Horn (*Cauloph.*) 191
pinguis Pasc. (*Tarchius*) 143
piniphilus Boh. 169
pinipotens Woll. 183
pinniger Wasm. 116
plagiatus Winkl. 181
planatus Bed. (*Cosson.*) 168
planatus Champ. (*Rhinan.*) 124
planatus Fairm. (*Arthrot.*) 106
planicolle Broun 120
planifrons Champ. 117
planirostris Champ. (*Cosson.*) 170
planirostris Panz. (*Eremot.*) 181
planiusculus Broun (*Camptoscop.*)
 124
planiusculus Hust. (*Eremot.*) 181
planus Champ. 170
platalea Say 170
platynotus Lea 170
platyrrhinus Mshl. 170
plebejus Boh. 190
plexus Broun 127
plurisetosus Champ. 105
politata Champ. (*Stenotrupis*) 129
politissimus Wollast. 159
politus Boh. (*Cosson.*) 170
politus Cas. (*Stenomim.*) 158
politus Pasc. (*Trypet.*) 108
ponderosae VDyke (*Cosson.*) 170
porcatum Sharp (*Euophr.*) 121
porcatus Germ. (*Eremot.*) 183
porosternus Lea 170
orrectus Wollast. 130
Porteri Brèth. 120
posticedilatatus Hust. 131
praeustum Mshl. (*Proëces*) 155
praeustus Boh. (*Rhyncol.*) 190
praeustus Redt. (*Cosson.*) 170
Pritchardiae Perk. 120
procer Boh. (*Rhyncol.*) 190
procerus Gerst. (*Cosson.*) 170
procerus Olliff (*Aphanocor.*) 175
productus Wollast. 154
prolixa Broun (*Stenotoura*) 123
prolixa Sharp (*Stenotrup.*) 129
prolixus Broun (*Agriloch.*) 128
protensus Wollast. 190
protractus Horn 190

- proximum Broun (Pentarthr.) 120
proximum Wollast. (Phloephag.) 148
 proximus Faust. (Cosson.) 170
 proximus Wollast. (Mesit.) 152
 pubescens Champ. (Microhimat.) 144
 pubescens Wollast. (Himat.) 144
 pubipennis Wollast. 153
 pulchrum Perk. 140
 pumilio Fairm. (Catolethr.) 154
 pumilio Wollast. (Micromim.) 159
 pumilus Hust. (Stenomim.) 158
 pumilus Mshl. (Ochron.) 146
 punctata Broun (Tourops.) 121
 punctatellus Boh. 107
 punctatissimum Broun (Euophr.) 122
 punctatissimum Sharp (Pentarthr.) 120
 punctatus Boh. 181
punctatum Broun (Entium) 131
 punctatus Broun (Pselact.) 143
 punctatus Wollast. (Rhyncol.) 190
 puncticeps Champ. (Cosson.) 170
 puncticeps Champ. (Microtrup.) 130
 puncticolle Perk. (Oodem.) 140
 puncticolle Wollast. (Oxyd.) 174
 puncticolle Wollast. (Phloeophag.) 147
puncticollis Boh. (Cosson.) 170
puncticollis Wollast. (Cosson.) 172
 punctifrons Boh. 170
 punctirostre Broun (Pentarthr.) 120
 punctirostris Wollast. (Stereob.) 173
 punctithorax Broun 109
 punctulatissimum Perk. 140
 punctulatus Lea (Rhyncol.) 185
punctulatus Reitt. (Eremot.) 182
 purpurascens Perk. 141
 purulensis Champ. 170
 pusilla Pasc. (Pachyops) 177
 pusillus Sharp (Dryophth.) 113
 pygmaeus Pasc. 146
pyrenaeus Duf. 180
 pyricollis Wollast. 145
 pyriformis Broun 139
 pyrirostris Boh. 170
 quadricollis Champ. (Dryophth.) 113
 quadricollis VDyke (Cosson.) 170
 quaerens Mshl. 170
 quercicola Boh. 192
 quichensis Champ. 158
 Coleopterorum Catalogus 149.
 Raffrayi Péring. 194
 ramulorum Perk. 141
 rarus Broun 125
 reductum Broun (Pentarthr.) 120
 reductus Wollast. (Tetracopt.) 178
 reflexus Boh. (Eremot.) 182
 reflexus Wollast. (Orthotemn.) 175
 regularis Hust. 190
 relicta Cas. 190
 remotus Sharp 125
 repens Cas. 111
 retractilis Wollast. 136
 rhinoides Gyll. 108
 rhyncoliformis Wollast. 178
 rhyncoloides Champ. 158
 rigidus Lec. 105
 robustum Cas. (Pseudopent.) 117
 robustum Perk. (Oodem.) 141
 robustum Voß (Himat.) 144
 robustus Perk. (Anoth.) 150
 robustus Wollast. (Stereob.) 173
 Rodriguezi Waterh. 120
 rostralis Broun 127
 rotundicolle Wollast. (Phloeophag.) 148
 rotundicollis Faust (Cosson.) 170
 rubicola Perk. 141
 rubicundus Champ. 158
 rubidus Broun 192
 rubricatus Champ. 107
 rubronotatus Mshl. 150
 rufa Broun (Novit.) 133
rufescens Auriv. (Cosson.) 166
rufescens Boh. (Cosson.) 165
rufescens Broun (Agastegn.) 126
ruficollis Broun (Agastegn.) 126
ruficollis Wollast. (Gleod.) 156
ruficollis Wollast. (Heteroph.) 160
 ruficornis Broun 120
 rufipennis Lec. (Mesit.) 152
 rufipennis Montr. (Rhyncol.) 190
 rufipes Boh. (Amorphoc.) 149
 rufipes Champ. (Stenomim.) 158
 rufipes Fairm. (Stenotrup.) 120
 rufobasalis Hell. 176
 rufoclavatum Auriv. 120
 rufonotatus Champ. 170
 rufopiceus Broun 192
 rufotestaceus Champ. 158
 rufum Broun (Euophr.) 122
 rufus Boh. (Catolethr.) 154
 rufus Boh. (Cosson.) 170
 rugicolle Champ. 144
 rugipenne Broun (Phloeoph.) 147
 rugipenne Champ. (Himat.) 144
 rugipennis Broun (Agastegn.) 126

- rugiostris* Broun (Trachyglyph.) 134
rugiostris Champ. (Stenom.) 158
rugosipennis Hust. (Arthrot.) 106
rugosipennis Lea (Notios.) 174
rugosum Wollast. (Pentarthr.) 120
rugosus Broun (Allaor.) 139
rugosus Champ. (Cosson.) 170
ruptus Mshl. 125
ruwenzoriensis Hust. 153

sagax Broun 124
samoanus Mshl. 190
sanguineus Broun 124
Sargi Champ. 170
savaiensis Mshl. 175
scabrifrons Wollast. 173
sculptus Schönh. 142
Schönherri Hochh. 190
Schwarzii VDyke 170
scillae Normd. 141
Scotti Champ. 120
scrobicollis Gyll. (Lymant.) 137
scrobicollis Mshl. (Cosson.) 170
scrobiculatostriatus Boh. 171
scrobiculatus Lea (Cosson.) 169
scrobiculatus Wollast. (Pseudomes.) 135
sculpturata Wollast. (Pseudosten.) 194
sculpturatum Blackb. (Oudem.) 141
sculpturatum Broun (Euophor.) 122
sculpturatus Broun (Microtrib.) 134
sculpturatus Waltl (Eremot.) 182
sculpturatus Wollast. (Cauloph.) 191
sculpturatus Wollast. (Microxyl.) 132
sculpturatus Wollast. (Tetramen.) 114
sculptus Gyll. (Pselact.) 142
sculptus Thoms. (Eremot.) 182
scutellaris Broun 139
segnis Faust 171
sejuncta Faust 143
semipolitus Wollast. 160
semiruber Hust. 149
semirufirostris Lea 175
semirufus Boh. 171
senacionis Mshl. 153
serenus Broun 158
seriatus Cas. 136
sericata Champ. (Stenotrup.) 129
sericatus Broun (Agastegn.) 126
sericatus Champ. (Cauloph.) 191

serripes Champ. 107
servulum Broun 122
setiger Sharp 127
setosus Boh. 149
setulosus Motsch. 113
sexspilotus Hust. 108
seychellarum Champ. 120
Sharpiana Wollast. 122
Sheppardi Mshl. 171
Sicardi Hust. 171
sikkimensis Mshl. 182
Silbermanni Boh. 171
silhouettensis Champ. 133
silvestris Kolbe 155
silvicola Champ. 129
similis Wollast. (Acanthom.) 132
similis Wollast. (Rhyncol.) 190
simplex Cas. (Pseudopent.) 117
simplex Mshl. (Oxydema) 174
simplex Wollast. (Stereod.) 174
simplicipes Wollast. 190
Simsoni Lea 171
Simsonis Seidl. 171
simulans Sharp 126
simum Chevr. 184
singularis Hust. 137
sinuaticolle Wollast. 148
solidum Perk. 141
solitarius Perk. 114
sordidus Auriv. 115
spadicea Broun 125
spadix Hbst. 142
spatula Boh. 171
spatula Wollast. 156
speculifrons Wollast. 178
spinipes Wollast. 192
spoliatum Voß 144
spretus Cas. 190
squalida Faust (Chaerod.) 143
squalidus Fairm. (Chaerorrh.) 115
squalidus Sharp (Dryophth.) 113
squama F. 171
squamosus Wollast. (Pholidonot.) 145
squamosus Wollast. (Pholidoph.) 148
stenosoma Blatchl. 194
sternalis Broun 139
stramineus Broun 127
strangulatus Perr. (Eremot.) 182
strangulatus Quedf. (Cosson.) 171
striatipenne Perk. 141
striatum Perk. (Oudem.) 141
striatus Hust. (Stenom.) 158
stricticollis Hell. 176
strigicolle Lea 120
subaenescens Wollast. 127
subareatus Boh. 171
subasperatus Reitt. 184

subcarinatus Champ. 171
 subcaudatum Fairm. 148
 subcoecus Wollast. 135
 subconvexum Wollast.
 (Pentarthr.) 120
 subconvexus Broun (Rhinan.) 124
 subconvexus G. & H. (Pseudo-
 mesox.) 135
 subcostatus Boh. 171
 subcylindricus Champ. (Phloeo-
 phagom.) 116
 subcylindricus Horn (Mesit.) 152
 subfoveolatus Voß 171
 subimpressus Voß 106
 sublaevigatum Wollast. 120
 sublaevipennis Hust. 158
 sublutosum Wollast. 148
 submuricatus Schönh. 184
 subnitida Wollast. 145
 subochraceus Wollast. 130
 subopacum Wollast. (Xestosom.)
 178
 subopacus Champ. (Cosson.) 173
 subpubescens Wollast. 173
 subreflexus Faust 146
 subsericatum Wollast. 120
 subsignatum Mshl. 148
 substrictum Blackb. (Oudem.) 141
 substrictum Blackb. (Oudem.) 140
 subvittatus Motsch. 152
 suffusus Wollast. 178
 sulcatifrons Hust. 172
 sulcapirostris Hust. 172
 sulcicollis Broun 127
 sulcifrons Champ. 111
 sulcipennis Wollast. 190
 sulcirostris Blatchl. (Trichacor.)
 145
 sulcirostris Boh. (Cosson.) 163
 sulcirostris Broun (Rhinan.) 124
 sulcirostris Fairm. (Mesitin.) 156
 sulcirostris Fall (Cosson.) 165
 sulcirostris Thoms. (Rhyncol.)
 189
 suturalis Boh. (Cosson.) 172
 suturalis Broun (Rhinan.) 124
 suturalis Hust. (Stenomim.) 158
 suturalis Motsch. (Mesit.) 152
 suturalis Voß (Pseudotan.) 149
 sylvicola Perk. 146
 syriacus Desbr. 182
 tabellatus Wollast. 159
 taciturnus Motsch. 190
 Takahashii Kôno 195
 talpa Boh. 149
 tananarivense Hust. 120
 tardum Blackb. 141
 Tardyi Curt. 152
 tarsalis Champ. (Stenotrup.) 129

tarsalis Wollast. (Conarthr.) 175
 tectonae Mshl. 144
 tenax Wollast. 143
 tenebrosum Broun (Pentarathr.)
 120
 tenebrosus Voß (Pseudomim.)
 149
 tenellus Klug 172
 tenuiculus Champ. (Choerorrh.)
 115
 tenuiculus Champ. (Rhinanis.)
 124
 tenuis Cas. (Rhamphoc.) 193
 tenuis Champ. (Phloeophagom.)
 116
 tenuis Gemm. (Phloeophagos.)
 147
 tenuitarsis Champ. 105
 terebrans Wollast. (Acanthom.)
 132
 terebrans Wollast. (Caulotrup.)
 145
 teres Pasc. 174
 teretirostris Klug 190
 testaceus Cas. 157
 texanus VDyke 172
 Thomsoni Grill 190
 thoracicum Wollast. (Phloeophago-
 gos.) 147
 thoracicus Boh. (Cosson.) 172
 thoracicus Broun (Agastegn.) 127
 thoracicus Pasc. (Cosson.) 168
 tibiale Wollast. 117
 torridus Boh. 172
 towerensis Mutchl. 121
 transvaalensis Mshl. 172
 trichocerus Montr. 113
 tricuspid Faust 113
 triimpressa Faust 143
 tristis Broun 126
 trituratus Wollast. 132
 trivialis Boh. 190
 troglodytes Boh. 190
 truncorum Germ. (Rhyncol.) 186
 truncorum Steph. (Caulotrup.)
 145
 tuberculata Oke 108
 tuberculifrons Wollast. 173
 tuberculirostris Champ. 177
 tubicollis Mshl. 129
 turbatus Boh. (Rhyncol.) 190
 turbatus Reitt. (Rhyncol.) 188
 Ulkei Horn 186
 umzila Mshl. 172
 uncipes Boh. 138
 uniformis Boh. 107
 Urquharti Broun 139
 usambaricus Hartm. (Mimus) 149
 usambaricus Voß (Rhyncol.) 185

- varia Broun 108
 variabilis Crotch 191
 variipennis Gah. 172
 variolatus Dury 143
 variolosum Wollast. (Himat.) 144
 variolosus Wollast. (Tychiorh.)
 130
 varipes Faust 172
 ventralis Champ. 124
 veraecrucis Champ. 191
 veraepacis Champ. 158
 vermiculatus Wollast. 150
 Verschaffeltiae Champ. 107
 versutus Broun 139
 verticalis Perk. 113
 vestitus Broun (Attarus) 126
 vestitus Péring. (Mesitom.) 194
 vestitus Wollast. (Microxyl.) 132
 vicarius Lea 172
 vicinum Wollast. (Phloeophagos.)
 148
 vicinus Broun (Entorn.) 176
 vicinus Faust (Ochron.) 146
 vicinus Hust. (Stenomim.) 158
 vicinus Wollast. (Conarthr.) 175
 viridipenne Perk. 141
 Vitraci Hust. 172
 vittatus Kirsch 172
 von Maltzani Voß 183
 vulgaris Voß 150
 vulneratus Ill. 162
 Wallacei Wollast. (Microcosson.)
 130
 Wallacei Wollast. (Xestod.) 178
 Westwoodi Chevr. 132
 Whiteheadi Wollast. 132
 Wilderi Perk. 114
 Winkleri Form. 186
 Wollastonii Champ. (Stenom.) 158
 Wollastonii Escal. (Onychol.) 136
 Wollastonii Faust (Macrocord.)
 175
 Wollastonii Roel. (Pentarthr.) 120
 Wollastonii Sharp (Heteramph.)
 146
 Wollastoniana Sharp 129
 xanthorrhoeae Lea 174
 xylophilus Boh. 172
 Zamiae Boh. (Amorph.) 149
 Zamiae Boh. (Porthet.) 154
 zealandicum Broun 121
 zealandicum Wollast. 121
-