

# Improving Marketing Efficiency Using Predictive Analytics

## MSIN0094 Case Study

Dr Wei Miao

October 25, 2023

### 1 Predictive Analytics and Marketing<sup>1</sup>

Marketing research has traditionally focused on causal inference. The focus on causation stems from the need to make counterfactual predictions. For example, will increasing advertising expenditure increase demand? Answering this question requires an unbiased estimate of advertising impact on demand. However, the need to make accurate predictions is also important to marketing practices. For example, which consumers to target, which product configuration a consumer is most likely to choose, which version of a banner advertisement will generate more clicks, and what the market shares and actions of competitors are likely to be. All of these are prediction problems. These problems do not require causation; rather, they require models with high out-of-sample predictive accuracy. Predictive analytics (machine learning, ML) tools can address these types of problems.

Machine learning (ML) refers to the study of methods or algorithms designed to learn the underlying patterns in the data and make predictions based on these patterns. A key characteristic of predictive analytics techniques is their ability to produce accurate out-of-sample predictions. Consider the problem of predicting whether a user will click on an ad. We do not have a comprehensive theory of users' clicking behavior. Predictive analytics methods can automatically learn which of these factors affect user behavior and how they interact with each other, potentially in a highly non-linear fashion, to derive the best functional form that explains user behavior virtually in real time. Predictive analytics methods typically assume a model or structure to learn, but they use a general class of models that can be very rich.

Predictive analytics models can be divided into two groups: supervised learning and unsupervised learning. Supervised learning requires input data that has both predictor (independent) variables and a target (dependent) variable whose value is to be estimated. If the goal of an analysis is to predict the value of some variable (e.g., whether customer responds to our marketing offers; whether customers churn at some point in time), then supervised learning is used.

On the other hand, unsupervised learning does not identify a target (dependent) variable, but rather treats all of the variables equally. In this case, the goal is not to predict the value of a variable, but rather to look for patterns, groupings, or other ways to characterize the data that may lead to an understanding of the way the data interrelate. Cluster analysis is an example of unsupervised learning, which helps data analysts find customer segments based on provided characteristics.

---

<sup>1</sup>This section is heavily borrowed from [Chapter 11 of Handbook of Marketing Analytics](#). For the full article, you can have access via UCL library service.

In this case study, we are going to analyze the same dataset as in “Preliminary Customer Analysis”. Our task is to use predictive analytics tools to help Tesco conduct more effective targeted marketing.

As a quick recap, the variable definitions are as follows:

### Demographic Variables

- ID: Customer’s unique identifier
- Year\_Birth: Customer’s birth year
- Education: Customer’s education level
- Marital\_Status: Customer’s marital status
- Income: Customer’s yearly household income
- Kidhome: Number of children in customer’s household
- Teenhome: Number of teenagers in customer’s household
- Dt\_Customer: Date of customer’s enrollment with the company

### Customer Purchase History Data

- ID: Customer’s unique identifier
- MntWines: Amount spent on wine in last 2 years
- MntFruits: Amount spent on fruits in last 2 years
- MntMeatProducts: Amount spent on meat in last 2 years
- MntFishProducts: Amount spent on fish in last 2 years
- MntSweetProducts: Amount spent on sweets in last 2 years
- NumDealsPurchases: Number of purchases made with a discount
- NumWebPurchases: Number of purchases made through the company’s web site
- NumCatalogPurchases: Number of purchases made using a catalogue
- NumStorePurchases: Number of purchases made directly in stores
- NumWebVisitsMonth: Number of visits to company’s web site in the last month
- Complain: 1 if customer complained in the last 2 years, 0 otherwise
- **Response: 1 if customer accepted the offer in the last campaign, 0 otherwise**
- Recency: Number of days since customer’s last purchase

## 2 Customer Segmentation Using Unsupervised Learning

### 2.1 Marketing Objective

We aim to do customer segmentation based on *total spending* and *income*.

## 2.2 Data Collection

## 2.3 Data Cleaning

First, we need to check missing values and resolve them as the k-means algorithm cannot handle missing values directly.

Second, we need to re-scale the two variables using `scale()`, because the two variables are of very different scales.

## 2.4 Data Analytics

- Run the K-means clustering algorithm using `kmeans()`
- We can examine the structure of the `result_kmeans` using `str()`
- Summarize the model object by printing it
- Visualize the clustering
- Determine the optimal number of clusters using statistical criteria

### Gap Method

### Silhouette method

From both methods, it seems  $K = 2$  is the best choice.

## 2.5 Business Recommendations

Compare the CLV in the two segments, and decide which segment to serve.

As we would like to save marketing costs by sending marketing offers to responsive customers, we need to compute the average response rate for each segment generated by the K-means algorithm

- Generate the customer segment in `data_full`
- Compute the average response rate for each segment

We observe that Segment 1 has a much higher average response rate of more than 20%, so we should send marketing offers to Segment 1 customers.

### 3 Customer Targeting using Supervised Learning Tasks

#### 3.1 Marketing objective

Tesco is looking to promote its new [private-label](#) products to existing customers. The marketing analytics team decides to use the conventional mailing marketing strategy so that customers would receive color-printed leaflets via Royal Mails to their doorsteps.

Each mail costs £1.5 to produce and another £0.5 to mail to the customers. If a customer responds to the offer, the data analytics team expects customers to spend £20 on trying the new products, where the COGS is 60%.

In this case study, we will learn how Tesco can use the power of predictive analytics to greatly improve its marketing efficiency and [return on investment](#). Whether a customer responded to our marketing offer in the last marketing campaign is recorded in the `Response` variable in the dataset.

#### 3.2 Break-Even Analysis for Making Marketing Offers

First, we need to compute the profit margin (the net profit) if a customer responds to the marketing offer and buys from Tesco.

Second, compute the break-even response rate for a customer.

- The cost is the marketing offer we send, `cost_per_offer`
- The benefit is the profit margin if a customer responds, `profit_per_customer`
- In order to break-even, we can calculate the break-even response rate from customers:

Which means, only if a customer responds to us with at least 25% response rate can we recover the costs of making an marketing offer.

#### 3.3 Data collection and cleaning

*Tasks:* Merge the demographic information into purchase history data.

#### 3.4 Data Analytics Using Supervised Machine Learning

Select meaningful features/predictors from `data_full`, named `data_full_small`

- Since `ID` is customer ID only, so should be removed from final data
- Since `Dt_Customer` is a character string, which cannot be directly used in the model, we should also remove it

### Construct a training set and a test set

*Tasks:* randomly divide `data_full` into a training set and a test set

### Train a decision tree

*Tasks:* load the `rpart` and `rpart.plot` packages. Follow the code examples in the lecture notes and try to train a decision tree on `data_training`

### Train a random forest

*Tasks:* load the `ranger` packages. Follow the code examples in the lecture notes and try to train a random forest on `data_training`

## 3.5 Business Recommendations

### Blanket marketing

If Tesco does blanket marketing and sends marketing offers to all 600 customers in the test set, the total marketing costs would be

And the total profits from the blanket marketing would be

Therefore, the **Return on Investment (ROI)** on the marketing offer would be

#### Return on Investment

$\text{ROI} = \text{Net Profits} / \text{Initial Investments}$ , which means the return rate of an investment activity.

- ROI needs to be a positive number in order for the company to make profits from the investment.

A negative ROI from blanket marketing means, the company makes a loss from sending offers to all customers in the test set. The reason is that, not all customers are responsive to our marketing offers. It does Tesco no good from sending offers to those customers who would not respond anyway.

However, if Tesco uses the trained decision tree model to conduct targeted marketing, and **only target those customers who are predicted to be more responsive than the break-even response rate by decision trees**, what would happen to the ROI?

### **Predict response rate from decision tree model**

First, we have already trained the decision tree model, named `decision_tree`, from the training set. We can predict the probability of test set customer responding to our marketing offer, using `predict()`.

*Tasks:* We should only send marketing offers to consumers whose expected or predicted response rate is larger than the break-even response rate. This is called targeted marketing.

Finally, we have decided to send marketing offers to selected responsive customers. We can then compute the ROI for targeted marketing as in the blanket marketing case.

If Tesco uses random forest, an arguably better supervised learning model, to conduct targeted marketing, we can follow a similar logic as above, and compute the ROI from using random forest.

Predictive analytics model can help the company boost the marketing ROI by allowing Tesco to target customers who are more likely to respond to the marketing offers than the break-even response rate. By doing so, Tesco saves unnecessary marketing costs on those unresponsive customers and therefore improves its marketing efficiency.