

Deadlock Free and FCFS Implies Starvation Free

We first formally define *FCFS*.

$$InNCS(p) \triangleq pc[p] = \text{"ncs"}$$

$$Waiting(p) \triangleq pc[p] = \text{"waiting"}$$

$$FCFS \triangleq$$

$$\forall p, q \in Procs :$$

$$\Box (Waiting(p) \wedge InNCS(q) \wedge \Box \neg InCS(p) \Rightarrow \Box \neg InCS(q))$$

We now state and prove the theorem.

Theorem $DeadlockFree \wedge FCFS \Rightarrow StarvationFree$

1. SUFFICES ASSUME: $p \in Procs, FCFS, DeadlockFree$

PROVE: $Trying(p) \wedge \Box \neg InCS(p) \rightsquigarrow \text{FALSE}$

PROOF: By definition of *StarvationFree* and simple temporal logic.

2. $Trying(p) \wedge \Box \neg InCS(p) \rightsquigarrow Waiting(p) \wedge \Box \neg InCS(p)$

PROOF: By fairness for process p .

3. $Waiting(p) \wedge \Box \neg InCS(p) \rightsquigarrow \Box (Waiting(p) \wedge \neg InCS(p))$

PROOF: The algorithm implies that *Waiting(p)* can become false only by making *InCS(p)* true.

4. $\forall q \in Procs \setminus \{p\} : \Box (Waiting(p) \wedge \neg InCS(p)) \rightsquigarrow \Box \neg InCS(q)$

4.1. SUFFICES ASSUME: $q \in Procs, q \neq p, \Box (Waiting(p) \wedge \neg InCS(p))$

PROVE: $\text{TRUE} \rightsquigarrow \Box \neg InCS(q)$

PROOF: By simple temporal reasoning.

4.2. $\text{TRUE} \rightsquigarrow (\Box \Diamond InCS(q)) \vee (\Box \neg InCS(q))$

PROOF: By the temporal logic tautology $\Box \Diamond F \vee \Diamond \Box (\neg F)$.

4.3. $\Box \Diamond InCS(q) \rightsquigarrow InNCS(q)$

PROOF: The algorithm's code and fairness assumption imply $InCS(q) \rightsquigarrow InNCS(q)$.

4.4. $InNCS(q) \Rightarrow \Box \neg InCS(q)$

PROOF: By the step 4.1 assumption, which implies $Waiting(p) \wedge \Box \neg InCS(p)$ and *FCFS*.

4.5. Q.E.D.

PROOF: By 4.2–4.4 and the Leads-To Induction Rule.

5. $Waiting(p) \rightsquigarrow \exists q \in Procs : InCS(q)$

PROOF: By *DeadlockFree* (assumed in 1).

6. Q.E.D.

PROOF: Steps 2–5 and temporal logic yield:

$$\begin{aligned} Trying(p) \wedge \Box \neg InCS(p) &\leadsto \wedge \Box \neg InCS(p) \\ &\wedge \forall q \in Procs \setminus \{p\} : \Box \neg InCS(q) \\ &\wedge \exists q \in Procs : InCS(q) \end{aligned}$$

and the conjunction to the right of the \leadsto equals FALSE.

CLOSE