

Glossary

action (also called **action formula**)

A *formula* containing no temporal operators. It may (and usually does) contain primed variables. Its meaning is an assignment of Boolean values to *steps*.

behavior

A sequence of states.

behavior specification

A temporal formula that describes the possible behaviors of a system.

An initial predicate *Init* and next-state action *Next* are taken to be the behavior specification that is the temporal formula $Init \wedge [Next]_{vars}$, where *vars* is a tuple containing all the system's variables.

expression

A syntactic element of a TLA^+ specification or PlusCal algorithm that can be the right-hand side of a definition.

formula

A Boolean-valued *expression*.

inductive invariant

An inductive invariant of an *action* is a *state predicate* that cannot be true in the first state and false in the second state of any *step* that satisfies the action.

An inductive invariant of a specification is an inductive invariant of the next-state action that is true of every initial state (and hence is an *invariant* of the specification).

invariant

An invariant of a specification is a *state predicate* that is true in every *reachable state* of the specification.

reachable state

A reachable state of a specification is a *state* that occurs in some possible *behavior* of the specification.

specification

Can mean either a *behavior specification* or the collection of modules that define a behavior specification.

state

An assignment of values to variables.

?

←

→

C

I

S

state function (also called **state expression**)

An *expression* containing no action operators or temporal operators. Thus, it contains no primes but may (and usually does) contain unprimed variables. Its meaning is an assignment of values to *states*.

state predicate

A Boolean-valued *state function*. Its meaning is an assignment of Boolean values to *states*. Viewed as a temporal formula, it is true of a behavior iff it is true of the behavior's first state.

?

←

step

A pair of states.

→

C

subaction

An *action* that is a disjunct of the next-state action of a specification.

I

S

temporal formula

A formula that is either a state predicate or contains one or more temporal operators. Its meaning is an assignment of Boolean values to *behaviors*. A