

Wave operator and propagator

Quadratic (free) action

$$\begin{aligned}
S = & \iiint \left(\frac{1}{6} \omega_{\alpha}^{\alpha i} \omega_{\alpha}^{\kappa} (-4 t_3 \omega_{\alpha}^{\alpha i} \omega_{\alpha}^{\kappa} + 6 f^{\alpha \beta} \tau_{\alpha \beta} + 6 \omega^{\alpha \beta \chi} \sigma_{\alpha \beta \chi} + 8 t_3 \omega_{\alpha}^{\kappa} \partial_{\alpha} \partial_{\kappa} f^{\alpha i} - \right. \\
& 8 t_3 \omega_{\alpha}^{\kappa} \partial_{\alpha} \partial_{\kappa} f^{\alpha} + 4 t_3 \partial_{\alpha} f^{\alpha} \partial_{\kappa} \partial_{\alpha} f^{\alpha} - 3 r_3 \partial_{\beta} \omega_{\alpha}^{\beta} \partial_{\theta} \omega_{\alpha}^{\theta} \partial_{\theta} \omega_{\alpha}^{\alpha \beta} - \\
& 3 r_3 \partial_{\beta} \omega_{\alpha}^{\theta} \partial_{\theta} \omega_{\alpha}^{\alpha \beta} - 3 r_3 \partial_{\alpha} \omega^{\alpha \beta i} \partial_{\theta} \omega_{\beta}^{\theta} + \\
& 6 r_3 \partial_{\alpha} \omega^{\alpha \beta} \partial_{\theta} \omega_{\beta}^{\theta} - 3 r_3 \partial_{\alpha} \omega^{\alpha \beta i} \partial_{\theta} \omega_{\beta}^{\theta} + \\
& 6 r_3 \partial_{\alpha} \omega^{\alpha \beta} \partial_{\theta} \omega_{\alpha}^{\beta} + 8 r_2 \partial_{\beta} \omega_{\alpha i \theta} \partial^{\theta} \omega^{\alpha \beta i} - \\
& 4 r_2 \partial_{\beta} \omega_{\alpha \theta i} \partial^{\theta} \omega^{\alpha \beta i} + 4 r_2 \partial_{\beta} \omega_{\theta \alpha} \partial^{\theta} \omega^{\alpha \beta i} - \\
& 24 r_3 \partial_{\beta} \omega_{\theta \alpha} \partial^{\theta} \omega^{\alpha \beta i} - 2 r_2 \partial_{\alpha} \omega_{\alpha \beta \theta} \partial^{\theta} \omega^{\alpha \beta i} + \\
& 2 r_2 \partial_{\theta} \omega_{\alpha \beta i} \partial^{\theta} \omega^{\alpha \beta i} - 4 r_2 \partial_{\theta} \omega_{\alpha i \beta} \partial^{\theta} \omega^{\alpha \beta i} + \\
& 6 r_5 \partial_{\alpha} \omega_{\alpha}^{\kappa} \partial_{\theta} \omega_{\alpha}^{\alpha i} - 6 r_5 \partial_{\theta} \omega_{\alpha}^{\kappa} \partial^{\theta} \omega_{\alpha}^{\alpha i} + \\
& 4 t_3 \partial_{\alpha} \partial_{\kappa} f^{\alpha} \partial_{\alpha}^{\kappa} - 8 t_3 \partial_{\alpha} f^{\alpha} \partial_{\alpha}^{\kappa} \partial_{\kappa} f^{\alpha} - 6 r_5 \partial_{\alpha} \omega^{\alpha i \theta} \partial_{\kappa} \omega_{\alpha}^{\kappa} + \\
& 12 r_5 \partial^{\theta} \omega_{\alpha}^{\alpha i} \partial_{\kappa} \omega_{\alpha}^{\kappa} + 6 r_5 \partial_{\alpha} \omega^{\alpha i \theta} \partial_{\kappa} \omega_{\alpha}^{\kappa} - \\
& \left. 12 r_5 \partial^{\theta} \omega_{\alpha}^{\alpha i} \partial_{\kappa} \omega_{\alpha}^{\kappa} \right) [t, x, y, z] dz dy dx dt
\end{aligned}$$

A diagram showing two vertices (circles) connected by a horizontal green line. Above the green line is a right-pointing arrow with the label k^μ . Each vertex has two external lines extending outwards, for a total of four external lines. Each of these four external lines is labeled with a question mark '?'.

(No massive particles)

$$r_3 < 0 \&\& (r_5 < -\frac{r_3}{2} \parallel r_5 > -2r_3) \parallel r_3 > 0 \&\& -2r_3 < r_5 < -\frac{r_3}{2}$$

$\#_1^1 + \alpha\beta$	$\omega_{1^1 + \alpha\beta}^{\#1}$	$\omega_{1^1 + \alpha\beta}^{\#2}$	$f_{1^1 + \alpha\beta}^{\#1}$	$\omega_{1^1 - \alpha}^{\#1}$	$\omega_{1^1 - \alpha}^{\#2}$	$f_{1^1 - \alpha}^{\#1}$	$f_{1^1 - \alpha}^{\#2}$
$\#_1^1 + \alpha\beta$	$k^2 (2r_3 + r_5)$	0	0	0	0	0	0
$\#_1^2 + \alpha\beta$	0	0	0	0	0	0	0
$\#_1^1 + \alpha\beta$	0	0	0	0	0	0	0
$\#_1^1 + \alpha$	0	0	0	$k^2 (\frac{r_3}{2} + r_5) + \frac{2t_3}{3}$	$-\frac{\sqrt{2}t_3}{3}$	0	$-\frac{2}{3} i k t_3$
$\#_1^2 + \alpha$	0	0	0	$-\frac{\sqrt{2}t_3}{3}$	$\frac{t_3}{3}$	0	$\frac{1}{3} i \sqrt{2} k t_3$
$\#_1^1 + \alpha$	0	0	0	0	0	0	0
$\#_1^2 + \alpha$	0	0	0	$\frac{2 i k t_3}{3}$	$-\frac{1}{3} i \sqrt{2} k t_3$	0	$\frac{2 k^2 t_3}{3}$

$$\begin{array}{c}
\begin{array}{ccc}
\omega_{2^+ \alpha\beta}^{\#1} & f_{2^+ \alpha\beta}^{\#1} & \omega_{2^- \alpha\beta\chi}^{\#1} \\
\omega_{2^+}^{\#1} \dagger \alpha\beta & -\frac{3k^2 r_3}{2} & 0 & 0 \\
f_{2^+}^{\#1} \dagger \alpha\beta & 0 & 0 & 0 \\
\omega_{2^-}^{\#1} \dagger \alpha\beta\chi & 0 & 0 & 0
\end{array} \\
\begin{array}{ccc}
\sigma_0^{\#1} & \tau_0^{\#1} & \tau_{0^+}^{\#2} & \sigma_0^{\#1} \\
\sigma_0^{\#1} \dagger & \frac{1}{(1+2k^2)^2 t_3} & -\frac{i\sqrt{2}k}{(1+2k^2)^2 t_3} & 0 & 0 \\
\tau_0^{\#1} \dagger & \frac{i\sqrt{2}k}{(1+2k^2)^2 t_3} & \frac{2k^2}{(1+2k^2)^2 t_3} & 0 & 0 \\
\tau_{0^+}^{\#2} \dagger & 0 & 0 & 0 & 0 \\
\sigma_0^{\#1} \dagger & 0 & 0 & 0 & \frac{1}{k^2 r_2}
\end{array}
\end{array}
\begin{array}{c}
\sigma_{2^+}^{\#1} \dagger \alpha\beta \quad \tau_{2^+}^{\#1} \dagger \alpha\beta \quad \sigma_{2^-}^{\#1} \dagger \alpha\beta\chi \\
\begin{array}{ccc}
-\frac{2}{3k^2 r_3} & 0 & 0 \\
0 & 0 & 0 \\
0 & 0 & 0
\end{array} \\
\begin{array}{ccc}
f_0^{\#2} \omega_0^{\#1} & f_0^{\#2} & f_0^{\#1} \omega_0^{\#1} \\
\begin{array}{ccc}
0 & 0 & 0 \\
0 & 0 & 0 \\
-i\sqrt{2}kt_3 & 2k^2 t_3 & 0 \\
t_3 & i\sqrt{2}kt_3 & 0
\end{array} & \begin{array}{ccc}
0 & 0 & 0 \\
0 & 0 & 0 \\
0 & 0 & 0 \\
0 & 0 & 0
\end{array} & \begin{array}{ccc}
k^2 r_2 & 0 & 0 \\
0 & 0 & 0 \\
0 & 0 & 0 \\
0 & 0 & 0
\end{array}
\end{array}
\end{array}$$