

PSALTer results panel

$$S = \iiint \left(\frac{1}{6} \left(2 t_{\dot{1}} \mathcal{A}^{\alpha'}_{\alpha} \mathcal{A}_{,\theta}^{\theta} + 6 \mathcal{A}^{\alpha\beta\chi} \sigma_{\alpha\beta\chi} + 6 f^{\alpha\beta} \tau (\Delta + \mathcal{K})_{\alpha\beta} - 4 t_{\dot{1}} \mathcal{A}_{\alpha}^{\theta} \partial_{\dot{1}} f^{\alpha'} - 6 r_{\dot{1}} \partial_{\beta} \mathcal{A}_{,\theta}^{\theta} \partial' \mathcal{A}^{\alpha\beta}_{\alpha} + 6 r_{\dot{1}} \partial_{\dot{1}} \mathcal{A}_{\beta}^{\theta} \partial' \mathcal{A}^{\alpha\beta}_{\alpha} + \right. \right. \\ \left. \left. 4 t_{\dot{1}} \mathcal{A}_{,\theta}^{\theta} \partial' f^{\alpha}_{\alpha} - 2 t_{\dot{1}} \partial_{\dot{1}} f^{\theta}_{\theta} \partial' f^{\alpha}_{\alpha} + 6 r_{\dot{1}} \partial_{\alpha} \mathcal{A}^{\alpha\beta'} \partial_{\theta} \mathcal{A}_{\beta}^{\theta} - 12 r_{\dot{1}} \partial' \mathcal{A}^{\alpha\beta}_{\alpha} \partial_{\theta} \mathcal{A}_{\beta}^{\theta} - 6 r_{\dot{1}} \partial_{\alpha} \mathcal{A}^{\alpha\beta'} \partial_{\theta} \mathcal{A}_{,\beta}^{\theta} + \right. \right. \\ \left. \left. 12 r_{\dot{1}} \partial' \mathcal{A}^{\alpha\beta}_{\alpha} \partial_{\theta} \mathcal{A}_{,\beta}^{\theta} - 2 t_{\dot{1}} \partial_{\dot{1}} f^{\alpha'} \partial_{\theta} f^{\theta}_{\alpha} + 4 t_{\dot{1}} \partial' f^{\alpha}_{\alpha} \partial_{\theta} f^{\theta}_{\alpha} - 8 r_{\dot{1}} \partial_{\beta} \mathcal{A}_{\alpha\theta} \partial^{\theta} \mathcal{A}^{\alpha\beta'} + 4 r_{\dot{1}} \partial_{\beta} \mathcal{A}_{\alpha\theta} \partial^{\theta} \mathcal{A}^{\alpha\beta'} - 16 r_{\dot{1}} \partial_{\beta} \mathcal{A}_{,\theta\alpha} \right. \right. \\ \left. \left. \partial^{\theta} \mathcal{A}^{\alpha\beta'} - 4 r_{\dot{1}} \partial_{\dot{1}} \mathcal{A}_{\alpha\beta\theta} \partial^{\theta} \mathcal{A}^{\alpha\beta'} + 4 r_{\dot{1}} \partial_{\theta} \mathcal{A}_{\alpha\beta} \partial^{\theta} \mathcal{A}^{\alpha\beta'} + 4 r_{\dot{1}} \partial_{\theta} \mathcal{A}_{\alpha\beta} \partial^{\theta} \mathcal{A}^{\alpha\beta'} - 6 t_{\dot{1}} \partial_{\alpha} f_{,\theta} \partial^{\theta} f^{\alpha'} - 3 t_{\dot{1}} \partial_{\alpha} f_{\theta} \partial^{\theta} f^{\alpha'} + \right. \right. \\ \left. \left. 3 t_{\dot{1}} \partial_{\dot{1}} f_{\alpha\theta} \partial^{\theta} f^{\alpha'} + 3 t_{\dot{1}} \partial_{\theta} f_{\alpha\dot{1}} \partial^{\theta} f^{\alpha'} + 3 t_{\dot{1}} \partial_{\theta} f_{,\alpha} \partial^{\theta} f^{\alpha'} + 6 t_{\dot{1}} \mathcal{A}_{\alpha\theta\dot{1}} \left(\mathcal{A}^{\alpha'}{}^{\theta} + 2 \partial^{\theta} f^{\alpha'} \right) \right) \right] [t, x, y, z] dz dy dx dt$$

Wave operator

$\overset{0}{\mathcal{A}}^{\parallel}$	$\overset{0}{\mathcal{A}}^{\perp}$	$\overset{0}{f}^{\perp}$	$\overset{0}{\mathcal{A}}^{\parallel}$
$\overset{0}{\mathcal{A}}^{\parallel} \uparrow$	0	0	0
$\overset{0}{\mathcal{A}}^{\perp} \uparrow$	0	0	0
$\overset{0}{f}^{\perp} \uparrow$	0	0	0
$\overset{0}{\mathcal{A}}^{\parallel} \uparrow$	0	0	0
$\overset{1}{\mathcal{A}}^{\parallel} \uparrow^{\alpha\beta}$	$k^2 r_{\dot{1}} - \frac{t_{\dot{1}}}{2}$	$-\frac{t_{\dot{1}}}{\sqrt{2}}$	$-\frac{i k t_{\dot{1}}}{\sqrt{2}}$
$\overset{1}{\mathcal{A}}^{\perp} \uparrow^{\alpha\beta}$	$-\frac{t_{\dot{1}}}{\sqrt{2}}$	0	0
$\overset{1}{f}^{\perp} \uparrow^{\alpha\beta}$	$\frac{i k t_{\dot{1}}}{\sqrt{2}}$	0	0
$\overset{1}{\mathcal{A}}^{\parallel} \uparrow^{\alpha}$	0	0	0
$\overset{1}{\mathcal{A}}^{\perp} \uparrow^{\alpha}$	0	0	0
$\overset{1}{f}^{\perp} \uparrow^{\alpha}$	0	0	0
$\overset{1}{f}^{\perp} \uparrow^{\alpha}$	0	0	0
$\overset{2}{\mathcal{A}}^{\parallel} \uparrow^{\alpha\beta}$	$\frac{t_{\dot{1}}}{6}$	$\frac{t_{\dot{1}}}{3\sqrt{2}}$	0
$\overset{2}{\mathcal{A}}^{\perp} \uparrow^{\alpha}$	$\frac{t_{\dot{1}}}{3\sqrt{2}}$	$\frac{t_{\dot{1}}}{3}$	$\frac{1}{3} i \sqrt{2} k t_{\dot{1}}$
$\overset{2}{f}^{\perp} \uparrow^{\alpha}$	0	0	0
$\overset{2}{\mathcal{A}}^{\parallel} \uparrow^{\alpha\beta\chi}$	$-\frac{1}{3} i k t_{\dot{1}}$	$-\frac{1}{3} i \sqrt{2} k t_{\dot{1}}$	0
$\overset{2}{\mathcal{A}}^{\parallel} \uparrow^{\alpha\beta}$	$\frac{t_{\dot{1}}}{2}$	$-\frac{i k t_{\dot{1}}}{\sqrt{2}}$	0
$\overset{2}{f}^{\perp} \uparrow^{\alpha\beta}$	$\frac{i k t_{\dot{1}}}{\sqrt{2}}$	$k^2 t_{\dot{1}}$	0
$\overset{2}{\mathcal{A}}^{\parallel} \uparrow^{\alpha\beta\chi}$	0	0	$k^2 r_{\dot{1}} + \frac{t_{\dot{1}}}{2}$


Saturated propagator

$\overset{0}{\sigma}^{\parallel}$	$\overset{0}{\tau}^{\parallel}$	$\overset{0}{\tau}^{\perp}$	$\overset{0}{\sigma}^{\parallel}$
$\overset{0}{\sigma}^{\parallel} \uparrow$	0	0	0
$\overset{0}{\tau}^{\parallel} \uparrow$	0	0	0
$\overset{0}{\tau}^{\perp} \uparrow$	0	0	0
$\overset{0}{\sigma}^{\parallel} \uparrow$	0	0	0
$\overset{1}{\sigma}^{\parallel} \uparrow^{\alpha\beta}$	0	$-\frac{\sqrt{2}}{t_{\dot{1}} + k^2 t_{\dot{1}}}$	$-\frac{i \sqrt{2} k}{t_{\dot{1}} + k^2 t_{\dot{1}}}$
$\overset{1}{\sigma}^{\perp} \uparrow^{\alpha\beta}$	$-\frac{\sqrt{2}}{t_{\dot{1}} + k^2 t_{\dot{1}}}$	$-\frac{2 k^2 r_{\dot{1}} + t_{\dot{1}}}{(1 + k^2)^2 t_{\dot{1}}^2}$	$-\frac{i (2 k^3 r_{\dot{1}} - k t_{\dot{1}})}{(1 + k^2)^2 t_{\dot{1}}^2}$
$\overset{1}{\tau}^{\parallel} \uparrow^{\alpha\beta}$	$\frac{i \sqrt{2} k}{t_{\dot{1}} + k^2 t_{\dot{1}}}$	$\frac{i (2 k^3 r_{\dot{1}} - k t_{\dot{1}})}{(1 + k^2)^2 t_{\dot{1}}^2}$	$-\frac{2 k^4 r_{\dot{1}} + k^2 t_{\dot{1}}}{(1 + k^2)^2 t_{\dot{1}}^2}$
$\overset{1}{\sigma}^{\parallel} \uparrow^{\alpha}$	0	0	0
$\overset{1}{\sigma}^{\perp} \uparrow^{\alpha}$	0	0	0
$\overset{1}{\tau}^{\parallel} \uparrow^{\alpha}$	0	0	0
$\overset{1}{\tau}^{\perp} \uparrow^{\alpha}$	0	0	0
$\overset{2}{\sigma}^{\parallel} \uparrow^{\alpha\beta}$	$\frac{6}{(3 + 4 k^2)^2 t_{\dot{1}}}$	$\frac{6 \sqrt{2}}{(3 + 4 k^2)^2 t_{\dot{1}}}$	0
$\overset{2}{\sigma}^{\perp} \uparrow^{\alpha}$	$\frac{6 \sqrt{2}}{(3 + 4 k^2)^2 t_{\dot{1}}}$	$\frac{12}{(3 + 4 k^2)^2 t_{\dot{1}}}$	0
$\overset{2}{\tau}^{\parallel} \uparrow^{\alpha}$	0	0	0
$\overset{2}{\tau}^{\perp} \uparrow^{\alpha}$	$-\frac{12 i k}{(3 + 4 k^2)^2 t_{\dot{1}}}$	$-\frac{12 i \sqrt{2} k}{(3 + 4 k^2)^2 t_{\dot{1}}}$	0
$\overset{2}{\sigma}^{\parallel} \uparrow^{\alpha\beta}$	$\frac{2}{(1 + 2 k^2)^2 t_{\dot{1}}}$	$-\frac{2 i \sqrt{2} k}{(1 + 2 k^2)^2 t_{\dot{1}}}$	0
$\overset{2}{\tau}^{\parallel} \uparrow^{\alpha\beta}$	$\frac{2 i \sqrt{2} k}{(1 + 2 k^2)^2 t_{\dot{1}}}$	$\frac{4 k^2}{(1 + 2 k^2)^2 t_{\dot{1}}}$	0
$\overset{2}{\sigma}^{\perp} \uparrow^{\alpha\beta\chi}$	0	0	$\frac{2}{2 k^2 r_{\dot{1}} + t_{\dot{1}}}$

Source constraints

Spin-parity form	Covariant form	Multiplicities
$\overset{0}{\sigma}^{\parallel} == 0$	$\partial_{\beta} \sigma^{\alpha\beta}_{\alpha} == 0$	1
$\overset{0}{\tau}^{\parallel} == 0$	$\partial_{\beta} \partial_{\alpha} \tau (\Delta + \mathcal{K})^{\alpha\beta} == \partial_{\beta} \partial^{\beta} \tau (\Delta + \mathcal{K})^{\alpha}_{\alpha}$	1
$\overset{0}{\tau}^{\perp} == 0$	$\partial_{\beta} \partial_{\alpha} \tau (\Delta + \mathcal{K})^{\alpha\beta} == 0$	1
$2 i k \overset{1}{\sigma}^{\parallel\alpha} + \overset{1}{\tau}^{\perp\alpha} == 0$	$\partial_{\chi} \partial_{\beta} \partial^{\alpha}_{\tau} (\Delta + \mathcal{K})^{\beta\chi} + 2 \left(\partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \sigma^{\beta}_{\beta}{}^{\chi} - \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial_{\beta} \sigma^{\beta\alpha\chi} + \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \sigma^{\beta\alpha}_{\beta} \right) == \partial_{\chi} \partial^{\chi} \partial_{\beta} \tau (\Delta + \mathcal{K})^{\alpha\beta}$	3
$\overset{1}{\tau}^{\parallel\alpha} == 0$	$\partial_{\chi} \partial_{\beta} \partial^{\alpha}_{\tau} (\Delta + \mathcal{K})^{\beta\chi} == \partial_{\chi} \partial^{\chi} \partial_{\beta} \tau (\Delta + \mathcal{K})^{\beta\alpha}$	3
$\overset{1}{\sigma}^{\parallel\alpha} == \overset{1}{\sigma}^{\perp\alpha}$	$\partial_{\chi} \partial^{\alpha} \sigma^{\beta}_{\beta}{}^{\chi} + \partial_{\chi} \partial^{\chi} \sigma^{\beta\alpha}_{\beta} == 0$	3
$i k \overset{1}{\sigma}^{\perp\alpha\beta} + \overset{1}{\tau}^{\parallel\alpha\beta} == 0$	$\partial_{\chi} \partial^{\alpha}_{\tau} (\Delta + \mathcal{K})^{\beta\chi} + \partial_{\chi} \partial^{\beta}_{\tau} (\Delta + \mathcal{K})^{\chi\alpha} + \partial_{\chi} \partial^{\chi}_{\tau} (\Delta + \mathcal{K})^{\alpha\beta} + 2 \partial_{\delta} \partial_{\chi} \partial^{\alpha} \sigma^{\chi\beta\delta} + 2 \partial_{\delta} \partial^{\delta} \partial_{\chi} \sigma^{\chi\alpha\beta} == \partial_{\chi} \partial^{\alpha}_{\tau} (\Delta + \mathcal{K})^{\chi\beta} + \partial_{\chi} \partial^{\beta}_{\tau} (\Delta + \mathcal{K})^{\alpha\chi} + \partial_{\chi} \partial^{\chi}_{\tau} (\Delta + \mathcal{K})^{\beta\alpha} + 2 \partial_{\delta} \partial_{\chi} \partial^{\beta} \sigma^{\chi\alpha\delta}$	3
$-2 i k \overset{2}{\sigma}^{\parallel\alpha\beta} + \overset{2}{\tau}^{\parallel\alpha\beta} == 0$	$-i \left(4 \partial_{\delta} \partial_{\chi} \partial^{\beta\alpha}_{\tau} (\Delta + \mathcal{K})^{\chi\delta} + 2 \partial_{\delta} \partial^{\delta} \partial^{\beta\alpha}_{\tau} (\Delta + \mathcal{K})^{\chi}_{\chi} - 3 \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha}_{\tau} (\Delta + \mathcal{K})^{\beta\chi} - 3 \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha}_{\tau} (\Delta + \mathcal{K})^{\chi\beta} - \right. \\ 3 \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\beta}_{\tau} (\Delta + \mathcal{K})^{\alpha\chi} - 3 \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\beta}_{\tau} (\Delta + \mathcal{K})^{\chi\alpha} + 3 \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\chi}_{\tau} (\Delta + \mathcal{K})^{\alpha\beta} + \\ 3 \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\chi}_{\tau} (\Delta + \mathcal{K})^{\beta\alpha} + 4 i k^{\chi} \partial_{\epsilon} \partial_{\chi} \partial^{\beta\alpha} \sigma^{\delta}_{\delta}{}^{\epsilon} - 6 i k^{\chi} \partial_{\epsilon} \partial_{\delta} \partial_{\chi} \partial^{\alpha} \sigma^{\delta\beta\epsilon} - \\ 6 i k^{\chi} \partial_{\epsilon} \partial_{\delta} \partial_{\chi} \partial^{\beta\alpha} \sigma^{\delta\alpha\epsilon} + 6 i k^{\chi} \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial_{\chi} \sigma^{\alpha\beta\delta} + 6 i k^{\chi} \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial_{\chi} \sigma^{\beta\alpha\delta} + \\ \left. 2 \eta^{\alpha\beta} \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial_{\chi} \tau (\Delta + \mathcal{K})^{\chi\delta} - 2 \eta^{\alpha\beta} \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\delta}_{\tau} (\Delta + \mathcal{K})^{\chi}_{\chi} - 4 i \eta^{\alpha\beta} k^{\chi} \partial_{\phi} \partial^{\phi} \partial_{\epsilon} \partial_{\chi} \sigma^{\delta}_{\delta}{}^{\epsilon} \right) == 0$	5
Total expected gauge generators:		20

Massive spectrum



Massive particle	
Pole residue:	$-\frac{1}{r_{\dot{1}}} > 0$
Square mass:	$-\frac{t_{\dot{1}}}{2 r_{\dot{1}}} > 0$
Spin:	2
Parity:	Odd

Massless spectrum

(There are no massless particles)

Gauge symmetries

(Not yet implemented in PSALTer)

Unitarity conditions

$r_{\dot{1}} < 0 \ \&\& \ t_{\dot{1}} > 0$

Validity assumptions

(Not yet implemented in PSALTer)