S == $\iiint (\mathcal{B}^{\alpha} \mathcal{J}_{\alpha} + \alpha, \partial_{\alpha}\mathcal{B}^{\alpha}\partial_{\beta}\mathcal{B}^{\beta})[t, x, y, z] dz dy dx dt$

PSALTer results panel

$0^{+}\mathcal{B} + \begin{bmatrix} \alpha & k^{2} \\ 2 \end{bmatrix} 1 \mathcal{B}_{\alpha}$ $1 \mathcal{B} + \begin{bmatrix} \alpha & k^{2} \\ 2 \end{bmatrix} 0$

Wave operator

Saturated propagator $0. \mathcal{J}$ $0. \mathcal{J}$ $1. \mathcal{J}_{\alpha}$ $1. \mathcal{J}_{\beta}$

Source constraints

Spin-parity form | Covariant form | Multiplicities | $\frac{1}{2} \mathcal{J}^{\alpha} = 0$ | $\partial_{\beta} \partial^{\alpha} \mathcal{J}^{\beta} = \partial_{\beta} \partial^{\beta} \mathcal{J}^{\alpha}$ | 3

Total expected gauge generators: 3 Massive spectrum

(No particles)

Massless spectrum

(No particles)

Unitarity conditions

True