

Particle spectrograph

Wave operator and propagator

Source constraints		Fundamental fields	Multiplicities
SO(3) irreps			
$\tau_{0+}^{\#2} == 0$		$\partial_\beta \partial_\alpha \tau^{\alpha\beta} == 0$	1
$\tau_{1-}^{\#2\alpha} + 2\,i\,k\,\sigma_{1-}^{\#2\alpha} == 0$		$\partial_\chi \partial_\beta \partial^\alpha \tau^{\beta\chi} == \partial_\chi \partial^\chi \partial_\beta \tau^\alpha{}_\beta + 2\,\partial_\delta \partial^\delta \partial_\chi \partial_\beta \sigma^{\alpha\beta\chi}$	3
$\tau_{1-}^{\#1\alpha} == 0$		$\partial_\chi \partial_\beta \partial^\alpha \tau^{\beta\chi} == \partial_\chi \partial^\chi \partial_\beta \tau^{\beta\alpha}$	3
$\tau_{1+}^{\#1\alpha\beta} + i\,k\,\sigma_{1+}^{\#2\alpha\beta} == 0$		$\partial_\chi \partial^\alpha \tau^{\beta\chi} + \partial_\chi \partial^\beta \tau^\chi{}_\alpha + \partial_\chi \partial^\chi \tau^{\alpha\beta} +$ $2\,\partial_\delta \partial_\chi \partial^\alpha \sigma^{\beta\chi\delta} + 2\,\partial_\delta \partial^\delta \partial_\chi \sigma^{\alpha\beta\chi} ==$ $\partial_\chi \partial^\alpha \tau^\chi{}_\beta + \partial_\chi \partial^\beta \tau^\alpha{}_\chi +$ $\partial_\chi \partial^\chi \tau^{\beta\alpha} + 2\,\partial_\delta \partial_\chi \partial^\beta \sigma^{\alpha\chi\delta}$	3
Total constraints/gauge generators:			10

$\sigma_{1+}^{\#1} \dagger^{\alpha\beta}$	$\sigma_{1+}^{\#2} \dagger^{\alpha\beta}$	$\tau_{1+}^{\#1} \dagger^{\alpha\beta}$	$\sigma_{1-}^{\#1} \dagger^{\alpha}$	$\sigma_{1-}^{\#2} \dagger^{\alpha}$	$\tau_{1-}^{\#1} \dagger^{\alpha}$	$\tau_{1-}^{\#2} \dagger^{\alpha}$
0	$\frac{2\,\sqrt{2}}{\alpha_0 + \alpha_0\,k^2}$	$\frac{2\,i\,\sqrt{2}\,k}{\alpha_0 + \alpha_0\,k^2}$	0	0	0	0
$\frac{2\,\sqrt{2}}{\alpha_0 + \alpha_0\,k^2}$	$-\frac{2}{\alpha_0\,(1+k^2)^2}$	$-\frac{2\,i\,k}{\alpha_0\,(1+k^2)^2}$	0	0	0	0
$-\frac{2\,i\,\sqrt{2}\,k}{\alpha_0 + \alpha_0\,k^2}$	$\frac{2\,i\,k}{\alpha_0\,(1+k^2)^2}$	$-\frac{2\,k^2}{\alpha_0\,(1+k^2)^2}$	0	0	0	0
0	0	0	0	$-\frac{2\,\sqrt{2}}{\alpha_0 + 2\,\alpha_0\,k^2}$	0	$-\frac{4\,i\,k}{\alpha_0 + 2\,\alpha_0\,k^2}$
0	0	0	$-\frac{2\,\sqrt{2}}{\alpha_0 + 2\,\alpha_0\,k^2}$	$-\frac{2}{\alpha_0\,(1+2\,k^2)^2}$	0	$-\frac{2\,i\,\sqrt{2}\,k}{\alpha_0\,(1+2\,k^2)^2}$
0	0	0	0	0	0	0
0	0	0	$\frac{4\,i\,k}{\alpha_0 + 2\,\alpha_0\,k^2}$	$\frac{2\,i\,\sqrt{2}\,k}{\alpha_0\,(1+2\,k^2)^2}$	0	$-\frac{4\,k^2}{\alpha_0\,(1+2\,k^2)^2}$

Quadratic (free) action

$$S = \iiint\!\!\!\int (f^{\alpha\beta}\,\tau_{\alpha\beta} + \omega^{\alpha\beta\chi}\,\sigma_{\alpha\beta\chi} + \alpha_0\,(-\tfrac{1}{2}\,\omega_{\alpha\zeta\beta}\,\omega^{\alpha\beta\zeta} - \tfrac{1}{2}\,\omega^{\alpha\beta}{}_\alpha\,\omega_\beta{}^\zeta{}_\zeta - f^{\alpha\beta}\,\partial_\beta\omega_\alpha{}^\zeta{}_\zeta + \partial_\beta\omega^{\alpha\beta}{}_\alpha + f^{\alpha\beta}\,\partial_\zeta\omega_\alpha{}^\zeta{}_\beta - f^\alpha{}_\alpha\,\partial_\zeta\omega^{\beta\zeta}{}_\beta)) [t,\,x,\,y,\,z]\,dz\,dy\,dx\,dt$$

$\omega_{1+}^{\#1} \dagger^{\alpha\beta}$	$\omega_{1+}^{\#2} \dagger^{\alpha\beta}$	$f_{1+}^{\#1} \dagger^{\alpha\beta}$	$\omega_{1-}^{\#1} \dagger^{\alpha}$	$\omega_{1-}^{\#2} \dagger^{\alpha}$	$f_{1-}^{\#1} \dagger^{\alpha}$	$f_{1-}^{\#2} \dagger^{\alpha}$
$\frac{\alpha_0}{4}$	$\frac{\alpha_0}{2\,\sqrt{2}}$	$\frac{i\,\alpha_0\,k}{2\,\sqrt{2}}$	0	0	0	0
$\frac{\alpha_0}{2\,\sqrt{2}}$	0	0	0	0	0	0
$-\frac{i\,\alpha_0\,k}{2\,\sqrt{2}}$	0	0	0	0	0	0
0	0	0	$\frac{\alpha_0}{4}$	$-\frac{\alpha_0}{2\,\sqrt{2}}$	0	$-\frac{1}{2}\,i\,\alpha_0\,k$
0	0	0	$-\frac{\alpha_0}{2\,\sqrt{2}}$	0	0	0
0	0	0	0	0	0	0
0	0	0	$\frac{i\,\alpha_0\,k}{2}$	0	0	0

$q_{0+}^{\#1} \dagger$	$\tau_{0+}^{\#1} \dagger$	$\tau_{0+}^{\#2} \dagger$	$q_{0-}^{\#1} \dagger$
0	0	0	$\frac{2}{\alpha_0}$
$\frac{i\,\sqrt{2}}{\alpha_0\,k}$	$-\frac{i\,\sqrt{2}}{\alpha_0\,k}$	0	0
0	0	0	0

$\omega_{0+}^{\#1} \dagger$	$f_{0+}^{\#1} \dagger$	$f_{0+}^{\#2} \dagger$	$\omega_{0-}^{\#1} \dagger$
$\frac{\alpha_0}{2}$	$-\frac{i\,\alpha_0\,k}{\sqrt{2}}$	0	0
$\frac{i\,\alpha_0\,k}{\sqrt{2}}$	0	0	0
0	0	0	$\frac{\alpha_0}{2}$

$\sigma_{2+}^{\#1} \dagger^{\alpha\beta}$	$\tau_{2+}^{\#1} \dagger^{\alpha\beta}$	$\sigma_{2-}^{\#1} \dagger^{\alpha\beta\chi}$
0	$\frac{2\,i\,\sqrt{2}}{\alpha_0\,k}$	0
$\frac{2\,i\,\sqrt{2}}{\alpha_0\,k}$	$-\frac{2}{\alpha_0\,k^2}$	0
0	0	$-\frac{4}{\alpha_0}$

$\omega_{2+}^{\#1} \dagger^{\alpha\beta}$	$f_{2+}^{\#1} \dagger^{\alpha\beta}$	$\omega_{2-}^{\#1} \dagger^{\alpha\beta\chi}$
$-\frac{\alpha_0}{4}$	$\frac{i\,\alpha_0\,k}{2\,\sqrt{2}}$	0
$\frac{i\,\alpha_0\,k}{2\,\sqrt{2}}$	0	0
0	0	$-\frac{\alpha_0}{4}$

Massive and massless spectra

Quadratic pole

Pole residue:

$\frac{1}{\alpha_0} > 0$

Polarisations:

2

(No massive particles)

Unitarity conditions

$\alpha_0 > 0$