

Wave operator and propagator

	$\sigma_{1+\alpha}^{\#1}$	$\sigma_{1+\alpha}^{\#2}$	$\tau_{1+\alpha}^{\#1}$	$\sigma_{1-\alpha}^{\#1}$	$\sigma_{1-\alpha}^{\#2}$	$\tau_{1-\alpha}^{\#1}$	$\tau_{1-\alpha}^{\#2}$
$\sigma_{1+}^{\#1} \uparrow^{\alpha\beta}$	$\frac{1}{\frac{3(\alpha_0-4\beta_1)(\alpha_0+8\beta_3)}{16(\beta_1+2\beta_3)}+(a_2+a_5)k^2}$	$-\frac{2\sqrt{2}(3\alpha_0-4\beta_1+16\beta_3)}{(1+k^2)(-3(\alpha_0-4\beta_1)(\alpha_0+8\beta_3)+16(a_2+a_5)(\beta_1+2\beta_3)k^2)}$	$-\frac{2i\sqrt{2}(3\alpha_0-4\beta_1+16\beta_3)k}{(1+k^2)(-3(\alpha_0-4\beta_1)(\alpha_0+8\beta_3)+16(a_2+a_5)(\beta_1+2\beta_3)k^2)}$	0	0	0	0
$\sigma_{1+}^{\#2} \uparrow^{\alpha\beta}$	$-\frac{2\sqrt{2}(3\alpha_0-4\beta_1+16\beta_3)}{(1+k^2)(-3(\alpha_0-4\beta_1)(\alpha_0+8\beta_3)+16(a_2+a_5)(\beta_1+2\beta_3)k^2)}$	$\frac{6a_0+8(\beta_1+8\beta_3+3(a_2+a_5)k^2)}{(1+k^2)^2(-3(\alpha_0-4\beta_1)(\alpha_0+8\beta_3)+16(a_2+a_5)(\beta_1+2\beta_3)k^2)}$	$\frac{2ik(3\alpha_0+4(\beta_1+8\beta_3+3(a_2+a_5)k^2))}{(1+k^2)^2(-3(\alpha_0-4\beta_1)(\alpha_0+8\beta_3)+16(a_2+a_5)(\beta_1+2\beta_3)k^2)}$	0	0	0	0
$\tau_{1+}^{\#1} \uparrow^{\alpha\beta}$	$\frac{2i\sqrt{2}(3\alpha_0-4\beta_1+16\beta_3)k}{(1+k^2)(-3(\alpha_0-4\beta_1)(\alpha_0+8\beta_3)+16(a_2+a_5)(\beta_1+2\beta_3)k^2)}$	$-\frac{2ik(3\alpha_0+4(\beta_1+8\beta_3+3(a_2+a_5)k^2))}{(1+k^2)^2(-3(\alpha_0-4\beta_1)(\alpha_0+8\beta_3)+16(a_2+a_5)(\beta_1+2\beta_3)k^2)}$	$\frac{2k^2(3\alpha_0+4(\beta_1+8\beta_3+3(a_2+a_5)k^2))}{(1+k^2)^2(-3(\alpha_0-4\beta_1)(\alpha_0+8\beta_3)+16(a_2+a_5)(\beta_1+2\beta_3)k^2)}$	0	0	0	0
$\sigma_{1+}^{\#1} \uparrow^{\alpha}$	0	0	0	$\frac{1}{\frac{3(\alpha_0-4\beta_1)(\alpha_0+2\beta_2)}{8(2\beta_1+\beta_2)}+(a_4+a_5)k^2}$	$\frac{2\sqrt{2}(3\alpha_0-4\beta_1+4\beta_2)}{(1+2k^2)(-3(\alpha_0-4\beta_1)(\alpha_0+2\beta_2)+8(a_4+a_5)(2\beta_1+\beta_2)k^2)}$	0	$\frac{4i(3\alpha_0-4\beta_1+4\beta_2)k}{(1+2k^2)(-3(\alpha_0-4\beta_1)(\alpha_0+2\beta_2)+8(a_4+a_5)(2\beta_1+\beta_2)k^2)}$
$\sigma_{1+}^{\#2} \uparrow^{\alpha}$	0	0	0	$\frac{2\sqrt{2}(3\alpha_0-4\beta_1+4\beta_2)}{(1+2k^2)(-3(\alpha_0-4\beta_1)(\alpha_0+2\beta_2)+8(a_4+a_5)(2\beta_1+\beta_2)k^2)}$	$\frac{6a_0+8(\beta_1+2\beta_2+3(a_4+a_5)k^2)}{(1+2k^2)^2(-3(\alpha_0-4\beta_1)(\alpha_0+2\beta_2)+8(a_4+a_5)(2\beta_1+\beta_2)k^2)}$	0	$\frac{2i\sqrt{2}k(3\alpha_0+4(\beta_1+2\beta_2+3(a_4+a_5)k^2))}{(1+2k^2)^2(-3(\alpha_0-4\beta_1)(\alpha_0+2\beta_2)+8(a_4+a_5)(2\beta_1+\beta_2)k^2)}$
$\tau_{1+}^{\#1} \uparrow^{\alpha}$	0	0	0	0	0	0	0
$\tau_{1+}^{\#2} \uparrow^{\alpha}$	0	0	0	$-\frac{4i(3\alpha_0-4\beta_1+4\beta_2)k}{(1+2k^2)(-3(\alpha_0-4\beta_1)(\alpha_0+2\beta_2)+8(a_4+a_5)(2\beta_1+\beta_2)k^2)}$	$-\frac{2i\sqrt{2}k(3\alpha_0+4(\beta_1+2\beta_2+3(a_4+a_5)k^2))}{(1+2k^2)^2(-3(\alpha_0-4\beta_1)(\alpha_0+2\beta_2)+8(a_4+a_5)(2\beta_1+\beta_2)k^2)}$	0	$\frac{4k^2(3\alpha_0+4(\beta_1+2\beta_2+3(a_4+a_5)k^2))}{(1+2k^2)^2(-3(\alpha_0-4\beta_1)(\alpha_0+2\beta_2)+8(a_4+a_5)(2\beta_1+\beta_2)k^2)}$

[illegible]

	$\omega_{1^+ \alpha \beta}^{1^+}$	$\omega_{1^+ \alpha \beta}^{2^+}$	$f_{1^+ \alpha \beta}^{1^+}$	$\omega_{1^+ \alpha}^{1^+}$	$\omega_{1^+ \alpha}^{2^+}$	$f_{1^+ \alpha}^{1^+}$	$f_{1^+ \alpha}^{2^+}$
$\omega_{1^+}^{1^+} \uparrow^{\alpha \beta}$	$\frac{\alpha_0}{4} + \frac{1}{3} (\beta_1 + 8 \beta_3) + (\alpha_2 + \alpha_5) k^2$	$\frac{3 \alpha_0 - 4 \beta_1 + 16 \beta_3}{6 \sqrt{2}}$	$\frac{i (3 \alpha_0 - 4 \beta_1 + 16 \beta_3) k}{6 \sqrt{2}}$	0	0	0	0
$\omega_{1^+}^{2^+} \uparrow^{\alpha \beta}$	$\frac{3 \alpha_0 - 4 \beta_1 + 16 \beta_3}{6 \sqrt{2}}$	$\frac{2}{3} (\beta_1 + 2 \beta_3)$	$\frac{2}{3} i (\beta_1 + 2 \beta_3) k$	0	0	0	0
$f_{1^+}^{1^+} \uparrow^{\alpha \beta}$	$-\frac{i (3 \alpha_0 - 4 \beta_1 + 16 \beta_3) k}{6 \sqrt{2}}$	$-\frac{2}{3} i (\beta_1 + 2 \beta_3) k$	$\frac{2}{3} (\beta_1 + 2 \beta_3) k^2$	0	0	0	0
$\omega_{1^+}^{1^+} \uparrow^{\alpha}$	0	0	0	$\frac{\alpha_0}{4} + \frac{1}{3} (\beta_1 + 2 \beta_2) + (\alpha_4 + \alpha_5) k^2$	$-\frac{3 \alpha_0 - 4 \beta_1 + 4 \beta_2}{6 \sqrt{2}}$	0	$-\frac{1}{6} i (3 \alpha_0 - 4 \beta_1 + 4 \beta_2) k$
$\omega_{1^+}^{2^+} \uparrow^{\alpha}$	0	0	0	$-\frac{3 \alpha_0 - 4 \beta_1 + 4 \beta_2}{6 \sqrt{2}}$	$\frac{1}{3} (2 \beta_1 + \beta_2)$	0	$\frac{1}{3} i \sqrt{2} (2 \beta_1 + \beta_2) k$
$f_{1^+}^{1^+} \uparrow^{\alpha}$	0	0	0	0	0	0	0
$f_{1^+}^{2^+} \uparrow^{\alpha}$	0	0	0	$\frac{1}{6} i (3 \alpha_0 - 4 \beta_1 + 4 \beta_2) k$	$-\frac{1}{3} i \sqrt{2} (2 \beta_1 + \beta_2) k$	0	$\frac{2}{3} (2 \beta_1 + \beta_2) k^2$

	$\sigma_0^{#1+}$	$\tau_0^{#1+}$	$\tau_0^{#2+}$	$\sigma_0^{#1-}$
$\sigma_0^{#1+} \dagger$	$-\frac{4\beta_2}{\alpha_0^2+2\alpha_0\beta_2-4(\alpha_4+\alpha_6)\beta_2k^2}$	$\frac{i\sqrt{2}(\alpha_0+2\beta_2)}{-\alpha_0(\alpha_0+2\beta_2)k+4(\alpha_4+\alpha_6)\beta_2k^3}$	0	0
$\tau_0^{#1+} \dagger$	$\frac{i\sqrt{2}(\alpha_0+2\beta_2)}{\alpha_0(\alpha_0+2\beta_2)k-4(\alpha_4+\alpha_6)\beta_2k^3}$	$\frac{\frac{\alpha_0}{2}+\beta_2+(\alpha_4+\alpha_6)k^2}{-\frac{1}{2}\alpha_0(\alpha_0+2\beta_2)k^2+2(\alpha_4+\alpha_6)\beta_2k^4}$	0	0
$\tau_0^{#2+} \dagger$	0	0	0	0
$\sigma_0^{#1-} \dagger$	0	0	0	$\frac{2}{\alpha_0+8\beta_3+2(\alpha_2+\alpha_3)k^2}$






	ω_0^{+1}	f_0^{+1}	f_0^{+2}	ω_0^{-1}
$\omega_0^{+1} \dagger$	$\frac{\alpha_0}{2} + \beta_2 + (\alpha_4 + \alpha_6) k^2$	$\frac{i(\alpha_0+2\beta_2)k}{\sqrt{2}}$	0	0
$f_0^{+1} \dagger$	$\frac{i(\alpha_0+2\beta_2)k}{\sqrt{2}}$	$2\beta_2 k^2$	0	0
$f_0^{+2} \dagger$	0	0	0	0
$\omega_0^{-1} \dagger$	0	0	0	$\frac{\alpha_0}{2} + 4\beta_3 + (\alpha_2 + \alpha_3) k^2$

Source constraints/gauge generators	Multiplicities
$\text{SO}(3) \text{ irreps}$	
$\tau_0^{\#2} = 0$	1
$\tau_1^{\#2\alpha} + 2ik\sigma_1^{\#2\alpha} = 0$	3
$\tau_1^{\#1\alpha} = 0$	3
$\tau_1^{\alpha\beta} + ik\sigma_1^{\alpha\beta} = 0$	3
Total constraints:	10


	$\sigma_{2^+ \alpha \beta}^{\#1}$	$\tau_{2^+ \alpha \beta}^{\#1}$	$\sigma_{2^- \alpha \beta \chi}^{\#1}$
$\sigma_{2^+}^{\#1} + \alpha \beta$	$\frac{16 \beta_1}{-\alpha_0^2 + 4 \alpha_0 \beta_1 + 16 (\alpha_1 + \alpha_4) \beta_1 k^2}$	$\frac{2 i \sqrt{2} (\alpha_0 - 4 \beta_1)}{\alpha_0 (\alpha_0 - 4 \beta_1) k \cdot 16 (\alpha_1 + \alpha_4) \beta_1 k^3}$	0
$\tau_{2^+}^{\#1} + \alpha \beta$	$-\frac{2 i \sqrt{2} (\alpha_0 - 4 \beta_1)}{\alpha_0 (\alpha_0 - 4 \beta_1) k \cdot 16 (\alpha_1 + \alpha_4) \beta_1 k^3}$	$\frac{2 (\alpha_0 - 4 (\beta_1 + (\alpha_1 + \alpha_4) k^2))}{k^2 (\alpha_0^2 - 4 \alpha_0 \beta_1 \cdot 16 (\alpha_1 + \alpha_4) \beta_1 k^2)}$	0
$\sigma_{2^+}^{\#1} + \alpha \beta \chi$	0	0	$\frac{1}{\frac{\alpha_0}{4} + \beta_1 + (\alpha_1 + \alpha_2) k^2}$

	$\omega_{2^+ \alpha \beta}^{\#1}$	$f_{2^+ \alpha \beta}^{\#1}$	$\omega_{2^- \alpha \beta \chi}^{\#1}$
$\omega_{2^+ \uparrow \alpha \beta}^{\#1}$	$-\frac{\alpha_0}{4} + \beta_1 + (\alpha_1 + \alpha_4) k^2$	$\frac{i(\alpha_0 - 4\beta_1)k}{2\sqrt{2}}$	0
$f_{2^+ \uparrow \alpha \beta}^{\#1}$	$-\frac{i(\alpha_0 - 4\beta_1)k}{2\sqrt{2}}$	$2\beta_1 k^2$	0
$\omega_{2^+ \uparrow \alpha \beta \chi}^{\#1}$	0	0	$-\frac{\alpha_0}{4} + \beta_1 + (\alpha_1 + \alpha_2) k^2$


Massive and massless spectra



Massive particle	
Pole residue:	$-\frac{1}{a_2+a_3} > 0$
Polarisations:	1
Square mass:	$-\frac{a_0+8\beta_3}{2(a_2+a_3)} > 0$
Spin:	0
Parity:	Odd



Massive particle	
Pole residue:	$-\frac{1}{\alpha_1 + \alpha_2} > 0$
Polarisations:	5
Square mass:	$\frac{\alpha_0 - 4\beta_1}{4(\alpha_1 + \alpha_2)} > 0$
Spin:	2
Parity:	Odd



Quadratic pole	
Pole residue:	$\frac{1}{a_0} > 0$
Polarisations:	2

Massive particle	
Pole residue:	$\frac{(3(\alpha_0^2(3\alpha_2 + 3\alpha_5 + 2\beta_1 + 4\beta_3) - 8\alpha_0(\beta_1^2 + \alpha_2(\beta_1 - 4\beta_3) + \alpha_5(\beta_1 - 4\beta_3) - 4\beta_3^2) + 16(-4\beta_1\beta_3(\beta_1 + 2\beta_3) + \alpha_2(\beta_1^2 + 8\beta_3^2) + \alpha_5(\beta_1^2 + 8\beta_3^2))))}{(2(\alpha_2 + \alpha_5)(\beta_1 + 2\beta_3)(3\alpha_0^2 - 12\alpha_0(\beta_1 - 2\beta_3) + 16(\alpha_5\beta_1 + 2\alpha_5\beta_3 - 6\beta_1\beta_3 + \alpha_2(\beta_1 + 2\beta_3))))} > 0$
Polarisations:	3
Square mass:	$\frac{3(\alpha_0 - 4\beta_1)(\alpha_0 + 8\beta_3)}{16(\alpha_2 + \alpha_5)(\beta_1 + 2\beta_3)} > 0$
Spin:	1
Parity:	Even

Massive particle	
Pole residue:	$-((3(\alpha_0^2(3\alpha_4 + 3\alpha_5 + 4\beta_1 + 2\beta_2) + 4\alpha_0(-2\alpha_4\beta_1 - 2\alpha_5\beta_1 - 4\beta_1^2 + 2\alpha_4\beta_2 + 2\alpha_5\beta_2 + \beta_2^2) + 8(-2\beta_1\beta_2(2\beta_1 + \beta_2) + \alpha_4(2\beta_1^2 + \beta_2^2) + \alpha_5(2\beta_1^2 + \beta_2^2)))))/(2(\alpha_4 + \alpha_5)(2\beta_1 + \beta_2)(3\alpha_0^2 + 6\alpha_0(-2\beta_1 + \beta_2) + 4(2\alpha_5\beta_1 + \alpha_5\beta_2 - 6\beta_1\beta_2 + \alpha_4(2\beta_1 + \beta_2)))))) > 0$
Polarisations:	3
Square mass:	$\frac{3(\alpha_0 - 4\beta_1)(\alpha_0 + 2\beta_2)}{8(\alpha_4 + \alpha_5)(2\beta_1 + \beta_2)} > 0$
Spin:	1
Parity:	Odd

Massive particle	
Pole residue:	$-\frac{2}{5} + \frac{aq+aq+2\beta_1}{2aq\beta_1+2aq\beta_1}$ > 0
Polarisations:	5
Square mass:	$\frac{a_0(a_0-4\beta_1)}{16(a_1+aq)\beta_1} > 0$
Spin:	2
Parity:	Even

Massive particle	
Pole residue:	$\frac{1}{a_0} \frac{q_4 + a_6 + 2 \beta_2}{2 a_4 \beta_2 + 2 a_6 \beta_2} > 0$
Polarisations:	a_0
Square mass:	$\frac{a_0 (a_6 + 2 \beta_2)}{4 (a_4 + a_6) \beta_2} > 0$
Spin:	0
Parity:	Even

Unitarity conditions

(Unitarity is demonstrably impossible)