

# $S = \iiint \left(\frac{1}{6}\left(2t_{1}^{2}\mathcal{A}^{\alpha_{i}}_{\alpha}\right)\mathcal{A}^{\theta}_{\beta} + 6\mathcal{A}^{\alpha\beta\chi}_{\alpha}\mathcal{A}^{\alpha_{i}}_{\beta} + 6\mathcal{A}^{\alpha\beta\chi}_{\alpha}\mathcal{A}^{\beta_{i}}_{\beta} + 6\mathcal{A}^{\alpha\beta\chi}_{\alpha}\mathcal{A}^{\beta_{i}}_{\beta} + 2t_{1}^{2}\mathcal{A}^{\theta}_{\alpha}\mathcal{A}^{\beta_{i}}_{\beta} + 4t_{1}^{2}\mathcal{A}^{\theta}_{\beta}\mathcal{A}^{\beta_{i}}_{\alpha} + 4t_{1}^{2}\mathcal{A}^{\theta}_{\beta}\mathcal{A}^{\beta_{i}}_{\alpha} + 4t_{1}^{2}\mathcal{A}^{\theta}_{\beta}\mathcal{A}^{\beta_{i}}_{\alpha} - 2t_{1}^{2}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha} - 2t_{1}^{2}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha} + 4t_{1}^{2}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\beta} + 4t_{1}^{2}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\beta} + 4t_{1}^{2}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha} - 2t_{1}^{2}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha} + 4t_{1}^{2}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha} + 4t_{1}^{2}\partial_{i}\mathcal{F}^{\alpha_{i}}_{\alpha}\partial_{$

## **Wave operator**




### Saturated propagator



## Source constraints

| Spin-parity form  | Covariant form  | Multiplicities |
|---|---|----------------|
| $0^+_{\cdot} \tau^{\perp} == 0$   | $\partial_{\beta}\partial_{\alpha}\tau \left(\Delta + \mathcal{K}\right)^{\alpha\beta} == 0$  | 1              |
| $0^+$ $\tau^{\parallel} == 0$   | $\partial_{\beta}\partial_{\alpha}\tau \left(\Delta + \mathcal{K}\right)^{\alpha\beta} == \partial_{\beta}\partial^{\beta}\tau \left(\Delta + \mathcal{K}\right)^{\alpha}_{\alpha}$   | 1              |
| $0^+ \sigma^{\parallel} == 0$   | $\partial_{\beta}\sigma_{\alpha}^{\alpha\beta} == 0$  | 1              |
| $2ik \cdot 1\sigma^{\parallel^{\alpha}} + 1\tau^{\perp^{\alpha}} == 0$                                      | $\partial_{\chi}\partial_{\beta}\partial^{\alpha}\tau\left(\Delta+\mathcal{K}\right)^{\beta\chi}+2\left(\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial^{\alpha}\sigma^{\beta}_{\ \beta}^{\ \chi}-\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial_{\beta}\sigma^{\beta\alpha\chi}+\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial^{\chi}\sigma^{\beta\alpha}_{\ \beta}\right)==\partial_{\chi}\partial^{\chi}\partial_{\beta}\tau\left(\Delta+\mathcal{K}\right)^{\alpha\beta}$   | 3              |
| $1 \tau^{\parallel^{\alpha}} == 0$  | $\partial_{\chi}\partial_{\beta}\partial^{\alpha}\tau\left(\Delta+\mathcal{K}\right)^{\beta\chi}==\partial_{\chi}\partial^{\chi}\partial_{\beta}\tau\left(\Delta+\mathcal{K}\right)^{\beta\alpha}$  | 3              |
| $1 \sigma^{\parallel \alpha} = 1 \sigma^{\perp \alpha}$   | $\partial_{\chi}\partial^{\alpha}\sigma^{\beta}_{\ \beta}^{\ \chi} + \partial_{\chi}\partial^{\chi}\sigma^{\beta\alpha}_{\ \beta} = 0$  | 3              |
| $\bar{l} k  1^+_{\cdot} \sigma^{\perp}{}^{\alpha\beta} + 1^+_{\cdot} \tau^{\parallel}{}^{\alpha\beta} == 0$ | $\partial_{\chi}\partial^{\alpha}\tau\left(\Delta+\mathcal{K}\right)^{\beta\chi} + \partial_{\chi}\partial^{\beta}\tau\left(\Delta+\mathcal{K}\right)^{\chi\alpha} + \partial_{\chi}\partial^{\chi}\tau\left(\Delta+\mathcal{K}\right)^{\alpha\beta} + 2\partial_{\delta}\partial_{\chi}\partial^{\alpha}\sigma^{\chi\beta\delta} + 2\partial_{\delta}\partial^{\delta}\partial_{\chi}\sigma^{\chi\alpha\beta} = \partial_{\chi}\partial^{\alpha}\tau\left(\Delta+\mathcal{K}\right)^{\chi\beta} + \partial_{\chi}\partial^{\beta}\tau\left(\Delta+\mathcal{K}\right)^{\alpha\chi} + \partial_{\chi}\partial^{\chi}\tau\left(\Delta+\mathcal{K}\right)^{\beta\alpha} + 2\partial_{\delta}\partial_{\chi}\partial^{\beta}\sigma^{\chi\alpha\delta}$  | 3              |
| $-2 i k 2^{+}_{0} \sigma^{\parallel}^{\alpha\beta} + 2^{+}_{0} \tau^{\parallel}^{\alpha\beta} == 0$         | $-i \left(4  \partial_{\delta} \partial_{\chi} \partial^{\beta} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\chi \delta} + 2  \partial_{\delta} \partial^{\delta} \partial^{\beta} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\chi}_{\chi} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\beta \chi} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\chi \beta} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\beta} \tau  (\Delta + \mathcal{K})^{\alpha \chi} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\alpha \chi} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\beta} \tau  (\Delta + \mathcal{K})^{\alpha \chi} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\alpha \chi} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\alpha \chi} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\alpha \chi} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\alpha \chi} - 3  \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\alpha \chi} - 3  \partial_{\delta} \partial^{\delta} \partial^{\alpha} \partial^{\alpha} \tau  (\Delta + \mathcal{K})^{\alpha \chi} - 3  \partial_{\delta} \partial^{\delta} \partial^{\alpha} \partial^$ | 5              |
|   | $3\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial^{\beta}\tau(\Delta+\mathcal{K})^{\chi\alpha}+3\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial^{\chi}\tau(\Delta+\mathcal{K})^{\alpha\beta}+3\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial^{\chi}\tau(\Delta+\mathcal{K})^{\beta\alpha}+4ik^{\chi}\partial_{\epsilon}\partial_{\chi}\partial^{\beta}\partial^{\alpha}\sigma^{\delta}_{\delta}{}^{\epsilon}-6ik^{\chi}\partial_{\epsilon}\partial_{\delta}\partial_{\chi}\partial^{\alpha}\sigma^{\delta\beta\epsilon}-6ik^{\chi}\partial_{\epsilon}\partial_{\delta}\partial_{\chi}\partial^{\beta}\sigma^{\delta\alpha\epsilon}+$   |                |
|   | $6  i  k^{\chi}  \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial_{\chi} \sigma^{\alpha\beta\delta} + 6  i  k^{\chi}  \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial_{\chi} \sigma^{\beta\alpha\delta} + 2  \eta^{\alpha\beta}  \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial_{\chi} \tau  (\Delta + \mathcal{K})^{\chi\delta} - 2  \eta^{\alpha\beta}  \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\delta} \tau  (\Delta + \mathcal{K})^{\chi}_{\chi} - 4  i  \eta^{\alpha\beta}  k^{\chi}  \partial_{\phi} \partial^{\phi} \partial_{\epsilon} \partial_{\chi} \sigma^{\delta}_{\delta} = 0$   |                |
| Total expected gauge generators:  |   | 20             |

# **Massive spectrum**



#### Massive particle

| Pole residue: | $-\frac{1}{r_{\cdot}^{2}} > 0$        |
|---------------|---------------------------------------|
| Square mass:  | $\frac{\frac{t}{2}}{\frac{r}{2}} > 0$ |
| Spin:         | 0                                     |
| Parity:       | Odd                                   |

## Massless spectrum

(No particles)

## **Unitarity conditions**

r. < 0 && t. > 0