## Particle spectrograph

## Wave operator and propagator

Source constraints		
SO(3) irreps	Fundamental fields	Multiplicities
$\tau_{0}^{#2} == 0$	$\partial_{\beta}\partial_{\alpha}\tau^{\alpha\beta} == 0$	1
$\tau_{0+}^{\#1} == 0$	$\partial_{\beta}\partial_{\alpha}\tau^{\alpha\beta} == \partial_{\beta}\partial^{\beta}\tau^{\alpha}$	1
$\tau_1^{\#2}\alpha == 0$	$\partial_{\chi}\partial_{\beta}\partial^{\alpha}\tau^{\beta\chi} == \partial_{\chi}\partial^{\chi}\partial_{\beta}\tau^{\alpha\beta}$	3
$\tau_1^{\#1}{}^{\alpha} == 0$	$\partial_{\chi}\partial_{\beta}\partial^{\alpha}\tau^{\beta\chi} == \partial_{\chi}\partial^{\chi}\partial_{\beta}\tau^{\beta\alpha}$	3
$\sigma_{1}^{\#2}{}^{\alpha}=0$	$\partial_{\chi}\partial_{\beta}\sigma^{\alpha\beta\chi}==0$	3
$\tau_1^{\#1}\alpha\beta + ik \ \sigma_1^{\#1}\alpha\beta == 0$	$\tau_{1}^{\#1}\alpha\beta + ik \ \sigma_{1}^{\#1}\alpha\beta == 0 \ \partial_{x}\partial^{\alpha}\tau^{\beta\chi} + \partial_{x}\partial^{\beta}\tau^{\chi\alpha} + \partial_{x}\partial^{\chi}\tau^{\alpha\beta} +$	3
	$\partial_{\delta}\partial_{\chi}\partial^{\beta}\sigma^{\alpha\chi\delta} + \partial_{\delta}\partial^{\delta}\partial_{\chi}\sigma^{\beta\chi\alpha} = =$	
	$\partial_{\chi}\partial^{\alpha}\tau^{\chi\beta} + \partial_{\chi}\partial^{\beta}\tau^{\alpha\chi} + \partial_{\chi}\partial^{\chi}\tau^{\beta\alpha} +$	
	$\partial_{\delta}\partial_{\chi}\partial^{\alpha}\sigma^{eta\chi\delta}+\partial_{\delta}\partial^{\delta}\partial_{\chi}\sigma^{lpha\chieta}$	
$\sigma_{1}^{\#1}\alpha\beta == \sigma_{1}^{\#2}\alpha\beta$	$3 \partial_{\delta} \partial_{\chi} \partial^{\alpha} \sigma^{\beta \chi \delta} +$	3
	$2 \partial_{\delta} \partial^{\delta} \partial_{\chi} \sigma^{\alpha \beta \chi} + \partial_{\delta} \partial^{\delta} \partial_{\chi} \sigma^{\alpha \chi \beta} = =$	
	$3\partial_{\delta}\partial_{\chi}\partial^{\beta}\sigma^{\alpha\chi\delta}+\partial_{\delta}\partial^{\delta}\partial_{\chi}\sigma^{\beta\chi\alpha}$	
$\tau_{2}^{\#1}\alpha\beta==0$	$4 \partial_{\delta} \partial_{\chi} \partial^{\beta} \partial^{\alpha} t^{\chi \delta} + 2 \partial_{\delta} \partial^{\delta} \partial^{\beta} \partial^{\alpha} t^{\chi}_{\chi} +$	5
	$3 \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\chi} t^{\alpha \beta} + 3 \partial_{\delta} \partial^{\delta} \partial_{\chi} \partial^{\chi} t^{\beta \alpha} +$	
	$2 \eta^{\alpha\beta} \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial_{\chi} \tau^{\chi\delta} ==$	
	$3\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial^{\alpha}\tau^{\beta\chi} + 3\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial^{\alpha}\tau^{\chi\beta} +$	
	$3\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial^{\beta}\tau^{\alpha\chi} + 3\partial_{\delta}\partial^{\delta}\partial_{\chi}\partial^{\beta}\tau^{\chi\alpha} +$	
	$2 n^{\alpha\beta} \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\delta} \tau^{\chi}$	
$\sigma_{2}^{\#1}\alpha\beta==0$	$3 \partial_{\delta} \partial_{\chi} \partial^{\alpha} \sigma^{\beta \chi \delta} + 3 \partial_{\delta} \partial_{\chi} \partial^{\beta} \sigma^{\alpha \chi \delta} +$	5
	$2 \eta^{\alpha\beta} \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \sigma^{\chi\delta} = 2 \partial_{\delta} \partial^{\beta} \partial^{\alpha} \sigma^{\chi\delta} +$	
	$3\left(\partial_{\delta}\partial^{\delta}\partial_{\chi}\sigma^{\alpha\chi\beta}+\partial_{\delta}\partial^{\delta}\partial_{\chi}\sigma^{eta\chilpha} ight)$	
Total constraints/gauge generators:	ige generators:	27

Quadratic (free) action	$S == \iiint (\frac{1}{6} (6 f^{\alpha \beta} \tau_{\alpha \beta} + 6 \omega^{\alpha \beta \chi} \sigma_{\alpha \beta \chi} + 12 r_1 \partial_{\beta} \omega_{\beta}^{\ \theta} \partial^{\beta} \omega_{\alpha}^{\ \theta} - 24 r_3 \partial_{\beta} \omega_{\beta}^{\ \theta} \partial^{\beta} \omega_{\alpha}^{\ \theta} + 12 r_1 \partial_{\beta} \omega_{\beta}^{\ \theta} \partial^{\beta} \omega_{\beta}^{\ \theta} + 12 r_1 \partial_{\beta} \omega_{\beta}^{\ \theta} \partial^{\beta} \omega_{\beta}^{\ \theta} + 12 r_1 \partial_{\beta} \omega_{\beta}^{\ \theta} \partial^{\beta} \omega_{\beta}^{\$	$12r_1\partial_\alpha\omega^{\alpha\beta'}\partial_\theta\omega^{\theta'}_{\beta'}, -24r_1\partial'\omega^{\alpha\beta}_{\alpha}\partial_\theta\omega^{\theta'}_{\beta'}, +$ $12r_1\partial_\alpha\omega^{\alpha\beta'}\partial_\theta\omega^{\theta'}_{\beta}, -24r_3\partial_\alpha\omega^{\alpha\beta'}\partial_\theta\omega^{\theta'}_{\beta}, -$	$24r_1\partial'\omega^{lphaeta}_{$	$t_2  \partial_i f_{\alpha \theta}  \partial^{\theta} f^{\alpha \prime} + t_2  \partial_{\theta} f_{\alpha \prime}  \partial^{\theta} f^{\alpha \prime} - t_2  \partial_{\theta} f_{\iota \alpha}  \partial^{\theta} f^{\alpha \prime} - 4 + 2  \partial_{\theta} f_{\alpha \prime}  \partial^{\theta} f^{\alpha \prime} + 2  \partial^{\theta} f^{\alpha \prime} + 2  \partial^{\theta} f^{\alpha \prime} ) + 2  \partial^{\theta} f^{\alpha \prime} + 2  \partial^{\theta} f^{\alpha \prime} ) - 2  \partial^{\theta} f^{\alpha \prime} + 2  \partial^{\theta$	$8r_1 \partial_{\beta} \omega_{\alpha' \theta} \partial^{\theta} \omega^{\alpha \beta'} + 8r_2 \partial_{\beta} \omega_{\alpha' \theta} \partial^{\theta} \omega^{\alpha \beta'} + 4r_1 \partial_{\beta} \omega_{\alpha \theta'} \partial^{\theta} \omega^{\alpha \beta'} - 4r_2 \partial_{\beta} \omega_{\alpha \theta'} \partial^{\theta} \omega^{\alpha \beta'} +$	$8 r_1 \partial_{eta} \omega_{, eta lpha} \partial^{eta} \omega^{lpha eta_{I}} + 4 r_2 \partial_{eta} \omega_{, eta lpha} \partial^{eta} \omega^{lpha eta_{I}} - 24 r_3 \partial_{eta} \omega_{, eta lpha} \partial^{eta} \omega^{lpha eta_{I}} - 4 r_1 \partial_{I} \omega_{lpha eta eta} \partial^{eta} \omega^{lpha eta_{I}} - 24 r_3 \partial_{eta} \omega^{lpha eta_{I}} - 24 r_3 \partial_{I} \omega_{lpha eta} \partial^{eta} \omega^{lpha eta_{I}} - 24 r_3 \partial_{I} \omega_{lpha eta} \partial^{eta} \omega^{lpha eta_{I}} - 24 r_3 \partial_{I} \omega_{lpha} \partial^{eta} \omega^{lpha eta_{I}} - 24 r_3 \partial_{I} \omega_{lpha} \partial^{eta} \omega^{lpha} \partial^{eta} \partial^{eta} \omega^{lpha} \partial^{eta} \partial^{eta} \omega^{lpha} \partial^{eta} \omega^{lpha} \partial^{eta} \omega^{lpha} \partial^{eta} \omega^{lpha} \partial^{eta} \omega^{lpha} \partial^{eta} \omega^{lpha} \partial^{eta} $	$2 r_2  \partial_i \omega_{\alpha\beta\theta}  \partial^\theta \omega^{\alpha\beta i} + 4  r_1  \partial_\theta \omega_{\alpha\beta i}  \partial^\theta \omega^{\alpha\beta i} + \\ 2 r_2  \partial_\theta \omega_{\alpha\beta i}  \partial^\theta \omega^{\alpha\beta i} + 4  r_1  \partial_\theta \omega_{\alpha i\beta}  \partial^\theta \omega^{\alpha\beta i} - \\ 4 r_2  \partial_\theta \omega_{\alpha i\beta}  \partial^\theta \omega^{\alpha\beta i}) [t,  x,  y,  z]  dz  dy  dx  dt$	
-------------------------	---	---	------------------------------------	---	---	--	---	--

 $\sigma_{2^{+}\alpha\beta}^{\#1} \ \tau_{2^{+}\alpha\beta}^{\#1} \ \sigma_{2^{-}\alpha\beta\chi}^{\#1}$ 

 $\omega_{2^{+}\alpha\beta}^{\#1} f_{2^{+}\alpha\beta}^{\#1} \omega_{2^{-}\alpha\beta\chi}^{\#1}$ 

 $k^2 r_1$ 

f#1 

 $\sigma_{1^+}^{\sharp 1}\dagger^{lphaeta}$ 

 $\sigma_{1}^{\#2}\dagger^{\alpha\beta}$ 

 $\sigma_{1}^{\#1} \dagger^{\alpha}$ 

0 0 0

 $\omega_{1}^{#1} + \alpha$   $\omega_{1}^{#2} + \alpha$   $f_{1}^{#1} + \alpha$   $f_{1}^{#2} + \alpha$ 

 $f_1^{\#1} + \alpha \beta$ 

0 0

 $\frac{3\sqrt{2}}{(3+k^2)^2t_2}$ 

 $\frac{3i\sqrt{2}k}{(3+k^2)^2t_2}$ 

 $\sigma_{1}^{\#2}{}_{\alpha\beta}$ 

 $\frac{3\sqrt{2}}{(3+k^2)^2t_2}$ 

 $\frac{3}{(3+k^2)^2t_2}$ 

0 0

 $au_1^{\#1}{}_{lphaeta}$ 


 $\frac{3i\sqrt{2}k}{(3+k^2)^2t_2}$ 

 $\frac{3ik}{(3+k^2)^2t_2}$ 

 $-\frac{3ik}{(3+k^2)^2t_2} \frac{3k^2}{(3+k^2)^2t_2}$ 

 $\sigma_{1^{-}\alpha}^{\#1} \ \sigma_{1^{-}\alpha}^{\#2} \ \tau_{1^{-}\alpha}^{\#1} \ \tau_{1^{-}\alpha}^{\#2}$ 

## Massive and massless spectra



Unitarity conditions

 $r_2 < 0 \&\& t_2 > 0$