

	$\mathcal{K}_{0^+}^{\#1}$	$\mathcal{K}_{0^+}^{\#1\alpha\beta\chi}$				
$\mathcal{K}_{0^+}^{\#1\dagger}$	0	0				
$\mathcal{K}_{0^+}^{\#1\dagger\alpha\beta\chi}$	0	$\Upsilon_1 k^2$	$\mathcal{K}_{1^+}^{\#1\alpha\beta}$	$\mathcal{K}_{1^+}^{\#2\alpha\beta}$	$\mathcal{K}_{1^+}^{\#1\alpha}$	$\mathcal{K}_{1^+}^{\#2\alpha}$
$\mathcal{K}_{1^+}^{\#1\dagger\alpha\beta}$	0	0	0	0	0	0
$\mathcal{K}_{1^+}^{\#2\dagger\alpha\beta}$	0	0	0	0	0	0
$\mathcal{K}_{1^+}^{\#1\dagger\alpha}$	0	0	$\frac{\Upsilon_2 k^2}{2}$	$-\frac{\Upsilon_3 k^2}{2\sqrt{2}}$		
$\mathcal{K}_{1^+}^{\#2\dagger\alpha}$	0	0	$-\frac{\Upsilon_3 k^2}{2\sqrt{2}}$	$\frac{\Upsilon_4 k^2}{2}$	$\mathcal{K}_{2^+}^{\#1\alpha\beta}$	$\mathcal{K}_{2^+}^{\#1\alpha\beta\chi}$
					$\mathcal{K}_{2^+}^{\#1\dagger\alpha\beta}$	0
					$\mathcal{K}_{2^+}^{\#1\dagger\alpha\beta\chi}$	0
						$\frac{\Upsilon_5 k^2}{2}$


	$\mathcal{J}_{0^+}^{\#1}$	$\mathcal{J}_{0^+}^{\#1\alpha\beta\chi}$				
$\mathcal{J}_{0^+}^{\#1\dagger}$	0	0				
$\mathcal{J}_{0^+}^{\#1\dagger\alpha\beta\chi}$	0	$\frac{1}{k^2 (\kappa_{15}^{(4)} - \kappa_{16}^{(4)})}$	$\mathcal{J}_{1^+}^{\#1\alpha\beta}$	$\mathcal{J}_{1^+}^{\#2\alpha\beta}$	$\mathcal{J}_{1^+}^{\#1\alpha}$	$\mathcal{J}_{1^+}^{\#2\alpha}$
$\mathcal{J}_{1^+}^{\#1\dagger\alpha\beta}$	0	0	0	0	0	0
$\mathcal{J}_{1^+}^{\#2\dagger\alpha\beta}$	0	0	0	0	0	0
$\mathcal{J}_{1^+}^{\#1\dagger\alpha}$	0	0	$\frac{\Upsilon_4 k^2}{2 \text{Det}(1^+)}$	$\frac{\Upsilon_3 k^2}{2\sqrt{2} \text{Det}(1^+)}$		
$\mathcal{J}_{1^+}^{\#2\dagger\alpha}$	0	0	$\frac{\Upsilon_3 k^2}{2\sqrt{2} \text{Det}(1^+)}$	$\frac{\Upsilon_2 k^2}{2 \text{Det}(1^+)}$	$\mathcal{J}_{2^+}^{\#1\alpha\beta}$	$\mathcal{J}_{2^+}^{\#1\alpha\beta\chi}$
					$\mathcal{J}_{2^+}^{\#1\dagger\alpha\beta}$	0
					$\mathcal{J}_{2^+}^{\#1\dagger\alpha\beta\chi}$	0
						$\frac{1}{\text{Det}(2^+)}$

Abbreviations used in matrices

$$\begin{aligned}
\Upsilon_1 &= \kappa_{15}^{(4)} - \kappa_{16}^{(4)} \&\& \Upsilon_2 = 2(\kappa_1^{(4)} + \kappa_{15}^{(4)}) + \kappa_{16}^{(4)} \&\& \\
\Upsilon_3 &= 2\kappa_1^{(4)} - \kappa_7^{(4)} \&\& \Upsilon_4 = \kappa_1^{(4)} - 2\kappa_{15}^{(4)} - \kappa_{16}^{(4)} - \kappa_7^{(4)} \&\& \Upsilon_5 = 2\kappa_{15}^{(4)} + \kappa_{16}^{(4)} \&\& \\
\text{Det}(1^+) &= -\frac{1}{8}k^4(2(2\kappa_{15}^{(4)} + \kappa_{16}^{(4)})(\kappa_1^{(4)} + 2\kappa_{15}^{(4)} + \kappa_{16}^{(4)}) + 2(2\kappa_{15}^{(4)} + \kappa_{16}^{(4)})(\kappa_7^{(4)} + \kappa_7^{(4)^2})) \&\& \\
\text{Det}(2^+) &= \frac{1}{2}k^2(2\kappa_{15}^{(4)} + \kappa_{16}^{(4)})
\end{aligned}$$

Lagrangian

$$\begin{aligned}
&\kappa_1 \partial_\beta \mathcal{K}_{\chi\delta}^\delta \partial^\chi \mathcal{K}_\alpha^{\alpha\beta} - \kappa_1 \partial_\chi \mathcal{K}_{\beta\delta}^\delta \partial^\chi \mathcal{K}_\alpha^{\alpha\beta} + 2\kappa_{15} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\alpha\chi}^\delta + 2\kappa_{16} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\beta\chi}^\delta + \\
&\kappa_{16} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\chi\alpha}^\delta + \kappa_7 \partial^\chi \mathcal{K}_\alpha^{\alpha\beta} \partial_\delta \mathcal{K}_{\chi\beta}^\delta - \kappa_{15} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\beta\chi}^\delta + \kappa_{15} \partial_\delta \mathcal{K}_{\alpha\beta\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi} + \kappa_{16} \partial_\delta \mathcal{K}_{\beta\alpha\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi}
\end{aligned}$$

Added source term(s):	$\mathcal{K}^{\alpha\beta\chi} \mathcal{J}_{\alpha\beta\chi}$		
Source constraint(s)	# constraint(s)	Covariant form	
$\mathcal{J}_{0^+}^{\#1} = 0$	1	$\partial_\beta \mathcal{J}_\alpha^{\alpha\beta} = 0$	
$\mathcal{J}_{1^+}^{\#2\alpha\beta} = 0$	3	$\partial_\delta \partial_\chi \partial^\alpha \mathcal{J}^{\chi\beta\delta} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\chi\alpha\beta} = \partial_\delta \partial_\chi \partial^\beta \mathcal{J}^{\chi\alpha\delta}$	
$\mathcal{J}_{1^+}^{\#1\alpha\beta} = 0$	3	$\partial_\delta \partial_\chi \partial^\alpha \mathcal{J}^{\chi\beta\delta} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\beta\alpha\chi} = \partial_\delta \partial_\chi \partial^\beta \mathcal{J}^{\chi\alpha\delta} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\alpha\beta\chi}$	
$\mathcal{J}_{2^+}^{\#1\alpha\beta} = 0$	5	$3\partial_\delta \partial_\chi \partial^\alpha \mathcal{J}^{\chi\beta\delta} + 3\partial_\delta \partial_\chi \partial^\beta \mathcal{J}^{\chi\alpha\delta} + 2\eta^{\alpha\beta} \partial_\epsilon \partial^\epsilon \partial_\delta \mathcal{J}_\chi^{\chi\delta} = 2\partial_\delta \partial^\beta \partial^\alpha \mathcal{J}_\chi^{\chi\delta} + 3(\partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\alpha\beta\chi} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\beta\alpha\chi})$	
Total # constraint(s):	12		
Resolved pole(s)	# polarization(s)	Square mass	Residue
	2	0	$-\frac{16\kappa_{15}^{(4)^2} + 4\kappa_{16}^{(4)^2} + 4\kappa_{16}^{(4)}\kappa_7^{(4)} + 3\kappa_7^{(4)^2} + 8\kappa_{15}^{(4)}(2\kappa_{16}^{(4)} + \kappa_7^{(4)})}{(2\kappa_{15}^{(4)} + \kappa_{16}^{(4)})(8\kappa_{15}^{(4)} + 2\kappa_{16}^{(4)} + 2\kappa_1^{(4)}(2\kappa_{15}^{(4)} + \kappa_{16}^{(4)}) + 2\kappa_{16}^{(4)}\kappa_7^{(4)} + \kappa_7^{(4)^2} + 4\kappa_{15}^{(4)}(2\kappa_{16}^{(4)} + \kappa_7^{(4)}))}$
Resolved unitarity condition(s):		$ \begin{aligned} &(\kappa_{15}^{(4)} < -\frac{\kappa_{16}^{(4)}}{2} \&\& \kappa_1^{(4)} < \frac{-8\kappa_{15}^{(4)^2} - 8\kappa_{15}^{(4)}\kappa_{16}^{(4)} - 2\kappa_{16}^{(4)^2} - 4\kappa_{15}^{(4)}\kappa_7^{(4)} - 2\kappa_{16}^{(4)}\kappa_7^{(4)} - \kappa_7^{(4)^2}}{4\kappa_{15}^{(4)} + 2\kappa_{16}^{(4)}}) \\ &(\kappa_{15}^{(4)} > -\frac{\kappa_{16}^{(4)}}{2} \&\& \kappa_1^{(4)} < \frac{-8\kappa_{15}^{(4)^2} - 8\kappa_{15}^{(4)}\kappa_{16}^{(4)} - 2\kappa_{16}^{(4)^2} - 4\kappa_{15}^{(4)}\kappa_7^{(4)} - 2\kappa_{16}^{(4)}\kappa_7^{(4)} - \kappa_7^{(4)^2}}{4\kappa_{15}^{(4)} + 2\kappa_{16}^{(4)}}) \end{aligned} $	