

Introduction to Field Epidemiology and Outbreak Response

Michael E. DeWitt

2024-07-04

Table of contents

Preface	4
Disclaimer	4
Notice	4
1 Introduction	5
2 Before you go	6
2.1 Travel medicine clinic	6
2.2 Packing for your travel	9
2.2.1 Perscription Medications	9
2.2.2 Medical supplies	9
2.2.3 Prevention	9
2.2.4 First Aid	9
2.2.5 Documentation	9
 I Human epidemiology	 10
3 Defining a case	12
4 Bioethics during an outbreak	13
 II After action	 14
5 Reporting	15
5.1 Situation Reports	15
5.2 After Action Reports	15
 III Conclusion	 16
6 Conclusion	17
References	18

Appendices	19
A PPE	19
B Learning R	20
B.1 Learning the basics	20
B.2 Epidemiology focused	20
B.3 Geospatial focused	20

Preface

The handbook evolved after my experience during the International Field Epidemiology program conducted during June 2024 in Lima and Tumbes, Peru.

Disclaimer

The conclusions, findings, and opinions expressed by authors contributing to this journal do not necessarily reflect the official position of the authors' affiliated institutions.

Notice

This material is not intended to be and should not be considered a substitute for medical or other professional advice. Treatment for the conditions described in this material is highly dependent on the individual circumstances. While this material is designed to offer accurate information with respect to the subject matter covered and to be current as of the time it was written, research and knowledge about medical and health issues are constantly evolving, and dose schedules for medications and vaccines are being revised continually, with new side effects recognized and accounted for regularly. Readers must, therefore, always check the product information and data sheets provided by the manufacturers and the most recent codes of conduct and safety regulations. The publisher and the authors make no representations or warranties to readers, express or implied, as to the accuracy or completeness of this material, including without limitations that they make no representations or warranties as to the accuracy of the drug dosages mentioned in this material. The authors and the publishers do not accept, and expressly disclaim, any responsibility for any liability, loss, or risk that may be claimed or incurred as a consequence of the use and/or application of any of the contents of this material.

1 Introduction

During an outbreak, the key mission is two-fold– save as many lives as possible and learn enough to stop the outbreak. Zoonoses are growing (Woolhouse and Gowtage-Sequeria 2005).

2 Before you go

One of the worst things to happen to a team investigating an outbreak is for a teammate to come down with an illness during the investigation. In the best case, everyone on the team has been vaccinated against the likely infections known for the region in which the outbreak occurs. Similarly, you may need to take prophylaxis for different pathogens before, during, and after your visit. It may also be good to have some common drugs in case a member of the team comes down with an illness. The best way to prepare for this is to visit a travel medicine clinic.

2.1 Travel medicine clinic

[Travel medicine clinics](#) are typically staffed by infectious disease physicians who can recommend different vaccines, prophylaxis, and counseling on what to do in case of emergencies. Visits to a travel medicine provider are typically covered by your insurance.

These providers will examine things like the Centers for Disease Control and Prevention (CDC)'s [yellow book](#) or other resources like [Shoreland Travax](#). Based on the ongoing disease dynamics within the country, you will see three different categories for vaccination:

- **Recommended**
- **Generally not recommended**
- **Not recommended**

We can look at the [CDC recommendations for Peru](#).

Table 2.1: Recommended vaccines for travelers to Peru retrieved from <https://wwwnc.cdc.gov/travel/destinations/traveler/none/peru> on 2024-07-04

Vaccines for disease	Recommendations	Clinical Guidance for Healthcare providers
-------------------------	-----------------	--------------------------------------------------------

Routine vaccines	Make sure you are up-to-date on all routine vaccines before every trip. Some of these vaccines include Chickenpox (Varicella) Diphtheria-Tetanus-Pertussis Flu (influenza) Measles-Mumps-Rubella (MMR) Polio Shingles	Immunization schedules
COVID-19	All eligible travelers should be up to date with their COVID-19 vaccines. Please see Your COVID-19 Vaccination for more information.	COVID-19 vaccine
Chikungunya	There has been evidence of chikungunya virus transmission in Peru within the last 5 years. Chikungunya vaccination may be considered for the following travelers: People aged 65 years or older, especially those with underlying medical conditions, who may spend at least 2 weeks (cumulative time) in indoor or outdoor areas where mosquitoes are present in Peru, OR People planning to stay in Peru for a cumulative period of 6 months or more	Chikungunya - CDC Yellow Book
Hepatitis A	Recommended for unvaccinated travelers one year old or older going to Peru. Infants 6 to 11 months old should also be vaccinated against Hepatitis A. The dose does not count toward the routine 2-dose series. Travelers allergic to a vaccine component or who are younger than 6 months should receive a single dose of immune globulin, which provides effective protection for up to 2 months depending on dosage given. Unvaccinated travelers who are over 40 years old, immunocompromised, or have chronic medical conditions planning to depart to a risk area in less than 2 weeks should get the initial dose of vaccine and at the same appointment receive immune globulin.	Hepatitis A - CDC Yellow Book Dosing info - Hep A
Hepatitis B	Recommended for unvaccinated travelers younger than 60 years old traveling to Peru. Unvaccinated travelers 60 years and older may get vaccinated before traveling to Peru.	Hepatitis B - CDC Yellow Book Dosing info - Hep B

Malaria	CDC recommends that travelers going to certain areas of Peru take prescription medicine to prevent malaria. Depending on the medicine you take, you will need to start taking this medicine multiple days before your trip, as well as during and after your trip. Talk to your doctor about which malaria medication you should take. Find country-specific information about malaria.	Malaria - CDC Yellow Book Considerations when choosing a drug for malaria prophylaxis (CDC Yellow Book) Malaria information for Peru.
Measles	Cases of measles are on the rise worldwide. Travelers are at risk of measles if they have not been fully vaccinated at least two weeks prior to departure, or have not had measles in the past, and travel internationally to areas where measles is spreading. All international travelers should be fully vaccinated against measles with the measles-mumps-rubella (MMR) vaccine, including an early dose for infants 6–11 months, according to CDC's measles vaccination recommendations for international travel.	Measles (Rubeola) - CDC Yellow Book
Rabies	Dogs infected with rabies are sometimes found in Peru. Rabies is also commonly found in some terrestrial wildlife species and bats. If rabies exposures occur while in Peru, rabies vaccines may only be available in larger suburban/urban medical facilities. Rabies pre-exposure vaccination considerations include whether travelers 1) will be performing occupational or recreational activities that increase risk for exposure to potentially rabid animals and 2) might have difficulty getting prompt access to safe post-exposure prophylaxis. Please consult with a healthcare provider to determine whether you should receive pre-exposure vaccination before travel. For more information, see country rabies status assessments.	Rabies - CDC Yellow Book
Typhoid	Recommended for most travelers, especially those staying with friends or relatives or visiting smaller cities or rural areas.	Typhoid - CDC Yellow Book Dosing info - Typhoid

Yellow Fever	Recommended for travelers 9 months old going to areas <2,300 m (7,550 ft) elevation in the regions of Amazonas, Cusco, Huánuco, Junín, Loreto, Madre de Dios, Pasco, Puno, San Martín, and Ucayali, and designated areas of Ancash (far northeast), Apurímac (far north), Ayacucho (north and northeast), Cajamarca (north and east), Huancavelica (far north), La Libertad (east), and Piura (east). Generally not recommended for travel limited to the following areas west of the Andes: the regions of Lambayeque and Tumbes, and designated areas of Cajamarca (west-central), and Piura (west). Not recommended for travel limited to areas >2,300 m (7,550 ft) elevation, areas west of the Andes not listed above, the city of Lima (the capital), and the highland tourist areas (the city of Cusco, the Inca Trail, and Machu Picchu).	Yellow Fever - CDC Yellow Book
-----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------

2.2 Packing for your travel

2.2.1 Perscription Medications

2.2.2 Medical supplies

2.2.3 Prevention

2.2.4 First Aid

2.2.5 Documentation

Part I

Human epidemiology

Human epidemiology.

3 Defining a case

One of the key aspects of an outbreak investigation is establishing the case definition.

4 Bioethics during an outbreak

Ethical considerations are vital during an outbreak in order to preserve the trust of the community

Part II

After action

5 Reporting

5.1 Situation Reports

5.2 After Action Reports

Part III

Conclusion

6 Conclusion

Importantly, field epidemiology requires a diverse team from a variety of skillsets in order to be successful.

References

Woolhouse, Mark E. J., and Sonya Gowtage-Sequeria. 2005. "Host Range and Emerging and Reemerging Pathogens." *Emerging Infectious Diseases* 11 (12). <https://doi.org/10.3201/eid1112.050997>.

A PPE

Personal protective equipment (PPE) is vital to protecting your staff and yourself during an outbreak investigation. Loss of personnel to sickness and quarantine can disrupt ongoing outbreak response actions. Importantly, while supplies allow and until testing indicates otherwise, you should operate at higher levels of PPE. This may include the use of N-95 respirators with facial shields and gloves (i.e., mask, gowns, and glasses/goggles). Depending on the pathogen suspected and the transmission modality, higher levels of PPE may be required. For instance during outbreaks of [Marburg and Ebola](#), higher levels of PPE are required including full protective suits, gloves, and PAPRs.

B Learning R

The basics of the R programming language

B.1 Learning the basics

- [R for Data Science](#)
- [Hands on programming with R](#)

B.2 Epidemiology focused

- [The Epidemiologist R Handbook](#)
- [R for Epidemiology](#)
- [Introduction to R for Epidemiologists](#)

B.3 Geospatial focused

- [Geocomputation with R](#)
- [Spatial Data Science](#)
- [Geospatial Health Data](#)
- [R for Geospatial](#)
-