SWE 205 - Introduction to Software Engineering

Lecture 9 - Requirements Engineering

Lecture Objectives

- To introduce the concepts of user and system requirements
- To describe functional and non-functional requirements

Goals and requirements

- Non-functional requirements may be very difficult to state precisely and imprecise requirements may be difficult to verify.
- Goal
  - A general intention of the user such as ease of use.
- Verifiable non-functional requirement
  - A statement using some measure that can be objectively tested.
- Goals are helpful to developers as they convey the intentions of the system users.

Examples

- **A system goal**
  - The system should be easy to use by experienced controllers and should be organised in such a way that user errors are minimised.
- **A verifiable non-functional requirement**
  - Experienced controllers shall be able to use all the system functions after a total of two hours training. After this training, the average number of errors made by experienced users shall not exceed two per day.

Requirements interaction

- Conflicts between different non-functional requirements are common in complex systems.
- Spacecraft system
  - To minimise weight, the number of separate chips in the system should be minimised.
  - To minimise power consumption, lower power chips should be used.
  - However, using low power chips may mean that more chips have to be used. Which is the most critical requirement?

Domain requirements

- Derived from the application domain and describe system characteristics and features that reflect the domain.
- Domain requirements be new functional requirements, constraints on existing requirements or define specific computations.
- If domain requirements are not satisfied, the system may be unworkable.

Library system domain requirements

- There shall be a standard user interface to all databases which shall be based on the Z39.50 standard.
- Because of copyright restrictions, some documents must be deleted immediately on arrival. Depending on the user’s requirements, these documents will either be printed locally on the system server for manually forwarding to the user or routed to a network printer.

Domain requirements problems

- Understandability
  - Requirements are expressed in the language of the application domain;
  - This is often not understood by software engineers developing the system.
- Implicitness
  - Domain specialists understand the area so well that they do not think of making the domain requirements explicit.

User requirements

- Should describe functional and non-functional requirements in such a way that they are understandable by system users who don’t have detailed technical knowledge.
- User requirements are defined using natural language, tables and diagrams as these can be understood by all users.

Problems with natural language

- Lack of clarity
  - Precision is difficult without making the document difficult to read.
- Requirements confusion
  - Functional and non-functional requirements tend to be mixed-up.
- Requirements amalgamation
  - Several different requirements may be expressed together.

LIBSYS Requirements

- LIBSYS shall provide a financial accounting system that maintains records of all payments made by users of the system. System managers may configure this system so that regular users may receive discounted rates.

Key Points

- User requirements are high-level statements of what the system should do. User requirements should be written using natural language, tables and diagrams.