

9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 1 Chemical Product and Company Identification

Product Identifier GPC® Etching Scales

Product Number IF-CPR7190

General Use Foil stamping or embossing

Company UEI Systems®, a UEI Group Company

Address 9090 Nieman Road

Overland Park, KS 66214 USA

Phone +1 800 221 9059 or +1 913 541 0503

Emergency Contact Number CHEMTEL – Available 24 hours/day, 7 days/week

Domestic North America: +1 800 255 3924

International: +1 813 248 0585

Section 2 Hazards Identification

GHS Classification

Hazard Class	Hazard Category	Route of Exposure	
Acute Toxicity	3	Oral	

GHS Labeling

Contains Copper (7440-50-8)



Danger

Hazard Statement Toxic if swallowed

Precautionary Statements Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Response If Swallowed: Immediately call a Poison Center or doctor/physician.

Specific treatment: See supplemental first aid instructions in Section 4.

Rinse mouth

Storage Store locked up

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations

Section 3		Hazardous Ingredients / Identity Information			
		Hazardous Components	CAS No.	%	
	Metal	Copper	7440-50-8	55-65	
		Silver	7440-22-4	< 0.1	
		Resins		<1	
		Sensitizers		<1	
		Dyes		<1	



9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 4	First Aid Measures
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
Ingestion	Wash out mouth with water. Call a physician.
Eye Contact	Immediately flush eyes with large amounts of water for at least 15 minutes.
Skin Contact	Immediately flush skin with large amounts of water for at least 15 minutes while removing contaminated clothing and shoes. Wash hands before eating and smoking.
Section 5	Firefighting Measures
Flammable/Combustible Properties	This product does not present fire or explosion hazards as shipped. Dust and fines may be readily ignitable.
Fire/Explosion	 May be a potential hazard under the following conditions: Heavily concentrated dust clouds are dispersed in the air. Dust or fines dispersed in the air can be explosive if subjected to a strong ignition source. Molten metal in contact with water/moisture. Moisture entrapped by molten metal can be explosive.
Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable Extinguishing Media	 Do Not Use: Halogenated agents on dust or fines Water around molten metal These agents will react with the burning material.
Firefighting Equipment/Instructions	Firefighters should wear NIOSH-approved, positive pressure, self-contained breathing apparatus and full protective clothing when appropriate.
Section 6	Accidental Release Measures
Personal Precautions	Wear gloves and approved respiratory protection if possibility of dust, mist and fume exposure exists.
Environmental Precautions	Copper waste is normally collected for recycling. Should waste disposal be deemed necessary, follow Federal, State, or Local regulations.
Methods for Cleaning Up	Do not use compressed air for cleaning.
Section 7	Handling and Storage
	Do not breathe dust or smoke. Avoid activities that raise dust or smoke. Avoid contact with the eyes and skin. Wash hands thoroughly after handling. Store in a normal dry warehouse.



9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 8	Component Exposure	e Limits					
	Hazardous Components	CAS No. OSHA	PEL/TWA)	ACGIH TLV			
Metal	Copper	9		mg/m³, Dust mg/m³, Fume			
	Silver	9		0.1 mg/m ³			
Appropriate Engineering Controls	When handling molten copper, protective clothing against metal splashing, face shield, protective gloves and respirator if needed, must be used. Avoid ingestion and inhalation of dust and fumes. Do not eat, drink or smoke during use and wash hands before eating, drinking or smoking.						
Personal Respiratory Protection	Use NIOSH/MSHA approved dust respirator to avoid excessive inhalation of dust, fume or mist.						
Personal Hand Protection	Use protective gloves agair	Use protective gloves against melt splashing.					
Eye Protection	Use safety glasses or face shield in exposure to dust, fume or mist and when handling melt.						
Skin Protection	Protective clothing against	melt splashing. Wear trou	ser legs outside boots	to avoid melt			
	entrance in the boots.						
Section 9 Physical and Chemical Properties							
Appearance/Odor	Light red/No odor	Odor Threshold	No data				
рН	No data	Boiling Point	4,653°F (2,567°C)				
Melting Point	>1,982° (1,083°C)	Solubility (H ₂ O)	Insoluble in water				
Specific Gravity	No data	Density	0.323lb/in ³ (8.94g/	cc)			
Octanol/H ₂ O Coefficient	No data	Evaporation Rate	No data				
Molecular Weight	No data Dec	composition Temperature	No data				
Auto Ignition	No data	Lower Flammability Limit	No data				
Flash Point	No data	Upper Flammability Limit	No data				
Vapor Density	No data	Vapor Pressure	No data				
VOC	No data	Flammability Class	No data				
Viscosity	No data						
Section 10	Chemical Stability an	d Reactivity					
Section 10 Stability	Chemical Stability and Stable under normal handl	· · ·					
		ing conditions	nalogens				
Stability	Stable under normal handl	ing conditions ng agents, acid chlorides, oducts of the cured coatin	g may yield small qua				



9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 11 Toxicological Information

Likely routes of exposure

Copper may be toxic by inhalation, ingestion, injection, and skin or eye exposure.

Acute Effects

Inhalation

Exposure to fumes or dust may cause irritation of the nose and upper respiratory tract, as well as sneezing and coughing. Perforation of the nasal septum can also occur. "Metal fume fever", with respiratory and flu-like symptoms such as chills and muscle aches, may result from exposure to fumes or fine dust. The incidence of copper-induced metal fume fever is low due to the high temperatures required to volatilize copper.

Eye Contact

Exposure of the eyes to copper fumes or dust can cause irritation, conjunctivitis, palpebral edema, ulceration and corneal turbidity. Eye irritation, uveitis, abscess and loss of the eye may also occur from the mechanical action of lodged copper particles. Penetration of the eye by fine fragments can result in severe ocular damage. Corneal discoloration (Kayser-Fleischer ring) is a hallmark of Wilson disease.

Skin Contact

Skin exposure may cause irritation, itching, eczema, allergic contact dermatitis, hypersensitivity, and a greenish discoloration of the hair, teeth and skin.

Ingestion

Acute ingestion of copper salts can cause irritation, severe nausea and vomiting, salivation, abdominal pain, epigastric burning, hemolysis, gastrointestinal bleeding with hemorrhagic gastritis, hematemesis and melena, anemia, hypotension, jaundice, seizures, coma, shock and death. Hepatic and renal failure may develop several days after acute ingestion. Methemoglobinemia may rarely occur. Copper may produce a metallic or sweet taste.

Sensitization

Skin exposure may cause irritation, itching, eczema, allergic contact dermatitis, hypersensitivity, and a greenish discoloration of the hair, teeth and skin.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

fied as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity

No data available

Teratogenicity

No data available

Section 12

Ecological Information

Ecotoxicity

No data is available on this product. Individual constituents are as following:

Component	Species	Exposure Time	LC50/EC50/IC50
Copper (7440-50-8)	Selenastrum capricornatum (green alga) Oncorhynchus kisutch (coho salmon)	, .	EC50 85 ug/l LC50 286 ug/l

Persistence/Degradability

No evidence was found to indicate that there is any biotransformation process for copper.

Bioaccumulative Potential

Copper is accumulated by all plants and animals.

Mobility in Soil

Copper is relatively mobile in soils.



9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 13

Disposal Considerations

Disposal Instructions

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. This product may be a candidate for metal reclamation.

Section 14

Transportation Information

The material in not regulated under DOT provisions.

Section 15

Regulatory Information

	SARA ¹	SARA ¹ EHS	RCRA ²	CERCLA ³	CERCLA ³ RQ	TSCA⁴
Copper	Listed	Not listed	Not listed	Listed per CWA Section 307(a)	5000 lb (2268 kg)	Listed

Component Analysis - State

Component	CA	MA	MN	NJ	PA	RI
Copper (7440-50-8)	N	Υ	Υ	Υ	Υ	Υ

California Prop 65

This product does not contain a chemical known to the State of California to cause cancer, birth defects or any other reproductive harm.

Section 16

Other Information

UEI Systems® provides the information contained herein in good faith. It is believed to be correct. However it is not all-inclusive and should be used only as a guide. Individuals receiving this information must exercise their independent judgement in determining its appropriateness for a particular purpose. UEI Systems shall not be held liable for any damage resulting from handling or from contact with this product. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources.

Abbreviations

PEL Permissible Exposure Limit

TLV Threshold Limit Value

End Notes

1. SARA - Signed into law in 1986, the Superfund Amendments and Reauthorization Act (SARA) is an extension of CERCLA, and is intended to encourage and support local and state emergency planning efforts. SARA provides citizens and local governments with information about potential chemical hazards, and calls for facilities that store hazardous materials to provide officials and citizens with data on the type and amount on hand at specific locations. This field states whether a material is listed or not listed in section 372.65 of SARA. EHS - This states if a material is listed or not listed in Appendix B to part 355, the SARA Extremely Hazardous Substances (EHS) section. RQ is the reportable quantity. TPQ is the Threshold Planning Quantity.

2. RCRA - The Resource Conservation and Recovery Act enacted in 1976 and subsequently amended, controls solid-waste disposal and encourages recycling. This states whether a material is listed or not listed under this regulation. If listed the Hazardous Waste Number and waste characterization assigned by RCRA is also provided. 3. CERCLA - Enacted in 1980 and amended thereafter, the Comprehensive Environmental Response, Compensation, and Liability Act provides for identification and cleanup of hazardous materials released on land, into the air, waterways, and groundwater. It covers areas affected by newly released materials and older leaking or abandoned dump sites. This states whether a material is listed or not listed in CERCLA Table 302.4. If listed the section(s) that it is listed under and the Reportable Quantity (RQ) are also provided. 4. TSCA - The Toxic Substances Control Act controls the exposure to and use of raw industrial chemicals not subject to other laws. This states whether the chemical is listed or not listed under this regulation.

Revision 21 April 2020 Supersedes 12 June 2017

Evidence http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~tHNrdw:7