

| Module | Description | Example | Script |
|--------|---------------------------------------|---------------------------------------------------------------------|---------------|
| core | dictionary, adding a new entry | <code>co['po'] = 'CO'</code> | g05/demo.py |
| core | dictionary, creating | <code>co = {'name':'Colorado', 'capital':'Denver'}</code> | g05/demo.py |
| core | dictionary, creating | <code>ca = { 'po':'CA', 'name':'California', 'pop':38654206}</code> | g05/basics.py |
| core | dictionary, length of | <code>n = len(to_nato)</code> | g05/nato.py |
| core | dictionary, looking up a value | <code>name = ny['name']</code> | g05/demo.py |
| core | dictionary, making a list of | <code>list1 = [co,ny]</code> | g05/demo.py |
| core | dictionary, obtaining a list of keys | <code>names = super_dict.keys()</code> | g05/demo.py |
| core | file, closing | <code>fh.close()</code> | g02/demo.py |
| core | file, opening for reading | <code>fh = open('states.csv')</code> | g05/demo.py |
| core | file, opening for writing | <code>fh = open(filename,"w")</code> | g02/demo.py |
| core | file, output using print | <code>print("It was written during",year,file=fh)</code> | g02/demo.py |
| core | file, output using write | <code>fh.write("Where was this file was written?\n")</code> | g02/demo.py |
| core | file, reading one line at a time | <code>for line in fh:</code> | g05/demo.py |
| core | for, looping through a list | <code>for n in a_list:</code> | g04/demo.py |
| core | function, calling | <code>d1_ssq = sumsq(d1)</code> | g06/demo.py |
| core | function, defining | <code>def sumsq(values):</code> | g06/demo.py |
| core | function, returning a result | <code>return values</code> | g06/demo.py |
| core | list, appending an element | <code>a_list.append("four")</code> | g03/demo.py |
| core | list, create via comprehension | <code>cubes = [n**3 for n in a_list]</code> | g04/demo.py |
| core | list, creating | <code>a_list = ["zero","one","two","three"]</code> | g03/demo.py |
| core | list, determining length | <code>n = len(b_list)</code> | g03/demo.py |
| core | list, extending with another list | <code>a_list.extend(a_more)</code> | g03/demo.py |
| core | list, generating a sequence | <code>b_list = range(1,6)</code> | g04/demo.py |
| core | list, joining with spaces | <code>a_string = " ".join(a_list)</code> | g03/demo.py |
| core | list, of dictionaries | <code>state_list = [ca,tx,fl,ny]</code> | g05/basics.py |
| core | list, selecting an element | <code>print(a_list[0])</code> | g03/demo.py |
| core | list, selecting elements 0 to 3 | <code>print(a_list[:4])</code> | g03/demo.py |
| core | list, selecting elements 1 to 2 | <code>print(a_list[1:3])</code> | g03/demo.py |
| core | list, selecting elements 1 to the end | <code>print(a_list[1:])</code> | g03/demo.py |
| core | list, selecting last 3 elements | <code>print(a_list[-3:])</code> | g03/demo.py |
| core | list, selecting the last element | <code>print(a_list[-1])</code> | g03/demo.py |
| core | list, sorting | <code>c_sort = sorted(b_list)</code> | g03/demo.py |
| core | list, splitting on whitespace | <code>b_list = b_string.split()</code> | g03/demo.py |

| Module | Description | Example | Script |
|--------|---------------------------------------|-------------------------------------------------------|---------------|
| core | math, raising a number to a power | <code>a_cubes.append(n**3)</code> | g04/demo.py |
| core | math, rounding a number | <code>rounded = round(ratio,2)</code> | g05/demo.py |
| core | rounding to two places | <code>pct = round(100*pop/uspop,2)</code> | g05/basics.py |
| core | string, concatenating | <code>name = s1+" "+s2+" "+s3</code> | g02/demo.py |
| core | string, convert to lower case | <code>line = line.lower()</code> | g05/nato.py |
| core | string, converting to an int | <code>values.append(int(line))</code> | g06/demo.py |
| core | string, creating | <code>filename = "demo.txt"</code> | g02/demo.py |
| core | string, including a newline character | <code>fh.write(name+"!\n")</code> | g02/demo.py |
| core | string, printing | <code>print("Hello, World!")</code> | g02/hello1.py |
| core | string, remove spaces | <code>line = line.strip()</code> | g05/nato.py |
| core | string, splitting on white space | <code>parts = line.split(',')</code> | g05/demo.py |
| core | string, stripping blank space | <code>clean = [item.strip() for item in parts]</code> | g05/demo.py |
| json | importing the module | <code>import json</code> | g05/demo.py |
| json | object to string | <code>print(json.dumps(state_list,indent=4))</code> | g05/basics.py |
| json | using to print an object nicely | <code>print(json.dumps(list1,indent=4))</code> | g05/demo.py |