

## RHEUMATOLOGY

Lake Mary, FL toll free

toll free fax

krogerspecialtypharmacy.com

SPECIALTY PHA	RMACY D.	ATE:	NEEDS BY DATE:	SHIP TO: PATIENT OFFICE OTHER		
	PATIE	NT II	NFO	PRESCRIBER I	NFO	
Patient Name				Prescriber Name	0	
i atierit ivarrie				Trescriber Name		
Address				DEA# NPI#	License #	
City, State, Zip				Address		
Main Phone	Alternate Phone			City, State, Zip		
Social Security#				Phone Fax		
Date of Birth			☐ Male ☐ Female	Contact Person		
PLEASE	FAX COPY OF: 📮	PRE	SCRIPTION CARD FRONT & BA	ACK 🖵 CLINICAL NOTES 📮 MEDICAL	_CARD FRONT	「& BACK
			CLINICAL IN	FORMATION		
9	M06.9 Rheumatoid Arthri	tis			stemic Lupus Eryth	ematosus
	H20.9 Uveitis		□ Other:	_ DX Code:		
	: eds: □ Methotrexate		Longth of Troatment	Reason for Discontinuing		
Prior Falled Me						
	o		Length of Treatment • F	Reason for Discontinuing		
Does natient h	nave a latex allergy? ☐ Yes			intended to be given before biologic started)? □ Y	es 🗇 No (PI FASE se	end I AR result)
Does patient			SCRIPTION INFORMATION		QUANTITY	1
					QUANTITY	KEFILLS
<b>□</b> Actemra <sup>®</sup>	☐ 162mg Prefilled Syringe☐ ☐Vial		Inject 162mg subcutaneously ☐ ONCE Infusemg at ☐ Load: Infusemg at weeks 0, 2	a week or □ every OTHER week	4 week supply	
■ Benlysta®	☐ 120mg Vial☐ 400mg Vial 200mg ☐ Autoinjector☐	<b>I</b> PFS	☐ Load: Infusemg at weeks 0, ☐ Maintenance: Infusemg even Inject 200mg subcutaneously ONCE a we	4 week supply		
☐ Cimzia®	☐ 200x2 Prefilled Syringe☐ 200x2 LYO Powder		☐ Starter Kit: Inject 400mg subcutaneous ☐ Maintenance: Inject 400mg SubQ once ev	1 Kit 4 week supply	none	
☐ Cosentyx°	300mg (2x150) <b>□</b> Pen □	PFS PFS	□ Load: Inject □ 300mg or □ 150mg sub □ Maintenance: Inject □ 300mg or □ 15	ocutaneously week 0, 1, 2, 3, 4	5 week supply 4 week supply	none
☐ Enbrel®	50mg <b>□</b> Sureclick □	PFS PFS	Inject 50mg subcutaneously ONCE a weelinject 25mg subcutaneously TWICE a weelinject 25mg subcutaneously TWICE a weelinject 25mg subcutaneously TWICE as well as well as the subcutaneously TWICE as the subcutaneously TWICE as well as the subcutaneously TWICE as the subcut	ek	4 week supply	
☐ Humira®	☐ Uveitis Starter Kit	1113	Inject 2-40mg (80mg) on day 1, then 40n	ng on day 8, then 40mg every other week	Loading Dose	none
	☐ 40mg Pen☐ 40mg Prefilled Syringe		☐ Inject 40mg subcutaneously every OTE Inject 40mg subcutaneously ONCE a w		4 week supply	
□ Kevzara°	☐ 200mg Prefilled Syringe☐ 150mg Prefilled Syringe☐		Inject 200mg subcutaneously once every Inject 150mg subcutaneously once every		4 week supply	
□ Orencia®	125mg □ ClickJect™ □ □ 250mg Vial	) PFS	Inject 125mg subcutaneously ONCE a we Infusemg at	eek	4 week supply	
□ Otezla*	☐ Starter Pack☐ 30mg Tablets		☐ Titrate: Take 1 tablet on day 1 then twice ☐ Maintenance: Take 1 tablet by mouth t ☐ Bridge Rx: Take 1 tablet by mouth twice	wice daily.	1 Starter Pack 60 28	none —
☐ Remicade®	100mg Vial		Infusemg at		4 week supply	12
☐ Rituxan*	roomig viai		Infusemg at		4 week supply	
		- DEC	Inject 50mg subcutaneously ONCE a MO	AITH	1 Week supply	
□ Simponi*	□ Aria	<b>1</b> PFS	Infusemg at weeks 0 and 4, the	en every 8 weeks thereafter	4 week supply	
□ Stelara°	45mg Prefilled Syringe		☐ Inject 45mg on day 0, then week 4, the ☐ Inject 45mg every 12 weeks	en every 12 weeks	1 1	
□ Xeljanz <sup>®</sup>	☐ 5mg Tablets ☐ 11mg XR Tablets		Take 1 tablet by mouth twice daily Take 1 tablet by mouth once daily		60 30	
□ Other						
By signing this form	n and utilizing our services, you are	authoriz	zing Kroger Specialty Pharmacy™ and it's employees t	to serve as your prior authorization designated agent in dealing with r	medical and prescription i	insurance companies.

Date