

Homework 4

Michael Laughlin and Taylor Short

The label “Problem” is used for required problems. “Exercise” is for suggested exercises.

Problem 1 (Golan 199). Let V be a vector space of finite dimension $n > 0$ over \mathbb{R} and, for each positive integer i , let U_i be a proper subspace of V . Show that $V \neq \bigcup_{i=1}^{\infty} U_i$.

Problem 2 (Golan 210). Let V be a vector space over a field F and assume V is not finitely generated. Show that there exists an infinite sequence W_1, W_2, \dots of proper subspaces of V satisfying $\bigcup_{i=1}^{\infty} W_i = V$.

Exercise (Golan 239). Let V and W be a vector space over \mathbb{Q} and let $\alpha : V \rightarrow W$ be a function satisfying $\alpha(x + y) = \alpha(x) + \alpha(y)$ for all $x, y \in V$. Is α necessarily a linear transformation?

Exercise (Golan 240). Let $\alpha : \mathbb{R} \rightarrow \mathbb{R}$ be a continuous function satisfying $\alpha(x+y) = \alpha(x) + \alpha(y)$ for all $a, b \in \mathbb{R}$. Show that α is a linear transformation.

Problem 3 (Golan 241). Let W_1 and W_2 be subspaces of a vector space V over a field F and assume we have linear transformations $\alpha_1 : W_1 \rightarrow V$ and $\alpha_2 : W_2 \rightarrow V$ satisfying the condition that $\alpha_1(v) = \alpha_2(v)$ for all $v \in W_1 \cap W_2$. Find a linear transformation $\theta : W_1 + W_2 \rightarrow V$ such that the restriction of θ to W_i equals α_i ($i = 1, 2$), or show why no such linear transformation exists.

Problem 4 (Golan 251). Let V , W and Y be vector spaces finitely generated over a field F and let $\alpha \in \text{Hom}(V, W)$. Let $\text{ann}(\alpha)$ denote the set of those $\beta \in \text{Hom}(W, Y)$ satisfying the condition that $\beta\alpha$ is the 0-transformation. That is,

$$\text{ann}(\alpha) = \{\beta \in \text{Hom}(W, Y) \mid \forall v \in V \beta\alpha(v) = 0_Y\}.$$

Prove that $\text{ann}(\alpha)$ is a subspace of $\text{Hom}(W, Y)$ and compute its dimension.

Exercise (Golan 253). Let V and W be vector spaces over a field F and assume that there are subspaces V_1 and V_2 of V , both of positive dimension, satisfying $V = V_1 \oplus V_2$. For $i = 1, 2$, let

$U_i = \{\alpha \in \text{Hom}(V, W) \mid V_i \subseteq \ker(\alpha)\}$. Show that $\{U_1, U_2\}$ is an independent set of subspaces of $\text{Hom}(V, W)$. Is it necessarily true that $\text{Hom}(V, W) = U_1 \oplus U_2$?

Problem 5 (Golan 256). Let V and W be vector spaces over a field F . Define a function $\varphi : \text{Hom}(V, W) \rightarrow \text{Hom}(V \times W, V \times W)$ by setting $\varphi(\alpha) : \begin{bmatrix} v \\ w \end{bmatrix} \mapsto \begin{bmatrix} 0_V \\ \alpha(v) \end{bmatrix}$. Is φ a linear transformation of vector spaces over F ? Is it a monomorphism?

Problem 6 (Golan 293 & 294). Let V , W and Y be vector spaces over a field F , let $\alpha \in \text{Hom}(V, W)$, and let $\beta \in \text{Hom}(V, Y)$. Prove the following:

1. If α is an epimorphism, then there exists $\theta \in \text{Hom}(W, Y)$ such that $\beta = \alpha\theta$.
2. If α is a monomorphism, then there exists $\theta \in \text{Hom}(W, Y)$ such that $\beta = \theta\alpha$.

Problem 7 (Golan 296).¹ Let V , W be vector spaces over a field F , let $\alpha \in \text{Hom}(V, W)$, and let D be a nonempty linearly independent subset of $\text{im}(\alpha)$. Show that there exists a basis B of V satisfying $\{\alpha(v) \mid v \in B\} = D$.

Problem 8 (Golan 306). Let V , W and Y be vector spaces over a field F . Let $\{\alpha_1, \dots, \alpha_n\}$ be a finite subset of $\text{Hom}(V, W)$ and let $\beta \in \text{Hom}(V, Y)$ be a linear transformation satisfying $\bigcap_{i=1}^n \ker(\alpha_i) \subseteq \ker(\beta)$. Show that there exist linear transformations $\gamma_1, \dots, \gamma_n$ in $\text{Hom}(W, Y)$ satisfying $\beta = \sum_{i=1}^n \gamma_i \alpha_i$.

¹ The claim in this problem seems incorrect to me. If you agree, give a counter-example, then modify the claim so it is correct and prove it. If you disagree, and you believe the claim is correct, then prove it as given.