






Position


TRBV7-1*ap01_G291C_T296C- Final 3 nucleotides as a triplet





TRBV7-7*ap01_C315T- Final 3 nucleotides as a triplet

















TRBV7-8*ap03 TRBV7-7*ap01 947 sequences assigned 674 (71.2%) exact matches, in which: 525 sequences assigned 521 (99.2%) exact matches, in which: 654 unique CDR3 511 unique CDR3 13 unique J 14 unique J 500 600 400 400 300 200 200 100 0 0 -0.50.0 0.5 1.0 1.5 Nucleotide Difference **Nucleotide Difference** TRBV7-7*ap01_C315T TRBV7-9*ap01 574 sequences assigned 569 (99.1%) exact matches, in which: 10531 sequences assigned 10444 (99.2%) exact matches, in which: 547 unique CDR3 10176 unique CDR3 14 unique J 14 unique J 10000 400 7500 Count 5000 200 2500 0 0 0.5 1.5 -0.50.0 1.0 Nucleotide Difference **Nucleotide Difference** TRBV7-8*ap01 TRBV29-1*ap01 4227 sequences assigned 4181 (98.9%) exact matches, in which: 2182 sequences assigned 2165 (99.2%) exact matches, in which: 2092 unique CDR3 4072 unique CDR3 14 unique J 14 unique J 4000 2000 3000 1500 2000 1000 1000 500 0 0.5 0.5 -0.50.0 1.0 1.5 -0.50.0 1.0 1.5 **Nucleotide Difference Nucleotide Difference**

TRBV29-1*ap02

14 unique J

800 -

600

400

200


0

Count


795 sequences assigned 786 (98.9%) exact matches, in which: 768 unique CDR3


Nucleotide Difference

TRBV7-1*ap01_G291C_T296C









Sequence Count by TRBJ2-7 allele usage

