






IGHV1-45*02 IGHV1-58*01_03 IGHV2-5*02 37 sequences assigned 395 sequences assigned 59 (14.9%) exact matches, in which: 2446 sequences assigned 2 (5.4%) exact matches, in which: 2 unique CDR3 165 (6.7%) exact matches, in which: 59 unique CDR3 7 unique J 160 unique CDR3 1 unique J 6 unique J 6 60 150 40 4 100 Count Count Count 20 2 50 0 0 0 20 5 10 15 0 0 10 20 5 15 20 Nucleotide Difference Nucleotide Difference Nucleotide Difference IGHV2-26*01 IGHV1-46*01 IGHV1-69*01_12_13 309 sequences assigned 5908 sequences assigned 4023 sequences assigned 1150 (28.6%) exact matches, in which: 45 (14.6%) exact matches, in which: 716 (12.1%) exact matches, in which: 44 unique CDR3 708 unique CDR3 1140 unique CDR3 6 unique J 7 unique J 7 unique J 1200 40 600 900 30 Count Count 400 600 20 200 300 10 0 0 0 0 5 10 15 20 15 20 0 5 10 20 0 10 15 **Nucleotide Difference** Nucleotide Difference Nucleotide Difference IGHV1-58*02 IGHV2-70*01 IGHV1-69*10 127 sequences assigned 344 sequences assigned 1972 sequences assigned 22 (17.3%) exact matches, in which: 62 (18%) exact matches, in which: 391 (19.8%) exact matches, in which: 22 unique CDR3 62 unique CDR3 385 unique CDR3 5 unique J 5 unique J 7 unique J 400 60 20 300 15 Count Count 200 10 20 100 5 0 0 0 5 10 15 20 0 0 5 10 15 20 0 5 10 15 20 **Nucleotide Difference Nucleotide Difference** Nucleotide Difference






















IGHV6-1*01_02

2115 sequences assigned 104 (4.9%) exact matches, in which: 104 unique CDR3




IGHV3/OR16-6*02


1 sequences assigned No exact matches.



IGHV7-4-1*02_T63C

4454 sequences assigned 487 (10.9%) exact matches, in which: 478 unique CDR3 7 unique J





Sequence Count by IGHJ6 allele usage

