

Acceptance Study for SciBooNE Charged-Current Coherent Pion Production Technical Note Rough Draft

Jonathan Asaadi*¹ and Zachary Williams^{†1}

¹Department of Physics, The University of Texas at Arlington

May 16, 2017

1 Introduction

This document is intended to serve as a reference for the acceptance study performed for the SciBooNE charged current coherent pion production (CC-Coh $\pi^{+/-}$) re-analysis, as well as provide documentation of the code used in this study (in the event anything needs to be revisited in the future). The code resides in the github repository labeled and linked: [SciBooNE-MC](#) and the corresponding ROOT files used in the simulation can be downloaded from here (insert dropbox/Google Drive Link here)

The paper is structured such that Section 2 outlines Monte Carlo samples used in this study, Section 3 describes the SciBooNE detector as it was simulated in this study, Section 4 describes the various event samples that were used to both validate and generate the acceptance studies for the CC-Coh $\pi^{+/-}$ sample. Section 5 gives a high level summary of the results including the event-reduction tables as well as the CC-Coh $\pi^{+/-}$ acceptance results.

The appendix is left to explain how the code is run and the details of the scripts within. The appendix also details the steps the macros should be run in and the expected plots that each macro produces.

1.1 Goal of the Re-Analysis

The goal of the re-analysis is to examine the acceptance modeling for the SciBooNE results in the presence of modern neutrino generators and updated models in order to understand why SciBooNE did not observe charged-current coherent pion production at low neutrino energy.

2 Samples

Five different samples were used in this study, three samples for ν -mode and two samples in $\bar{\nu}$ -mode.¹ Table 2 summarizes these samples. Details on these samples can be found in the Appendix

¹All of these samples were generated by Callum Wilkinson (Thanks, Callum!)

Summary of Samples

Mode	NEUT version	Pion-Model	Number of simulated events
ν	5.3.6	Rein-Sehgal	1,000,000
ν	5.3.6	Berger-Sehgal	1,000,000
ν	x.x.x	Rein-Sehgal	100,000
$\bar{\nu}$	5.3.6	Rein-Sehgal	1,000,000
$\bar{\nu}$	5.3.6	Berger-Sehgal	1,000,000

Table 2: Summary of the samples used to build the acceptance model for this study.

3 Detector Simulation

This section is intended to detail the nuances of detector simulation in this acceptance model, and describe the assumptions made in order to result in the accurate classification of simulated events as charged-current coherent pion production.

3.1 The Detector

For the purposes of this acceptance study, the SciBooNE experiment is composed of two sub-detectors. The first (and the more upstream) of the sub-detectors, is the Scintillator Bar Tracker (SciBar) which was originally conceived and constructed to function as the near detector for the K2K experiment. The second (and more downstream) of the sub-detectors, is the Muon Range Detector (MRD), which is the detector designed and constructed specifically for SciBooNE for measuring the momentum of muons produced from charged-current neutrino interactions up to $1.2 \text{ GeV}/c$ by using the observed range of the trajectory of the muon. The coordinate system used throughout this study, and illustrated in Figure 3.1, puts the origin in the lower corner of the SciBar detector, has z along the beam direction, y opposite to gravity, and x to beam left.




Figure 3.1: Representation of the SciBooNE detector and the coordinate frame we use in this study

3.1.1 The Scintillator Bar Tracker (SciBar)

The Scintillator Bar Tracker (SciBar) sub-detector is a scintillator detector which was used to identify neutrino interactions within SciBooNE. The dimensions of the SciBar detector used in this simulation are $0 < x < 3.0 \text{ m}$, $0 < y < 3.0 \text{ m}$, and $0 < z < 1.7 \text{ m}$. This simulation models the scintillator materials as having a constant energy deposition per unit length (dE/dx) for both

muons and pions of 2.04 MeV/cm based on previous SciBooNE analyses and on mean values for typical particle momentum in the PDG.

3.1.2 The Muon Range Detector (MRD)

The Muon Range Detector (MRD), depicted in Figure 3.1.2 is located 0.55 *m* downstream of SciBar in the *z*-direction, and is a composition of two sets of thirteen alternating slabs of steel-scintillator layers, where the scintillator layers alternate between being horizontally oriented or vertically oriented, in the *xy*-plane. The steel layers have a *z*-direction thickness of 5.08 *cm* and the scintillator layers have a *z*-direction thickness of 0.6 *cm*. Combining all the layers of the different alternating materials results in 26 scintillator layers that "sandwich" twenty five steel layers in-between and gives a total *z*-direction dimension of being 1.37*m*. The *xy*-plane is modeled as a square again (as was the case with SciBar, too) with dimensions in the *x*-direction and the *y*-direction of 2.6 *m*. The energy deposition per unit length (dE/dx) of a muon penetrating the scintillator layers is assumed to be a constant 2.04 MeV/cm while the energy deposition for the muon in the steel layers is assumed to be a greater value of 11.43 *MeV/cm*. Both values are typical for muons at the energy range produced in SciBooNE and taken from the PDG.




Figure 3.1.2: Depiction of the Muon Range Detector (MRD) which consists of alternating layers of horizontal scintillator (shown in pink) steel slabs (shown in grey) and vertical scintillator (shown in purple)

4 Event Selection

Two main samples are used in this study to generate the acceptance tables. The first is a charged current inclusive (CC-Inclusive) sample which requires a muon was created in the neutrino interaction and this muon intersects the MRD. This sample is described in Section 5.1.

The second sample is the charged current coherent pion (CC-Coh $\pi^{+/-}$) sample which requires a muon and charged pion are created in the neutrino interaction exclusively (e.g. no other final state particles in the event). This sample is described in Section 5.2.

Both of these samples are selected using NEUT MC-truth flags which ensure we are treating pure samples which are classified by the neutrino generator as belonging to the appropriate sample.

Whether or not the event identified by our selection makes it into the final sample used in the acceptance study depends on the behavior of the muon with respect to the MRD. A muon which enters the MRD from a neutrino interaction will either come to stop in the MRD, exit out the back of the MRD (assuming it's momentum is great enough), or exit out the side of the MRD. In the next sections we explain this classification further.

4.1 Muon Stops within the MRD (“Stopped”)

The requirement to classify a neutrino interaction as a “stopped” event requires the muon from the interaction to have reached the MRD, penetrated at least three layers of steel (giving activity in three layers of scintillator), and to then deposit all of its remaining energy prior to reaching a boundary of the MRD. An illustration of a CC-Coh $\pi^{+/-}$ event which would be classified as “stopped” is shown in Figure 4.1.




Figure 4.1: Depiction of an event that was classified as "Stopped."

These events allow for complete reconstruction of the muon’s momentum based on the number of layers which the muon penetrated and the muons incident angle.

4.2 Muon exits out the back of the MRD (“Out-the-back”)

The classification of a neutrino interaction as “out-the-back” requires that the muon from the interaction to have reached the MRD and to have had sufficient kinematics to have exited out the back face of the MRD without stopping. An illustration of such an event is given in Figure 4.2.



Figure 4.2: Depiction of an event that was classified as “out-the-back”.

The exact momentum of muons which pass completely through the MRD could not be made in reconstruction, so these events were classified as having the minimum energy required to penetrate all the steel and scintillator layers of the MRD.

4.3 Muon exits out the side of the MRD (“Out-the-side”)

The classification of a neutrino interaction as “out-the-side” requires that the muon from the interaction reached the MRD, penetrated at least three layers of steel, and then to have exited out the side of the active volume of the MRD (excluding the very back face). Events which are classified as “out-the-side” are excluded from this study because no accurate reconstruction of the muons momentum can be made when the muon exits out the side of the MRD. An illustration of such an excluded event which exits out the side of the MRD is given in Figure 4.3.




Figure 4.3: Depiction of an event that was classified as "Out-Side."

5 Results

The results of this acceptance study can be broken down into two different classification schemes of events. Those that met the conditions to qualify as a CC-Inclusive event, and those that met the

conditions of classification as Charged-Current Coherent Pion Production events. The plots in the two subsections below show our results.

5.1 Charged-Current Inclusive Events

Here we define the charged current inclusive sample (CC-Inclusive) which we use to validate our acceptance model against previous simulation studies which were done. Table 5.1 goes through the event selection criteria for selecting a sample of CC-Inclusive events from the neutrino mode (ν -mode) Monte Carlo.

ν -mode CC-Inclusive Event Reduction			
Events Selection	NEUT v5.3.6 Rein-Sehgal	NEUT v5.3.6 Berger-Sehgal	NEUT vx.x.x Rein-Sehgal
Total Sample	1,000,000	1,000,000	100,000
CC-Inclusive Interaction (μ + n-other particles in SciBar)	725,730	727,278	69,363
Muon enters the MRD	263,698	262,608	24,250
Muon enters the MRD and penetrates ≥ 3 layers of steel	231,089	230,054	21,001
“Stopped”-Events	177,406	175,799	16,062
“Out-the-back”-Events	15,389	15,952	1,421
“Out-the-side”-Events	38,294	38,303	3,518
Good CC-Inclusive Events	192,795	191,751	17,483

Table 5.1: Event reduction table for a sample of ν -mode CC-Inclusive events simulated in the SciBooNE geometry.

Figure 5.1 shows the momentum and angular distribution for the sample of ν -mode CC-Inclusive events passing all our requirements for all three models considered in this study (NEUT v5.3.6 Rein-Sehgal, NEUT v5.3.6 Berger-Sehgal, NEUT vx.x.x Rein-Sehgal). The distributions have been normalized to the same area and show no strong differences between them.




Figure 5.1: Muon Momentum (left) and Muon Angle (right) for ν -mode CC-Inclusive interactions for all three models included in this study. These samples kinematics are, unsurprisingly, very similar for the sample of CC-Inclusive

Figure 5.1 represents the one-dimensional efficiency for selecting ν -mode CC-Inclusive events for this study compared to results derived from Hirade’s thesis (need proper reference) using the full SciBooNE Monte Carlo simulation. A few reference points are illustrated using dashed lines

to guide the readers eye. A few perecent difference is seen, but overall agreement between the two simulations hold.




Figure 5.1: One-dimension efficiency plots for the ν -mode CC-Inclusive sample.

Figure 5.1 shows the two-dimensional efficiency for selecting ν -mode CC-Inclusive events for this study compared to results derived from Morgan's reference sample.




Figure 5.1: Two-dimensional efficiency plots for the ν -mode Rein-Sehgal CC-Inclusive sample.




Figure 5.1: Two-dimensional efficiency plots for the ν -mode Berger-Sehgal CC-Inclusive sample.




Figure 5.1: Two-dimensional efficiency plots for the ν -mode Old Rein-Sehgal CC-Inclusive sample.

Similar to before, Table 5.1 goes through the event selection criteria for selecting a sample of CC-Inclusive events from the neutrino mode ($\bar{\nu}$ -mode) Monte Carlo.

$\bar{\nu}$ -mode CC-Inclusive Event Reduction

Events Selection	NEUT v5.3.6 Rein-Sehgal	NEUT v5.3.6 Berger-Sehgal
Total Sample	1,000,000	1,000,000
CC-Inclusive Interaction (μ + n-other particles in SciBar)	699,239	704,327
Muon enters the MRD	380,362	380,869
Muon enters the MRD and penetrates ≥ 3 layers of steel	336,373	337,979
“Stopped”-Events	288,289	288,206
“Out-the-back”-Events	7,608	7,857
“Out-the-side”-Events	40,476	41,916
Good CC-Inclusive Events	295,897	296,063

Table 5.1: Event reduction table for a sample of $\bar{\nu}$ -mode CC-Inclusive evnets simulated in the SciBooNE geometry.

Figure 5.1 shows the momentum and angular distribution for the sample of $\bar{\nu}$ -mode CC-Inclusive events passing all our requirements for all three models considered in this study (NEUT v5.3.6

Rein-Sehgal, NEUT v5.3.6 Berger-Sehgal, NEUT vx.x.x Rein-Sehgal). The distributions have been normalized to the same area and show no strong differences between them.




Figure 5.1: Muon Momentum (left) and Muon Angle (right) for $\bar{\nu}$ -mode CC-Inclusive interactions for all three models included in this study. These samples kinematics are, unsurprisingly, very similar for the sample of CC-Inclusive

Figure 5.1 represents the one-dimensional efficiency for selecting $\bar{\nu}$ -mode CC-Inclusive events for this study. No similar reference sample exists to be compared directly against, however we note that the shape and magnitude of the acceptance is nearly unchanged between $\bar{\nu}$ and ν -mode samples (as expected).




Figure 5.1: One-dimension efficiency plots for the $\bar{\nu}$ -mode CC-Inclusive sample. Muon's Momentums is on the right and the Muon's Angles is on the left.

Figure 5.1 shows the two-dimensional efficiency for selecting $\bar{\nu}$ -mode CC-Inclusive events for this study compared to results derived from Morgan's reference sample (need more words here about this....see email)




Figure 5.1: Two-dimensional efficiency plot for the $\bar{\nu}$ -mode Rein-Sehgal CC-Inclusive sample.




Figure 5.1: Two-dimensional efficiency plot for the $\bar{\nu}$ -mode Berger-Sehgal CC-Inclusive sample.

Below are the tables that correspond to the five 2D Efficiency CC-Inclusive histograms that are above.

Table 1: Table for 2D Histogram for New NM-Rein-Sehal

NET WEIGHT	100-105	105-110	110-115	115-120	120-125	125-130	130-135	135-140	140-145	145-150	150-155	155-160	160-165	165-170	170-175	175-180	180-185	185-190	190-195	195-200	200-205	205-210	210-215	215-220	220-225	225-230	230-235	235-240	240-245	245-250	250-255	255-260	260-265	265-270	270-275	275-280	280-285	285-290	290-295	295-300	300-305	305-310	310-315	315-320	320-325	325-330	330-335	335-340	340-345	345-350	350-355	355-360	360-365	365-370	370-375	375-380	380-385	385-390	390-395	395-400	400-405	405-410	410-415	415-420	420-425	425-430	430-435	435-440	440-445	445-450	450-455	455-460	460-465	465-470	470-475	475-480	480-485	485-490	490-495	495-500	500-505	505-510	510-515	515-520	520-525	525-530	530-535	535-540	540-545	545-550	550-555	555-560	560-565	565-570	570-575	575-580	580-585	585-590	590-595	595-600	600-605	605-610	610-615	615-620	620-625	625-630	630-635	635-640	640-645	645-650	650-655	655-660	660-665	665-670	670-675	675-680	680-685	685-690	690-695	695-700	700-705	705-710	710-715	715-720	720-725	725-730	730-735	735-740	740-745	745-750	750-755	755-760	760-765	765-770	770-775	775-780	780-785	785-790	790-795	795-800	800-805	805-810	810-815	815-820	820-825	825-830	830-835	835-840	840-845	845-850	850-855	855-860	860-865	865-870	870-875	875-880	880-885	885-890	890-895	895-900	900-905	905-910	910-915	915-920	920-925	925-930	930-935	935-940	940-945	945-950	950-955	955-960	960-965	965-970	970-975	975-980	980-985	985-990	990-995	1000-1005	1005-1010	1010-1015	1015-1020	1020-1025	1025-1030	1030-1035	1035-1040	1040-1045	1045-1050	1050-1055	1055-1060	1060-1065	1065-1070	1070-1075	1075-1080	1080-1085	1085-1090	1090-1095	1095-1100	1100-1105	1105-1110	1110-1115	1115-1120	1120-1125	1125-1130	1130-1135	1135-1140	1140-1145	1145-1150	1150-1155	1155-1160	1160-1165	1165-1170	1170-1175	1175-1180	1180-1185	1185-1190	1190-1195	1195-1200	1200-1205	1205-1210	1210-1215	1215-1220	1220-1225	1225-1230	1230-1235	1235-1240	1240-1245	1245-1250	1250-1255	1255-1260	1260-1265	1265-1270	1270-1275	1275-1280	1280-1285	1285-1290	1290-1295	1295-1300	1300-1305	1305-1310	1310-1315	1315-1320	1320-1325	1325-1330	1330-1335	1335-1340	1340-1345	1345-1350	1350-1355	1355-1360	1360-1365	1365-1370	1370-1375	1375-1380	1380-1385	1385-1390	1390-1395	1395-1400	1400-1405	1405-1410	1410-1415	1415-1420	1420-1425	1425-1430	1430-1435	1435-1440	1440-1445	1445-1450	1450-1455	1455-1460	1460-1465	1465-1470	1470-1475	1475-1480	1480-1485	1485-1490	1490-1495	1495-1500	1500-1505	1505-1510	1510-1515	1515-1520	1520-1525	1525-1530	1530-1535	1535-1540	1540-1545	1545-1550	1550-1555	1555-1560	1560-1565	1565-1570	1570-1575	1575-1580	1580-1585	1585-1590	1590-1595	1595-1600	1600-1605	1605-1610	1610-1615	1615-1620	1620-1625	1625-1630	1630-1635	1635-1640	1640-1645	1645-1650	1650-1655	1655-1660	1660-1665	1665-1670	1670-1675	1675-1680	1680-1685	1685-1690	1690-1695	1695-1700	1700-1705	1705-1710	1710-1715	1715-1720	1720-1725	1725-1730	1730-1735	1735-1740	1740-1745	1745-1750	1750-1755	1755-1760	1760-1765	1765-1770	1770-1775	1775-1780	1780-1785	1785-1790	1790-1795	1795-1800	1800-1805	1805-1810	1810-1815	1815-1820	1820-1825	1825-1830	1830-1835	1835-1840	1840-1845	1845-1850	1850-1855	1855-1860	1860-1865	1865-1870	1870-1875	1875-1880	1880-1885	1885-1890	1890-1895	1895-1900	1900-1905	1905-1910	1910-1915	1915-1920	1920-1925	1925-1930	1930-1935	1935-1940	1940-1945	1945-1950	1950-1955	1955-1960	1960-1965	1965-1970	1970-1975	1975-1980	1980-1985	1985-1990	1990-1995	1995-2000	2000-2005	2005-2010	2010-2015	2015-2020	2020-2025	2025-2030	2030-2035	2035-2040	2040-2045	2045-2050	2050-2055	2055-2060	2060-2065	2065-2070	2070-2075	2075-2080	2080-2085	2085-2090	2090-2095	2095-2100	2100-2105	2105-2110	2110-2115	2115-2120	2120-2125	2125-2130	2130-2135	2135-2140	2140-2145	2145-2150	2150-2155	2155-2160	2160-2165	2165-2170	2170-2175	2175-2180	2180-2185	2185-2190	2190-2195	2195-2200	2200-2205	2205-2210	2210-2215	2215-2220	2220-2225	2225-2230	2230-2235	2235-2240	2240-2245	2245-2250	2250-2255	2255-2260	2260-2265	2265-2270	2270-2275	2275-2280	2280-2285	2285-2290	2290-2295	2295-2300	2300-2305	2305-2310	2310-2315	2315-2320	2320-2325	2325-2330	2330-2335	2335-2340	2340-2345	2345-2350	2350-2355	2355-2360	2360-2365	2365-2370	2370-2375	2375-2380	2380-2385	2385-2390	2390-2395	2395-2400	2400-2405	2405-2410	2410-2415	2415-2420	2420-2425	2425-2430	2430-2435	2435-2440	2440-2445	2445-2450	2450-2455	2455-2460	2460-2465	2465-2470	2470-2475	2475-2480	2480-2485	2485-2490	2490-2495	2495-2500	2500-2505	2505-2510	2510-2515	2515-2520	2520-2525	2525-2530	2530-2535	2535-2540	2540-2545	2545-2550	2550-2555	2555-2560	2560-2565	2565-2570	2570-2575	2575-2580	2580-2585	2585-2590	2590-2595	2595-2600	2600-2605	2605-2610	2610-2615	2615-2620	2620-2625	2625-2630	2630-2635	2635-2640	2640-2645	2645-2650	2650-2655	2655-2660	2660-2665	2665-2670	2670-2675	2675-2680	2680-2685	2685-2690	2690-2695	2695-2700	2700-2705	2705-2710	2710-2715	2715-2720	2720-2725	2725-2730	2730-2735	2735-2740	2740-2745	2745-2750	2750-2755	2755-2760	2760-2765	2765-2770	2770-2775	2775-2780	2780-2785	2785-2790	2790-2795	2795-2800	2800-2805	2805-2810	2810-2815	2815-2820	2820-2825	2825-2830	2830-2835	2835-2840	2840-2845	2845-2850	2850-2855	2855-2860	2860-2865	2865-2870	2870-2875	2875-2880	2880-2885	2885-2890	2890-2895	2895-2900	2900-2905	2905-2910	2910-2915	2915-2920	2920-2925	2925-2930	2930-2935	2935-2940	2940-2945	2945-2950	2950-2955	2955-2960	2960-2965	2965-2970	2970-2975	2975-2980	2980-2985	2985-2990	2990-2995	2995-3000	3000-3005	3005-3010	3010-3015	3015-3020	3020-3025	3025-3030	3030-3035	3035-3040	3040-3045	3045-3050	3050-3055	3055-3060	3060-3065	3065-3070	3070-3075	3075-3080	3080-3085	3085-3090	3090-3095	3095-3100	3100-3105	3105-3110	3110-3115	3115-3120	3120-3125	3125-3130	3130-3135	3135-3140	3140-3145	3145-3150	3150-3155	3155-3160	3160-3165	3165-3170	3170-3175	3175-3180	3180-3185	3185-3190	3190-3195	3195-3200	3200-3205	3205-3210	3210-3215	3215-3220	3220-3225	3225-3230	3230-3235	3235-3240	3240-3245	3245-3250	3250-3255	3255-3260	3260-3265	3265-3270	3270-3275	3275-3280	3280-3285	3285-3290	3290-3295	3295-3300	3300-3305	3305-3310	3310-3315	3315-3320	3320-3325	3325-3330	3330-3335	3335-3340	3340-3345	3345-3350	3350-3355	3355-3360	3360-3365	3365-3370	3370-3375	3375-3380	3380-3385	3385-3390	3390-3395	3395-3400	3400-3405	3405-3410	3410-3415	3415-3420	3420-3425	3425-3430	3430-3435	3435-3440	3440-3445	3445-3450	3450-3455	3455-3460	3460-3465	3465-3470	3470-3475	3475-3480	3480-3485	3485-3490	3490-3495	3495-3500	3500-3505	3505-3510	3510-3515	3515-3520	3520-3525	3525-3530	3530-3535	3535-3540	3540-3545	3545-3550	3550-3555	3555-3560	3560-3565	3565-3570	3570-3575	3575-3580	3580-3585	3585-3590	3590-3595	3595-3600	3600-3605	3605-3610	3610-3615	3615-3620	3620-3625	3625-3630	3630-3635	3635-3640	3640-3645	3645-3650	3650-3655	3655-3660	3660-3665	3665-3670	3670-3675	3675-3680	3680-3685	3685-3690	3690-3695	3695-3700	3700-3705	3705-3710	3710-3715	3715-3720	3720-3725	3725-3730	3730-3735	3735-3740	3740-3745	3745-3750	3750-3755	3755-3760	3760-3765	3765-3770	3770-3775	3775-3780	3780-3785	3785-3790	3790-3795	3795-3800	3800-3805	3805-3810	3810-3815	3815-3820	3820-3825	3825-3830	3830-3835	3835-3840	3840-3845	3845-3850	3850-3855	3855-3860	3860-3865	3865-3870	3870-3875	3875-3880	3880-3885	3885-3890	3890-3895	3895-3900	3900-3905	3905-3910	3910-3915	3915-3920	3920-3925	3925-3930	3930-3935	3935-3940	3940-3945	3945-3950	3950-3955	3955-3960	3960-3965	3965-3970	3970-3975	3975-3980	3980-3985	3985-3990	3990-3995	3995-4000	4000-4005	4005-4010	4010-4015	4015-4020	4020-4025	4025-4030	4030-4035	4035-4040	4040-4045	4045-4050	4050-4055	4055-4060	4060-4065	4065-4070	4070-4075	4075-4080	4080-4085	4085-4090	4090-4095	4095-4100	4100-4105	4105-4110	4110-4115	4115-4120	4120-4125	4125-4130	4130-4135	4135-4140	4140-4145	4145-4150	4150-4155	4155-4160	4160-4165	4165-4170	4170-4175	4175-4180	4180-4185	4185-4190	4190-4195	4195-4200	4200-4205	4205-4210	4210-4215	4215-4220	4220-4225	4225-4230	4230-4235	4235-4240	4240-4245	4245-4250	4250-4255	4255-4260	4260-4265	4265-4270	4270-4275	4275-4280	4280-4285	4285-4290	4290-4295	4295-4300	4300-4305	4305-4310	4310-4315	4315-4320	4320-4325	4325-4330	4330-4335	4335-4340	4340-4345	4345-4350	4350-4355	4355-4360	4360-4365	4365-4370	4370-4375	4375-4380	4380-4385	4385-4390	4390-4395	4395-4400	4400-4405	4405-4410	4410-4415	4415-4420	4420-4425	4425-4430	4430-4435	4435-4440	4440-4445	4445-4450	4450-4455	4455-4460	4460-4465	4465-4470	4470-4475	4475-4480	4480-4485	4485-4490	4490-4495	4495-4500	4500-4505	4505-4510	4510-4515	4515-4520	4520-4525	4525-4530	4530-4535	4535-4540	4540-4545	4545-4550	4550-4555	4555-4560	4560-4565	4565-4570	4570-4575	4575-4580	4580-4585	4585-4590	4590-4595	4595-4600	4600-4605	4605-4610	4610-4615	4615-4620	4620
------------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	------

Table 5: Table for 2D Histogram for New ANM-Berger-Sehgal

[illegible]

5.2 Charged-Current Coherent Pion Production Events

Here we define the Charged-Current Coherent Pion Production sample (CC-Coh $\pi^{+/-}$) which we use to validate our acceptance model against previous simulation studies which were done. Table 5.2 goes through the event selection criteria for selecting a sample of CC-Coh $\pi^{+/-}$ events from the neutrino mode (ν -mode) Monte Carlo.

ν -mode CC-Coherent Pion Event Reduction			
Events Selection	NEUT v5.3.6 Rein-Sehgal	NEUT v5.3.6 Berger-Sehgal	NEUT vx.x.x Rein-Sehgal
Total Sample	1,000,000	1,000,000	100,000
CC-Coherent Pion Interaction ($\mu + \pi + \emptyset$ in SciBar)	12,186	2,576	1,320
Both muon and pion are forward going	8,535	1,845	884
Muon enters the MRD and penetrates ≥ 3 layers of steel	7,407	1,592	767
“Stopped”-Events	6,448	1,350	669
“Out-the-back”-Events	530	150	56
“Out-the-side”-Events	429	92	42
Good Coherent Pion Events	6,978	1,500	725

Table 6: Event reduction table for a sample of ν -mode Charged Current Coherent Pion events simulated in the SciBooNE geometry.

The first quantity that is calculated for the different events is the momentum of both the muon and the pion, which are both found from the equations:

$$|\vec{p}_\mu| = \sqrt{P_{\mu_x}^2 + P_{\mu_y}^2 + P_{\mu_z}^2} \quad (1)$$

$$|\vec{p}_\pi| = \sqrt{P_{\pi_x}^2 + P_{\pi_y}^2 + P_{\pi_z}^2} \quad (2)$$

where $|\vec{p}_\mu|$ represents the magnitude of the momentum for the corresponding particle, and P_{μ_x} represents the component of the four momentum for the corresponding particle. The momentum is reported in units of MeV/c .

The next quantity calculated is the angle from the beam-direction for both the muon and the pion, which are labeled as either θ_μ , or θ_π , respectively. The angle from the beam-direction is the same as the angle from the z-direction, and this angle is known as the azimuthal angle. The calculation of the azimuthal angle is slightly more involved than the simple calculation used for finding the magnitude of the momentum of the two particles, and is calculated using the equations:

$$\theta_\mu = \tan^{-1} \left(\frac{\sqrt{P_{\mu_x}^2 + P_{\mu_y}^2}}{P_{\mu_z}} \right) \quad (3)$$

$$\theta_\pi = \tan^{-1} \left(\frac{\sqrt{P_{\pi_x}^2 + P_{\pi_y}^2}}{P_{\pi_z}} \right) \quad (4)$$

The angles are reported in units of $^\circ$, and should run from 0° to 180° . In the case of charged-current coherent pion production, the angle should never be larger than 90° .




Figure 1: Muon Momentum for all of the muons of the events that made it to the MRD and penetrated at least three layers (left) and Muon Angle for the muons of the events that made it to the MRD and penetrated at least three layers (right) for ν -mode CC-Coh $\pi^{+/-}$ interactions for all three models included in this study. The "Total" classification means that all CC-Coh $\pi^{+/-}$ events are included in these histograms.

Here will be the plots for CC-Coh Pion with the good momentum efficiencies and the angle efficiencies!




Figure 2: Muon Momentum of both the "stopped" and "not-stopped" samples (left) and Muon Angle of both the "stopped" and "not-stopped" samples (right) for ν -mode CC-Coh $\pi^{+/-}$ interactions for all three models included in this study. The "Good" classification means that only the stopped and not-stopped CC-Coh $\pi^{+/-}$ events are included for these histograms.

The last two quantities that are calculated are the two different types of four-momentum transfers specific to this interaction, which are Q^2 and $|t|$. The Q^2 corresponds to the four-momentum transfer from the neutrino and muon to the nucleus and pion, and is calculated using the equation:

$$Q^2 = |(P_{\nu_\mu} - P_\mu)^2| \quad (5)$$

This equation is the four-momentum notational form. The code follows the equation below in order to compute Q^2 :

$$Q^2 = |(P_{\nu_{\mu,x}} - P_{\mu_x})^2 + (P_{\nu_{\mu,y}} - P_{\mu_y})^2 + (P_{\nu_{\mu,z}} - P_{\mu_z})^2 + (P_{\nu_{\mu,E}} - P_{\mu_E})^2| \quad (6)$$

Q^2 is reported in units of $(MeV/c)^2$.

The $|t|$ corresponds to the four-momentum transfer from the neutrino, muon, and pion to the nucleus, and is calculated using the equation:

$$|t| = |(Q - P_\pi)^2| = |(P_{\nu_\mu} - P_\mu - P_\pi)^2| \quad (7)$$

This equation is the four-momentum notational form. The code follows the equation below in order to compute $|t|$:

$$|t| = |(P_{\nu_{\mu,x}} - P_{\mu_x} - P_{\pi_x})^2 + (P_{\nu_{\mu,y}} - P_{\mu_y} - P_{\pi_y})^2 + (P_{\nu_{\mu,z}} - P_{\mu_z} - P_{\pi_z})^2 + (P_{\nu_{\mu,E}} - P_{\mu_E} - P_{\pi_E})^2| \quad (8)$$

$|t|$ is reported in units of $(MeV/c)^2$.

ν -Mode $|t|$ and Q^2 plots are below:




Figure 3: The $|t|$ Momentum Transfer for the "stopped" and "not-stopped" events (left) and Q^2 Momentum Transfer for the "stopped" and "not-stopped" events (right) for ν -mode CC-Coh $\pi^{+/-}$ interactions for the three models included in this study.

Similar to before, Table 5.2 goes through the event selection criteria for selecting a sample of CC-Coh $\pi^{+/-}$ events from the anti-neutrino mode ($\bar{\nu}$ -mode) Monte Carlo.

$\bar{\nu}$ -mode CC-Coherent Pion Event Reduction

Events Selection	NEUT v5.3.6 Rein-Sehgal	NEUT v5.3.6 Berger-Sehgal
Total Sample	1,000,000	1,000,000
CC-Coherent Pion Interaction ($\mu + \pi + \emptyset$ in SciBar)	36,669	7,790
Both muon and pion are forward going	24,675	5,477
Muon enters the MRD and penetrates ≥ 3 layers of steel	20,445	4,517
"Stopped"-Events	18,935	4,203
"Out-the-back"-Events	372	82
"Out-the-side"-Events	1,138	232
Good Coherent Pion Events	19,307	4,285

Table 7: Event reduction table for a sample of $\bar{\nu}$ -mode Charged Current Coherent Pion events simulated in the SciBooNE geometry.

Below are the plots for CC-Coh $\pi^{+/-}$ Events for $\bar{\nu}$ -mode. The layout of the rest will be very similar to ν -mode, and the equations used previously are the same equations used for the plots below.




Figure 4: Muon Momentum (left) and Muon Angle (right) for ν -mode CC-Coh $\pi^{+/-}$ interactions for all three models included in this study.

The structure of the plots in Figure: 5.2 very closely resembles the plots for the ν -mode above, and the rest of the plots in this section have that same characteristic.




Figure 5: Muon Momentum (left) and Muon Angle (right) for $\bar{\nu}$ -mode CC-Coh $\pi^{+/-}$ interactions for both the "stopped" and "not-stopped" samples of events.

$\bar{\nu}$ -mode $|t|$ and Q^2 plots are below. They also have the same overall shape as the plots for ν -mode above.




Figure 6: The $|t|$ Momentum Transfer (left) and Q^2 Momentum Transfer (right) for $\bar{\nu}$ -mode CC-Coh $\pi^{+/-}$ interactions for both of the models included in this study which are the "stopped" and "not-stopped" events.

A Appendix: Sample Details

Appendix on samples

A.1 ν -Mode Rein-Sehgal NEUTv5.3.6

A sample of 1,000,000 ν interactions were simulated using the NEUT generator (v5.3.6) and the Rein-Sehgal model for coherent pion production. This sample correspond to the file labeled

`SciBooNE_numu_coh_RooTrack.root`

found at the following link (put link to sample here).

A.2 ν -Mode Berger-Sehgal NEUTv5.3.6

A sample of 1,000,000 ν interactions were simulated using the NEUT generator (v5.3.6) and the Berger-Sehgal model for coherent pion production. This sample correspond to the file labeled

`SciBooNE_numu_coh_RooTrack_NEW.root`

found at the following link (put link to sample here).

A.3 ν -Mode Rein-Sehgal NEUTvx.x.x

A sample of 100,000 ν interactions were simulated using the NEUT generator (vx.x.x, believed to be the version used by the SciBooNE collaboration in the original publication) and the corresponding older Rein-Sehgal model for coherent pion production. This sample correspond to the file labeled

`SciBooNE_numu_coh_OLDNEUT_RooTrack.root`

found at the following link (put link to sample here).

A.4 $\bar{\nu}$ -Mode Rein-Sehgal NEUTv5.3.6

A sample of 1,000,000 $\bar{\nu}$ interactions were simulated using the NEUT generator (v5.3.6) and the Rein-Sehgal model for coherent pion production. This sample correspond to the file labeled

`SciBooNE_numubar_coh_RooTrack.root`

found at the following link (put link to sample here).

A.5 $\bar{\nu}$ -Mode Berger-Sehgal NEUTv5.3.6

A sample of 1,000,000 $\bar{\nu}$ interactions were simulated using the NEUT generator (v5.3.6) and the Berger-Sehgal model for coherent pion production. This sample correspond to the file labeled

`SciBooNE_numubar_coh_RooTrack_NEW.root`

found at the following link (put link to sample here).

A.6 Vertex Distributions

The events were all given a random initial point that was generated with the goal that the vertex distributions of this simulation would closely match the vertex distributions that Hiraide ² showed in his thesis. This was done by... etc.

```
TRandom3 *randX = new TRandom3();
TRandom3 *randY = new TRandom3();
TRandom3 *flat = new TRandom3();
randX->SetSeed(jentry/2);
randY->SetSeed(jentry*jentry);
flat->SetSeed(jentry*jentry*jentry);
double Xpos = randX->Gaus(1.5, 1.3);
while (Xpos<0 || Xpos>3.0) { Xpos = randX->Gaus(1.5, 1.3); }
double Ypos = randY->Gaus(1.5, 1.05);
while (Ypos<0 || Ypos>3.0) { Ypos = randY->Gaus(1.5, 1.05); }
double Zpos = flat->Uniform(0, 1.7);
```




Figure 7: Vertex distributions of the events in the new Rein-Sehgal sample in ν -mode.

A.7 NewNMReinSehgal.C

This file is the macro that corresponds to the "NewNMReinSehgal.h" file, which connects with this file: "SciBooNE_numu_coh_RooTrack.root". This file performs the main analysis for this generated sample, and then organizes the information into many different histograms. The histograms are then written to a file titled "totalmuoninfoRS.root" inside the "ROOTFILES" directory. The "ROOTFILES" directory is included in the SciBooNE-MC repository (it is absolutely pertinent that this directory be located where the macro files are located due to how the calls of the combined data macros reference the now saved histograms). When this macro is run (which can take a while), it also plots a few different histograms. The histograms that are plotted are the ones shown in the figures below with descriptions included with the corresponding figures. The order that the histograms appear in this paper is the same order they will be shown when this macro is run in root.

²Hiraide's thesis can be found here: http://www-he.scphys.kyoto-u.ac.jp/theses/doctor/hiraide_dt.pdf




Figure 8: New ν -Mode Rein-Sehgal X-Y vertex distributions for muons that made it to the MRD and penetrated at least to the third layer of steel.




Figure 9: New ν -Mode Rein-Sehgal Z vertex distributions for the interactions.




Figure 10: New ν -Mode Rein-Sehgal Y vertex distributions for the interactions.




Figure 11: New ν -Mode Rein-Sehgal X vertex distributions for the interactions.




Figure 12: This is a 2D histogram for the momentum and angle of the pion in the CC Coh Pion events that met the qualification of being "good".




Figure 13: This is a 2D histogram for the momentum and angle of the muon in the CC Coh Pion events that met the qualification of being "good".




Figure 14: This histogram shows the amount of muons that embedded (or "Stopped") in a corresponding layer of steel in our simulation.




Figure 15: This is a 2D histogram for the momentum and angle of the pion in the total CC Coh Pion events.




Figure 16: This is a 2D histogram for the momentum and angle of the muon in the total CC Coh Pion events.

The NewNMReinSehgal.C macro also calculates many different quantities for the generated simulation of the events and saves the information in histograms that are later called upon through the plotting macros (which are after all of the analysis macros). The first quantity that is calculated for the different vertexes is the momentum of both the muon and the pion, which are both calculated using the equations:

$$|\vec{p}_\mu| = \sqrt{P_{\mu_x}^2 + P_{\mu_y}^2 + P_{\mu_z}^2} \quad (9)$$

$$|\vec{p}_\pi| = \sqrt{P_{\pi_x}^2 + P_{\pi_y}^2 + P_{\pi_z}^2} \quad (10)$$

The momentum is reported in units of MeV/c .

The next quantity that is calculated in the macro is the angle from the beam-direction for both the muon and the pion, which are labeled as either θ_μ , or θ_π , respectively. The angle from the beam-direction is the same as the angle from the z-direction, and this angle is known as the azimuthal angle. The calculation of the azimuthal angle is slightly more involved than the simple calculation used for finding the magnitude of the momentum of the two particles, and is calculated using the equations:

$$\theta_\mu = \tan^{-1}(\sqrt{P_{\mu_x}^2 + P_{\mu_y}^2}/P_{\mu_z}) \quad (11)$$

$$\theta_\pi = \tan^{-1}(\sqrt{P_{\pi_x}^2 + P_{\pi_y}^2}/P_{\pi_z}) \quad (12)$$

The angles are reported in units of $^\circ$, and should run from 0° to 180° . In the case of Charged-Current Coherent Pion Production, the angle should never be larger than 90° .

The last two quantities that this analysis macro calculates are the two different types of four-momentum transfers specific to this interaction, which are Q^2 and $|t|$. The Q^2 corresponds to the four-momentum transfer from the neutrino and muon to the nucleus and pion, and is calculated using the equation:

$$Q^2 = |(P_{\nu_\mu} - P_\mu)^2| \quad (13)$$

This equation is the four-momentum notational form. The code follows the equation below in order to compute Q^2 :

$$Q^2 = |(P_{\nu_{\mu,x}} - P_{\mu_x})^2 + (P_{\nu_{\mu,y}} - P_{\mu_y})^2 + (P_{\nu_{\mu,z}} - P_{\mu_z})^2 + (P_{\nu_{\mu,E}} - P_{\mu_E})^2| \quad (14)$$

Q^2 is reported in units of $(MeV/c)^2$.

The $|t|$ corresponds to the four-momentum transfer from the neutrino, muon, and pion to the nucleus, and is calculated using the equation:

$$|t| = |(Q - P_{\pi})^2| = |(P_{\nu_{\mu}} - P_{\mu} - P_{\pi})^2| \quad (15)$$

This equation is the four-momentum notational form. The code follows the equation below in order to compute $|t|$:

$$|t| = |(P_{\nu_{\mu,x}} - P_{\mu_x} - P_{\pi_x})^2 + (P_{\nu_{\mu,y}} - P_{\mu_y} - P_{\pi_y})^2 + (P_{\nu_{\mu,z}} - P_{\mu_z} - P_{\pi_z})^2 + (P_{\nu_{\mu,E}} - P_{\mu_E} - P_{\pi_E})^2| \quad (16)$$

$|t|$ is reported in units of $(MeV/c)^2$.

A.8 NewNM BergerSehgal.C

This file is the macro that corresponds to the "NewNM BergerSehgal.h" file, which connects with this file: "SciBooNE_numu_coh_RooTrack_NEW.root". This file performs the main analysis for this generated sample, and then organizes the information into many different histograms. The histograms are then written to a file titled "totalmuoninfoBS.root" inside the "ROOTFILES" directory. The "ROOTFILES" directory is included in the SciBooNE-MC repository (it is absolutely pertinent that this directory be located where the macro files are located due to how the calls of the combined data macros reference the now saved histograms).




Figure 17: New ν -Mode Berger-Sehgal X-Y vertex distributions for muons that made it to the MRD and penetrated at least to the third layer of steel.




Figure 18: New ν -Mode Berger-Sehgal Z vertex distributions for the interactions.




Figure 19: New ν -Mode Berger-Sehgal Y vertex distributions for the interactions.




Figure 20: New ν -Mode Berger-Sehgal X vertex distributions for the interactions.




Figure 21: This is a 2D histogram for the momentum and angle of the pion in the CC Coh Pion events that met the qualification of being "good".




Figure 22: This is a 2D histogram for the momentum and angle of the muon in the CC Coh Pion events that met the qualification of being "good".!




Figure 23: This histogram shows the amount of muons that embedded (or "Stopped") in a corresponding layer of steel in our simulation.




Figure 24: This is a 2D histogram for the momentum and angle of the pion in the total CC Coh Pion events.




Figure 25: This is a 2D histogram for the momentum and angle of the muon in the total CC Coh Pion events.

A.9 OldNMReinSehgal.C

This file is the macro that corresponds to the "OldNMReinSehgal.h" file, which connects with this file: "SciBooNE_numu_coh_OLDNEUT_RooTrack.root". This file performs the main analysis for this generated sample, and then organizes the information into many different histograms. The histograms are then written to a file titled "totalmuoninfoOBS.root" inside the "ROOTFILES" directory. The "ROOTFILES" directory is included in the SciBooNE-MC repository (it is absolutely pertinent that this directory be located where the macro files are located due to how the calls of the combined data macros reference the now saved histograms).




Figure 26: Old ν -Mode Rein-Sehgal X-Y vertex distributions for muons that made it to the MRD and penetrated at least to the third layer of steel.




Figure 27: Old ν -Mode Rein-Sehgal Z vertex distributions for the interactions.




Figure 28: Old ν -Mode Rein-Sehgal Y vertex distributions for the interactions.




Figure 29: Old ν -Mode Rein-Sehgal X vertex distributions for the interactions.




Figure 30: This is a 2D histogram for the momentum and angle of the pion in the CC Coh Pion events that met the qualification of being "good".




Figure 31: This is a 2D histogram for the momentum and angle of the muon in the CC Coh Pion events that met the qualification of being "good".




Figure 32: This histogram shows the amount of muons that embedded (or "Stopped") in a corresponding layer of steel in our simulation.




Figure 33: This is a 2D histogram for the momentum and angle of the pion in the total CC Coh Pion events.




Figure 34: This is a 2D histogram for the momentum and angle of the muon in the total CC Coh Pion events.

A.10 NewANMReinSehgal.C

This file is the macro that corresponds to the "NewANMReinSehgal.h" file, which connects with this file: "SciBooNE_numubar_coh_RooTrack.root". This file performs the main analysis for this generated sample, and then organizes the information into many different histograms. The histograms are then written to a file titled "totalmuoninfoRSBar.root" inside the "ROOTFILES" directory. The "ROOTFILES" directory is included in the SciBooNE-MC repository (it is absolutely pertinent that this directory be located where the macro files are located due to how the calls of the combined data macros reference the now saved histograms).




Figure 35: New $\bar{\nu}$ -Mode Rein-Sehgal X-Y vertex distributions for muons that made it to the MRD and penetrated at least to the third layer of steel.




Figure 36: New $\bar{\nu}$ -Mode Rein-Sehgal Z vertex distributions for the interactions.




Figure 37: New $\bar{\nu}$ -Mode Rein-Sehgal Y vertex distributions for the interactions.




Figure 38: New $\bar{\nu}$ -Mode Rein-Sehgal X vertex distributions for the interactions.




Figure 39: This is a 2D histogram for the momentum and angle of the pion in the CC Coh Pion events that met the qualification of being "good".




Figure 40: This is a 2D histogram for the momentum and angle of the muon in the CC Coh Pion events that met the qualification of being "good".




Figure 41: This histogram shows the amount of muons that embedded (or "Stopped") in a corresponding layer of steel in our simulation.




Figure 42: This is a 2D histogram for the momentum and angle of the pion in the total CC Coh Pion events.




Figure 43: This is a 2D histogram for the momentum and angle of the muon in the total CC Coh Pion events.

A.11 NewANMBergerSehgal.C

This file is the macro that corresponds to the "NewANMBergerSehgal.h" file, which connects with this file: "SciBooNE_numubar_coh_RooTrack_NEW.root". This file performs the main analysis for this generated sample, and then organizes the information into many different histograms. The histograms are then written to a file titled "totalmuoninfoBSBar.root" inside the "ROOTFILES" directory. The "ROOTFILES" directory is included in the SciBooNE-MC repository (it is absolutely pertinent that this directory be located where the macro files are located due to how the calls of the combined data macros reference the now saved histograms).




Figure 44: New $\bar{\nu}$ -Mode Berger-Sehgal X-Y vertex distributions for muons that made it to the MRD and penetrated at least to the third layer of steel.




Figure 45: New $\bar{\nu}$ -Mode Berger-Sehgal Z vertex distributions for the interactions.




Figure 46: New $\bar{\nu}$ -Mode Berger-Sehgal Y vertex distributions for the interactions.




Figure 47: New $\bar{\nu}$ -Mode Berger-Sehgal X vertex distributions for the interactions.




Figure 48: This is a 2D histogram for the momentum and angle of the pion in the CC Coh Pion events that met the qualification of being "good".




Figure 49: This is a 2D histogram for the momentum and angle of the muon in the CC Coh Pion events that met the qualification of being "good".




Figure 50: This histogram shows the amount of muons that embedded (or "Stopped") in a corresponding layer of steel in our simulation.




Figure 51: This is a 2D histogram for the momentum and angle of the pion in the total CC Coh Pion events.




Figure 52: This is a 2D histogram for the momentum and angle of the muon in the total CC Coh Pion events.

A.12 NMCombinedPlots.C

I need to come back and insert all of my images here.




Figure 53




Figure 54




Figure 55




Figure 56




Figure 57




Figure 58




Figure 59




Figure 60




Figure 61




Figure 62




Figure 63




Figure 64




Figure 65




Figure 66




Figure 67




Figure 68




Figure 69




Figure 70




Figure 71




Figure 72




Figure 73




Figure 74




Figure 75




Figure 76




Figure 77

A.13 NMPionPlotting.C

I need to come back and insert all of my images here.




Figure 78




Figure 79




Figure 80




Figure 81




Figure 82




Figure 83




Figure 84




Figure 85




Figure 86




Figure 87




Figure 88




Figure 89

A.14 NMFourSquaredPlotting.C

I need to come back and insert all of my images here.




Figure 90




Figure 91




Figure 92




Figure 93




Figure 94




Figure 95

A.15 ANMCombinedPlots.C

I need to come back and insert all of my images here.




Figure 96




Figure 97




Figure 98




Figure 99




Figure 100




Figure 101




Figure 102




Figure 103




Figure 104




Figure 105




Figure 106




Figure 107




Figure 108




Figure 109




Figure 110




Figure 111




Figure 112




Figure 113

A.16 ANMPionPlotting.C

I need to come back and insert all of my images here.




Figure 114




Figure 115




Figure 116




Figure 117




Figure 118




Figure 119




Figure 120




Figure 121




Figure 122




Figure 123




Figure 124




Figure 125

A.17 ANMFourSquaredPlotting.C

I need to come back and insert all of my images here.




Figure 126




Figure 127




Figure 128




Figure 129




Figure 130




Figure 131

B Steps for Running the Code

The instructions on how to run the code and the order the files need to run in so that there are no resulting error messages, or other issues while running the code, are detailed in this section.

Step 1: This is the first step. (Run the NewNM macros and the NewANM macros and the OldNM macro.)

Step 2: This is the second step. (Run the combined plotting macros.)

Step 3: This is the third step. (Run the Pion Plotting macros.)

Step 4: Etc. (Run the FourSquaredMomentum macros.)

C Acknowledgements

Thank everyone who helped, and thank everyone who gave their inputs into your acceptance study. YOU NEED TO GIVE A HUGE AND SPECIAL THANKS TO DR. ASAADI RIGHT HERE! (He has been suuuuuuper patient...)

D Figures and Tables

D.1 List of Figures

There will eventually be a huge list of figures here.

D.2 List of Tables

There will eventually be the event reduction tables and 2D histogram tables here.

Table 11: Table for 2D Histogram for New ANM-Rein-Sehgal

[illegible]

