

ANALOG VS. DIGITAL

where can you stand on each side?



where can you stand on each side?



where can you stand on each side?



where can you stand on each side?



where can you stand on each side?

CONTINUOUS



analog and digital clocks



Image source: [Wikipedia](#)



Image source: [Wikipedia](#)

“Digitization is the representation of an object, image, sound, document or signal by generating a series of numbers that describe a discrete set of its points or samples”


analog-to-digital converter (ADC)





measuring of the
analog signal


turning the
measurement into a
series of 1 and 0


encoding the series of
numbers in binary
and assign meaning











































so, what analog signal is measured?





A **continuous** wave is transformed into an array of **discrete numbers** representing pressure.








image sensor



photodiode


image sensor



color filter on
top of photo-
diodes




image sensor



light passed
through filter



image sensor



de-mosaiced
pixel colors




A 10x10 grid divided into four 5x5 colored quadrants: red (top-left), green (top-right), blue (bottom-left), and yellow (bottom-right). A white arrow points right from the top-right corner.

#E06666

#93C47D

#6D9EEB


#FFD500




de-mosaiced pixel colors


filtered light


color filter





typing text















scanning text




+

optical character recognition (OCR)



temperature sensor

A thermometer measures the temperature using a proxy, such as electrical resistance. The result is a change in voltage, which can be converted into a temperature.



```
1100 0101 1101 1110  
1001 0110 1111 0100  
0000 0111 1111 0001
```







Image source: [Wikipedia](#)



Image source: [Wikipedia](#)




Image source: [Wikipedia](#)



Image source: [Wikipedia](#)

digital goods




Image source: [Wikipedia](#)



Image source: [Wikipedia](#)

computer processable

perfect reproduction

non-rival

near-zero costs of reproduction