

### TSPI Test Log - Form LOGTEST

Name	นายกัฏฐุท ครงแก้ว	Date	27 ส.ค. 2564
Team	4	Instructor	อ.อภิสิทธิ์ แสงใส
Part/Level	Function เพิ่มเอเจนต์ (White-box)	Cycle	1

Date	Test	Product	Start	Stop	Interruption Time	Delta Time	Problems	Comments
27 ส.ค. 2564	CDMS -04- 03- 01- white _box	Agent_input. php  Da_cdms_ag ent.php	19:58	20:21	-	23	-	-
	CDMS -04- 03- 02- white _box	Agent_input. php  Da_cdms_ag ent.php	20:21	20:51	-	30	-	-

### TSPi Test Log Instructions - Form LOGTEST

<b>Purpose</b>	<ul style="list-style-type: none"> <li>- The test log contains a summary of the tests run and the results obtained.</li> <li>- With the test log data, you can readily determine which tests were run and which found the most defects.</li> <li>- You can also determine the test run time and the defects found per testing hour.</li> <li>- Data from this log can help you select the most efficient strategy for regression testing modified programs.</li> </ul>
<b>General</b>	<ul style="list-style-type: none"> <li>- Use the log to track all unit, integration, and system testing.</li> <li>- A test run is an uninterrupted run of the test.</li> <li>- When a test must be stopped, either to fix the program being tested or to change the test materials, that test run is concluded.</li> <li>- When the test is resumed after the change, record this as a new test run.</li> </ul>
<b>Header</b>	<ul style="list-style-type: none"> <li>- Enter your name, date, team name, and instructor's name.</li> <li>- Name the part or assembly and its level.</li> <li>- Enter the cycle number.</li> </ul>
<b>Date</b>	<ul style="list-style-type: none"> <li>- Enter the date each test was run.</li> </ul>
<b>Test</b>	<ul style="list-style-type: none"> <li>- Uniquely identify each test.</li> <li>- Use the same name or number as in the test plan.</li> </ul>
<b>Product</b>	<ul style="list-style-type: none"> <li>- Name the product being tested.</li> </ul>
<b>Start</b>	<ul style="list-style-type: none"> <li>- Enter the time when the test was started.</li> </ul>
<b>Stop</b>	<ul style="list-style-type: none"> <li>- Enter the time when the test was stopped, either because it finished successfully or was aborted for any program or test-related reason.</li> </ul>
<b>Interruption Time</b>	<ul style="list-style-type: none"> <li>- If the test was temporarily suspended for a reason not connected with the program, that is interruption time.</li> <li>- For example, the tester took a break.</li> </ul>
<b>Delta Time</b>	<ul style="list-style-type: none"> <li>- The time between starting and stopping the test, less interruption time.</li> </ul>

<b>Problems</b>	<ul style="list-style-type: none"> <li>- The number of test problem reports</li> <li>- If one or more problems is determined to be a defect, note that under comments.</li> </ul>
<b>Comments</b>	<p>Briefly note the test results. For example</p> <ul style="list-style-type: none"> <li>- the test finished successfully</li> <li>- the test was completed, but the result was incorrect</li> <li>- the test failed with 3 problems, 1 defect</li> <li>- where possible, give additional information on test results, test configuration, or anything else that would permit reproducing the test results.</li> </ul>