### Using cite command

some text from Kennedy and Gruber 2008.

#### Using **footcite** command<sup>2</sup>

some text<sup>1</sup>.

Notice that body citations have priority than citations in the title.



<sup>&</sup>lt;sup>1</sup>Kennedy and Gruber 2008.

<sup>&</sup>lt;sup>2</sup>Ducros et al. 2000.

#### Using **footfullcite** command<sup>4</sup>

some  $text^3$ .

Notice that we have no control on the numeration of footnotes.

<sup>&</sup>lt;sup>3</sup>Christopher A Kennedy and Andrea Gruber (2008). "Reduced aliasing formulations of the convective terms within the Navier–Stokes equations for a compressible fluid". In: *Journal of Computational Physics* 227.3, pp. 1676–1700, p. 3.

<sup>&</sup>lt;sup>4</sup>F Ducros et al. (2000). "High-order fluxes for conservative skew-symmetric-like schemes in structured meshes: application to compressible flows". In: Journal of Computational Physics 16‡.1, pp. 314–135; p. 10 000

## Citing the same work twice in a single frame<sup>99</sup>

We are using the method of Jiang &  $\mathrm{Shu}^5$ .

This figure is taken from Jiang &  $Shu^6$ .

Notice, that this results in a duplicated footnote.



<sup>&</sup>lt;sup>5</sup> Jiang and Shu 1996.

<sup>&</sup>lt;sup>6</sup> Jiang and Shu 1996.

<sup>&</sup>lt;sup>99</sup>this is a footnote

# Citing the same work twice in a single frame 100

We are using the method of Jiang & Shu<sup>7</sup>.

This figure is taken from Jiang & Shu<sup>4</sup>.

This is how we reference the same footnote more than once and avoid duplicates.

<sup>&</sup>lt;sup>7</sup>Jiang and Shu 1996.

 $<sup>^{100}</sup>$ To avoid duplicated footnotes, we use the command **footnotemark[number]**.  $4 \ge 100 \text{ M} \cdot 10$ 

We only print the refenrences that we have cited:

- Ducros, F et al. (2000). "High-order fluxes for conservative skew-symmetric-like schemes in structured meshes: application to compressible flows". In: *Journal of Computational Physics* 161.1, pp. 114–139.
- Jiang, Guang-Shan and Chi-Wang Shu (1996). "Efficient implementation of weighted ENO schemes". In: Journal of computational physics 126.1, pp. 202–228.
- Kennedy, Christopher A and Andrea Gruber (2008). "Reduced aliasing formulations of the convective terms within the Navier–Stokes equations for a compressible fluid". In:

  Journal of Computational Physics 227.3, pp. 1676–1700.