
Programowanie App Internetowych

React



React

Benefits:

- JSX JSX is a syntax extension to JavaScript with react;
- Virtual Document Object Model (DOM)
- Performance There are several ways to speed up the react application by using virtual DOM because it reduces the re-render time;
- One-way data-binding Information flows in one direction.

JSX

From <u>react.dev</u>:

```
function MyButton() {
  return (
    <button>I'm a button</button>
  );
```

Components

```
function MyButton() {
  return (<button>I'm a button</button>);
}

const app = document.getElementById('app');
ReactDOM.render(<><h1>Develop. Preview. Ship.  </h1><MyButton /></>, app);
```

props

```
function MyButton(props) {
  return (<button>I'm a {props.what}</button>);
}

ReactDOM.render(<MyButton what="Login Button" />, app);
```

JSX - styling

```
function MyButton() {
  return (<button>I'm a button</button>);
var front_color = 'red'
const app = document.getElementById('app');
ReactDOM.render(<>
  <h1 style={{color: front_color }}>Develop. Preview. Ship. 💋 </h1>
  <MyButton />
</>, app);
```

Responding to events

```
function MyButton() {
 function handleClick() {
    alert('You clicked me!');
  return (
    <button onClick={handleClick}>
      Click me
    </button>
```

State

```
function MyButton() {
 const [count, setCount] = useState(0);
  function handleClick() {
    setCount(count + 1);
  return (
    <button onClick={handleClick}>
      Clicked {count} times
    </button>
```

State

How would you implement sharing the data between state between components?

Hooks

- see API reference on built-in React Hooks,
- notice: reducer pattern.

React

- Redux predictable state container for JS Apps;
- [React with Redux](React Redux).

Dziękuję