

## Get-ResourceCostDetails

### Purpose:

Collect usage and cost data for resources of given resource type in Azure in given subscriptions.

Resources which do not generate any cost or are usually not of interest as their cost does not depend on usage (e.g. VM disks) are skipped, but can be included if they are listed in the resource types.

Data is usually output as PSCustomObjects, but can also be output to a (set of) CSV files.

### Usage:

```
Get-ResourceCostDetails -subscriptionFilter <subscription>[,<subscription>]  
[-resourceTypes <type>[,<type>]] [-excludeTypes <type>[,<type>]]  
[-billingPeriod <billingperiod>] [-noUnits] [-showZeroCostItems]  
[-outFile <filename> [-delimiter <character>]] [-whatIf]  
Get-ResourceCostDetails [-help]
```

### Parameters:

-subscriptionFilter	Mandatory. Single filter or comma-separated list of filters. All subscriptions whose name contain the filter expression will be analysed.
-resourceTypes	Single filter or comma-separated list of filters. Only resources with matching types will be analysed. If '*' is given as filter, all resource types will be evaluated, except those which are excluded by default and except those listed with the excludeTypes.
-excludeTypes	Single resource type or comma-separated list of types, evaluation of these types will be skipped. Some types will be excluded by default unless specified in the resourceTypes parameter.
-billingPeriod	Collect cost for given billing period, format is 'yyyyMMdd', default is the last month.
-showUsage	Display usage information for each cost item additionally to the cost.
-showZeroCostItems	Display cost items that are zero. Normally, these items are omitted from the output.
-noUnits	Usually the first object returned is a list of units & scales, as the metrics come in 1s, 10000s, or so. This switch will omit the units object, so that only the actual metrics are output. This is useful if one single resource type is evaluated and the output is piped into another function.
-outFile	Write output to a set of CSV files. Without this parameter, results are written to standard output as objects, so piping them e.g. to Export-Csv will not give correct results, so use this parameter instead. Since the results have a different format for each resource type, results are not written to a single CSV file, but to separate files, one for each resource type. For each file, the resource type will be inserted into the name before the final dot.
-delimiter	Separator character for the CSV file. Default is the list separator for the current culture.
-whatIf	Don't evaluate costs but show a list of resources and resource types which would be evaluated.

Some resource types are excluded by default, they will be displayed if you use the -help switch. To include these types, list them with the -resourceTypes parameter explicitly

## Get-AzurePrice

### Purpose:

Lists the price for a specified VM or managed disk

### Usage:

```
Get-AzurePrice -VMType <vmtype> [-Reservation <reservation>] [-AHB] [-Currency <currency>]
Get-AzurePrice -DiskType <disktype> [-Redundancy <redundancy>] [-Currency <currency>]
```

**Get-AzurePrice -VMType [...]** displays estimated monthly fee for a given VM type

- <vmtype>** must be written exactly as in the price table, including proper capitalization. The space may be replaced by an underscore, e.g. use "D4s v4" or "D4s\_v5"
- <reservation>** is 0, 1, or 3 (years). If omitted, all three values will be reported, separated by semicolons
- <currency>** can be any valid three-letter currency code, default value is EUR

**-AHB** if this switch is given, prices are given without windows license (i.e. using Azure Hybrid Benefit)

**Get-AzurePrice -DiskType [...]** displays estimated monthly fee for a given disk type

- <disktype>** must be written exactly as in the price table, including proper capitalization, e.g. "E10" or "S20"
- <redundancy>** is either LRS or ZRS, default is LRS
- <currency>** can be any valid three-letter currency code, default value is EUR

## Get-ConnectedNICs

### Purpose:

List network interfaces in given subscriptions with IP address, VNet name, network address and DNS record, also tests whether NIC is responding to pings

### Usage:

```
Get-ConnectedNICs [-subscriptionFilter <filterexpression>] [-outFile <outfilename>] [-noPing]
  -subscriptionFilter mandatory parameter, list NICs in subscriptions matching the filter
  -outFile             writes results to a semicolon-separated CSV format if this parameter
                      is given
  -noPing             skips testing whether the NIC is responding to a ping
```

## Get-FileAccesses

### Purpose:

provides count and size statistics about file extensions and ages on file storages

### Usage:

```
Get-FileAccesses -serverName <servername> [-shareName <sharename>] [-onAccess] [-noAges]
[-noExtensions] [-priority (BelowNormal | Normal | AboveNormal | High | Realtime)]
  -serverName      Mandatory, evaluates data on given share(s) of <servername>
  -shareName       Analyzes files on the given share.
                  If omitted, analyzes data on all non-hidden shares of the given
                  server.
  -onAccess        Uses lastAccess for age calculation.
                  If omitted, uses lastwrite for age calculation
  -noAges          Ignores file age, lists by extensions only (if -noExtensions is not
                  given)
  -noExtensions    Ignores extensions, lists by age only (if -noAge is not given)
                  If BOTH -no... switches are given, script only returns total file
                  count and size
  -priority        Starts process with given priority. Use with care.
                  Possible values are BelowNormal | Normal | AboveNormal | High |
                  Realtime
```

### Examples:

to list file count and size by age, based on last accessed date'

```
Get-FileAccesses -ServerName myserver -ShareName myshare -onAccess -noExtensions
```

to see all properties in table format, use ft -Property \*

```
Get-FileAccesses -ServerName myserver -ShareName myshare | ft -Property *
```

## Get-NSGRules

### Purpose:

Lists the NSG rules in the given subscriptions in a summarized or detailed way

### Usage:

```
Get-NSGRules -subscriptionFilter <filterexpression> [-details | -briefDetails]
  -subscriptionfilter mandatory parameter, list NSGs in subscriptions matching the filter
  -details            list all rules in order of their priority
  -briefDetails       list every rule, but fewer details
                     if neither "details" switch is present, then all open ports are
                     listed, regardless of the actual source and target networks.
                     Since this mixes rules, it gives you an overview of ports but no
                     reliable information about security
```

## Get-PrinterQueues

### Purpose:

Lists all printer queues on all computers matching the filter.  
The output will be for the each printer on the matching computer(s),  
name of computer, printer, driver, and printer IP address.

### Usage:

```
Get-PrinterQueues -Filter <filter> [-details] [-ping] [-outFile <outfilename>]
  -Filter          name(s) of computer(s) whose queues shall be displayed. Filter may contain
                  wildcards
  -details         Give additional details for each printer: name of shared printer, location,
                  comment, and port name
  -ping           will try to ping each printer and output an additional field 'IsLive'
  -outFile        if given, exports result into a semicolon-separated CSV file
```

## Get-VirtualMachineInfo

### Purpose:

Lists the VMs, their SKU and their disks

### Usage:

```
Get-VirtualMachineInfos -subscriptionFilter <filterexpression>
  [-disks [-asString | -aggregatedString]] [-ipAddresses] [-ping]
  [-outFile <filename> [-separator <separator>]]
Get-VirtualMachineInfos -subscriptionFilter <filterexpression> -all
  [-asString | -aggregatedString] [-outFile <filename> [-separator <separator>]]
```

Returns a list of all subscriptions, virtual machines, their SKU, IP addresses, and SKUs of  
attached disks in subscriptions matching the filter

```
-all          includes -disks, -ipAddresses, -ping
-disks        show OS and data disk SKUs
-asString     shows the disks in string format
-aggregatedString shows the disks in an aggregated string format
-ipAddresses  show IP address(es)
-ping        ping VM to see whether it is live
-outFile     if given, exports result into a CSV file
-separator    separator for items in CSV file, default is semicolon
```

## Get-VirtualNetworks

### Purpose:

Lists all virtual networks, subnets, IP addresses and -ranges for the specified subscription(s)

### Usage:

```
Get-VirtualNetworks -subscriptionFilter <filterexpression> [-outFile <outfilename>]
[-excludeSubnets]
```

-subscriptionFilter	mandatory. Lists networks in subscriptions matching the filter
-outFile	will write output into semicolon-separated CSV file, otherwise output is a list of objects
-excludeSubnets	will only list VNets, not subnets

## Get-AzureResourceData

### Purpose:

Returns a list of resources of selected type(s) in selected subscription(s), along with some properties and metrics.

### Usage:

```
Get-AzureResourceData -subscriptionFilter <filterexpression> [-VMs] [-SqlServer] [-DbAas]
[-Storage] [-ResourceList [-details] [-lastHours <hours>]
[-billingPeriod <billingperiod>]] [-outFile <filename> [-separator]]
Get-AzureResourceData -subscriptionFilter <filterexpression> [-all] ...
```

### Parameters:

-subscriptionFilter	Single filter or comma-separated list of filters. All subscriptions whose name matches the filter expression will be analysed.
-VMs	Show VMs and their properties
-SqlServer	Show SQL server VM properties
-DbAas	Show Azure SQL (databases aaS)
-Storage	Show storage accounts
-Snapshot	Show snapshots
-all	All of the above switches
-lastHours	collect metrics within the given time period, default is 24 hours
-ResourceList	Show count of resource types in subscription
-billingPeriod	Collect resource cost for given billing period, default is the last month. Note that there may be no data available for the given billing period.
-details	Show list of resources in subscription
-outFile	Export result into a CSV file rather than on the console NOTE: separate files will be created for different resource types. Two characters will be added to the file names to make them different.
-separator	Separator for items in CSV file, default is semicolon
-whatIf	Just display the names of the subscriptions which would be analysed

NOTE: you may adjust this script e.g. to add or remove metrics. These parts of the code are marked with # >>>> and # <<<<.

Refer to the comments inside the code for further information.