```
LouiEriksson::ECS::
          Component
 + virtual std::type_index
 TypeID() const noexcept=
 + virtual const std::
       _ptr< GameObject
 > & Parent() const noexcept
 # Component(const std
 ::weak_ptr< GameObject
  > &_parent) noexcept
 # virtual ~Component()
LouiEriksson::Physics
          ::Rigidbody
+ Rigidbody(const std
::weak_ptr< ECS::GameObject
     parent) noexcept
   ~Rīgidbody() override
=default
+ std::type_index TypeID
() const noexcept override
+ void Interpolate()
+ void Sync()
  const std::vector<
 Collision > & Collisions
() const noexcept
+ void SetTransform(const
std::weak_ptr< Tr
> &_transform)
+ const std::weak
                 Transform
                    ptr
  Transform > & GetTransform
() const noexcept
+ void SetCollider(const
std::weak_ptr< Collider
> &_collider)
+ const std::weak
                    _ptr
< Collider > & GetCollider
() const noexcept
+ void Position(const
glm::vec3 & value)
+ const glm::vec3 & Position()
+ void Rotation(const
glm::quat &_value)
+ const glm::quat & Rotation()

    void Kinematic(const

bool &
        value)
+ const bool & Kinematic
() const noexcept
+ void Gravity(const
bool &_value)
+ const bool & Gravity
() const noexcept
+ void Velocity(const
glm::vec3 &_value)
+ glm::vec3 Velocity
() const
+ void AngularVelocity
(const glm::vec3 &_value)
+ glm::vec3 AngularVelocity
() const
+ void AddForce(const
glm::vec3 &_value,
const glm::vec3 & relativ
Position=glm::vec3(0.0f))
                     relative
+ glm::vec3 GetForce
() const
  void Mass(const float
&_value)
+ const float & Mass
() const noexcept
+ void Drag(const float
&_value)
+ const float & Drag
() const noexcept
+ void AngularDrag(const
float &_value)
+ const float & AngularDrag
() const noexcept
```

void Friction(const

value) + const float & Friction () const noexcept

+ void Bounciness(const float &_value) + const float & Bounciness

() const noexcept

float &