

Case Study 2: Paris 2024 Team USA Olympics Gymnastics Team

Aimi Wen, Katie Nash, Nidhi Dhupati, Wendy Shi

Introduction

Background Information

The Olympic Games are an international multi-sport event held every four years, and are largely considered to be the most prestigious sporting competition in the world. These Games are therefore a popular spectator event across the world, with an average viewership of more than 15 million people in past years [1]. The 2024 Olympic Games will be held in Paris, France, and will include both a Men's and Women's Artistic Gymnastics event. Winning a medal in an Olympic gymnastics event is an honor for both the individual athlete and for the country that athlete represents; the medal brings a sense of national pride to citizens across the country and promotes the global recognition of the winning country. The USA is known for its men and women gymnastics teams, which have consistently earned medals in past Olympic games. Because of the high honor and importance of upholding the legacy of the United States in these competitions, it is important to carefully select the men and women that will represent our country as Team USA. The importance of and interest surrounding the Olympics provides a rich foundation for analytics and statistical interpretations of the athletes in the competitions, as well as predictions about who will represent Team USA in the many Olympic sports. There have already been analyses, published in major news outlets, about who Team USA will consist of for non-gymnastics sports in 2024 [2]. The objective of this project is to extend this analysis to the Artistic Gymnastics events, and to select the 5 athletes for each of the men's and women's events that will optimize performance for Team USA.

The format of the Olympic Artistic Gymnastics event includes a qualifying round and final round. Scores from qualifying rounds do not impact medal determinations, but rather decide which athletes advance to the finals. The final round, which is what determines medal placements, consists of team all-around, individual all-around, and individual apparatus events. Men's opportunities for medals are: 1) team all-around, 2) individual all-around, 3) floor exercise, 4) pommel horse, 5) still rings, 6) vault, 7) parallel bars, and 8) high bar. Women's opportunities for medals are: 1) team all-around, 2) individual all-around, 3) vault, 4) uneven bars, 5) balance beam, and 6) floor exercise. The athletes representing Team USA will compete in a pool of 96 men and 96 women, which will include teams of five from other countries as well as the option for individual entries for countries without full team qualifications.

Our hypothesis is:

- Who are the 5 men and 5 women who can make Team USA achieve the highest level of success at the Paris 2024 Artistic Gymnastics Event?

Data Description

Gymnastics competitions from 2017-2023 were included in the dataset. These competitions were split into two separate datasets by the seasons leading up to the 2021 Tokyo Games and the seasons leading up to the 2024 Paris Games (the 2022 and 2023 seasons). Competitions were included from around the globe, including world competitions, non-world competitions that included the United States as a competitor, and non-world competitions that did not include the United States as a competitor. The competition data included scoring information, athlete names, athlete demographic information, and athlete scores. Each entry in the dataset

is one event from one athlete, which includes the country affiliation of the athlete, the competition and competition location, the difficulty, execution, penalty, and overall scores, the apparatus that the athlete competed on, and their ranking. Additionally, the countries who qualified as a team, which are the countries that will be allowed to compete in the Team All-Around event for the men’s and women’s Olympic events, were provided. The dataset we used for analysis was last synced with the central repository on November 2nd.

Methodology

Data Cleaning

From the original competition dataset, we standardized variables and added columns. We standardized each athlete’s name based on the first instance it appeared and created a column that included the full name of the athlete. We additionally made sure the country codes were consistent with International Olympic Committee Codes (for example, Scotland competes as part of the United Kingdom in the Olympics). We additionally separated the competition data into two datasets by men’s and women’s competitions, created a variable to track the order that the competitions occurred by their dates, and added a competition scope variable to aid with data visualizations and athlete selection in the analysis approach.

Analysis Approach

In order to study which athletes could enable Team USA to achieve maximum success at the Paris Olympics, we decided to model possible Olympic scenarios by simulating the medal outcomes of different variations of Team USA competing with variations of teams from other countries. Our metric of success was a weighted medal count: we assigned 3 points to a Gold medal, 2 points to a Silver medal, and 1 point to a Bronze medal. This reflects our belief in the relative prestige of each medal, and will allow the highest score to reflect our interpretation of the highest level of success. We conducted a separate simulation process for the Men’s Artistic Gymnastics Event and the Women’s Artistic Gymnastics Event. Each simulation can be broken down into the following subsections: athlete selection, creating score distributions, team selection, Team All-Around event simulation, individual event simulation, and finding the top performing USA teams.

Athlete Selection Criteria

We only included athletes who placed in the top 10 at a World competition or in the top 3 at a non-World competition in our hypothetical team combinations. This reflects an assumption that World competitions are more competitive than non-World competitions, and that each country would only select the highest level of top-performing athletes to represent their country in the Olympics.

Creating Score Distributions

The next step is to simulate the score that each athlete receives on each apparatus. We created a score distribution for each athlete and apparatus that mimics the characteristics of the observed scores they received in past competitions, while adding noise and allowing for more score selection options than just the exact scores they have received in the past. We used the process of kernel density estimation (KDE), which provides a continuous representation of the score distribution. Mathematical details about the development of our KDEs is included in the appendix. Although we are only simulating scores for the final rounds, since those are the medal-earning events, we decided to include athlete scores from qualification and final rounds in our creation of the KDEs. Figure X confirms that the distribution of scores for qualification and final rounds are similar. Additionally, we only created the KDEs based on total score for the athlete, instead of separating the scores by difficulty score, execution score, and penalty score. Since the total score is difficulty score + execution score - penalty score, it encompasses all of these sub-scores. Figure X additionally demonstrates that most penalty scores are near 0.

Team Selection

In order to simulate Olympics outcomes, we had to select a team of five gymnasts for each qualifying country in the Olympics, for each simulation round. Because the Olympics has already released which countries have qualified, we used those countries to filter out athletes who did not belong to a qualifying country. For each qualifying country, we used weighted random sampling to select 5 gymnasts. Weighted random sampling was chosen rather than simple random sampling in order for the highest performing athletes to be sampled more often. The weights also biased selection toward “well-rounded” gymnasts, who have a high score on multiple apparatuses, rather than “specialized” gymnasts. We made the assumption that all-around athletes have the potential to compete in multiple medal events, and that medaling the individual all-around event can bring more media coverage and prestige to the winning country than winning an individual apparatus event. Mathematical details about the weighting process are included in the appendix.

Team All-Around Simulation

To simulate the team all-around competition, three gymnasts would need to be selected to compete for each apparatus from the five gymnasts on each team. After selecting the five athletes for each country’s team, we simulated how each athlete would score for each individual event by randomly sampling 1 score from the appropriate athlete and apparatus KDE score distribution. Then, for each apparatus, we selected the athletes with the 3 highest scores to compete in the Team All-Around.

Once every qualifying country had three athletes selected for each apparatus, the scores for the actual event with these athletes was simulated. Then, the scores for all apparatuses were summed by country to create the final scores for the Team All-Around event. The top 3 teams were given the appropriate medal counts.

Individual Events Simulation

Unlike the Team All-Around, individual events allow for athletes from countries that did not qualify as a team. Therefore, when simulating individual events, our dataset included five athletes that were randomly selected (via the weighted random selection process) for each qualifying country, as well as all of the athletes who passed our athlete selection criteria but did not belong to a qualifying country. For each individual event and athlete, we randomly sampled one score from the appropriate athlete and apparatus KDE score density. For individual events where multiple scores can be recorded (the individual all-around and vault events), we summed each score together to represent the final score for each event. The top 3 athletes for each event were given the appropriate medal counts.

Finding the Top USA Teams

We ran 5000 simulations for the Men’s Artistic Gymnastics Event, and a separate 5000 simulations for the Women’s Artistic Gymnastics Event. Each simulation included a separate selection process for the five athletes who would represent the qualifying countries. After running these simulations, we selected the one simulation where the USA scored the highest weighted medal count for each gender. We selected the athletes selected in this highest-scoring round as Team USA. Then, to address potential variability in our results as well as address the limitation that Team USA may have just scored highly due to poor performance of other countries, we set these athletes as our Team USA. Then, we ran another 100 simulations, where we randomly selected the athletes in other qualifying countries but kept the same athletes in every simulation for the United States. From these simulations, we tracked how many times the United States had the highest weighted medal count of all countries.

Results

Men’s Artistic Gymnastics Event

Of the 5000 simulations for both men and women, the 10 simulation with the highest weighted medal score for the United States were separated. Then, 300 more simulations were run with these 10 teams fixed, as described in the methodology. For each of these 10 teams, the percentage of simulations where the United

States had the highest weighted medal count is included in the table below. The team where the USA won the highest weighted medal count for the largest percentage of the 300 simulations was taken to be the Men's Team USA.

Table 1: Men's Artistic Gymnastics - Second Round Simulations for Possible Top Teams

Teams 1-5				
Team 1	Team 2	Team 3	Team 4	Team 5
Athletes				
Vitaliy Guimaraes Asher Hong Brody Malone Yul Moldauer Donnell Whittenburg	Asher Hong Michael Jaroh Paul Juda Donnell Whittenburg Khoi Young	Riley Loos Yul Moldauer Frederick Richard Shane Wiskus Khoi Young	Vitaliy Guimaraes Asher Hong Paul Juda Ian Lasic Khoi Young	Asher Hong Jose Lopez Brody Malone Yul Moldauer Khoi Young
Percentage of Simulations With USA Having Highest Weighted Medal Count				
13.7%	10.0%	6.7%	9.3%	15.3%
Teams 6-10				
Team 6	Team 7	Team 8	Team 9	Team 10
Athletes				
Cameron Bock Matt Cormier Vitaliy Guimaraes Paul Juda Frederick Richaard	Asher Hong Patrick Hoopes Paul Juda Brody Malone Colt Walker	Taylor Burkhart Vitaliy Guimaraes Brody Malone Yul Moldauer Khoi Young	Raydel Gamboa Vitaliy Guimaraes Paul Juda Riley Loos Khoi Young	Vitaliy Guimaraes Asher Hong Paul Juda Curran Phillips Khoi Young
Percentage of Simulations With USA Having the Highest Weighted Medal Count				
6.7%	15.7%	8.7%	3.3%	USA: 13.7%

As seen in the table above, Team USA is taken to be Asher Hong, Patrick Hoopes, Paul Juda, Brody Malone, and Colt Walker (Team 7 above). This Team USA won the highest weighted medal count of any country is 15.7% of the second round simulations.

Since this Team 7 was identified as the men's Team USA, we have included a table below to demonstrate a potential outcome of the Olympics with this team. This table portrays the *best* performance of Team 7 in the 300 simulations that were run. It is important to understand the limitations of showcasing only the best score; the simulation process inherently included randomness and could, although at a low probability, include an unreasonable high score. The outcomes of each other simulation are included in the raw code.

Table 2: Men's Artistic Gymnastics - Best Simulated Outcome for Chosen Team USA

Event	Gold	Silver	Bronze
Team All-Around	China	USA	Italy
Individual All-Around	USA (Brody Malone)	USA (Asher Hong)	China (Xingyu Lan)
Vault	Great Britain (Jake Jarman)	Philippines (Carlos Yulo)	Ukraine (Nazar Chepurnyi)
Still Rings	USA (Asher Hong)	Greece (Eleftherios Petrounias)	China (Xingyu Lan)
Pommel Horse	USA (Patrick Hoopes)	Kazakhstan (Nariman Kurbanov)	Canada (Zachary Clay)
Parallel Bars	Philippines (Carlos Yulo)	Germany (Lukas Dauser)	Japan (Shinnosuke Oka)
High Bar	China (Hao Tian)	Cyprus (Marios Georgiou)	Japan (Shinnosuke Oka)
Floor Exercise	USA (Brody Malone)	Cuba (Alejandro De)	Philippines (Carlos Yulo)

Team USA Athletes: Brody Malone, Asher Hong, Patrick Hoopes, Paul Juda, Colt Walker

Team USA Medal Count: 6

Team USA Weighted Medal Count: 16 (where Gold = 3, Silver = 2, Bronze = 1)

Team USA Medal Breakdown: 4 Gold, 2 Silver, 0 Bronze

Women's Artistic Gymnastics Event

The same process above was repeated for the women's event, and the results are included in the table below, with the names of the athletes and the percentage of simulations where the United States had the highest weighted medal count.

Table 3: Women's Artistic Gymnastics - Second Round Simulations for Possible Top Teams

Teams 1-5				
Team 1	Team 2	Team 3	Team 4	Team 5
Athletes				
Simone Biles Charlotte Booth eMjae Frazier Shilese Jones Leanne Wong	Simone Biles Jade Carey eMjae Frazier Kaliya Lincoln Zoe Miller	Simone Biles Jade Carey Karis German Shilese Jones Konnor McClain	Simone Biles Jade Carey Kayla DiCello eMjae Frazier Konnor McClain	Simone Biles Jade Carey Jordan Chiles Levi Jung Konnor McClain
Percentage of Simulations With USA Having the Highest Weighted Medal Count				
98.7%	99.0%	99.0%	99.3%	99.7%
Teams 6-10				
Team 6	Team 7	Team 8	Team 9	Team 10
Athletes				
Simone Biles eMjae Frazier Shilese Jones Konnor McClain Elle Mueller	Simone Biles Jordan Chiles eMjae Frazier Karis German Konnor McClain	Simone Biles Addison Fatta Nola Matthews Konnor McClain Elle Mueller	Simone Biles Jordan Chiles Shilese Jones Katelyn Jong Marissa Neal	Simone Biles Charlotte Booth Jade Carey Addison Fatta Konnor McClain
Percentage of Simulations With USA Having the Highest Weighted Medal Count				
99.7%	99.7%	98.7%	99.7%	99.7%

As seen above, Team 5, 6, 7, 9, and 10 are all tied for the percentage of times the USA had the highest weighted medal count (of 99.7%). To break the tie, the number of times each individual athlete appeared in one of the five teams with a 99.7% highest weighted medal count percentage was counted. Simone Biles appeared 5 times in a top-performing team, Konnor McClain appeared 4 times, and Jordan Chiles appeared 3 times. These three were chosen for Team USA. eMjae Frazier, Jade Carey, and Shilese Jones were all chosen 2 times (with the rest of the names appearing here only chosen 1 time). Because Team USA can only consist of five athletes, we ran an additional 300 simulations with every combination of Simone, Konnor, and Jordan, and two of the three athletes that appeared 2 times.

In these additional simulations, the USA won the highest weighted medal count the same percentage of times with each team (99.7% of the time). Therefore, after confirming that these combinations of teams had a tied percentage in a second round of "top simulations", we decided to choose the Team USA that had the highest weighted medal count, on average, from these 300 simulations. The average weighted medal count is included in the table below, along with the athletes who achieved these counts:

Since Simone Biles, Konnor McClain, Jordan Chiles, Jade Carey, and Shilese Jones had the highest average weighted medal count in these last round of simulations, they were chosen as the women's Team USA.

Since this Team 3 was identified as the women's Team USA, we have included a table below to demonstrate the *best* performance of Team 3 in the 300 simulations that were run in the last iteration of simulations. It is again important to note the limitations of showcasing only the best score, although, in this case, the women's Team USA won the highest weighted medal count in 99.7% of the simulations (though not always by this wide of a margin).

Team USA Athletes: Simone Biles, Jade Carey, Jordan Chiles, Shilese Jones, Konnor McClain

Team USA Medal Count: 10

Team USA Weighted Medal Count: 25 (where Gold = 3, Silver = 2, Bronze = 1)

Team USA Medal Breakdown: 6 Gold, 3 Silver, 1 Bronze




Figure 1: Average Country Performance Across Simulations

Table 4: Women's Artistic Gymnastics - Third Round Simulations for Tied Top Teams

Team 1	Team 2	Team 3
Athletes		
Simone Biles Konnor McClain Jordan Chiles eMjae Frazier Jade Carey	Simone Biles Konnor McClain Jordan Chiles. eMjae Frazier Shilese Jones	Simone Biles Konnor McClain Jordan Chiles Jade Carey Shilese Jones
Percentage of Simulations With USA Having the Highest Weighted Medal Count		
<i>99.7%</i>	<i>99.7%</i>	<i>99.7%</i>
Average Weighted Medal Count		
<i>16.8</i>	<i>17.5</i>	<i>18.4</i>

Table 5: Women's Artistic Gymnastics - Best Simulated Outcome for Team USA

Event	Gold	Silver	Bronze
Team All-Around	USA	Brazil	China
Individual All-Around	USA (Simone Biles)	USA (Shilese Jones)	Brazil (Rebeca Andrade)
Balance Beam	USA (Simone Biles)	USA (Konnor McClain)	China (Ran Wu)
Vault	USA (Simone Biles)	Brazil (Rebeca Andrade)	USA (Jade Carey)
Floor Exercise	USA (Simone Biles)	USA (Shilese Jones)	Brazil (Rebeca Andrade)
Uneven Bars	USA (Shilese Jones)	Trinidad and Tobago (Annalise Newman)	Algeria (Kaylia Nemour)

Discussion

Plots to add, once we get final team: average Score by apperatous per team USA athlete performance over time
 justify: use all scores not just quali and final

Analysis

Performance over time - not enough data!! :(

```
## Warning: Removed 12 rows containing non-finite values (`stat_summary()`).
```





Figure 2: Every Competition Score for each team USA Athlete by Apparatus



winningmost countries

Citations

- [1] <https://www.cnbc.com/2021/08/04/simone-biles-return-helped-olympics-viewership-average-16point8-million.html>
- [2] <https://www.cbssports.com/nba/news/2024-paris-olympics-projecting-team-usas-12-man-roster-with-joel-embiid-joining-lebron-james-stephen-curry/>
- [3] <https://usagym.org/>

Appendix

showing that most penalties are near 0: For both men's and women's competitions, the 95th percentile for the penalties is less than 0.5 (it is 0.5 for men and 0.4 for women). This means that 95% of penalties for both genders are not more than 0.5. The visualizations show that this does not change drastically based on the scope of the competition. Additionally, since the 51st percentile of penalties for both genders is 0.1, this means that the majority of entries had a penalty score of 0.1 or less.

showing that most penalties are near 0: For both men's and women's competitions, the 95th percentile for the penalties is less than 0.5 (it is 0.5 for men and 0.4 for women). This means that 95% of penalties for both genders are not more than 0.5. The visualizations show that this does not change drastically based on the scope of the competition. Additionally, since the 51st percentile of penalties for both genders is 0.1, this means that the majority of entries had a penalty score of 0.1 or less.

Why we're using mean for bootstrapping: The distribution of event scores for women and men are both approximately normally distributed, with the mean and median scores less than 0.5 apart within each gender. The mean of women's




Figure 3: Distribution of the Difficulty Score by Round and Apparatus




Figure 4: Each Athletes Rank for Olympic Qualified Countries across all Competitions

scores is 12.207, and the median of women's scores is 12.367. The mean of men's scores is 13.048, and the median of men's scores is 13.233.

Whether scores vary by type of round in competition: Doesn't seem to vary much; make the assumption that qualification scores are representative of an athlete's scores in the medal rounds

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```




Figure 5: Rank of Brazilian Women for every competition




Figure 6: Distribution of Penalties by competition scope for Women




Figure 7: Distribution of Penalties by competition scope for Men




Figure 8: Distribution of the Difficulty Score by Round and Apparatus for Women




Figure 9: Distribution of Difficulty scores by the Scope of Competition and Apparatus for Women




Figure 10: Distribution of Scores by Scope of Competition and Apparatus for Women




Figure 11: Distribution of Penalties by competition scope for Women






Figure 12: Distribution of Penalties by competition scope for Men



```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```

Score Distribution for Men Athletes, by Round



[1] 12.21275

[1] 12.4

[1] 13.04569

[1] 13.233

Execution scores have a higher range than difficulty scores, for both men and women athletes (colored by round but doesn't seem to be much difference based on round):

Waiting for competition scope for men




Figure 13: Distribution of the Difficulty Score by Round and Apparatus for Men




Figure 14: Distribution of Difficulty scores by the Scope of Competition and Apparatus for Men




Figure 15: Distribution of Scores by Scope of Competition and Apparatus for Men