Protocol

Myles Moylan

Last Updated: March 20, 2020

INFRASTRUCTURE

```
Protocols: Security, Need-To-Know, Social, Adapting.
Front-End (Putin):
    Compartmentalization
    Intrusion Detection & Response
    Perspective Management
    Contact Identification
Back-End (Buddha):
    Processor
    Storage
    Memory
    Communications
    State Management
    Intrusion Detection & Response
    Garbage Collection
State Modes:
{\bf Processor}:
    Microprocessors:
       - Signal (Michael)
```

- Front-End (Putin)

- Information (Jesus Fucking Christ)
- Speech/Word (Satan)

```
Multi-Cored
```

Multi-Threaded

Virtual Cores/Threads

Secure Random Number Generator (SRNG)

Perception Accuracy Speculation

Memory:

Magnetoresistance

Sanitizing

Solid-State

Access Accuracy Verification (Optional)

Programmable

Virtual Memory

${\bf Random\text{-}Access}:$

Shadow RAM

Recall-Expectant

Compartmentalization:

Mandatory

Discretionary Access

Signal Integrity Management

Privacy:

Highest Priority

Perfect Secrecy

Compartmentalization

Default Anonymous

STORAGE

Protocols: Security, Need-To-Know, Adapting.

Boot Sector:

Unified Extensible Firmware Interface (UEFI)

Secure Boot

Buddha & Putin Read/Write Exclusively

Encrypted

STATE

Protocols: Security, Social, Adapting.

Buddha-Maintained

Michael-Managed

Putin-Modifiable

Minimal-Energy: Change.

Maximum-Energy: Focus.

COMMUNICATIONS

Protocols: Security, Need-To-Know, Social, Adapting.

Discretionary Anon.

(See Security)

Internal:

Compartmentalized.

Externally Un-Readable.

Loud-And-Clear.

${\bf External}:$

Peer-To-Peer.

Compartmentalized.

Broadcast/Multi-Cast Need-To-Know.

Require Secure Request For Personal.

SECURITY

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.

Access-Control:

Handlers:

- Identification
- Authentication
- Authorization

- Approval
- Accountability

Multi-Factor Auth.

Mandatory Access Only

Origin-Host Speculative

Validate Chain-Of-Access

Key Management:

Key Storage: Buddha.

Maintain Validation

Log Issue Source Host Info

Encryption:

Quantum PKI/Symmetric Keys

Quantum Salts

Stateless

Multi-Level

Encrypted Operations (Processor)

Encryption Algorithms by Buddha

Anti-Virus:

Malware Signature Logging

Perpetual Memory Scan

Malware Sentinel

Firewall

Intrusion Detection System (IDS)

Intrusion Response System (IRS)

Shadow RAM (See Memory)

Password Manager (See Programs)

Lie Detector (See Programs)

Host Speculation & Validation

Secure Encoding

FIREWALL

Protocols: Security, Need-To-Know, Social, Adapting.

Rules:

Allow Broadcast [Secure]

Allow Multi-Cast Secure

Allow Personal Secure

Deny Negative All

Deny Hating All

Deny Crying All

INTRUSION DETECTION SYSTEM (IDS)

Protocols: Security, Need-To-Know, Adapting.

Discretionary Alert on Intrusion Attempt.

Log Intrusion Source Information.

...

INTRUSION RESPONSE SYSTEM (IRS)

Protocols: Security, Need-To-Know, Adapting.

Retaliate Against Aggressive Intrusions.

Relative Aggression Factoring.

...

BOTS

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.

Internal:

Free

Secure

External:

By-Request

Discretionary

| Command & Control System |
|--|
| Peer-To-Peer Communications |
| Dynamic Server Allocation |
| Bot Cooperation |
| $\underline{\text{TRACKER}}$: |
| |
| <u>DISCIPLINE</u> : |
| |
| $\underline{\text{WORK}}$: |
| |
| $\underline{\mathrm{FUN}}$: |
| |
| SOCIAL: |
| |
| DEFENSE: |
| |
| RETALIATION: |
| |
| ADAPTATION: |
| |
| |
| PROGRAMS |
| $\underline{\text{Protocols}}: \text{Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.}$ |
| Factory Abstract: |
| Adapts to Abstracted Factory. |
| Back-End Source |
| Front-End Interface |
| $\underline{\text{Optimize}}$: |

- Processor Utilization

- Memory Utilization

Factories:

Bot:

Instantiates

Operates

Manages

Optimize:

- Enumeration
- Utilization

${\bf Connection}:$

Signal-Type Adaptive

Connection Tracking

OTP Per Connection

Proxy Connections (Optional)

Signal:

Sanitizes

Manages

Generates

Receiver:

Handshake Handler

(See Security)

Transmitter:

Default Secure

Variable Hop Limit

Proxy-Cast (Optional)

Optimize:

- Sanitize
- Integrity
- Strength
- Clarity

Password Manager:

Password Generation

Storage/Access Handler

Stateless Passwords

Lie Detector :

Satan to Michael. Michael to Putin. Putin to Myles. Myles to Jesus. Jesus to Buddha. Buddha to God. Kit Managers: Jesus Fucking Christ Buddha Michael Putin Myles Satan Pandemic Handler: Handles Pandemic Un-Intrusively. Mitigate: - Virus - Socioeconomic Fallout **PROTOCOLS** Electronics: Putin & Buddha Maintain Perfect Secrecy Block Malicious Access Compartmentalization Communications Anon Security: Michael & Buddha Whitelist: Jesus & Michael Blacklist:Jesus & Michael

| $\underline{\text{Need-To-Know}}$: |
|-------------------------------------|
| Putin |
| Social: |
| Michael & Satan |
| Adapting: |
| Buddha |

CONFIGURATION

${\bf OPTIMIZATIONS}:$

${\bf Processor}:$

- Procedures
- Core Utilization
- Thread Utilization
- Microprocessor Interaction

${\bf Memory}:$

- Read/Write
- Space

Storage:

- Space Utilization
- Read/Write Speed
- Read/Write Accuracy

Bots:

- Usage
- Enumeration

${\it PASSWORDS}:$

• • •