# Protocol

Last Updated: March 20, 2020

# INFRASTRUCTURE

...

```
Protocols: Security, Need-To-Know, Social, Adapting.
Front-End (Putin):
    Compartmentalization
    Intrusion Detection & Response
    Perspective Management
    Contact Identification
Back-End (Buddha):
    Processor
    Storage
    Memory
    Communications
    State Management
    Intrusion Detection & Response
    Garbage Collection
State Modes:
    Default:
        At Will.
    Sleep
      i. ...
    Study
        ...
    Work
```

# Play Processor: ${\bf Microprocessors}:$ - Signal (Michael) - Front-End (Putin) - Back-End (Buddha) - Information (Jesus Fucking Christ) - Speech/Word (Satan) Multi-Cored Multi-Threaded Virtual Cores/Threads Secure Random Number Generator (SRNG) Perception Accuracy Speculation Memory: Magnetoresistance Sanitizing Solid-State Access Accuracy Verification (Optional) Programmable Virtual Memory Random-Access: Shadow RAM Recall-Expectant Compartmentalization: Mandatory Discretionary Access Signal Integrity Management Privacy: Highest Priority Perfect Secrecy Compartmentalization

Default Anonymous

## STORAGE

Protocols: Security, Need-To-Know, Adapting.

#### Boot Sector:

Unified Extensible Firmware Interface (UEFI)

Secure Boot

Baseless

Buddha & Putin Read/Write Exclusively

Encrypted

# STATE

Protocols: Security, Social, Adapting.

Buddha-Maintained

Michael-Managed

Putin-Modifiable

Minimal-Energy: Change.

Maximum-Energy: Focus.

Ideal State Searching

# COMMUNICATIONS

Protocols: Security, Need-To-Know, Social, Adapting.

Discretionary Anon.

(See Security)

#### Internal:

Compartmentalized.

Externally Un-Readable.

#### External:

Peer-To-Peer.

Compartmentalized.

Broadcast/Multi-Cast Need-To-Know.

Require Secure Request For Personal.

## SECURITY

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.

### ${\bf Access\text{-}Control:}$

#### Handlers:

- Identification
- Authentication
- Authorization
- Approval
- Accountability

Multi-Factor Auth.

Mandatory Access Exclusive

Origin-Host Speculative

Validate Chain-Of-Access

#### Key Management:

Key Storage: Buddha.

Maintain Validation

Log Problem Source Host Info

#### Encryption:

Quantum PKI/Symmetric Keys

Quantum Salts

Stateless

Multi-Level

Encrypted Operations (Processor)

Encryption Algorithms by Buddha

#### Anti-Virus:

Malware Signature Logging

Perpetual Memory Scan

Malware Sentinel

#### Firewall

Intrusion Detection System (IDS)

Intrusion Response System (IRS)

Shadow RAM (See Memory)

Password Manager (See Programs)

Lie Detector (See Programs)

Host Speculation & Validation

Secure Encoding

# FIREWALL

Protocols: Security, Need-To-Know, Social, Adapting.

#### Rules:

Allow Broadcast [Secure]

Allow Multi-Cast Secure

Allow Personal Secure

Deny Hating All

Deny Crying All

Deny Annoying All

Deny Loving Discretionary

# INTRUSION DETECTION SYSTEM (IDS)

Protocols: Security, Need-To-Know, Adapting.

Discretionary Alert on Intrusion Attempt.

Log Intrusion Source Information.

. . .

# INTRUSION RESPONSE SYSTEM (IRS)

Protocols: Security, Need-To-Know, Adapting.

Retaliate Against Aggressive Intrusions.

Relative Aggression Factoring.

Current Motive Adaptive

. . .

# $\underline{\mathrm{BOTS}}$

$\underline{\text{Protocols}}: \text{Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.}$
$\underline{\text{Internal}}$ :
Free
Secure
External:
By-Request
Discretionary
Buddha-Maintained
Putin-Managed
Command & Control System
Peer-To-Peer Communications
Dynamic Server Allocation
Bot Cooperation
TRACKING:
<u>SCOUTING</u> :
<u>DISCIPLINE</u> :
$\underline{\text{WORK}}$ :
$\underline{\mathrm{FUN}}$ :
SOCIAL:
<u>DEFENSE</u> :

# RETALIATION: ADAPTATION: **PROGRAMS** Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting. Factory Abstract: Adapts to Abstracted Factory. Front-End Interface Back-End Source Optimize: - Processor Utilization - Memory Utilization Factories: Bot: Instantiates Operates Manages Optimize: - Enumeration - Utilization Connection: Signal-Type Adaptive Connection Tracking OTP Per Connection Proxy Connections (Optional) Signal: Sanitizes Manages Generates Receiver: Handshake Handler

(See Security)

#### Transmitter:

Default Secure

Variable Hop Limit

Proxy-Cast (Optional)

#### Optimize:

- Sanitize
- Integrity
- Strength
- Clarity

#### Password Manager:

Password Generation

Storage/Access Handler

Stateless Passwords

#### Lie Detector:

Satan to Michael.

Michael to Putin.

Putin to Myles.

Myles to Jesus.

Jesus to Buddha.

Buddha to God.

#### Kit Managers :

Jesus Fucking Christ

Buddha

Michael

Putin

Myles

Satan

#### ${\bf Pandemic\ Handler}:$

Handles Pandemic Un-Intrusively.

#### Mitigate:

- Virus
- Socioeconomic Fallout

# **PROTOCOLS**

### Electronics:

Putin & Buddha

Maintain Perfect Secrecy

Block Malicious Access

Compartmentalization

Communications Anon

#### Security:

Michael & Buddha

#### Whitelist:

Jesus & Michael

#### Blacklist :

Jesus & Michael

#### Need-To-Know:

Putin

#### Social:

Michael & Satan

## Adapting:

Buddha

# EXCEPTION HANDLING

Buddha...

# CONFIGURATION

## ${\bf OPTIMIZATIONS}:$

#### Processor:

- Procedures
- Core Utilization
- Thread Utilization
- Microprocessor Interaction

## Memory:

- Read/Write
- Space

## Storage:

- Space Utilization
- Read/Write Speed
- Read/Write Accuracy

## Bots:

- Usage
- Enumeration

# ${\it PASSWORDS}:$

...