Directives

Last Updated: March 20, 2020

INFRASTRUCTURE

...

```
Protocols: Security, Need-To-Know, Social, Adapting
Front-End (Putin):
    Compartmentalization
    Intrusion Detection & Response
    Perspective Management
    Contact Identification
Back-End (Buddha):
    Processor
    Storage
    Memory
    Communications
    State Management
    Intrusion Detection & Response
    Garbage Collection
State Modes:
    Default:
        At Will.
    Sleep
    Study
        ...
    Work
```

Play

...

Processor:

${\bf Microprocessors}:$

- Signal (Michael's A Beast)
- Front-End (Putin's A Monster)
- Back-End (Buddha's A Nerd)
- Information (Jesus Fucking Christ)
- Speech/Word (Satan's A Bitch)

Multi-Cored

Multi-Threaded

Virtual Cores/Threads

Programmable Cores/Threads

Secure Random Number Generator (SRNG)

Perceptual Accuracy Speculation

Magnetoresistance

Memory:

Sanitizing

Programmable

Virtual Memory

Accuracy Verification

Random-Access:

Shadow RAM

Recall-Expectant

Compartmentalization:

Mandatory

Discretionary Access

Signal Integrity Management

Minimized Complexity

Privacy:

Highest Priority

Perfect Secrecy

Compartmentalization

Kit Managers:

Jesus Fucking Christ

Buddha's A Nerd

Michael's A Beast

Putin's A Monster

Myles' A Genius

Satan's A Bitch

STORAGE

Protocols: Security, Need-To-Know, Adapting

Boot Sector :

Unified Extensible Firmware Interface (UEFI)

Secure Boot

Baseless

Vault:

Buddha-Maintained

Putin-Managed

Buddha & Putin Read/Write Exclusively

Programmable

Encrypted

STATE

Protocols: Security, Social, Adapting

Buddha-Maintained

Michael-Managed

Putin-Modifiable

Minimal-Energy: Change

Maximum-Energy: Focus

Transformation Sanitizing

Ideal State Searching

COMMUNICATIONS

Protocols: Security, Need-To-Know, Social, Adapting

(See Security)

Internal:

Isolated

External:

Peer-To-Peer

Broadcast/Multi-Cast Need-To-Know

Require Secure Request For Personal

SECURITY

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

Access-Control:

Handlers:

- Identification
- Authentication
- Authorization
- Approval
- Accountability

Multi-Factor Auth

Mandatory Access Exclusive

Origin-Host Speculative

Validate Chain-Of-Access

Key Management:

Key Storage: Buddha

Maintain Validation

Log Problem Source Host Info

${\bf Encryption}:$

Quantum PKI/Symmetric Keys

Quantum Salts

Stateless

Multi-Level Encrypted Operations (Processor) Encryption Algorithms by Buddha Anti-Virus: Malware Signature Logging Perpetual Memory Scan Malware Sentinel ${\bf Truth\ Seekers:}$ The Individual Lie Detectors Satan to Michael Michael to Putin Putin to Myles Myles to Jesus Jesus to Buddha Buddha to God God to God Firewall Intrusion Detection System (IDS) Intrusion Response System (IRS) Shadow RAM (See Memory) Password Manager (See Programs) Lie Detector (See Programs) Host Speculation & Validation

Secure Encoding

Discretionary Transparency

FIREWALL

Protocols: Security, Need-To-Know, Social, Adapting

Rules:

Allow Broadcast [Secure]

Allow Multi-Cast Secure

Allow Personal Secure

Allow Loving Discretionary

Deny Hating All

Deny Crying All

Deny Annoying All

INTRUSION DETECTION SYSTEM (IDS)

Protocols: Security, Need-To-Know, Adapting

Discretionary Intrusion Alert

Intrusion Information Logging

...

INTRUSION RESPONSE SYSTEM (IRS)

Protocols: Security, Need-To-Know, Adapting

Discretionary Responding

Motive Adapting

Relative Aggression Factoring

...

PROGRAMS

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

Factory Abstract:

Adapts to Abstracted Factory

Front-End Interface

Back-End Source

Factories: Bot: Instantiates Operates Manages (See Bots) Connection: Signal-Type Adaptive Connection Tracking OTP Per Connection Proxy Connections (Optional) Signal: Sanitizes Manages Generates Receiver: Handshake Handler Discretionary (See Security) Transmitter:Default Secure Variable Hop Limit Proxy-Cast (Optional) Password Manager: Password Generation Storage/Access Handler Pandemic Handler: Handles Pandemic Un-Intrusively Mitigate: - Virus - Socioeconomic Fallout

BOTS

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

| <u>Internal</u> : |
|------------------------------|
| Free |
| Secure |
| External: |
| By-Request |
| Discretionary |
| Buddha-Maintained |
| Putin-Managed |
| Command & Control System |
| Peer-To-Peer Communications |
| Dynamic Server Allocation |
| Bot Cooperation |
| RECON: |
| |
| TRACKING: |
| |
| <u>DISCIPLINE</u> : |
| |
| $\underline{\text{WORK}}$: |
| |
| $\underline{\mathrm{FUN}}$: |
| ••• |
| SOCIAL: |
| |
| OFFENSE |
| |
| <u>DEFENSE</u> : |
| |
| <u>ADAPTATION</u> : |

PROTOCOLS

| $\overline{\text{Electronics}}$: |
|-------------------------------------|
| Block Malicious Access |
| Compartmentalization |
| Anonymous Communications |
| <u>Security</u> : |
| |
| $\underline{\text{Whitelist}}$: |
| |
| $\underline{\text{Blacklist}}$: |
| |
| $\underline{\text{Need-To-Know}}$: |
| |
| Social: |
| |
| Adapting: |
| |
| EXCEPTION HANDLING |
| Buddha |

CONFIGURATION

${\bf OPTIMIZATIONS}:$

${\bf Processor}:$

- Procedures
- Core Utilization
- Thread Utilization
- Microprocessor Interaction

$\underline{\text{Memory}}$:

- Read/Write

- Space

Storage:

- Space Utilization
- Read/Write Speed
- Read/Write Accuracy

${\bf Factories}:$

Processor Utilization

Memory Utilization

Storage Utilization

Signals:

- Sanitize
- Integrity
- Strength
- Clarity

$\mathrm{Bots}:$

- Usage
- Enumeration

${\it PASSWORDS}:$

Endless

Stateless