

# Lesson 9 Classification (III)

---

- Basic Concepts
- Decision Tree Induction
- Bayesian Classification
- Backpropagation
- Support Vector Machines (SVM)
- Lazy Learners (kNN)
- Other Classification Methods
- Additional Topics
- Prediction
- Model Evaluation and Selection
- Techniques to Improve Classification Accuracy:  
Ensemble Methods
- Summary



# What Is Prediction?

- (Numerical) prediction is **similar** to classification
  - construct a model
  - use model to predict value for a given input
- Prediction is **different** from classification
  - Classification refers to predict categorical class label
  - Prediction models continuous- or ordered-valued functions
- Major method for prediction: **regression**
  - model the relationship between one or more *independent* or **predictor** variables and a *dependent* or **response** variable
- Regression analysis
  - Linear and multiple regression
  - Non-linear regression
  - Other regression methods: generalized linear model, Poisson regression, log-linear models, regression tree

# Linear Regression

- Linear regression: involves a response variable  $y$  and a single predictor variable  $x$

$$y = w_0 + w_1 x$$

where  $w_0$  (y-intercept) and  $w_1$  (slope) are regression coefficients

- Method of least squares: estimates the best-fitting straight line

$$w_1 = \frac{\sum_{i=1}^{|D|} (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^{|D|} (x_i - \bar{x})^2} \quad w_0 = \bar{y} - w_1 \bar{x}$$

- Multiple linear regression: involves more than one predictor variable
  - Training data is of the form  $(\mathbf{X}_1, y_1), (\mathbf{X}_2, y_2), \dots, (\mathbf{X}_{|D|}, y_{|D|})$
  - Ex. For 2-D data, we may have:  $y = w_0 + w_1 x_1 + w_2 x_2$
  - Solvable by extension of least square method or using SAS, S-Plus
  - Many nonlinear functions can be transformed into the above



# Nonlinear Regression

- Some nonlinear models can be modeled by a polynomial function
- A polynomial regression model can be transformed into linear regression model. For example,

$$y = w_0 + w_1 x + w_2 x^2 + w_3 x^3$$

convertible to linear with new variables:  $x_2 = x^2$ ,  $x_3 = x^3$

$$y = w_0 + w_1 x + w_2 x_2 + w_3 x_3$$

- Other functions, such as power function, can also be transformed to linear model
- Some models are intractable nonlinear (e.g., sum of exponential terms)
  - possible to obtain least square estimates through extensive calculation on more complex formulae




# Other Regression-Based Models

---

- Generalized linear model:
  - Foundation on which linear regression can be applied to modeling categorical response variables
  - Variance of  $y$  is a function of the mean value of  $y$ , not a constant
  - Logistic regression: models the prob. of some event occurring as a linear function of a set of predictor variables
  - Poisson regression: models the data that exhibit a Poisson distribution
- Log-linear models: (for categorical data)
  - Approximate discrete multidimensional prob. distributions
  - Also useful for data compression and smoothing
- Regression trees and model trees
  - Trees to predict continuous values rather than class labels

# Prediction: Numerical Data



# Prediction: Categorical Data

