

# Assignment 11, Discrete Mathematics

Oleg Sivokon

*<2015-03-21 Sat>*

## Contents

<b>1</b>	<b>Problems</b>	<b>2</b>
1.1	Problem 1 . . . . .	2
1.1.1	Answer 1 . . . . .	2
1.2	Problem 2 . . . . .	3
1.2.1	Answer 2 . . . . .	3
1.2.2	Answer 3 . . . . .	3
1.2.3	Answer 4 . . . . .	3

# 1 Problems

## 1.1 Problem 1

In all questions that follow, establish whether  $x \in y$  or  $x \subseteq y$ .

1.  $x = \{1, 2\}, y = \{1, 2, 3\}$ .
2.  $x = \{3\}, y = \{\{1\}, \{2\}, \{3\}\}$ .
3.  $x = \{1, 2\}, y = \{\{1, 2\}, 3\}$ .
4.  $x = \{1, 3\}, y = \{\{1, 2\}, 3\}$ .
5.  $x = \emptyset, y = \emptyset$ .
6.  $x = \{\emptyset\}, y = \{\emptyset\}$ .
7.  $x = \{1\}, y = \{1, 2\}$ .
8.  $x = \emptyset, y = P(\{1, 2, 3\})$ .

### 1.1.1 Answer 1

1.  $x \subseteq y$ .
2.  $x \in y$ .
3.  $x \in y$ .
4.  $x \not\subseteq y \wedge x \not\in y$ .
5.  $x \subseteq y$ .
6.  $x \subseteq y$ .
7.  $x \subseteq y$ .
8.  $x \subseteq y$ .

## 1.2 Problem 2

Prove or disprove:

1.  $(A \setminus B) \setminus B = A \setminus B$ .
2.  $A \setminus (B \setminus A) = A$ .
3.  $A \subseteq P(A)$ .

### 1.2.1 Answer 2

The statement is true. Suppose for contradiction that there is a  $b \in A \setminus B$  s.t.  $b \notin (A \setminus B) \setminus B$ . Then, we know that  $b \in A$  and  $b \notin B$ . But we assumed  $b \notin A \vee b \in B$ . This is a contradiction, hence  $(A \setminus B) \setminus B = A \setminus B$ . Additionally, it is easy to see that set subtraction is idempotent (i.e. if applied repeatedly, will yield the same result after first application).

### 1.2.2 Answer 3

The statement is true. Suppose for contradiction there was an  $a \in A$ , which is not in  $A \setminus (B \setminus A)$ . Then such  $a$  would have to be in  $A$ , but not in  $(B \setminus A)$ . I will now show that no elements of  $(B \setminus A)$  is in  $A$ , thus subtracting this group would not remove any elements of  $A$ , i.e.  $A \cap (B \setminus A) = \emptyset$ . Suppose  $b$  was in  $A$  and in  $(B \setminus A)$  at the same time, then it would have to be in  $A$ , but  $A$  is excluded from  $(B \setminus A)$ . This is in contradiction to the previous assumption. Therefore  $A \setminus (B \setminus A) = A$ .

### 1.2.3 Answer 4

This statement isn't true in general. An example which disproves it would be an assignment:  $A = \{1, 2\}$ .  $P(A) = \{\emptyset, \{1\}, \{2\}, \{1, 2\}\}$ .  $A \not\subseteq P(A)$ .