

Tag 2

Guten Morgen!




vm □ □ □ @-vhd  
Hyper-V Host

Module 3: Virtualization

# Windows Admin Center (WAC)

On Prem



# Lesson 1: Configure and manage Hyper-V


On Prem



# Configure and manage Hyper-V



Overview of Hyper-V



Overview of Hyper-V Manager

.msc  
PowerShell  
wAC



Best practices for configuring Hyper-V hosts

vm

□□□

Blech


□□□

□ vm

?



Hyper-V networking



Overview of nested virtualization




Knowledge check and resources

# 2008 | 2008 R2 Hyper-V

VMware

.wim Windows Server  
Roles  
Features  
install


- Hardware virtualization layer
- A role in Windows Server
- Subdivide the hardware capacity of a single host computer
- Provides an isolated space for each VM to run its own operating system (OS)




Hypervisor Type 2

# Hyper-V Manager

- Graphical Interface
- Supports:
  - Previous versions
  - Web Services (WS)-Management protocol
  - Alternate credential support
- Other management tools include:
  - Windows PowerShell
  - PowerShell Direct
  - Windows Admin Center



# Hyper-V Best Practices



Cluster Share Volume

vhd  
vhdX  
max


- Enough Hardware
- Deploy VMs in separate disks or CSV
- No other server roles to be installed in the Host
- Manage Hyper-V remotely
- Run Hyper-V by using a Server Core configuration
- Run the Best Practices Analyzer and resource metering
- Use Generation 2 VMs if supported

Install - Windows Feature Hyper-V

BPA Server Manager

# Hyper-V networking

- Hyper-V supports the following virtual network adapter types:
  - Legacy network adapter
  - Synthetic network adapter
- Hyper-V supports three types of virtual switches:



Virtual switch type	Description
External	Used to map a network to a specific network adapter or network adapter team. Provides external access outside of the host machine.
Internal	Used to communicate between the virtual machines on a host server and to communicate between the virtual machines and the host itself
Private	Used to only communicate between virtual machines on a Hyper-V host

VM0 VM1 VM2

VM0 VM1 VM2  
X




# Lesson 2: Configuring VMs



# Configuring VMs




VM Settings and configuration



VM Storage



Virtual hard disk formats and types



Manage VM states and checkpoints


# VM configuration and generation versions

- VM configuration version identifies:
  - Compatibility of the VM components with the version of Hyper-V installed on the host machine
  - Windows Server 2022 host machines support configuration version 10.0 or greater
  - To update a configuration version, use the following command:
    - Update-VMVersion <vmname>
- Generation 1 VMs:
  - Support 32 and 64-bit operating systems
  - Only support boot volumes a maximum of 2 TB ✓ HD
  - Supports legacy BIOS
- Generation 2 VMs:
  - Support only 64-bit operating systems
  - Support secure boot and shielded VMs
  - Support boot volumes a maximum of 64 TB ✓ HDD
  - Supports Unified Extensible Firmware Interface (UEFI)


# VM settings

- VM settings are grouped into two main areas:
  - Hardware
  - Management
- Available hardware components depend on the generation version of the VM

## Generation ~~1~~ settings




## Generation ~~2~~ settings



# Hyper-V Storage

- Consider the following factors when planning storage for virtual hard disks
  - High-performance connection to storage
  - Redundant storage
  - High-performance storage
  - Adequate growth space
- Supported storage types include
  - Fibre channel connections
  - Server Message Block (SMB) 3.0 file shares
  - Net App



# Virtual Hard Disk (1 of 2)

- Virtual hard disk formats include
  - VHD
    - Up to 2040 GB in size
    - Typically used to support older Hyper-V versions
  - VHDX
    - Up to 64 TB in size
    - Recovery from corruption issues
    - Supports larger block size resulting in increased performance

# Virtual Hard Disk (2 of 2)



vhd  
File

Disk  
size

128 GB

128 GB



128 GB

4 MB  
wächst mit  
max 128 GB

wächst mit

windows  
Sysprepped


Type of disc	Description
Fixed	Allocates all of the hard disk space immediately
Dynamic	The disk only uses the amount of space that needs to be allocated, and it grows as necessary <i>nicht SQL Server</i>
Differencing Base	Associated with another virtual hard disk in a parent-child configuration. Any changes made to the differencing disk does not affect the parent disk.
Pass through auf reale LUN Disks	Allows the virtual machine to connect directly to an Internet Small Computer Systems Interface (iSCSI) (logical unit number) LUN or a physical disk attached on the host machine



# Shared VHDX and VHD Set files

Virtual machine cluster node 1

Virtual machine cluster node 2



Shared VHDX or VHD Set (VHDS)



# Manage VM states and checkpoints

- A VM can be in one of the following states:

- Off ←
- Starting
- Running ←
- Paused
- Saved









- Checkpoints:

- Allows you to take a snapshot of a virtual machine at a specific point in time
- Two types of checkpoints
  - Production checkpoints
  - Standard checkpoints
- Maximum of 50 checkpoints per virtual machine allowed

# Lesson 3. Virtual Machines in Azure



# Virtual Machines in Azure

-  Review Cloud Services Responsibilities
-  Plan Virtual Machines
-  Determine Virtual Machine Sizing
-  Determine Virtual Machine Storage
-  Create Virtual Machines in the Portal
-  Connect to Virtual Machines
-  Connect to Windows Virtual Machines
-  Connect to Linux Virtual Machines

# Review Cloud Services Responsibilities

Responsibility	SaaS	PaaS	IaaS	On-prem	
Information and data	Customer	Customer	Customer	Customer	RESPONSIBILITY ALWAYS RETAINED BY <u>CUSTOMER</u>
Devices (Mobile and PCs)	Customer	Customer	Customer	Customer	
Accounts and identities	Customer	Customer	Customer	Customer	
Identity and directory infrastructure	Microsoft	Customer	Customer	Customer	RESPONSIBILITY VARIES BY SERVICE TYPE
Applications	Microsoft	Customer	Customer	Customer	
Network controls	Microsoft	Customer	Customer	Customer	
Operating system	Microsoft	Microsoft	Customer	Customer	
Physical hosts	Microsoft	Microsoft	Microsoft	Customer	RESPONSIBILITY TRANSFERS TO CLOUD PROVIDER
Physical network	Microsoft	Microsoft	Microsoft	Customer	
Physical datacenter	Microsoft	Microsoft	Microsoft	Customer	

Legend: Microsoft Customer

Test and development, website hosting, storage, backup, recovery, high-performance computing, big data analysis, and extended data center

# Plan Virtual Machines

ARM

public IP

Start with the network

Name the virtual machine


Choose a location

- Each region has different hardware and service capabilities
- Locate Virtual Machines as close as possible to your users and to ensure compliance and legal obligations

Consider pricing

- Compute costs
- Storage costs (consumption-based and reserved instances)

NSG



60+ Azure regions  
Available in 140 countries

# Determine Virtual Machine Sizing

~~A Series~~ - Entry-level for dev/test

B Series – Economical bursting

D Series – General purpose compute

Dc Series – Protect data in use

E Series – In-memory hyper-threaded applications optimized

F Series – Compute optimized

G Series – Memory and storage optimized

H Series - High performance computing

L Series – Storage optimized

M Series – Memory optimized

Mv2 Series – Largest memory optimized

N Series – GPU enabled

# Determine Virtual Machine Storage

Each Azure VM has two or more disks:

- OS disk
- Temporary disk (contents can be lost)
- Data disks (optional)

OS and data disks reside in Azure Storage accounts:


- Azure-based storage service
- Standard (HDD, ~~or Premium~~ or Premium (SSD), or Ultra (SSD)

M2

Managed

When creating an Azure VM, you can choose between:

- Managed disks (recommended)
- Unmanaged disks



# Create Virtual Machines in the Portal

Basic (required) – Project details,  
Administrator account,  
Inbound port rules

Disks – OS disk type, data disks

Networking – Virtual networks,  
load balancing

Management – Monitoring,  
Auto-shutdown, Backup

Advanced – Add additional configuration,  
agents, scripts or applications

## Create a virtual machine

Basics

Disks

Networking

Management

Advanced

Tags

Review + create

Ubuntu Server 18.04 LTS

Ubuntu Server 18.04 LTS

Red Hat Enterprise Linux 7.7

SUSE Enterprise Linux 15 SP1

CentOS-based 7.7

Debian 10 "Buster" with backports kernel

Oracle Linux 7.7

Ubuntu Server 16.04 LTS

Windows Server 2019 Datacenter

Windows Server 2016 Datacenter

Windows Server 2012 R2 Datacenter


Windows 10 Pro, Version 1809



# Connect to Windows Virtual Machines

Remote Desktop Protocol (RDP) creates a GUI session and accepts inbound traffic on TCP port 3389

WinRM creates a command-line session so can run scripts



# Connect to Linux Virtual Machines



## Administrator account

Authentication type

Username \* ⓘ

SSH public key \* ⓘ

Provide an RSA public key in the single-line format (starting with "ssh-rsa") or the multi-line PEM format. You can generate SSH keys using ssh-keygen on Linux and OS X, or PuTTYGen on Windows.




[i Learn more about creating and using SSH keys in Azure](#)

Authenticate with a SSH public key or password

SSH is an encrypted connection protocol that allows secure logins over unsecured connections

There are public and private keys

# Connect to Virtual Machines



Bastion Subnet for RDP/SSH through the Portal over SSL

Remote Desktop Protocol for Windows-based Virtual Machines

Secure Shell Protocol for Linux based Virtual Machines

# Lesson 4: Containers



# Containers



Define Containers

---



Containers vs. virtual machines

---



Container isolation modes

---




Container in Azure

---


# Containers

- Package of an application along with all its dependencies
- Lightweight development and runtime environment for applications
- Benefits of using containers:
  - Ability to run anywhere; local workstation, servers, or provisioned in the cloud
  - Isolation
  - Increased efficiency
  - A consistent development environment




# Containers vs. Virtual Machines

## Containers



## Virtual Machines



# Container Isolation Modes

- Process Isolation
  - “Traditional” isolation mode
  - Containers share the same kernel with each other and the host
  - Each container has its own user mode
  - Does not provide security-enhanced isolation
  - Uses the following switch when starting a container using Docker:  
**–isolation=process**
- Hyper-V Isolation
  - Each container runs inside of a highly optimized virtual machine
  - Each container gains its own kernel and an enhanced level of stability and security
  - Also provides hardware-level isolation between each container and the host
  - Uses the following switch when starting a container using Docker:  
**–isolation=hyperv**



# Explore Azure Container Instances Benefits

PaaS Service

Fast startup times

Public IP connectivity and DNS name

Isolation features


Custom sizes

Persistent storage

Linux and Windows Containers


Co-scheduled Groups

Virtual network Deployment



Fastest way to run a container in Azure  
without provisioning a VM

# Implement Container Groups




Top-level resource in  
Azure Container Instances

A collection of containers  
that get scheduled on  
the same host

The containers in the group share a  
lifecycle, resources, local network,  
and storage volumes

# Understand the Docker Platform



Enables developers to host applications within a container

A container is a standardized “unit of software” that contains everything required for an application to run

Available on both Linux and Windows and can be hosted on Azure

# The End