

# Database II Lab/ 3<sup>rd</sup> Grade

[Second Semester] and [2026]

[Lab 4]

[24/2/ 2026]

[8.30 + 10.30 am]



## Instructor Information

### Instructor

Dr. Rasool Hisham

Dr. Zainab Namh

Dr. Azhar Flaih

Assist. Prof. Zahraa Jaaz

### Email

[rasool.hisham@nahrainuniv.edu.iq]

### Hours

[2 Hrs]

---

## Connecting MySQL to C# Windows Forms Application

This lab focuses on the integration of C#, a powerful object-oriented language, with MySQL, a widely-used Relational Database Management System (RDBMS). By combining these technologies, programmers can create data-centric Windows applications.

### Lab Objective:

1. To establish a connection between a MySQL database and a C# Windows Forms application using **MySQL Connector/NET**.
2. Use `MySqlDataReader` to **fetch data** from a MySQL table.
3. Display the retrieved data in a **MessageBox**.

### Software Required:

- Visual Studio
  - MySQL Server (installed and running)
  - MySQL Connector/NET
- 

Connecting a **C# Windows Form Application** to a **MySQL Server** is a standard way to build data-driven desktop software.

To Connect a C# Windows Forms application to a MySQL database we rely on the **MySQL Connector/NET**, a specialized library that facilitates communication between your **.NET applications** and the database server (**MySQL server**). It enables developers to interact with MySQL databases by providing a set of .NET libraries that **handle the communication between the application and the database**.

**MySql.Data.dll** is the **core library** of **MySQL Connector/NET** that acts as a data provider (driver), enabling .NET applications to connect to and interact with MySQL databases.

The **MySql.Data.MySqlClient** namespace which is the container of MySQL data access classes comes from the **MySQL Connector/NET** which enables C# applications to interact with MySQL databases.

# Database II Lab/ 3<sup>rd</sup> Grade

[Second Semester] and [2026]

[Lab 4]

[24/2/ 2026]

[8.30 + 10.30 am]



## Instructor Information

### Instructor

Dr. Rasool Hisham

Dr. Zainab Namh

Dr. Azhar Flaih

Assist. Prof. Zahraa Jaaz

### Email

[rasool.hisham@nahrainuniv.edu.iq]

### Hours

[2 Hrs]

`MySql.Data.dll`

└─ `MySql.Data.MySqlClient (namespace)`

└─ `MySqlConnection`

└─ `MySqlCommand`

└─ `MySqlDataReader`

The Classes are:

1. **Classes for Database Connection:** It provides classes like **MySqlConnection** for establishing a connection to a MySQL server.
2. **Command and Query Execution:** It includes classes like:
  - a. **MySqlCommand:** to execute SQL queries or commands against the database.
  - b. **MySqlDataReader:** to read data returned by a query from the MySQL database.

## How to Connect MySQL to C#:

1. Install MySQL Connector via NuGet.
2. Add the Namespace using `MySql.Data.MySqlClient`
3. Define the Connection String: The connection string contains your server address, database name, and login credentials.
4. Open the Connection

Use a `MySqlConnection` object within a try-catch block to handle potential errors.

Once you are connected to the MySQL database, you can perform CRUD operations (Create, Read, Update, Delete).

# Database II Lab/ 3<sup>rd</sup> Grade

[Second Semester] and [2026]

[Lab 4]

[24/2/ 2026]

[8.30 + 10.30 am]



## Instructor Information

### Instructor

Dr. Rasool Hisham

Dr. Zainab Namh

Dr. Azhar Flaih

Assist. Prof. Zahraa Jaaz

### Email

[rasool.hisham@nahrainuniv.edu.iq]

### Hours

[2 Hrs]

## Basic CRUD Operations:

To interact with data, use MySqlCommand for queries.

- **Insert Data:** Use ExecuteNonQuery() for actions like INSERT, UPDATE, or DELETE.
- **Read Data:** Use SqlDataReader and ExecuteReader() to fetch rows from a SELECT query.

## Establish the connection: MySqlConnection

- The MySqlConnection class is used to establish a connection between C# program and MySQL database.
- Before executing any queries or commands, you first need to open a connection using this class.

```
var connection = new MySqlConnection("your_connection_string_here");  
connection.Open(); // Opens the connection to the MySQL server
```

- **MySqlConnection:** A class from the **MySql.Data.MySqlClient** namespace, used to **establish a connection with a MySQL database**.
- **new MySqlConnection(" ")**: Creates a new instance of **MySqlConnection** with a proper connection string (" ").
- **connection.Open()**: This method is used to open the connection to the MySQL database. It should be called before any command or query is executed.

# Database II Lab/ 3<sup>rd</sup> Grade

[Second Semester] and [2026]

[Lab 4]

[24/2/ 2026]

[8.30 + 10.30 am]



## Instructor Information

### Instructor

Dr. Rasool Hisham

Dr. Zainab Namh

Dr. Azhar Flaih

Assist. Prof. Zahraa Jaaz

### Email

[rasool.hisham@nahrainuniv.edu.iq]


### Hours

[2 Hrs]

**Task 1:** We want to add a **button** in a Windows Forms application C# to connect with MySQL database **company**. The event handler (BtnDB\_Click) attempts to establish a connection to a MySQL database using the **MySqlConnection** class from the **MySql.Data.MySqlClient** library.

## Step 1: Add MySql.Data.dll (Dynamic Link Library.)

1. Open **Visual Studio** and create a **Windows Forms App** project.
2. Add a reference to **MySql.Data.dll** in your C# project:
  - Go to **Solution Explorer** → Right-click on **References/Dependencies** → Select **Manage NuGet Packages**.
  - Search for **MySql.Data** and install it.



# Database II Lab/ 3<sup>rd</sup> Grade

[Second Semester] and [2026]

[Lab 4]

[24/2/ 2026]

[8.30 + 10.30 am]



## Instructor Information

### Instructor

Dr. Rasool Hisham

Dr. Zainab Namh

Dr. Azhar Flaih

Assist. Prof. Zahraa Jaaz

### Email

[rasool.hisham@nahrainuniv.edu.iq]

### Hours

[2 Hrs]

## Step 2: Establish Connection in C#

### 1. Add the C# Library to Connect MySQL with WinForms

```
using MySql.Data.MySqlClient; // Import MySQL Library
```

### 2. Add a button, set the **Text** for example to: **Connect to the DB** while the **Name**: BtnDB.



### 3. Add the following **connection object** to establish a connection with MySQL. Note that the code is wrapped in **using** and a **try-catch** block for resource management and error handling respectively.

```
string connectionString = @"server=server name; username=user name;
                             password=yourpassword;
                             database=yourdatabse; port=3306";

using (var conn = new MySqlConnection(connectionString))
{
    try
    {

```

**MySqlConnection:** Creates a connection object to interact with MySQL.

### Connection String:

- server=server name or IP address; → Connects to a MySQL server running on the local machine.
- username=user\_name; → Connects using the MySQL user.

# Database II Lab/ 3<sup>rd</sup> Grade

[Second Semester] and [2026]

[Lab 4]

[24/2/ 2026]

[8.30 + 10.30 am]



## Instructor Information

### Instructor

Dr. Rasool Hisham

Dr. Zainab Namh

Dr. Azhar Flaih

Assist. Prof. Zahraa Jaaz

### Email

[rasool.hisham@nahrainuniv.edu.iq]

### Hours

[2 Hrs]

- password= yourpassword; → Uses the password " " .
- database= yourdatabase →The database name to connect to
- port=3306; → Uses the default MySQL port (3306).

## 4. Opening the Connection


```
connection.Open();
```

- This opens a connection to the MySQL server.
- If the connection is successful, it proceeds to the next step.

## 5. Success Message

```
MessageBox.Show("Connected");
```

- If the connection is successful, a message box displays "**Connected**".



## 6. Closing the Connection

```
connection.Close();
```

- Closes the database connection to free up resources.
- Best practice is to always **close the connection** after use.

# Database II Lab/ 3<sup>rd</sup> Grade

[Second Semester] and [2026]

[Lab 4]

[24/2/ 2026]

[8.30 + 10.30 am]



## Instructor Information

### Instructor

Dr. Rasool Hisham

Dr. Zainab Namh

Dr. Azhar Flaih

Assist. Prof. Zahraa Jaaz

### Email

[rasool.hisham@nahrainuniv.edu.iq]

### Hours

[2 Hrs]

## 7. Catch Block - Handling Errors


```
catch (Exception ex)
```

```
{
```

```
    MessageBox.Show("Invalid Operation: " + ex.Message);
```

```
}
```

- **Catches exceptions** that may occur when:
  - The MySQL server is **not running**.
  - **Invalid credentials** are provided.
  - **Firewall issues** block the connection.
  - **Network connectivity problems**.
- **Displays the error message** in a message box.



**Task 2:** We want to **read data records** from the database using a MySqlCommandReader. Then **display the query results** in a message box.

## Step 1: MySqlCommand : Creating and Configuring the Command

```
using (MySqlCommand cmd = new MySqlCommand())  
{  
    string sql = "SELECT dno, dname FROM department";  
    cmd.CommandType = CommandType.Text;  
    cmd.CommandText = sql;  
    cmd.Connection = conn;
```

# Database II Lab/ 3<sup>rd</sup> Grade

[Second Semester] and [2026]

[Lab 4]

[24/2/ 2026]

[8.30 + 10.30 am]



## Instructor Information

### Instructor

Dr. Rasool Hisham

Dr. Zainab Namh

Dr. Azhar Flaih

Assist. Prof. Zahraa Jaaz

### Email

[rasool.hisham@nahrainuniv.edu.iq]

### Hours

[2 Hrs]

- **MySQLCommand cmd = new MySQLCommand();**
  - Creates a command object that will be used to execute SQL statements.
- **string sql = "SELECT dno, dname FROM department";**
  - Defines the SQL query to fetch department numbers (dno) and department names (dname) from the department table.
- **cmd.CommandType = CommandType.Text;**
  - Specifies that the command is a simple text query (not a stored procedure).
- **cmd.CommandText = sql;**
  - Assigns the SQL query to the command.
- **cmd.Connection = conn;**
  - Associates the command with the established MySQL connection

## Step 2: MySQLDataReader: Executing the Query and Reading the Data

```
using (MySQLDataReader rdr = cmd.ExecuteReader())
{
    while (rdr.Read())
    {
        int dno = rdr.GetInt32("dno");
        string dname = rdr.GetString("dname");
        MessageBox.Show(dname);
    }
}
```

- **cmd.ExecuteReader();**
  - Executes the query and returns a MySQLDataReader, which allows reading data row by row.



# Database II Lab/ 3<sup>rd</sup> Grade

[Second Semester] and [2026]

[Lab 4]

[24/2/ 2026]

[8.30 + 10.30 am]



## Instructor Information

### Instructor

Dr. Rasool Hisham

Dr. Zainab Namh

Dr. Azhar Flaih

Assist. Prof. Zahraa Jaaz

### Email

[rasool.hisham@nahrainuniv.edu.iq]

### Hours

[2 Hrs]

- **while (rdr.Read())**
  - Iterates over each row in the result set.
- **int dno = rdr.GetInt32("dno");**
  - Retrieves the dno (department number) as an integer.
- **string dname = rdr.GetString("dname");**
  - Retrieves the dname (department name) as a string.
- **MessageBox.Show(dname);**
  - Displays the department name in a message box.
- **If there are multiple departments, multiple message boxes will appear.**

